



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 25, 2026 – 08:26 AM UTC

PDB ID : 3I5Q / pdb_00003i5q
Title : Nup170(aa1253-1502) at 2.2 Å, S.cerevisiae
Authors : Whittle, J.R.R.; Schwartz, T.U.
Deposited on : 2009-07-06
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	252	10% 66% 29% ..
1	B	252	7% 66% 29% ..

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4432 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nucleoporin NUP170.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	248	Total	C	N	O	S	0	0	0
			2026	1317	320	381	8			
1	A	248	Total	C	N	O	S	0	0	0
			2026	1317	320	381	8			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	1251	GLY	-	expression tag	UNP P38181
B	1252	PRO	-	expression tag	UNP P38181
A	1251	GLY	-	expression tag	UNP P38181
A	1252	PRO	-	expression tag	UNP P38181


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	200	Total	O	0	0
			200	200		
2	A	180	Total	O	0	0
			180	180		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Nucleoporin NUP170



• Molecule 1: Nucleoporin NUP170



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	78.43Å 113.00Å 150.88Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.15 – 2.20 30.15 – 2.20	Depositor EDS
% Data completeness (in resolution range)	95.0 (30.15-2.20) 98.9 (30.15-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.08 (at 2.20Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.4_4)	Depositor
R, R_{free}	0.232 , 0.272 0.232 , 0.269	Depositor DCC
R_{free} test set	1728 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	39.0	Xtriage
Anisotropy	0.256	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 47.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4432	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 11.69% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.40	0/2070	0.77	3/2795 (0.1%)
1	B	0.41	0/2070	0.73	2/2795 (0.1%)
All	All	0.41	0/4140	0.75	5/5590 (0.1%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1474	LEU	N-CA-C	-6.55	100.20	109.96
1	B	1482	ASP	CA-C-N	6.38	125.81	118.85
1	B	1482	ASP	C-N-CA	6.38	125.81	118.85
1	A	1474	LEU	CB-CA-C	6.14	119.01	110.16
1	A	1355	GLY	N-CA-C	-5.32	107.98	115.32

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2026	0	2004	74	0
1	B	2026	0	2004	77	0
2	A	180	0	0	22	1
2	B	200	0	0	13	1
All	All	4432	0	4008	143	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (143) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1407:ILE:HD11	2:A:364:HOH:O	1.33	1.27
1:B:1376:LYS:HA	2:B:358:HOH:O	1.52	1.08
1:B:1272:GLN:HE22	1:B:1302:LEU:H	1.14	0.94
1:A:1272:GLN:HE22	1:A:1302:LEU:H	1.14	0.90
1:A:1358:GLU:OE1	2:A:39:HOH:O	1.89	0.89
1:A:1398:PHE:O	2:A:364:HOH:O	1.90	0.88
1:B:1333:HIS:ND1	2:B:267:HOH:O	2.09	0.84
1:B:1291:ASP:O	1:B:1295:LYS:HG2	1.78	0.83
1:B:1379:GLN:CG	2:B:358:HOH:O	2.26	0.83
1:B:1375:GLY:O	2:B:358:HOH:O	1.97	0.81
1:B:1379:GLN:HG2	2:B:358:HOH:O	1.79	0.80
1:A:1474:LEU:O	2:A:366:HOH:O	1.99	0.78
1:A:1424:ASN:HD21	1:A:1499:PHE:H	1.33	0.77
1:A:1272:GLN:NE2	1:A:1302:LEU:H	1.83	0.76
1:B:1376:LYS:CA	2:B:358:HOH:O	2.19	0.73
1:B:1432:GLU:O	1:B:1436:THR:HB	1.88	0.73
1:A:1424:ASN:ND2	1:A:1499:PHE:H	1.88	0.70
1:B:1424:ASN:HD21	1:B:1499:PHE:H	1.39	0.70
1:A:1291:ASP:O	1:A:1295:LYS:HG2	1.91	0.70
1:B:1453:HIS:HD2	1:A:1280:TYR:OH	1.75	0.70
1:B:1462:PHE:O	1:B:1465:ILE:HG12	1.91	0.70
1:A:1465:ILE:HG13	1:A:1466:ILE:HG13	1.74	0.70
1:B:1465:ILE:HG13	1:B:1466:ILE:HG13	1.74	0.70
1:A:1474:LEU:C	2:A:366:HOH:O	2.34	0.70
1:B:1404:LYS:HG3	2:B:288:HOH:O	1.91	0.69
1:B:1271:ILE:HD11	1:B:1327:ILE:HG12	1.73	0.69
1:B:1428:TYR:OH	2:B:251:HOH:O	2.11	0.68
1:A:1402:LEU:HB2	2:A:364:HOH:O	1.95	0.66
1:B:1379:GLN:HG3	2:B:358:HOH:O	1.93	0.66
1:A:1453:HIS:HE1	2:A:366:HOH:O	1.77	0.66
1:A:1462:PHE:O	1:A:1465:ILE:HG12	1.95	0.66
1:B:1280:TYR:OH	1:A:1453:HIS:HD2	1.79	0.66
1:A:1271:ILE:HD11	1:A:1327:ILE:HG12	1.78	0.65
1:A:1288:ALA:O	2:A:200:HOH:O	2.15	0.64
1:B:1424:ASN:HD22	1:B:1424:ASN:H	1.45	0.64
1:A:1391:PHE:HB3	1:A:1392:PRO:HD3	1.79	0.64
1:B:1468:TYR:O	1:B:1471:ILE:HG22	1.98	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1354:THR:OG1	1:A:1356:LYS:HB2	1.99	0.63
1:A:1255:ILE:N	2:A:186:HOH:O	2.31	0.63
1:B:1347:LEU:HD13	1:B:1367:LEU:HD13	1.79	0.62
1:B:1313:VAL:HB	1:B:1314:PRO:HD3	1.80	0.61
1:B:1358:GLU:HG3	1:A:1358:GLU:HG3	1.83	0.61
1:B:1424:ASN:ND2	1:B:1499:PHE:H	1.98	0.61
1:A:1424:ASN:H	1:A:1424:ASN:HD22	1.48	0.60
1:B:1453:HIS:CD2	1:A:1280:TYR:OH	2.55	0.59
1:B:1478:LYS:HB2	1:B:1481:ASN:OD1	2.03	0.59
1:B:1436:THR:HG23	1:B:1436:THR:O	2.03	0.57
1:B:1424:ASN:H	1:B:1424:ASN:ND2	2.01	0.57
1:B:1370:VAL:O	1:B:1374:ILE:HG22	2.04	0.56
1:B:1289:ILE:HG22	1:B:1293:LEU:HD22	1.88	0.56
1:B:1469:ASN:O	1:B:1473:HIS:CD2	2.59	0.56
1:B:1351:PHE:HE2	1:B:1353:ASN:ND2	2.05	0.55
1:B:1300:LYS:HE3	1:B:1302:LEU:HD21	1.90	0.54
1:B:1431:LYS:O	1:B:1435:GLU:HG2	2.07	0.54
1:A:1424:ASN:ND2	1:A:1424:ASN:H	2.05	0.54
1:B:1391:PHE:HB3	1:B:1392:PRO:HD3	1.90	0.54
1:B:1281:THR:HG22	1:B:1281:THR:O	2.08	0.53
1:B:1358:GLU:HG3	1:A:1358:GLU:CG	2.38	0.53
1:A:1281:THR:HG22	1:A:1281:THR:O	2.07	0.53
1:A:1475:LYS:HA	2:A:366:HOH:O	2.09	0.53
1:B:1440:ASP:O	1:B:1441:ASN:HB2	2.08	0.52
1:B:1442:SER:O	1:B:1446:LYS:HG3	2.10	0.52
1:B:1272:GLN:NE2	1:B:1302:LEU:H	1.96	0.52
1:B:1280:TYR:OH	1:A:1453:HIS:CD2	2.62	0.51
1:A:1289:ILE:HG22	1:A:1293:LEU:HD22	1.93	0.51
1:B:1434:ILE:HD13	1:B:1445:ASN:ND2	2.26	0.51
1:A:1345:GLN:HB2	2:A:22:HOH:O	2.10	0.50
1:A:1469:ASN:O	1:A:1473:HIS:CD2	2.64	0.50
1:A:1300:LYS:HE3	1:A:1302:LEU:CD2	2.41	0.50
1:A:1307:LEU:O	1:A:1311:PHE:HB2	2.11	0.50
1:B:1482:ASP:O	1:B:1485:GLU:HB3	2.12	0.50
1:B:1434:ILE:HD13	1:B:1445:ASN:HD22	1.76	0.49
1:B:1474:LEU:HD11	1:B:1477:TYR:HA	1.93	0.49
1:B:1300:LYS:HE3	1:B:1302:LEU:CD2	2.42	0.49
1:A:1289:ILE:C	2:A:200:HOH:O	2.54	0.49
1:B:1453:HIS:HE1	1:B:1474:LEU:O	1.94	0.49
1:A:1384:ILE:C	1:A:1386:PRO:HD3	2.37	0.49
1:B:1371:LEU:HA	1:B:1374:ILE:HG22	1.94	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1461:LYS:O	1:A:1465:ILE:HG23	2.13	0.48
1:A:1346:SER:O	1:A:1349:MET:HB2	2.14	0.48
1:A:1432:GLU:O	1:A:1436:THR:HB	2.14	0.48
1:A:1351:PHE:HB2	1:A:1363:PHE:CE1	2.49	0.48
1:A:1488:VAL:HG22	1:A:1493:ASN:HA	1.96	0.47
1:A:1442:SER:O	1:A:1446:LYS:HG3	2.14	0.47
1:B:1371:LEU:HA	1:B:1374:ILE:CG2	2.44	0.47
1:B:1436:THR:O	1:B:1436:THR:CG2	2.63	0.47
1:A:1469:ASN:ND2	2:A:231:HOH:O	2.46	0.47
1:A:1470:ASP:HA	1:A:1473:HIS:HD2	1.80	0.47
1:A:1272:GLN:HE22	1:A:1302:LEU:N	1.95	0.46
1:B:1347:LEU:HD23	1:B:1350:GLU:OE2	2.15	0.46
1:A:1332:ASP:OD1	1:A:1335:VAL:HG23	2.15	0.46
1:B:1456:TYR:HA	1:B:1462:PHE:CD2	2.50	0.46
1:A:1344:PHE:HB3	1:A:1397:PHE:CD1	2.51	0.46
1:A:1286:ASP:HB3	1:A:1289:ILE:HG12	1.98	0.46
1:B:1272:GLN:HE22	1:B:1302:LEU:N	1.97	0.46
1:A:1300:LYS:HE3	1:A:1302:LEU:HD21	1.98	0.46
1:B:1326:LYS:HE2	1:B:1377:ASN:O	2.16	0.45
1:B:1358:GLU:OE2	1:A:1356:LYS:HE3	2.17	0.45
1:A:1453:HIS:CE1	2:A:366:HOH:O	2.60	0.45
1:B:1355:GLY:O	1:B:1406:HIS:HE1	2.00	0.45
1:B:1362:ASN:ND2	1:A:1362:ASN:ND2	2.64	0.45
1:B:1384:ILE:C	1:B:1386:PRO:HD3	2.42	0.45
1:B:1463:ARG:C	1:B:1465:ILE:H	2.24	0.44
1:B:1427:TYR:CE1	1:B:1484:ILE:HD12	2.52	0.44
1:B:1347:LEU:HD13	1:B:1367:LEU:CD1	2.47	0.44
1:A:1409:SER:OG	1:A:1446:LYS:HB3	2.18	0.44
1:A:1372:ILE:HG13	1:A:1415:ILE:HG23	1.99	0.44
1:A:1363:PHE:CD2	1:A:1402:LEU:HD21	2.52	0.44
1:B:1276:LEU:C	1:B:1276:LEU:HD23	2.42	0.44
1:A:1440:ASP:O	1:A:1441:ASN:HB2	2.18	0.44
1:B:1494:ASN:OD1	1:B:1494:ASN:C	2.61	0.43
1:A:1469:ASN:HA	1:A:1472:ILE:HG12	2.00	0.43
1:B:1400:GLU:HG3	2:B:242:HOH:O	2.18	0.43
1:A:1438:ASP:HB2	2:A:271:HOH:O	2.17	0.43
1:B:1480:ASP:OD1	1:B:1480:ASP:N	2.50	0.43
1:A:1481:ASN:ND2	2:A:314:HOH:O	2.51	0.43
1:A:1344:PHE:HB3	1:A:1397:PHE:CE1	2.54	0.42
1:A:1434:ILE:HG12	1:A:1444:PHE:HB3	2.02	0.42
1:A:1262:ILE:HG23	2:A:308:HOH:O	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1375:GLY:C	2:B:358:HOH:O	2.55	0.42
1:B:1321:ALA:HB3	1:B:1339:LYS:HD2	2.01	0.42
1:B:1412:ILE:HD12	1:B:1412:ILE:N	2.35	0.42
1:A:1459:ASP:HB2	1:A:1499:PHE:CE2	2.55	0.42
1:B:1469:ASN:ND2	2:B:323:HOH:O	2.53	0.42
1:A:1311:PHE:C	1:A:1314:PRO:HD2	2.45	0.42
1:A:1306:GLU:O	1:A:1310:ASP:HB2	2.20	0.42
1:A:1363:PHE:CE2	1:A:1401:THR:HG21	2.55	0.42
1:A:1316:SER:HB3	2:A:247:HOH:O	2.19	0.42
1:A:1468:TYR:O	1:A:1471:ILE:HG22	2.20	0.41
1:A:1436:THR:O	1:A:1436:THR:CG2	2.67	0.41
1:B:1482:ASP:HB3	1:B:1485:GLU:HB3	2.03	0.41
1:A:1366:LEU:HD12	1:A:1366:LEU:O	2.20	0.41
1:A:1399:TYR:HA	2:A:364:HOH:O	2.20	0.41
1:B:1378:VAL:HG23	1:B:1385:PHE:HB2	2.03	0.41
1:B:1465:ILE:HG13	1:B:1466:ILE:CG1	2.49	0.41
1:B:1482:ASP:HB3	1:B:1485:GLU:CB	2.50	0.41
1:B:1488:VAL:C	1:B:1490:ASN:H	2.29	0.41
1:B:1439:SER:HB2	2:B:354:HOH:O	2.21	0.41
1:B:1482:ASP:HA	1:B:1483:PRO:HD3	1.75	0.41
1:A:1292:GLU:N	2:A:200:HOH:O	2.11	0.40
1:B:1386:PRO:HD2	1:B:1390:LEU:HD11	2.03	0.40
1:A:1316:SER:CB	2:A:247:HOH:O	2.69	0.40
1:A:1460:ARG:NH2	2:A:283:HOH:O	2.55	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:367:HOH:O	2:A:351:HOH:O[7_555]	1.85	0.35

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	246/252 (98%)	239 (97%)	7 (3%)	0	100	100
1	B	246/252 (98%)	235 (96%)	11 (4%)	0	100	100
All	All	492/504 (98%)	474 (96%)	18 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	227/232 (98%)	217 (96%)	10 (4%)	25	34
1	B	227/232 (98%)	219 (96%)	8 (4%)	32	43
All	All	454/464 (98%)	436 (96%)	18 (4%)	28	38

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	1293	LEU
1	B	1327	ILE
1	B	1358	GLU
1	B	1366	LEU
1	B	1377	ASN
1	B	1379	GLN
1	B	1424	ASN
1	B	1436	THR
1	A	1293	LEU
1	A	1327	ILE
1	A	1358	GLU
1	A	1361	MET
1	A	1362	ASN
1	A	1366	LEU
1	A	1379	GLN
1	A	1393	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1424	ASN
1	A	1436	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	1263	GLN
1	B	1272	GLN
1	B	1353	ASN
1	B	1362	ASN
1	B	1377	ASN
1	B	1379	GLN
1	B	1396	ASN
1	B	1424	ASN
1	B	1445	ASN
1	B	1453	HIS
1	B	1469	ASN
1	B	1473	HIS
1	A	1272	GLN
1	A	1377	ASN
1	A	1379	GLN
1	A	1396	ASN
1	A	1424	ASN
1	A	1445	ASN
1	A	1453	HIS
1	A	1473	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	248/252 (98%)	0.76	26 (10%) 11 9	27, 42, 67, 82	0
1	B	248/252 (98%)	0.56	18 (7%) 21 18	24, 38, 72, 84	0
All	All	496/504 (98%)	0.66	44 (8%) 15 13	24, 40, 68, 84	0

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1466	ILE	4.4
1	A	1362	ASN	4.2
1	B	1464	ASP	4.0
1	A	1481	ASN	3.9
1	A	1299	GLY	3.8
1	A	1438	ASP	3.6
1	A	1350	GLU	3.6
1	B	1473	HIS	3.5
1	B	1481	ASN	3.5
1	B	1479	ILE	3.4
1	B	1465	ILE	3.2
1	B	1472	ILE	3.2
1	A	1255	ILE	3.1
1	B	1345	GLN	3.0
1	A	1442	SER	2.8
1	A	1352	ASN	2.8
1	A	1437	SER	2.8
1	B	1492	GLY	2.8
1	A	1400	GLU	2.7
1	A	1441	ASN	2.6
1	B	1255	ILE	2.6
1	B	1256	VAL	2.6
1	A	1473	HIS	2.6
1	A	1300	LYS	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1356	LYS	2.6
1	A	1402	LEU	2.6
1	A	1480	ASP	2.5
1	A	1436	THR	2.5
1	A	1397	PHE	2.4
1	B	1441	ASN	2.4
1	A	1345	GLN	2.4
1	A	1323	PHE	2.4
1	A	1439	SER	2.3
1	B	1439	SER	2.2
1	A	1399	TYR	2.1
1	A	1393	ILE	2.1
1	B	1469	ASN	2.1
1	B	1480	ASP	2.1
1	A	1286	ASP	2.1
1	A	1348	ARG	2.1
1	B	1471	ILE	2.0
1	A	1479	ILE	2.0
1	B	1486	LYS	2.0
1	B	1350	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.