



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:26 PM UTC

PDB ID : 4I55 / pdb_00004i55
Title : Crystal structure of tubulin-stathmin-TTL complex
Authors : Prota, A.E.; Bargsten, K.; Zurwerra, D.; Field, J.J.; Diaz, J.F.; Altmann, K.H.; Steinmetz, M.O.
Deposited on : 2012-11-28
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	450	87%11%..
1	C	450	% 88%9%.
2	B	445	% 84%11%.
2	D	445	% 84%10% . 5%
3	E	143	3% 77%8% . 13%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	F	384	4% 76% 15% • 8%

2 Entry composition

There are 12 unique types of molecules in this entry. The entry contains 36041 atoms, of which 17435 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha-1B chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	442	Total	C	H	N	O	S	0	7	0
			6911	2207	3421	591	668	24			
1	C	440	Total	C	H	N	O	S	0	12	0
			6899	2203	3420	586	664	26			

- Molecule 2 is a protein called Tubulin beta-2B chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	425	Total	C	H	N	O	S	0	8	0
			6685	2131	3295	579	653	27			
2	D	421	Total	C	H	N	O	S	0	5	0
			6533	2087	3213	562	644	27			

- Molecule 3 is a protein called Stathmin-4.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
3	E	124	Total	C	H	N	O	S	0	4	0
			2109	643	1067	188	205	6			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	3	MET	ILE	cloning artifact	UNP P63043
E	4	ALA	SER	cloning artifact	UNP P63043


- Molecule 4 is a protein called Tubulin tyrosine ligase, TTL.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
4	F	353	Total	C	H	N	O	S	0	6	0
			5869	1885	2936	504	528	16			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	379	HIS	-	expression tag	UNP E1BQ43
F	380	HIS	-	expression tag	UNP E1BQ43
F	381	HIS	-	expression tag	UNP E1BQ43
F	382	HIS	-	expression tag	UNP E1BQ43
F	383	HIS	-	expression tag	UNP E1BQ43
F	384	HIS	-	expression tag	UNP E1BQ43

- Molecule 5 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	A	1	Total	C	H	N	O	P	0	0
			42	10	10	5	14	3		
5	C	1	Total	C	H	N	O	P	0	0
			42	10	10	5	14	3		

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Mg	0	0
			1	1		
6	B	2	Total	Mg	0	0
			2	2		
6	C	1	Total	Mg	0	0
			1	1		
6	D	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	F	2	Total	Mg	0	0
			2	2		


- Molecule 7 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	2	Total	Ca	0	0
			2	2		
7	B	1	Total	Ca	0	0
			1	1		
7	C	1	Total	Ca	0	0
			1	1		

- Molecule 8 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	1	Total	Cl	0	0
			1	1		

- Molecule 9 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
9	B	1	Total 38	C 10	H 10	N 5	O 11	P 2	0	0
9	D	1	Total 38	C 10	H 10	N 5	O 11	P 2	0	0

- Molecule 10 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: $C_6H_{13}NO_4S$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
10	B	1	Total	C	H	N	O	S	0	0
			25	6	13	1	4	1		
10	B	1	Total	C	H	N	O	S	0	0
			25	6	13	1	4	1		

- Molecule 11 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (CCD ID: ACP) (formula: $C_{11}H_{18}N_5O_{12}P_3$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
11	F	1	Total	C	H	N	O	P	0	0
			48	11	17	5	12	3		


- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	169	Total	O	0	0
			169	169		
12	B	157	Total	O	0	0
			157	157		
12	C	280	Total	O	0	0
			280	280		
12	D	80	Total	O	0	0
			80	80		
12	E	35	Total	O	0	0
			35	35		
12	F	44	Total	O	0	0
			44	44		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Tubulin alpha-1B chain




• Molecule 1: Tubulin alpha-1B chain




• Molecule 2: Tubulin beta-2B chain





• Molecule 2: Tubulin beta-2B chain







● Molecule 3: Stathmin-4



● Molecule 4: Tubulin tyrosine ligase, TTL



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	104.16Å 156.47Å 181.49Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	71.84 – 2.20 71.84 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.2 (71.84-2.20) 99.2 (71.84-2.20)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.35 (at 2.20Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, R_{free}	0.168 , 0.208 0.166 , 0.206	Depositor DCC
R_{free} test set	7515 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	45.7	Xtriage
Anisotropy	0.158	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.43 , 69.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	36041	wwPDB-VP
Average B, all atoms (Å ²)	60.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACP, CA, GDP, MG, MES, CL, GTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.53	0/3588	0.79	2/4867 (0.0%)
1	C	0.61	0/3595	0.80	0/4881
2	B	0.57	0/3495	0.76	0/4732
2	D	0.48	0/3407	0.75	1/4616 (0.0%)
3	E	0.51	0/1063	0.70	0/1411
4	F	0.40	0/3020	0.72	0/4078
All	All	0.53	0/18168	0.76	3/24585 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	178	SER	N-CA-C	6.54	119.97	110.42
1	A	267	PHE	CA-C-N	-5.39	114.40	119.85
1	A	267	PHE	C-N-CA	-5.39	114.40	119.85

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3490	3421	3408	29	0
1	C	3479	3420	3395	30	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	3390	3295	3275	33	0
2	D	3320	3213	3201	32	0
3	E	1042	1067	1062	10	0
4	F	2933	2936	2921	38	0
5	A	32	10	12	0	0
5	C	32	10	12	0	0
6	A	1	0	0	0	0
6	B	2	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	F	2	0	0	0	0
7	A	2	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
8	A	1	0	0	0	0
9	B	28	10	12	0	0
9	D	28	10	12	0	0
10	B	24	26	25	3	0
11	F	31	17	14	5	0
12	A	169	0	0	1	0
12	B	157	0	0	2	0
12	C	280	0	0	6	0
12	D	80	0	0	1	0
12	E	35	0	0	0	0
12	F	44	0	0	1	0
All	All	18606	17435	17349	168	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (168) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:234:ILE:HG21	1:C:302[B]:MET:SD	2.14	0.88
1:C:4[A]:CYS:SG	1:C:136:LEU:HG	2.29	0.72
3:E:143:ALA:HA	3:E:144:SER:C	2.15	0.71
1:C:308:ARG:NE	12:C:802:HOH:O	2.23	0.71
1:C:270:ALA:HB3	1:C:302[B]:MET:SD	2.31	0.69
2:B:199:ASP:OD2	10:B:504:MES:H32	1.94	0.68
2:D:75:MET:HE2	2:D:94:PHE:HB3	1.76	0.68
1:C:234:ILE:HD13	1:C:302[A]:MET:SD	2.34	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:105:LEU:O	4:F:106:LYS:HB2	1.95	0.65
1:A:36:MET:HB3	1:A:61:HIS:CE1	2.32	0.63
2:D:175:PRO:HA	2:D:178:SER:HB2	1.80	0.62
2:D:180:THR:HG22	2:D:181:VAL:HA	1.81	0.62
1:C:361:THR:HG23	12:C:871:HOH:O	2.00	0.61
2:D:172:MET:HG3	2:D:387:LEU:HD11	1.82	0.61
2:B:420:GLU:OE2	12:B:695:HOH:O	2.17	0.60
3:E:143:ALA:CA	3:E:144:SER:C	2.75	0.59
4:F:320[B]:MET:HE2	4:F:330:ILE:HD11	1.84	0.59
1:C:250:VAL:HG22	1:C:255:PHE:CE2	2.37	0.59
4:F:320[B]:MET:SD	11:F:703:ACP:C2	2.91	0.59
1:A:316[B]:CYS:SG	1:A:318:LEU:HD21	2.42	0.59
1:A:450:GLU:OXT	11:F:703:ACP:O3G	2.21	0.58
2:D:180:THR:HG22	2:D:181:VAL:CB	2.34	0.57
2:D:180:THR:HG22	2:D:181:VAL:CA	2.35	0.57
2:B:192:HIS:NE2	2:B:424[B]:ASN:OD1	2.38	0.56
2:B:158:ARG:CZ	10:B:504:MES:H21	2.35	0.56
2:B:124:LYS:O	2:B:124:LYS:HD3	2.06	0.56
1:C:372:GLN:NE2	12:C:809:HOH:O	2.38	0.56
1:C:204:VAL:HG22	1:C:302[B]:MET:CE	2.37	0.55
1:A:336:LYS:HG3	3:E:24:LEU:HD13	1.86	0.55
4:F:82:LYS:NZ	4:F:127:GLU:OE2	2.34	0.55
2:B:124:LYS:CD	2:B:124:LYS:C	2.80	0.55
2:B:39[A]:ASP:OD1	2:B:40:SER:N	2.41	0.54
2:D:124:LYS:C	2:D:124:LYS:HD3	2.34	0.53
2:D:240[B]:THR:HG21	2:D:320:ARG:HD2	1.91	0.53
2:D:136:GLN:HA	2:D:167:ASN:O	2.08	0.53
4:F:42:GLY:HA3	4:F:47:LEU:CD2	2.39	0.53
1:A:193[A]:THR:HG23	12:A:663:HOH:O	2.08	0.53
2:D:106:GLY:O	2:D:111:GLY:HA3	2.10	0.53
2:D:432:TYR:OH	12:D:769:HOH:O	2.17	0.52
1:C:249:ASN:OD1	1:C:356:ASN:ND2	2.42	0.52
1:A:262:TYR:CE2	1:A:346:TRP:CZ2	2.98	0.51
2:B:285:ALA:HA	12:B:683:HOH:O	2.10	0.51
2:D:287:THR:HB	2:D:289:PRO:HD2	1.93	0.50
1:C:210:TYR:CE1	1:C:214:ARG:HD2	2.46	0.50
1:C:312:TYR:CD2	1:C:315[B]:CYS:SG	3.04	0.50
4:F:106:LYS:HE3	4:F:106:LYS:HA	1.93	0.49
2:B:192:HIS:CE1	2:B:424[B]:ASN:OD1	2.66	0.49
2:D:331:GLN:O	2:D:335:VAL:HG23	2.13	0.49
2:B:275:LEU:HG	2:B:300:ASN:ND2	2.27	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:221:ARG:HG3	2:D:325:MET:HG3	1.94	0.49
4:F:84:SER:O	4:F:88:SER:N	2.45	0.49
2:B:287:THR:HB	2:B:289:PRO:HD2	1.95	0.49
4:F:371:PRO:HA	4:F:372:THR:C	2.37	0.49
11:F:703:ACP:H8	11:F:703:ACP:H5'2	1.95	0.49
3:E:53:LYS:N	3:E:53:LYS:HE2	2.28	0.48
2:B:253:ARG:NH1	10:B:504:MES:O2S	2.43	0.48
2:B:284:ARG:O	2:B:284:ARG:HG3	2.13	0.48
4:F:30:LEU:O	12:F:835:HOH:O	2.20	0.48
4:F:244:CYS:SG	4:F:245:ILE:N	2.86	0.48
2:D:183:GLU:N	2:D:184:PRO:CD	2.77	0.48
2:D:387:LEU:C	2:D:387:LEU:HD23	2.38	0.48
4:F:371:PRO:CA	4:F:372:THR:HB	2.44	0.48
1:A:357:TYR:CE1	3:E:17:GLY:HA2	2.49	0.47
2:B:2:ARG:NH1	2:B:130:ASP:HB3	2.29	0.47
1:C:172:TYR:CE2	1:C:391:LEU:HD22	2.49	0.47
4:F:223:THR:OG1	4:F:260:ASN:HB3	2.15	0.47
2:B:269:MET:HG3	2:B:303:ALA:HB3	1.96	0.47
1:C:336:LYS:HE3	1:C:351:PHE:CZ	2.49	0.47
1:C:167:LEU:HG	1:C:200:CYS:HB3	1.96	0.47
1:C:346:TRP:CZ3	1:C:347[B]:CYS:SG	3.07	0.47
1:A:315[A]:CYS:HG	1:A:351:PHE:HE2	1.61	0.47
1:C:36:MET:HB3	1:C:61:HIS:CE1	2.50	0.47
4:F:141:GLY:O	4:F:142:ARG:HB2	2.15	0.47
2:B:288:VAL:N	2:B:289:PRO:CD	2.78	0.46
3:E:143:ALA:N	3:E:144:SER:HB3	2.30	0.46
1:A:209:ILE:HD11	1:A:302:MET:SD	2.55	0.46
4:F:320[B]:MET:SD	11:F:703:ACP:N3	2.88	0.46
1:A:263:PRO:O	1:A:266:HIS:HD2	1.99	0.46
1:C:270:ALA:CB	1:C:302[B]:MET:SD	3.03	0.46
2:D:31:ASP:OD1	2:D:31:ASP:C	2.59	0.46
4:F:106:LYS:HA	4:F:106:LYS:CE	2.46	0.46
1:C:318:LEU:N	1:C:318:LEU:HD23	2.30	0.46
2:D:180:THR:CG2	2:D:181:VAL:HA	2.46	0.46
4:F:141:GLY:O	4:F:142:ARG:CB	2.64	0.46
4:F:126:ASP:OD2	4:F:127:GLU:N	2.49	0.46
3:E:6:MET:SD	3:E:24:LEU:CD2	3.04	0.45
4:F:220[A]:VAL:HG12	4:F:263:PHE:CD1	2.51	0.45
2:B:106:GLY:O	2:B:111:GLY:HA3	2.17	0.45
1:A:386:GLU:O	1:A:390[A]:ARG:HD3	2.16	0.45
4:F:161:LEU:HD21	4:F:169:LEU:HA	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:2:ARG:HB2	2:B:2:ARG:CZ	2.46	0.45
4:F:307:LEU:HD22	4:F:308:HIS:CE1	2.52	0.45
2:D:318:ILE:N	2:D:318:ILE:HD12	2.33	0.44
2:D:180:THR:HG22	2:D:181:VAL:HB	1.98	0.44
4:F:243:HIS:ND1	4:F:243:HIS:O	2.51	0.44
1:A:336:LYS:CG	3:E:24:LEU:HD13	2.48	0.44
1:A:97:GLU:HB2	2:B:1:MET:HG2	1.99	0.44
4:F:186:LEU:HB2	4:F:320[B]:MET:HE1	1.99	0.44
4:F:371:PRO:HA	4:F:372:THR:HB	1.98	0.44
1:A:60:LYS:CE	1:A:85:GLN:O	2.65	0.44
1:C:234:ILE:CD1	1:C:302[A]:MET:SD	3.05	0.44
2:D:171:VAL:HA	2:D:204:ILE:O	2.18	0.44
4:F:247:LYS:HA	4:F:253:TYR:CD2	2.53	0.44
1:C:320:ARG:HA	1:C:356:ASN:O	2.18	0.43
2:B:172:MET:HG3	2:B:387:LEU:HD11	2.00	0.43
2:D:21:TRP:CZ3	2:D:63:PRO:HB3	2.53	0.43
2:B:6:HIS:CD2	2:B:21:TRP:HE1	2.35	0.43
2:B:69:ASP:O	2:B:94:PHE:HA	2.18	0.43
2:D:312:TYR:CD2	2:D:381:SER:HB2	2.54	0.43
4:F:220[A]:VAL:HG12	4:F:263:PHE:CE1	2.53	0.43
2:D:295:MET:CE	2:D:375:ALA:HB1	2.49	0.43
1:A:71:GLU:HG2	1:A:98:ASP:HB3	2.00	0.43
1:A:141:PHE:O	1:A:147:SER:HB3	2.19	0.43
1:A:188:ILE:HG13	1:A:425:MET:HG3	2.01	0.43
2:B:83:PHE:O	2:B:86:ILE:HG22	2.19	0.43
1:A:210:TYR:CE1	1:A:214:ARG:HD2	2.54	0.43
2:D:347:ILE:HG22	2:D:350:ASN:HB3	2.01	0.43
4:F:146:VAL:HG21	4:F:233:PHE:CE2	2.54	0.43
1:A:298:PRO:HA	1:A:301:GLN:CD	2.44	0.43
2:D:31:ASP:HB2	2:D:32:PRO:CD	2.49	0.43
4:F:140:GLU:HG2	4:F:141:GLY:N	2.33	0.43
4:F:151:SER:HB2	4:F:180:HIS:CE1	2.54	0.43
1:A:409:VAL:HA	1:A:413:MET:O	2.18	0.42
1:C:104:ALA:HB2	1:C:413:MET:SD	2.59	0.42
2:D:75:MET:HE2	2:D:94:PHE:HD2	1.83	0.42
2:D:295:MET:HE2	2:D:377:PHE:HB2	2.01	0.42
2:B:295:MET:HE3	2:B:375:ALA:HB1	2.01	0.42
4:F:333:ASN:ND2	11:F:703:ACP:O2G	2.51	0.42
4:F:128:ARG:HG3	4:F:170:LEU:CD2	2.48	0.42
4:F:91:CYS:SG	4:F:93:TRP:CE2	3.13	0.42
1:A:39:ASP:OD1	1:A:39:ASP:C	2.62	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:209:ILE:HG23	1:A:230:LEU:HD23	2.01	0.42
1:C:128:GLN:CD	12:C:791:HOH:O	2.63	0.42
3:E:72:LEU:O	3:E:76:ARG:HG2	2.20	0.42
4:F:73:ARG:O	4:F:74:LYS:C	2.62	0.42
2:B:332:MET:O	2:B:335:VAL:HG22	2.20	0.42
1:A:192:HIS:CG	1:A:421:ALA:HA	2.55	0.41
1:A:413:MET:CE	1:A:418:PHE:CE1	3.03	0.41
1:C:250:VAL:HG22	1:C:255:PHE:CZ	2.54	0.41
2:B:31:ASP:OD1	2:B:31:ASP:C	2.64	0.41
1:A:141:PHE:CE2	1:A:170:SER:HB3	2.56	0.41
4:F:199:PHE:CD1	4:F:199:PHE:C	2.98	0.41
4:F:161:LEU:HD23	4:F:172:PHE:HB3	2.03	0.41
4:F:259:GLY:HA2	4:F:260:ASN:HA	1.83	0.41
1:A:77:GLU:HA	1:A:80:THR:HG22	2.02	0.41
2:B:226:ASP:OD1	2:B:278:ARG:NH1	2.53	0.41
1:C:71:GLU:HG2	1:C:98:ASP:HB3	2.02	0.41
1:A:136:LEU:CD2	1:A:167:LEU:HB2	2.50	0.41
1:C:1:MET:O	12:C:792:HOH:O	2.22	0.41
2:B:1:MET:SD	2:B:133:GLN:HB3	2.61	0.41
1:C:392:ASP:OD1	1:C:429:GLU:OE1	2.38	0.41
4:F:95:PRO:O	4:F:96:GLU:C	2.63	0.41
2:B:177:VAL:HG21	2:B:210:TYR:HB2	2.03	0.41
2:D:288:VAL:N	2:D:289:PRO:CD	2.83	0.41
2:B:2:ARG:NH1	2:B:2:ARG:HB3	2.36	0.40
1:C:209:ILE:HD11	1:C:302[A]:MET:SD	2.61	0.40
4:F:277:THR:HG22	4:F:278:THR:H	1.85	0.40
2:B:7:ILE:O	2:B:137:LEU:HA	2.21	0.40
2:D:83:PHE:O	2:D:86:ILE:HG22	2.21	0.40
1:A:3:GLU:HG2	1:A:64:ARG:CZ	2.51	0.40
1:A:312:TYR:CD2	1:A:315[B]:CYS:SG	3.14	0.40
1:C:128:GLN:OE1	12:C:791:HOH:O	2.22	0.40
2:B:216:THR:HG22	2:B:217:LEU:HD23	2.03	0.40
2:D:96:GLN:O	2:D:97:SER:C	2.64	0.40
2:D:295:MET:HE3	2:D:375:ALA:HB1	2.03	0.40
3:E:137:LYS:HA	3:E:140:LYS:HD2	2.04	0.40
4:F:161:LEU:HD12	4:F:162:ILE:N	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	445/450 (99%)	439 (99%)	6 (1%)	0	100	100
1	C	449/450 (100%)	438 (98%)	11 (2%)	0	100	100
2	B	429/445 (96%)	418 (97%)	11 (3%)	0	100	100
2	D	421/445 (95%)	408 (97%)	12 (3%)	1 (0%)	43	51
3	E	124/143 (87%)	121 (98%)	3 (2%)	0	100	100
4	F	351/384 (91%)	332 (95%)	19 (5%)	0	100	100
All	All	2219/2317 (96%)	2156 (97%)	62 (3%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	81	GLY

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	380/378 (100%)	372 (98%)	8 (2%)	47	63
1	C	382/378 (101%)	375 (98%)	7 (2%)	51	68
2	B	376/383 (98%)	372 (99%)	4 (1%)	65	79
2	D	367/383 (96%)	359 (98%)	8 (2%)	45	61
3	E	115/127 (91%)	109 (95%)	6 (5%)	21	26
4	F	325/342 (95%)	304 (94%)	21 (6%)	15	18

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	1945/1991 (98%)	1891 (97%)	54 (3%)	39 52

All (54) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	80	THR
1	A	166	LYS
1	A	336	LYS
1	A	372[A]	GLN
1	A	372[B]	GLN
1	A	402	ARG
1	A	437	VAL
1	A	450	GLU
2	B	190	SER
2	B	200	GLU
2	B	220	THR
2	B	277	SER
1	C	218	ASP
1	C	250	VAL
1	C	284	GLU
1	C	297	GLU
1	C	318	LEU
1	C	326	LYS
1	C	381	THR
2	D	15	GLN
2	D	50	ASN
2	D	75	MET
2	D	180	THR
2	D	227	LEU
2	D	308	ARG
2	D	335	VAL
2	D	414	ASP
3	E	6	MET
3	E	48	GLU
3	E	53	LYS
3	E	96	MET
3	E	103	GLN
3	E	135	LYS
4	F	22	LEU
4	F	30	LEU
4	F	39	LEU
4	F	47	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	F	89	GLU
4	F	106	LYS
4	F	152	SER
4	F	161	LEU
4	F	178	GLN
4	F	184	LYS
4	F	255[A]	ARG
4	F	255[B]	ARG
4	F	271[A]	LEU
4	F	271[B]	LEU
4	F	277	THR
4	F	284	LEU
4	F	307	LEU
4	F	346	LEU
4	F	351	VAL
4	F	353	VAL
4	F	378	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	197	HIS
1	A	283	HIS
1	A	301	GLN
1	A	393	HIS
2	B	300	ASN
2	B	339	ASN
2	B	349	ASN
2	B	436	GLN
1	C	85	GLN
1	C	197	HIS
1	C	356	ASN
1	C	393	HIS
2	D	11	GLN
2	D	349	ASN
3	E	136	ASN
4	F	45	ASN
4	F	232	ASN
4	F	260	ASN
4	F	379	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 19 ligands modelled in this entry, 12 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	GTP	C	501	6	33,34,34	0.87	1 (3%)	50,54,54	1.64	9 (18%)
9	GDP	B	501	6	29,30,30	1.33	4 (13%)	45,47,47	1.71	9 (20%)
5	GTP	A	501	6	33,34,34	0.95	2 (6%)	50,54,54	1.38	9 (18%)
10	MES	B	504	-	12,12,12	2.11	1 (8%)	15,16,16	1.59	2 (13%)
11	ACP	F	703	6	31,33,33	1.76	7 (22%)	47,52,52	2.27	15 (31%)
10	MES	B	505	-	12,12,12	2.21	1 (8%)	15,16,16	1.43	2 (13%)
9	GDP	D	600	6	29,30,30	1.19	4 (13%)	45,47,47	1.62	5 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GTP	C	501	6	-	7/22/38/38	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	GDP	B	501	6	-	5/16/32/32	0/3/3/3
5	GTP	A	501	6	-	5/22/38/38	0/3/3/3
10	MES	B	504	-	-	1/6/14/14	0/1/1/1
11	ACP	F	703	6	-	3/19/38/38	0/3/3/3
10	MES	B	505	-	-	1/6/14/14	0/1/1/1
9	GDP	D	600	6	-	6/16/32/32	0/3/3/3

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	B	505	MES	C8-S	-7.35	1.67	1.77
10	B	504	MES	C8-S	-7.08	1.67	1.77
11	F	703	ACP	C6-N6	5.37	1.47	1.34
9	B	501	GDP	C6-N1	-3.27	1.32	1.38
11	F	703	ACP	C2'-C3'	-3.06	1.45	1.53
9	D	600	GDP	C5-C4	3.01	1.47	1.38
11	F	703	ACP	PG-O3G	2.82	1.61	1.55
9	B	501	GDP	C5-C4	2.79	1.46	1.38
5	A	501	GTP	PB-O3B	2.64	1.62	1.59
9	D	600	GDP	C6-N1	-2.60	1.34	1.38
9	B	501	GDP	C4-N9	-2.48	1.31	1.38
11	F	703	ACP	C5-N7	-2.35	1.34	1.39
9	B	501	GDP	C5-N7	-2.33	1.34	1.39
9	D	600	GDP	C4-N9	-2.33	1.32	1.38
11	F	703	ACP	O5'-C5'	-2.30	1.35	1.44
11	F	703	ACP	PG-O2G	2.30	1.60	1.55
9	D	600	GDP	C5-N7	-2.26	1.34	1.39
11	F	703	ACP	O3'-C3'	-2.20	1.37	1.43
5	A	501	GTP	C2-N3	2.09	1.38	1.33
5	C	501	GTP	PA-O3A	2.02	1.61	1.59

All (51) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	F	703	ACP	O4'-C1'-N9	-7.30	94.06	108.09
11	F	703	ACP	C5-C4-N3	-5.31	119.41	126.72
9	D	600	GDP	C5-C4-N3	-5.06	120.34	128.39
11	F	703	ACP	C2'-C1'-N9	5.02	125.78	113.30
5	C	501	GTP	C5-C4-N3	-4.93	120.55	128.39
9	B	501	GDP	C5-C4-N3	-4.89	120.61	128.39
10	B	504	MES	C5-N4-C3	4.36	118.23	108.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	F	703	ACP	N3-C2-N1	-4.23	122.18	128.58
5	C	501	GTP	C2-N3-C4	4.15	119.44	112.30
9	B	501	GDP	C2-N3-C4	4.12	119.40	112.30
9	D	600	GDP	C2-N3-C4	4.07	119.31	112.30
11	F	703	ACP	N3-C4-N9	4.04	134.04	127.17
5	A	501	GTP	C5-C4-N3	-4.04	121.96	128.39
9	B	501	GDP	N9-C4-N3	3.98	133.91	125.95
9	D	600	GDP	N9-C4-N3	3.85	133.65	125.95
9	B	501	GDP	C6-C5-N7	3.61	136.86	130.29
5	A	501	GTP	C2-N3-C4	3.60	118.50	112.30
10	B	504	MES	O1S-S-C8	3.42	111.89	106.73
5	C	501	GTP	C8-N7-C5	3.36	110.25	104.26
9	D	600	GDP	C6-C5-N7	3.34	136.36	130.29
11	F	703	ACP	C2-N3-C4	3.31	119.92	111.83
11	F	703	ACP	PB-O3A-PA	-3.26	121.72	132.37
11	F	703	ACP	O5'-C5'-C4'	3.26	120.08	108.99
5	C	501	GTP	N9-C8-N7	-3.23	107.42	113.40
11	F	703	ACP	N9-C8-N7	-3.21	109.39	113.94
5	C	501	GTP	N9-C4-N3	3.10	132.15	125.95
10	B	505	MES	C5-N4-C3	3.06	115.43	108.84
5	A	501	GTP	N9-C8-N7	-2.89	108.05	113.40
5	C	501	GTP	C2-N1-C6	-2.84	119.97	125.11
5	C	501	GTP	O2B-PB-O3A	2.78	114.79	107.27
11	F	703	ACP	C5-N7-C8	2.71	107.70	103.45
5	C	501	GTP	C4-C5-N7	-2.60	106.55	110.67
11	F	703	ACP	C4-N9-C8	2.60	108.47	105.74
11	F	703	ACP	C3'-C2'-C1'	2.52	106.23	101.46
5	A	501	GTP	C8-N7-C5	2.49	108.70	104.26
9	D	600	GDP	C4-C5-N7	-2.49	106.72	110.67
9	B	501	GDP	C4-C5-N7	-2.38	106.89	110.67
11	F	703	ACP	C4-C5-N7	-2.36	107.89	110.58
5	A	501	GTP	N9-C4-N3	2.29	130.54	125.95
5	A	501	GTP	C2-N1-C6	-2.29	120.96	125.11
9	B	501	GDP	O2B-PB-O3A	2.27	112.24	104.64
9	B	501	GDP	C8-N9-C4	2.26	110.26	106.03
11	F	703	ACP	C5'-C4'-C3'	-2.26	107.09	115.21
5	A	501	GTP	O2A-PA-O3A	2.21	113.26	107.27
5	A	501	GTP	C5-C6-N1	2.14	118.70	113.25
10	B	505	MES	O3S-S-C8	2.14	110.18	106.00
5	A	501	GTP	C4-C5-N7	-2.12	107.32	110.67
9	B	501	GDP	C2'-C3'-C4'	2.06	106.59	102.61
11	F	703	ACP	C2'-C3'-C4'	2.03	106.54	102.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	501	GTP	O3B-PB-O1B	2.03	116.80	110.70
9	B	501	GDP	O2A-PA-O3A	2.00	112.69	107.27

There are no chirality outliers.

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	501	GTP	PB-O3B-PG-O3G
5	A	501	GTP	C5'-O5'-PA-O3A
5	A	501	GTP	C5'-O5'-PA-O1A
5	A	501	GTP	C5'-O5'-PA-O2A
5	C	501	GTP	PB-O3B-PG-O3G
5	C	501	GTP	C5'-O5'-PA-O3A
5	C	501	GTP	C5'-O5'-PA-O1A
5	C	501	GTP	C5'-O5'-PA-O2A
9	B	501	GDP	C5'-O5'-PA-O3A
9	B	501	GDP	C5'-O5'-PA-O1A
9	B	501	GDP	C5'-O5'-PA-O2A
9	D	600	GDP	C5'-O5'-PA-O3A
9	D	600	GDP	C5'-O5'-PA-O1A
9	D	600	GDP	C5'-O5'-PA-O2A
10	B	504	MES	C8-C7-N4-C5
11	F	703	ACP	PB-O3A-PA-O1A
11	F	703	ACP	C5'-O5'-PA-O2A
10	B	505	MES	C8-C7-N4-C5
5	C	501	GTP	PB-O3A-PA-O2A
9	B	501	GDP	PB-O3A-PA-O2A
9	D	600	GDP	PB-O3A-PA-O2A
5	C	501	GTP	PB-O3A-PA-O1A
9	D	600	GDP	PB-O3A-PA-O1A
11	F	703	ACP	C3'-C4'-C5'-O5'
9	D	600	GDP	C4'-C5'-O5'-PA
5	C	501	GTP	C4'-C5'-O5'-PA
5	A	501	GTP	PB-O3A-PA-O2A
9	B	501	GDP	PB-O3A-PA-O1A

There are no ring outliers.

2 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	B	504	MES	3	0



Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	F	703	ACP	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	442/450 (98%)	-0.41	2 (0%) 87 85	20, 50, 87, 157	7 (1%)
1	C	440/450 (97%)	-0.58	6 (1%) 73 71	18, 38, 73, 125	11 (2%)
2	B	425/445 (95%)	-0.47	5 (1%) 76 74	19, 46, 87, 145	9 (2%)
2	D	421/445 (94%)	-0.15	4 (0%) 79 77	26, 60, 98, 162	11 (2%)
3	E	124/143 (86%)	-0.02	4 (3%) 50 47	25, 68, 118, 155	4 (3%)
4	F	353/384 (91%)	0.21	16 (4%) 38 35	29, 77, 161, 190	6 (1%)
All	All	2205/2317 (95%)	-0.28	37 (1%) 69 66	18, 53, 114, 190	48 (2%)

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	211[A]	ASP	5.1
1	C	340	SER	4.6
3	E	12[A]	ASN	4.1
2	D	285	ALA	3.4
4	F	125	THR	3.3
2	B	276	THR	3.0
4	F	383	HIS	2.9
3	E	28	SER	2.9
1	A	440	VAL	2.9
1	C	1	MET	2.8
2	B	438	ALA	2.8
4	F	173	ILE	2.7
4	F	381	HIS	2.6
4	F	296[A]	MET	2.5
1	A	450	GLU	2.5
2	B	1	MET	2.5
4	F	233	PHE	2.5
3	E	143	ALA	2.5
4	F	371	PRO	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	357	TYR	2.4
1	C	285	GLN	2.4
2	B	214	PHE	2.4
4	F	160	ILE	2.3
2	D	441	ASP	2.3
4	F	249	TYR	2.2
1	C	440	VAL	2.2
2	D	179	ASP	2.2
4	F	133	ALA	2.2
4	F	169	LEU	2.2
4	F	186	LEU	2.2
4	F	330	ILE	2.1
4	F	179	VAL	2.1
4	F	384	HIS	2.1
4	F	181	VAL	2.1
2	D	172	MET	2.0
2	B	284	ARG	2.0
3	E	45	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	MG	D	601	1/1	0.80	0.19	64,64,64,64	0
6	MG	F	702	1/1	0.87	0.13	94,94,94,94	0
11	ACP	F	703	31/31	0.88	0.11	58,94,138,143	0
8	CL	A	504	1/1	0.90	0.10	67,67,67,67	0
6	MG	F	701	1/1	0.90	0.19	93,93,93,93	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	CA	A	505	1/1	0.91	0.27	95,95,95,95	0
6	MG	B	506	1/1	0.92	0.25	60,60,60,60	0
7	CA	B	503	1/1	0.94	0.08	91,91,91,91	0
9	GDP	D	600	28/28	0.95	0.09	41,54,75,77	0
10	MES	B	505	12/12	0.96	0.08	71,86,102,102	0
6	MG	B	502	1/1	0.97	0.12	25,25,25,25	0
10	MES	B	504	12/12	0.97	0.07	48,64,83,93	0
7	CA	C	503	1/1	0.98	0.08	55,55,55,55	0
6	MG	C	502	1/1	0.98	0.16	33,33,33,33	0
6	MG	A	502	1/1	0.98	0.15	38,38,38,38	0
5	GTP	A	501	32/32	0.99	0.04	24,33,40,45	0
7	CA	A	503	1/1	0.99	0.06	60,60,60,60	0
5	GTP	C	501	32/32	0.99	0.04	22,27,34,37	0
9	GDP	B	501	28/28	0.99	0.04	19,30,41,42	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ACP F 703:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
 and green (positive)






Electron density around GDP D 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GTP A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GTP C 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around GDP B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.