Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2026 – 05:59 PM UTC

PDB ID	:	2I6Y / pdb_00002i6y
Title	:	Structure and Mechanism of Mycobacterium tuberculosis Salicylate Synthase, MbtI
Authors	:	Zwahlen, J.; Subramaniapillai, K.; Zhou, R.; Kisker, C.; Tonge, P.J.
Deposited on	:	2006-08-29
Resolution	:	2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	470	% 53% 28% 6% • 11%

2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 3089 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Anthranilate synthase component I, putative.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	419	Total	C	N	O	S	0	0	0
			3086	1941	547	588	10			

There are 21 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	cloning artifact	UNP Q7D785
A	-18	GLY	-	cloning artifact	UNP Q7D785
A	-17	SER	-	cloning artifact	UNP Q7D785
A	-16	SER	-	cloning artifact	UNP Q7D785
A	-15	HIS	-	expression tag	UNP Q7D785
A	-14	HIS	-	expression tag	UNP Q7D785
A	-13	HIS	-	expression tag	UNP Q7D785
A	-12	HIS	-	expression tag	UNP Q7D785
A	-11	HIS	-	expression tag	UNP Q7D785
A	-10	HIS	-	expression tag	UNP Q7D785
A	-9	SER	-	cloning artifact	UNP Q7D785
A	-8	SER	-	cloning artifact	UNP Q7D785
A	-7	GLY	-	cloning artifact	UNP Q7D785
A	-6	LEU	-	cloning artifact	UNP Q7D785
A	-5	VAL	-	cloning artifact	UNP Q7D785
A	-4	PRO	-	cloning artifact	UNP Q7D785
A	-3	ARG	-	cloning artifact	UNP Q7D785
A	-2	GLY	-	cloning artifact	UNP Q7D785
A	-1	SER	-	cloning artifact	UNP Q7D785
A	0	HIS	-	cloning artifact	UNP Q7D785
A	1	VAL	-	cloning artifact	UNP Q7D785

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total	O	0	0
			3	3		

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Anthranilate synthase component I, putative



4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α, β, γ	49.21Å 143.60Å 123.76Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.00 – 2.50 25.00 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.1 (25.00-2.50) 99.0 (25.00-2.50)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.06	Depositor
$< I/\sigma(I) >$ [1]	2.27 (at 2.51Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.232 , 0.294 0.230 , 0.293	Depositor DCC
R_{free} test set	776 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å^2)	57.5	Xtriage
Anisotropy	0.602	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.34 , 43.4	EDS
L-test for twinning[2]	$< \|L\| > = 0.49$, $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.94	EDS
Total number of atoms	3089	wwPDB-VP
Average B, all atoms (Å^2)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.62% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|$ >5	RMSZ	#$\|Z\|$ >5
1	A	0.85	1/3140 (0.0%)	1.17	22/4277 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	159	GLU	CD-OE2	5.21	1.35	1.25

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	360	VAL	CB-CA-C	-8.14	101.38	112.04
1	A	20	MET	CA-C-N	7.39	129.08	119.84
1	A	20	MET	C-N-CA	7.39	129.08	119.84
1	A	446	LEU	N-CA-C	7.32	121.91	113.19
1	A	336	GLY	N-CA-C	6.85	121.38	110.90
1	A	254	VAL	CB-CA-C	-6.49	104.14	111.80
1	A	388	ALA	N-CA-C	6.43	124.49	110.80
1	A	58	ALA	CA-C-N	-6.35	115.98	122.27
1	A	58	ALA	C-N-CA	-6.35	115.98	122.27
1	A	266	GLU	CA-C-N	6.22	125.91	119.82
1	A	266	GLU	C-N-CA	6.22	125.91	119.82
1	A	441	THR	N-CA-C	-5.91	106.07	113.28
1	A	344	ASP	CA-C-N	5.82	140.96	127.00
1	A	344	ASP	C-N-CA	5.82	140.96	127.00
1	A	343	LEU	N-CA-C	5.78	117.44	111.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	147	GLU	N-CA-C	5.52	117.19	108.96
1	A	104	ASP	N-CA-C	5.34	117.18	111.36
1	A	241	LEU	N-CA-C	5.29	119.05	111.02
1	A	232	THR	CA-C-N	5.21	126.36	119.84
1	A	232	THR	C-N-CA	5.21	126.36	119.84
1	A	25	ASN	N-CA-C	5.12	116.10	109.65
1	A	410	VAL	CB-CA-C	-5.07	104.63	110.41

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	344	ASP	Peptide
1	A	387	GLY	Peptide
1	A	388	ALA	Peptide
1	A	41	VAL	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3086	0	2987	110	0
2	A	3	0	0	2	0
All	All	3089	0	2987	110	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:388:ALA:HB2	1:A:403:THR:HG22	1.42	0.98
1:A:388:ALA:HB3	1:A:401:ALA:O	1.65	0.96
1:A:72:ARG:HG2	1:A:81:ARG:HG3	1.53	0.90
1:A:388:ALA:CB	1:A:401:ALA:O	2.22	0.86

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:405:ARG:HD3	1:A:438:LYS:O	1.79	0.83
1:A:389:VAL:O	1:A:390:VAL:HB	1.77	0.83
1:A:344:ASP:HB3	1:A:345:PRO:C	2.07	0.80
1:A:108:GLY:O	1:A:389:VAL:O	2.02	0.78
1:A:398:LEU:HD22	1:A:399:ASP:N	2.05	0.71
1:A:387:GLY:O	1:A:388:ALA:HB2	1.88	0.71
1:A:360:VAL:CG2	2:A:453:HOH:O	2.40	0.69
1:A:360:VAL:HG22	2:A:453:HOH:O	1.92	0.69
1:A:36:VAL:HG12	1:A:160:ALA:HB1	1.76	0.67
1:A:366:PRO:O	1:A:367:LYS:CB	2.43	0.66
1:A:213:GLU:OE1	1:A:413:ARG:NH1	2.30	0.65
1:A:390:VAL:HA	1:A:399:ASP:O	1.98	0.64
1:A:108:GLY:HA3	1:A:133:ARG:O	1.97	0.64
1:A:388:ALA:CB	1:A:403:THR:HG22	2.23	0.64
1:A:365:ILE:HA	1:A:366:PRO:C	2.24	0.62
1:A:387:GLY:O	1:A:388:ALA:CB	2.46	0.62
1:A:266:GLU:OE2	1:A:327:ARG:NH1	2.32	0.62
1:A:183:ASP:HB3	1:A:184:PRO:HA	1.80	0.62
1:A:117:HIS:HA	1:A:122:GLN:HG3	1.81	0.60
1:A:268:LEU:HG	1:A:298:HIS:CD2	2.35	0.60
1:A:27:ALA:HB2	1:A:54:TRP:CZ2	2.36	0.60
1:A:183:ASP:CB	1:A:184:PRO:HA	2.32	0.59
1:A:191:VAL:HG22	1:A:422:ILE:CD1	2.33	0.59
1:A:242:GLY:H	1:A:244:ILE:CG2	2.16	0.59
1:A:235:ARG:O	1:A:251:PRO:HD2	2.03	0.58
1:A:107:PHE:CE2	1:A:391:MET:HE3	2.38	0.58
1:A:250:SER:N	1:A:251:PRO:HD3	2.18	0.58
1:A:389:VAL:O	1:A:390:VAL:CB	2.48	0.58
1:A:254:VAL:CG1	1:A:269:ALA:HB3	2.35	0.56
1:A:343:LEU:O	1:A:344:ASP:CB	2.54	0.55
1:A:55:VAL:HG22	1:A:142:MET:SD	2.46	0.55
1:A:183:ASP:HB3	1:A:184:PRO:CA	2.37	0.54
1:A:254:VAL:HG13	1:A:269:ALA:HB3	1.90	0.54
1:A:343:LEU:O	1:A:344:ASP:HB2	2.08	0.53
1:A:372:GLU:OE2	1:A:376:ARG:NH1	2.42	0.52
1:A:203:TYR:CB	1:A:366:PRO:HD2	2.38	0.52
1:A:231:ASN:OD1	1:A:441:THR:HB	2.10	0.52
1:A:119:TYR:OH	1:A:367:LYS:HE2	2.11	0.51
1:A:49:GLU:HB2	1:A:54:TRP:CD1	2.46	0.51
1:A:209:SER:OG	1:A:417:ARG:NE	2.41	0.51
1:A:49:GLU:HB2	1:A:54:TRP:NE1	2.25	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:117:HIS:ND1	1:A:122:GLN:HG2	2.25	0.51
1:A:176:ARG:O	1:A:446:LEU:HB2	2.10	0.50
1:A:251:PRO:HA	1:A:402:LEU:O	2.10	0.50
1:A:191:VAL:HG22	1:A:422:ILE:HD11	1.92	0.50
1:A:310:THR:C	1:A:312:ILE:H	2.19	0.50
1:A:383:GLY:O	1:A:384:LEU:CB	2.60	0.49
1:A:298:HIS:HE1	1:A:337:SER:OG	1.95	0.49
1:A:366:PRO:O	1:A:367:LYS:HB3	2.12	0.49
1:A:180:VAL:HG12	1:A:212:VAL:HG11	1.95	0.49
1:A:190:ARG:HD2	1:A:377:LEU:O	2.13	0.49
1:A:64:VAL:HG22	1:A:73:VAL:HG22	1.95	0.48
1:A:182:ASP:N	1:A:182:ASP:OD1	2.47	0.48
1:A:348:ASP:OD2	1:A:350:MET:HB2	2.14	0.48
1:A:267:PRO:HD2	1:A:337:SER:O	2.14	0.47
1:A:267:PRO:HG3	1:A:339:ILE:HD12	1.96	0.47
1:A:175:SER:HB3	1:A:226:LEU:CD1	2.43	0.47
1:A:120:GLY:HA2	1:A:122:GLN:OE1	2.14	0.47
1:A:254:VAL:O	1:A:265:THR:HA	2.15	0.47
1:A:258:ARG:HD3	1:A:262:VAL:CG2	2.44	0.47
1:A:69:ASP:CG	1:A:127:PRO:O	2.58	0.47
1:A:312:ILE:HD13	1:A:347:SER:OG	2.15	0.46
1:A:59:GLY:HA3	1:A:138:ARG:HB2	1.97	0.46
1:A:187:PHE:O	1:A:188:ARG:HG2	2.15	0.46
1:A:345:PRO:O	1:A:346:SER:CB	2.63	0.46
1:A:427:GLU:O	1:A:428:PRO:C	2.57	0.46
1:A:74:ILE:HG23	1:A:79:THR:HG22	1.98	0.46
1:A:207:ILE:HG13	1:A:421:GLY:HA2	1.98	0.46
1:A:211:CYS:SG	1:A:417:ARG:HG2	2.55	0.46
1:A:242:GLY:H	1:A:244:ILE:HG22	1.81	0.46
1:A:388:ALA:HB1	1:A:401:ALA:O	2.11	0.46
1:A:430:ARG:O	1:A:433:GLU:HG2	2.15	0.46
1:A:247:LEU:HD22	1:A:407:ALA:HB3	1.98	0.46
1:A:250:SER:N	1:A:251:PRO:CD	2.78	0.45
1:A:203:TYR:HB2	1:A:366:PRO:HD2	1.97	0.45
1:A:70:GLU:CD	1:A:81:ARG:HG2	2.42	0.45
1:A:122:GLN:CD	1:A:122:GLN:H	2.24	0.45
1:A:230:HIS:HB3	1:A:445:TYR:CZ	2.52	0.45
1:A:288:LEU:O	1:A:292:SER:HB3	2.16	0.45
1:A:86:GLY:O	1:A:87:ARG:C	2.60	0.45
1:A:57:ALA:HB1	1:A:137:PRO:HB3	2.00	0.44
1:A:226:LEU:HD22	1:A:445:TYR:HB3	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:59:GLY:HA3	1:A:138:ARG:HD2	2.00	0.43
1:A:172:VAL:HG22	1:A:225:ARG:HH11	1.84	0.43
1:A:50:CYS:C	1:A:52:GLY:H	2.27	0.43
1:A:111:ALA:HB1	1:A:383:GLY:HA2	2.01	0.43
1:A:142:MET:HE3	1:A:142:MET:HB3	1.78	0.43
1:A:183:ASP:CB	1:A:184:PRO:CA	2.97	0.43
1:A:191:VAL:HG22	1:A:422:ILE:HD13	1.99	0.43
1:A:212:VAL:HG21	1:A:439:LEU:HD13	2.00	0.43
1:A:366:PRO:O	1:A:367:LYS:HB2	2.19	0.42
1:A:188:ARG:HH11	1:A:188:ARG:HG3	1.84	0.42
1:A:408:TYR:HE1	1:A:417:ARG:HB2	1.84	0.42
1:A:424:GLU:OE2	1:A:424:GLU:HA	2.19	0.42
1:A:58:ALA:HB3	1:A:139:THR:HB	2.01	0.42
1:A:254:VAL:HG12	1:A:269:ALA:HB3	2.02	0.41
1:A:398:LEU:HD22	1:A:398:LEU:C	2.45	0.41
1:A:423:ILE:O	1:A:424:GLU:C	2.63	0.41
1:A:124:ARG:HH11	1:A:124:ARG:HG2	1.86	0.41
1:A:273:ALA:O	1:A:438:LYS:HE2	2.20	0.41
1:A:180:VAL:O	1:A:210:ARG:NH2	2.49	0.41
1:A:44:ASP:O	1:A:58:ALA:O	2.38	0.41
1:A:122:GLN:O	1:A:125:LEU:HB2	2.20	0.41
1:A:383:GLY:O	1:A:384:LEU:HB3	2.21	0.41
1:A:270:GLY:O	1:A:274:LEU:HB2	2.20	0.41
1:A:372:GLU:OE1	1:A:376:ARG:HD3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	413/470 (88%)	359 (87%)	34 (8%)	20 (5%)	2 2

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	183	ASP
1	A	188	ARG
1	A	344	ASP
1	A	345	PRO
1	A	367	LYS
1	A	384	LEU
1	A	447	VAL
1	A	41	VAL
1	A	346	SER
1	A	366	PRO
1	A	383	GLY
1	A	388	ALA
1	A	21	PRO
1	A	87	ARG
1	A	311	ASP
1	A	390	VAL
1	A	215	PRO
1	A	291	ASN
1	A	405	ARG
1	A	52	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	304/375 (81%)	256 (84%)	48 (16%)	2 5

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	ILE
1	A	46	LEU
1	A	47	LEU
1	A	66	LEU
1	A	71	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	75	ARG
1	A	81	ARG
1	A	82	GLN
1	A	103	THR
1	A	105	GLN
1	A	116	VAL
1	A	122	GLN
1	A	124	ARG
1	A	125	LEU
1	A	131	LEU
1	A	140	ARG
1	A	150	LEU
1	A	164	LEU
1	A	171	GLU
1	A	183	ASP
1	A	188	ARG
1	A	228	ARG
1	A	231	ASN
1	A	234	VAL
1	A	238	LEU
1	A	244	ILE
1	A	247	LEU
1	A	254	VAL
1	A	262	VAL
1	A	290	SER
1	A	309	ILE
1	A	312	ILE
1	A	324	MET
1	A	326	VAL
1	A	340	ARG
1	A	343	LEU
1	A	350	MET
1	A	360	VAL
1	A	365	ILE
1	A	366	PRO
1	A	376	ARG
1	A	378	ASP
1	A	384	LEU
1	A	390	VAL
1	A	398	LEU
1	A	417	ARG
1	A	424	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	434	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	61	GLN
1	A	82	GLN
1	A	240	GLN
1	A	298	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	419/470 (89%)	0.14	3 (0%)	84	81	39, 51, 63, 70	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	51	ASP	2.3
1	A	23	GLY	2.2
1	A	306	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no oligosaccharides in this entry.

6.4 Ligands

There are no ligands in this entry.

6.5 Other polymers

There are no such residues in this entry.