



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 12:52 AM UTC

PDB ID : 3I6A / pdb_00003i6a
Title : Human GST A1-1 GIMF mutant with Glutathione
Authors : Balogh, L.M.; Le Trong, I.; Stenkamp, R.E.; Atkins, W.M.
Deposited on : 2009-07-06
Resolution : 1.98 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1506 (1.98-1.98)
Clashscore	190562	1534 (1.98-1.98)
Ramachandran outliers	187476	1518 (1.98-1.98)
Sidechain outliers	187428	1518 (1.98-1.98)
RSRZ outliers	180081	1506 (1.98-1.98)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	222	7% 90% 8% .
1	B	222	6% 91% 8% .
1	C	222	5% 87% 11% ..
1	D	222	5% 91% 8% .
1	E	222	4% 84% 14% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	222	5% 83% 14% ••
1	G	222	4% 90% 9% •
1	H	222	4% 91% 8% •

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 14982 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutathione S-transferase A1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	219	Total	C	N	O	S	0	0	0
			1781	1159	294	320	8			
1	B	221	Total	C	N	O	S	0	0	0
			1799	1170	299	322	8			
1	C	219	Total	C	N	O	S	0	2	0
			1796	1173	294	321	8			
1	D	219	Total	C	N	O	S	0	0	0
			1781	1159	294	320	8			
1	E	219	Total	C	N	O	S	0	0	0
			1781	1159	294	320	8			
1	F	217	Total	C	N	O	S	0	0	0
			1767	1151	292	316	8			
1	G	219	Total	C	N	O	S	0	0	0
			1781	1159	294	320	8			
1	H	219	Total	C	N	O	S	0	1	0
			1783	1160	294	321	8			

There are 112 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	12	GLY	ALA	engineered mutation	UNP P08263
A	107	ILE	LEU	engineered mutation	UNP P08263
A	108	MET	LEU	engineered mutation	UNP P08263
A	111	PHE	VAL	engineered mutation	UNP P08263
A	208	PRO	MET	engineered mutation	UNP P08263
A	211	ILE	LYS	engineered mutation	UNP P08263
A	212	TYR	SER	engineered mutation	UNP P08263
A	213	VAL	LEU	engineered mutation	UNP P08263
A	214	ARG	GLU	engineered mutation	UNP P08263
A	215	THR	GLU	engineered mutation	UNP P08263
A	216	VAL	ALA	engineered mutation	UNP P08263
A	217	TYR	ARG	engineered mutation	UNP P08263
A	218	ASN	LYS	engineered mutation	UNP P08263

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	222	PRO	PHE	engineered mutation	UNP P08263
B	12	GLY	ALA	engineered mutation	UNP P08263
B	107	ILE	LEU	engineered mutation	UNP P08263
B	108	MET	LEU	engineered mutation	UNP P08263
B	111	PHE	VAL	engineered mutation	UNP P08263
B	208	PRO	MET	engineered mutation	UNP P08263
B	211	ILE	LYS	engineered mutation	UNP P08263
B	212	TYR	SER	engineered mutation	UNP P08263
B	213	VAL	LEU	engineered mutation	UNP P08263
B	214	ARG	GLU	engineered mutation	UNP P08263
B	215	THR	GLU	engineered mutation	UNP P08263
B	216	VAL	ALA	engineered mutation	UNP P08263
B	217	TYR	ARG	engineered mutation	UNP P08263
B	218	ASN	LYS	engineered mutation	UNP P08263
B	222	PRO	PHE	engineered mutation	UNP P08263
C	12	GLY	ALA	engineered mutation	UNP P08263
C	107	ILE	LEU	engineered mutation	UNP P08263
C	108	MET	LEU	engineered mutation	UNP P08263
C	111	PHE	VAL	engineered mutation	UNP P08263
C	208	PRO	MET	engineered mutation	UNP P08263
C	211	ILE	LYS	engineered mutation	UNP P08263
C	212	TYR	SER	engineered mutation	UNP P08263
C	213	VAL	LEU	engineered mutation	UNP P08263
C	214	ARG	GLU	engineered mutation	UNP P08263
C	215	THR	GLU	engineered mutation	UNP P08263
C	216	VAL	ALA	engineered mutation	UNP P08263
C	217	TYR	ARG	engineered mutation	UNP P08263
C	218	ASN	LYS	engineered mutation	UNP P08263
C	222	PRO	PHE	engineered mutation	UNP P08263
D	12	GLY	ALA	engineered mutation	UNP P08263
D	107	ILE	LEU	engineered mutation	UNP P08263
D	108	MET	LEU	engineered mutation	UNP P08263
D	111	PHE	VAL	engineered mutation	UNP P08263
D	208	PRO	MET	engineered mutation	UNP P08263
D	211	ILE	LYS	engineered mutation	UNP P08263
D	212	TYR	SER	engineered mutation	UNP P08263
D	213	VAL	LEU	engineered mutation	UNP P08263
D	214	ARG	GLU	engineered mutation	UNP P08263
D	215	THR	GLU	engineered mutation	UNP P08263
D	216	VAL	ALA	engineered mutation	UNP P08263
D	217	TYR	ARG	engineered mutation	UNP P08263
D	218	ASN	LYS	engineered mutation	UNP P08263

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	222	PRO	PHE	engineered mutation	UNP P08263
E	12	GLY	ALA	engineered mutation	UNP P08263
E	107	ILE	LEU	engineered mutation	UNP P08263
E	108	MET	LEU	engineered mutation	UNP P08263
E	111	PHE	VAL	engineered mutation	UNP P08263
E	208	PRO	MET	engineered mutation	UNP P08263
E	211	ILE	LYS	engineered mutation	UNP P08263
E	212	TYR	SER	engineered mutation	UNP P08263
E	213	VAL	LEU	engineered mutation	UNP P08263
E	214	ARG	GLU	engineered mutation	UNP P08263
E	215	THR	GLU	engineered mutation	UNP P08263
E	216	VAL	ALA	engineered mutation	UNP P08263
E	217	TYR	ARG	engineered mutation	UNP P08263
E	218	ASN	LYS	engineered mutation	UNP P08263
E	222	PRO	PHE	engineered mutation	UNP P08263
F	12	GLY	ALA	engineered mutation	UNP P08263
F	107	ILE	LEU	engineered mutation	UNP P08263
F	108	MET	LEU	engineered mutation	UNP P08263
F	111	PHE	VAL	engineered mutation	UNP P08263
F	208	PRO	MET	engineered mutation	UNP P08263
F	211	ILE	LYS	engineered mutation	UNP P08263
F	212	TYR	SER	engineered mutation	UNP P08263
F	213	VAL	LEU	engineered mutation	UNP P08263
F	214	ARG	GLU	engineered mutation	UNP P08263
F	215	THR	GLU	engineered mutation	UNP P08263
F	216	VAL	ALA	engineered mutation	UNP P08263
F	217	TYR	ARG	engineered mutation	UNP P08263
F	218	ASN	LYS	engineered mutation	UNP P08263
F	222	PRO	PHE	engineered mutation	UNP P08263
G	12	GLY	ALA	engineered mutation	UNP P08263
G	107	ILE	LEU	engineered mutation	UNP P08263
G	108	MET	LEU	engineered mutation	UNP P08263
G	111	PHE	VAL	engineered mutation	UNP P08263
G	208	PRO	MET	engineered mutation	UNP P08263
G	211	ILE	LYS	engineered mutation	UNP P08263
G	212	TYR	SER	engineered mutation	UNP P08263
G	213	VAL	LEU	engineered mutation	UNP P08263
G	214	ARG	GLU	engineered mutation	UNP P08263
G	215	THR	GLU	engineered mutation	UNP P08263
G	216	VAL	ALA	engineered mutation	UNP P08263
G	217	TYR	ARG	engineered mutation	UNP P08263
G	218	ASN	LYS	engineered mutation	UNP P08263

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	222	PRO	PHE	engineered mutation	UNP P08263
H	12	GLY	ALA	engineered mutation	UNP P08263
H	107	ILE	LEU	engineered mutation	UNP P08263
H	108	MET	LEU	engineered mutation	UNP P08263
H	111	PHE	VAL	engineered mutation	UNP P08263
H	208	PRO	MET	engineered mutation	UNP P08263
H	211	ILE	LYS	engineered mutation	UNP P08263
H	212	TYR	SER	engineered mutation	UNP P08263
H	213	VAL	LEU	engineered mutation	UNP P08263
H	214	ARG	GLU	engineered mutation	UNP P08263
H	215	THR	GLU	engineered mutation	UNP P08263
H	216	VAL	ALA	engineered mutation	UNP P08263
H	217	TYR	ARG	engineered mutation	UNP P08263
H	218	ASN	LYS	engineered mutation	UNP P08263
H	222	PRO	PHE	engineered mutation	UNP P08263

- Molecule 2 is GLUTATHIONE (CCD ID: GSH) (formula: C₁₀H₁₇N₃O₆S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
2	B	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
2	C	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
2	D	1	Total	C	N	O	S	0	0
			20	10	3	6	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	E	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
2	F	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
2	G	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
2	H	1	Total	C	N	O	S	0	0
			20	10	3	6	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	88	Total	O	0	0
			88	88		
3	B	95	Total	O	0	0
			95	95		
3	C	72	Total	O	0	0
			72	72		
3	D	81	Total	O	0	0
			81	81		
3	E	45	Total	O	0	0
			45	45		
3	F	69	Total	O	0	1
			69	69		
3	G	60	Total	O	0	0
			60	60		
3	H	43	Total	O	0	0
			43	43		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glutathione S-transferase A1



- Molecule 1: Glutathione S-transferase A1




- Molecule 1: Glutathione S-transferase A1




- Molecule 1: Glutathione S-transferase A1






- Molecule 1: Glutathione S-transferase A1








• Molecule 1: Glutathione S-transferase A1



• Molecule 1: Glutathione S-transferase A1



• Molecule 1: Glutathione S-transferase A1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	96.78Å 114.67Å 97.74Å 90.00° 117.89° 90.00°	Depositor
Resolution (Å)	47.77 – 1.98 47.77 – 1.98	Depositor EDS
% Data completeness (in resolution range)	97.7 (47.77-1.98) 98.0 (47.77-1.98)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.84 (at 1.98Å)	Xtriage
Refinement program	REFMAC 5.5.0047	Depositor
R, R_{free}	0.206 , 0.244 0.215 , 0.252	Depositor DCC
R_{free} test set	6494 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	29.9	Xtriage
Anisotropy	0.197	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 27.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.018 for -h-l,k,h 0.018 for l,k,-h-l 0.027 for h,-k,-h-l 0.049 for -h-l,-k,l 0.027 for l,-k,h	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	14982	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.84% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GSH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.98	2/1820 (0.1%)	0.93	0/2452
1	B	0.97	2/1839 (0.1%)	0.93	1/2478 (0.0%)
1	C	0.92	2/1845 (0.1%)	0.92	1/2486 (0.0%)
1	D	0.94	1/1820 (0.1%)	0.93	0/2452
1	E	0.83	0/1820	0.93	0/2452
1	F	0.90	0/1806	0.93	2/2433 (0.1%)
1	G	0.90	1/1820 (0.1%)	0.91	0/2452
1	H	0.82	0/1826	0.91	0/2460
All	All	0.91	8/14596 (0.1%)	0.92	4/19665 (0.0%)

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	207	PRO	C-O	-6.10	1.19	1.25
1	A	207	PRO	C-O	-5.92	1.20	1.25
1	D	183	ALA	CA-CB	5.50	1.62	1.53
1	G	51	MET	C-O	-5.43	1.17	1.24
1	C	71	ILE	CA-CB	5.25	1.60	1.54
1	B	24	ALA	C-O	-5.16	1.18	1.24
1	A	207	PRO	CA-C	5.12	1.54	1.51
1	C	58	VAL	CA-CB	5.11	1.60	1.54

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	46	ASN	N-CA-C	5.93	118.53	111.71
1	B	51	MET	CG-SD-CE	-5.29	89.26	100.90
1	F	113	PRO	CA-C-N	5.08	125.11	119.32
1	F	113	PRO	C-N-CA	5.08	125.11	119.32

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1781	0	1836	17	0
1	B	1799	0	1856	15	0
1	C	1796	0	1846	26	0
1	D	1781	0	1836	21	0
1	E	1781	0	1836	23	0
1	F	1767	0	1825	19	0
1	G	1781	0	1836	13	1
1	H	1783	0	1837	10	0
2	A	20	0	15	2	0
2	B	20	0	15	0	0
2	C	20	0	15	0	0
2	D	20	0	15	0	0
2	E	20	0	15	1	0
2	F	20	0	15	0	0
2	G	20	0	15	0	0
2	H	20	0	15	0	0
3	A	88	0	0	0	0
3	B	95	0	0	1	1
3	C	72	0	0	0	0
3	D	81	0	0	1	0
3	E	45	0	0	0	0
3	F	69	0	0	0	0
3	G	60	0	0	0	0
3	H	43	0	0	0	0
All	All	14982	0	14828	137	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:10[B]:PHE:CZ	1:C:212[B]:TYR:HE1	1.62	1.17
1:C:10[B]:PHE:CZ	1:C:212[B]:TYR:CE1	2.40	1.08
1:C:10[B]:PHE:HZ	1:C:212[B]:TYR:HE1	1.07	0.96
1:G:212:TYR:O	1:G:215:THR:HG22	1.64	0.96
1:C:10[B]:PHE:CE2	1:C:212[B]:TYR:CE1	2.55	0.95
1:D:212:TYR:O	1:D:215:THR:HG22	1.68	0.94
1:E:105:MET:HE2	1:E:124:ILE:HG12	1.55	0.87
1:C:10[A]:PHE:CE1	1:C:219:ILE:HG21	2.16	0.81
1:C:10[B]:PHE:HZ	1:C:212[B]:TYR:CE1	1.86	0.81
1:C:10[B]:PHE:HE2	1:C:212[B]:TYR:CD1	2.01	0.79
1:C:10[B]:PHE:CE2	1:C:212[B]:TYR:CD1	2.74	0.76
1:G:125:LYS:HE2	1:G:170:LEU:CD2	2.16	0.75
1:D:106:ILE:HD13	1:D:166:TYR:CE1	2.22	0.75
1:A:125:LYS:HE2	1:A:170:LEU:CD2	2.17	0.75
1:F:121:LEU:HD11	1:F:170:LEU:HD21	1.71	0.73
1:F:49:TYR:HB3	1:F:57:MET:HE2	1.71	0.71
1:C:208:PRO:HB3	1:C:212[B]:TYR:CE2	2.25	0.71
1:F:106:ILE:HD13	1:F:166:TYR:CE1	2.27	0.70
1:C:10[B]:PHE:CE2	1:C:212[B]:TYR:HE1	1.99	0.69
1:A:10:PHE:HE2	1:A:219:ILE:HG21	1.58	0.68
1:D:212:TYR:O	1:D:215:THR:CG2	2.42	0.66
1:B:170:LEU:HD23	1:B:171:ASP:CB	2.25	0.66
1:E:102:LEU:HD23	1:E:163:LEU:HD21	1.78	0.65
1:A:125:LYS:HE2	1:A:170:LEU:HD21	1.78	0.65
1:F:125:LYS:HE2	1:F:170:LEU:HD22	1.79	0.64
1:D:212:TYR:C	1:D:215:THR:HG22	2.22	0.63
1:E:105:MET:HE1	1:E:127:LYS:HD2	1.80	0.63
1:C:95:TYR:CD1	1:D:51:MET:HE1	2.34	0.62
1:C:10[A]:PHE:HE1	1:C:219:ILE:HG21	1.63	0.62
1:B:123:LEU:HD11	1:B:127:LYS:HE2	1.81	0.61
1:H:102:LEU:HD23	1:H:163:LEU:HD21	1.84	0.59
1:F:43:LYS:NZ	1:F:47:ASP:OD1	2.35	0.59
1:C:208:PRO:CB	1:C:212[B]:TYR:CE2	2.86	0.58
1:F:35:ILE:HD11	1:F:55:VAL:HG11	1.86	0.58
1:B:170:LEU:HD23	1:B:171:ASP:HB2	1.86	0.58
1:C:10[B]:PHE:HE2	1:C:212[B]:TYR:HD1	1.49	0.57
1:C:105:MET:HE1	1:C:127:LYS:HD2	1.85	0.57
1:G:125:LYS:HE2	1:G:170:LEU:HD21	1.85	0.57
1:B:170:LEU:HD23	1:B:170:LEU:C	2.32	0.55
1:A:102:LEU:HD23	1:A:163:LEU:HD21	1.88	0.55
1:D:106:ILE:HD13	1:D:166:TYR:CD1	2.41	0.55
1:C:102:LEU:HD23	1:C:163:LEU:HD21	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:220:PHE:CE2	2:A:5101:GSH:HA32	2.43	0.54
1:C:95:TYR:CE1	1:D:51:MET:HE1	2.43	0.54
1:B:63:MET:HE1	1:B:74:TYR:CE1	2.43	0.53
1:H:109:LEU:HD21	1:H:121:LEU:CD1	2.38	0.53
1:E:112:CYS:SG	1:E:120:LYS:NZ	2.69	0.53
1:A:125:LYS:HE2	1:A:170:LEU:HD23	1.91	0.53
1:D:212:TYR:HA	1:D:215:THR:HG22	1.90	0.53
1:C:121:LEU:HD11	1:C:170:LEU:HD21	1.92	0.52
1:B:170:LEU:HD23	1:B:171:ASP:N	2.25	0.51
1:D:89:ARG:HD3	3:D:6201:HOH:O	2.10	0.51
1:B:49:TYR:CE2	1:B:64:LYS:HE3	2.46	0.51
1:G:212:TYR:C	1:G:215:THR:HG22	2.36	0.51
1:G:49:TYR:CE1	1:G:64:LYS:HE2	2.45	0.51
1:G:125:LYS:HE2	1:G:170:LEU:HD22	1.91	0.51
1:H:109:LEU:HD21	1:H:121:LEU:HD12	1.94	0.50
1:E:99:ILE:HG23	1:E:163:LEU:HD22	1.92	0.50
1:E:16:MET:HE2	1:E:56:PRO:HB3	1.93	0.50
1:A:92:ILE:O	1:A:96:ILE:HG23	2.12	0.49
1:A:95:TYR:CD1	1:B:51:MET:HE1	2.48	0.49
1:D:106:ILE:CD1	1:D:166:TYR:CE1	2.95	0.48
1:G:55:VAL:HB	1:G:56:PRO:HA	1.96	0.48
1:G:102:LEU:HD23	1:G:163:LEU:HD21	1.96	0.48
1:H:92:ILE:O	1:H:96:ILE:HG23	2.14	0.48
1:A:102:LEU:HD21	1:A:128:ILE:HG12	1.95	0.47
1:E:102:LEU:HD21	1:E:128:ILE:HG12	1.96	0.47
1:F:166:TYR:CD1	1:F:166:TYR:C	2.90	0.47
1:C:208:PRO:HB3	1:C:212[B]:TYR:CZ	2.49	0.47
1:F:102:LEU:HD23	1:F:163:LEU:HD21	1.95	0.47
1:F:212:TYR:O	1:F:216:VAL:HG23	2.14	0.47
1:F:105:MET:HE1	1:F:127:LYS:HD2	1.97	0.47
1:C:49:TYR:CE1	1:C:64:LYS:HE2	2.50	0.47
1:G:212:TYR:O	1:G:215:THR:CG2	2.51	0.47
1:D:16:MET:HE2	1:D:56:PRO:HB3	1.96	0.47
1:F:112:CYS:SG	1:F:120:LYS:HD2	2.56	0.46
1:D:166:TYR:CD1	1:D:166:TYR:C	2.93	0.46
1:A:105:MET:HE1	1:A:127:LYS:HD2	1.97	0.46
1:E:55:VAL:HB	1:E:56:PRO:HA	1.98	0.45
1:E:109:LEU:HA	1:E:120:LYS:HZ3	1.80	0.45
1:D:212:TYR:CA	1:D:215:THR:HG22	2.47	0.45
1:H:82:TYR:O	1:H:89:ARG:HG2	2.15	0.45
1:D:125:LYS:HE2	1:D:170:LEU:CD2	2.46	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:82:TYR:O	1:E:89:ARG:HG2	2.16	0.45
1:D:82:TYR:O	1:D:89:ARG:HG2	2.17	0.44
1:C:10[B]:PHE:CE2	1:C:12:GLY:HA3	2.52	0.44
1:C:50:LEU:O	1:C:51:MET:C	2.61	0.44
1:E:105:MET:HE2	1:E:124:ILE:CG1	2.38	0.44
1:E:220:PHE:CE1	2:E:5105:GSH:HA32	2.53	0.44
1:G:49:TYR:CD1	1:G:64:LYS:HE2	2.53	0.44
1:E:51:MET:HE1	1:F:95:TYR:CD1	2.53	0.44
1:G:61:ASP:OD2	1:G:74:TYR:OH	2.31	0.44
1:B:63:MET:HE1	1:B:74:TYR:CZ	2.53	0.43
1:H:190:ASN:HA	1:H:195:LYS:HZ3	1.84	0.43
1:H:190:ASN:HA	1:H:195:LYS:NZ	2.33	0.43
1:B:16:MET:HE2	1:B:56:PRO:HB3	2.00	0.43
1:F:106:ILE:HD13	1:F:166:TYR:CD1	2.53	0.43
1:E:109:LEU:HB3	1:E:110:PRO:HD3	2.01	0.43
1:E:59:GLU:HA	1:E:63:MET:O	2.19	0.43
1:B:125:LYS:HG2	1:B:170:LEU:HD21	2.00	0.43
1:F:109:LEU:HB3	1:F:110:PRO:HD3	2.01	0.43
1:A:3:GLU:N	1:A:3:GLU:OE2	2.52	0.43
1:E:212:TYR:O	1:E:216:VAL:HG23	2.18	0.43
1:G:35:ILE:HD11	1:G:55:VAL:HG11	2.00	0.43
1:A:220:PHE:CE2	2:A:5101:GSH:CA3	3.02	0.42
1:F:106:ILE:CD1	1:F:166:TYR:CE1	2.99	0.42
1:A:10:PHE:CE2	1:A:219:ILE:HG21	2.47	0.42
1:B:102:LEU:HD23	1:B:163:LEU:HD21	2.02	0.42
1:D:125:LYS:HG2	1:D:170:LEU:HD21	2.01	0.42
1:B:59:GLU:HG2	1:B:64:LYS:HG2	2.00	0.42
1:D:109:LEU:HB3	1:D:110:PRO:HD3	2.01	0.42
1:A:66:VAL:HG22	1:B:94:MET:SD	2.60	0.42
1:H:60:ILE:O	1:H:60:ILE:HG23	2.19	0.42
1:E:174:LEU:HD23	1:E:174:LEU:HA	1.80	0.42
1:F:63:MET:HE3	1:F:63:MET:HB2	1.97	0.42
1:F:179:PRO:HA	1:F:182:LYS:HD3	2.02	0.42
1:A:28:VAL:HG21	1:A:79:TYR:CZ	2.55	0.42
1:C:96:ILE:HA	1:C:99:ILE:HD12	2.01	0.42
1:E:12:GLY:HA3	1:E:212:TYR:CZ	2.54	0.42
1:E:66:VAL:O	1:E:67:GLN:HB2	2.20	0.42
1:A:219:ILE:O	1:A:219:ILE:HG22	2.20	0.41
1:B:177:SER:HB2	3:B:6203:HOH:O	2.18	0.41
1:D:125:LYS:HE2	1:D:170:LEU:HD21	2.02	0.41
1:E:133:PHE:CZ	1:E:167:VAL:HG11	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:61:ASP:OD2	1:H:74:TYR:OH	2.34	0.41
1:C:212[B]:TYR:CD2	1:C:213:VAL:N	2.88	0.41
1:H:85:ASP:OD1	1:H:85:ASP:C	2.64	0.41
1:G:17:GLU:HG2	1:G:166:TYR:OH	2.21	0.41
1:E:16:MET:CE	1:E:56:PRO:HB3	2.51	0.41
1:D:212:TYR:HA	1:D:215:THR:CG2	2.51	0.41
1:E:74:TYR:CE1	1:F:86:ILE:HG12	2.56	0.41
1:C:51:MET:HE1	1:D:95:TYR:CD1	2.56	0.40
1:F:43:LYS:HZ2	1:F:43:LYS:HG3	1.63	0.40
1:A:10:PHE:HE2	1:A:219:ILE:CG2	2.32	0.40
1:E:76:ALA:CB	1:E:155:ARG:HD2	2.51	0.40
1:D:174:LEU:HD23	1:D:174:LEU:HA	1.95	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:129:LYS:NZ	3:B:6213:HOH:O[2_545]	1.63	0.57

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	217/222 (98%)	212 (98%)	5 (2%)	0	100	100
1	B	219/222 (99%)	213 (97%)	6 (3%)	0	100	100
1	C	219/222 (99%)	212 (97%)	6 (3%)	1 (0%)	24	14
1	D	217/222 (98%)	214 (99%)	3 (1%)	0	100	100
1	E	217/222 (98%)	212 (98%)	5 (2%)	0	100	100
1	F	215/222 (97%)	208 (97%)	6 (3%)	1 (0%)	24	14
1	G	217/222 (98%)	212 (98%)	5 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	218/222 (98%)	212 (97%)	6 (3%)	0	100	100
All	All	1739/1776 (98%)	1695 (98%)	42 (2%)	2 (0%)	48	41

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	13	ARG
1	C	3	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	194/197 (98%)	192 (99%)	2 (1%)	68	65
1	B	196/197 (100%)	194 (99%)	2 (1%)	68	65
1	C	196/197 (100%)	191 (97%)	5 (3%)	40	32
1	D	194/197 (98%)	192 (99%)	2 (1%)	68	65
1	E	194/197 (98%)	193 (100%)	1 (0%)	81	79
1	F	193/197 (98%)	186 (96%)	7 (4%)	31	20
1	G	194/197 (98%)	192 (99%)	2 (1%)	68	65
1	H	195/197 (99%)	190 (97%)	5 (3%)	40	32
All	All	1556/1576 (99%)	1530 (98%)	26 (2%)	53	48

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	GLU
1	A	43	LYS
1	B	177	SER
1	B	214	ARG
1	C	3	GLU
1	C	77	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	117	LYS
1	C	170	LEU
1	C	211	ILE
1	D	192	PRO
1	D	216	VAL
1	E	218	ASN
1	F	43	LYS
1	F	115	GLU
1	F	117	LYS
1	F	152	LYS
1	F	170	LEU
1	F	195	LYS
1	F	199	GLN
1	G	3	GLU
1	G	115	GLU
1	H	121	LEU
1	H	152	LYS
1	H	170	LEU
1	H	177	SER
1	H	214	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	218	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	GSH	E	5105	-	18,19,19	0.73	0	21,24,24	0.97	0
2	GSH	F	5106	-	18,19,19	0.80	0	21,24,24	1.08	2 (9%)
2	GSH	H	5108	-	18,19,19	0.88	0	21,24,24	0.92	2 (9%)
2	GSH	B	5102	-	18,19,19	0.97	2 (11%)	21,24,24	1.18	2 (9%)
2	GSH	G	5107	-	18,19,19	0.95	1 (5%)	21,24,24	1.53	4 (19%)
2	GSH	A	5101	-	18,19,19	0.90	1 (5%)	21,24,24	1.25	2 (9%)
2	GSH	C	5103	-	18,19,19	0.86	1 (5%)	21,24,24	1.38	4 (19%)
2	GSH	D	5104	-	18,19,19	0.94	1 (5%)	21,24,24	1.02	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GSH	E	5105	-	-	0/24/24/24	-
2	GSH	F	5106	-	-	0/24/24/24	-
2	GSH	H	5108	-	-	0/24/24/24	-
2	GSH	B	5102	-	-	0/24/24/24	-
2	GSH	G	5107	-	-	0/24/24/24	-
2	GSH	A	5101	-	-	0/24/24/24	-
2	GSH	C	5103	-	-	1/24/24/24	-
2	GSH	D	5104	-	-	0/24/24/24	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	5107	GSH	O11-C1	-2.69	1.22	1.30
2	C	5103	GSH	O11-C1	-2.44	1.22	1.30
2	B	5102	GSH	O31-C3	-2.37	1.23	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	5104	GSH	O31-C3	-2.28	1.23	1.30
2	A	5101	GSH	O11-C1	-2.25	1.23	1.30
2	B	5102	GSH	CB2-CA2	-2.14	1.50	1.53

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	5102	GSH	CB2-CA2-C2	-3.54	101.81	109.50
2	D	5104	GSH	CB2-CA2-C2	-3.06	102.84	109.50
2	G	5107	GSH	CB2-CA2-C2	-2.88	103.24	109.50
2	G	5107	GSH	CB2-CA2-N2	2.87	115.38	111.28
2	G	5107	GSH	O2-C2-N3	2.56	128.40	122.98
2	C	5103	GSH	CA2-CB2-SG2	-2.45	111.39	114.16
2	C	5103	GSH	O31-C3-CA3	2.45	122.13	112.81
2	F	5106	GSH	CB2-CA2-C2	-2.40	104.27	109.50
2	C	5103	GSH	CB2-CA2-C2	-2.36	104.36	109.50
2	G	5107	GSH	O11-C1-O12	-2.33	118.79	124.08
2	A	5101	GSH	CA2-N2-CD1	2.25	127.33	121.68
2	F	5106	GSH	O31-C3-CA3	2.24	121.34	112.81
2	A	5101	GSH	O31-C3-CA3	2.19	121.13	112.81
2	C	5103	GSH	O32-C3-CA3	-2.06	114.10	122.66
2	H	5108	GSH	CA2-CB2-SG2	-2.03	111.87	114.16
2	H	5108	GSH	CB2-CA2-C2	-2.02	105.10	109.50
2	B	5102	GSH	CG1-CB1-CA1	-2.02	109.23	113.86

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	5103	GSH	O11-C1-CA1-N1


There are no ring outliers.




2 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	5105	GSH	1	0
2	A	5101	GSH	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	219/222 (98%)	0.39	15 (6%)	23 31	29, 35, 55, 61	0
1	B	221/222 (99%)	0.40	13 (5%)	28 37	29, 35, 55, 61	0
1	C	219/222 (98%)	0.51	10 (4%)	37 47	21, 34, 56, 64	3 (1%)
1	D	219/222 (98%)	0.41	10 (4%)	37 47	30, 35, 55, 62	0
1	E	219/222 (98%)	0.53	9 (4%)	41 51	25, 36, 55, 61	2 (0%)
1	F	217/222 (97%)	0.48	11 (5%)	33 43	31, 36, 55, 60	0
1	G	219/222 (98%)	0.46	8 (3%)	45 55	30, 36, 55, 61	0
1	H	219/222 (98%)	0.57	9 (4%)	41 51	25, 36, 56, 61	1 (0%)
All	All	1752/1776 (98%)	0.47	85 (4%)	35 44	21, 35, 55, 64	6 (0%)

All (85) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	2	ALA	8.5
1	C	220	PHE	7.7
1	A	220	PHE	6.1
1	D	2	ALA	5.2
1	C	219	ILE	4.7
1	E	212	TYR	4.3
1	A	217	TYR	4.1
1	A	216	VAL	4.0
1	G	115	GLU	3.6
1	A	218	ASN	3.6
1	A	212	TYR	3.6
1	D	166	TYR	3.6
1	G	2	ALA	3.3
1	C	2	ALA	3.3
1	C	212[A]	TYR	3.2
1	A	2	ALA	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	219	ILE	3.1
1	B	170	LEU	3.1
1	B	217	TYR	3.1
1	D	220	PHE	3.0
1	B	2	ALA	3.0
1	C	211	ILE	2.9
1	A	170	LEU	2.9
1	G	217	TYR	2.9
1	H	166	TYR	2.9
1	F	166	TYR	2.8
1	D	217	TYR	2.8
1	B	210	GLU	2.8
1	A	214	ARG	2.8
1	D	170	LEU	2.8
1	B	113	PRO	2.8
1	D	114	PRO	2.8
1	H	2	ALA	2.7
1	E	220	PHE	2.7
1	B	166	TYR	2.7
1	C	49	TYR	2.6
1	H	140	LEU	2.6
1	H	103	GLY	2.6
1	A	112	CYS	2.6
1	E	113	PRO	2.6
1	A	210	GLU	2.6
1	C	217	TYR	2.6
1	H	220	PHE	2.5
1	F	49	TYR	2.5
1	F	29	GLU	2.5
1	G	215	THR	2.5
1	C	46	ASN	2.5
1	D	216	VAL	2.4
1	G	3	GLU	2.4
1	G	112	CYS	2.4
1	G	220	PHE	2.4
1	A	211	ILE	2.4
1	E	106	ILE	2.4
1	F	107	ILE	2.4
1	E	166	TYR	2.3
1	D	211	ILE	2.3
1	F	113	PRO	2.3
1	E	217	TYR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	3	GLU	2.3
1	A	114	PRO	2.3
1	B	114	PRO	2.3
1	C	177	SER	2.3
1	F	115	GLU	2.3
1	D	112	CYS	2.2
1	F	219	ILE	2.2
1	B	115	GLU	2.2
1	A	215	THR	2.2
1	E	112	CYS	2.2
1	F	211	ILE	2.2
1	B	212	TYR	2.1
1	H	83	GLY	2.1
1	D	113	PRO	2.1
1	H	113	PRO	2.1
1	F	220	PHE	2.1
1	E	129	LYS	2.1
1	B	112	CYS	2.1
1	H	112	CYS	2.1
1	A	111	PHE	2.1
1	C	218	ASN	2.1
1	B	221	ARG	2.1
1	G	166	TYR	2.0
1	B	190	ASN	2.0
1	F	114	PRO	2.0
1	F	216	VAL	2.0
1	H	180	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GSH	F	5106	20/20	0.89	0.12	40,49,54,60	0
2	GSH	G	5107	20/20	0.89	0.11	36,43,53,58	0
2	GSH	H	5108	20/20	0.91	0.10	33,42,51,60	0
2	GSH	E	5105	20/20	0.92	0.10	37,44,50,55	0
2	GSH	B	5102	20/20	0.93	0.10	31,41,49,51	0
2	GSH	C	5103	20/20	0.93	0.10	33,40,47,50	0
2	GSH	A	5101	20/20	0.94	0.09	32,39,50,51	0
2	GSH	D	5104	20/20	0.94	0.09	35,41,52,54	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around GSH G 5107:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GSH H 5108:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GSH B 5102:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around GSH C 5103:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GSH A 5101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around GSH D 5104:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.