



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 11:47 PM UTC

PDB ID : 5I6Z / pdb_00005i6z
Title : X-ray structure of the ts2 human serotonin transporter
Authors : Coleman, J.A.; Green, E.M.; Gouaux, E.
Deposited on : 2016-02-16
Resolution : 4.53 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 4.53 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1131 (5.14-3.90)
Clashscore	190562	1009 (5.14-3.94)
Ramachandran outliers	187476	1061 (5.12-3.90)
Sidechain outliers	187428	1044 (5.12-3.90)
RSRZ outliers	180081	1126 (5.14-3.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	549	4% 79% 20% ..
2	B	221	8% 83% 16% .
3	C	214	6% 84% 15% .

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7544 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sodium-dependent serotonin transporter.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	544	Total	C	N	O	S	0	0	0
			4225	2819	656	726	24			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	74	GLY	-	cloning artifact	UNP P31645
A	75	SER	-	cloning artifact	UNP P31645
A	291	ALA	ILE	engineered mutation	UNP P31645
A	439	SER	THR	engineered mutation	UNP P31645
A	554	ALA	CYS	engineered mutation	UNP P31645
A	580	ALA	CYS	engineered mutation	UNP P31645
A	619	LEU	-	cloning artifact	UNP P31645
A	620	VAL	-	cloning artifact	UNP P31645
A	621	PRO	-	cloning artifact	UNP P31645
A	622	ARG	-	cloning artifact	UNP P31645

- Molecule 2 is a protein called 8B6 antibody, heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	218	Total	C	N	O	S	0	0	0
			1643	1038	266	331	8			

- Molecule 3 is a protein called 8B6 antibody, light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	214	Total	C	N	O	S	0	0	0
			1662	1037	280	337	8			

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
4	A	1	14	8	1	5	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Sodium-dependent serotonin transporter



- Molecule 2: 8B6 antibody, heavy chain



- Molecule 3: 8B6 antibody, light chain





4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	129.75Å 162.81Å 140.06Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.50 – 4.53 40.50 – 4.53	Depositor EDS
% Data completeness (in resolution range)	99.2 (40.50-4.53) 99.1 (40.50-4.53)	Depositor EDS
R_{merge}	0.19	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.97 (at 4.47Å)	Xtriage
Refinement program	PHENIX (1.10_2155: ???)	Depositor
R, R_{free}	0.280 , 0.317 0.287 , 0.324	Depositor DCC
R_{free} test set	443 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	260.9	Xtriage
Anisotropy	0.065	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.24 , 345.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.34$, $\langle L^2 \rangle = 0.18$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	7544	wwPDB-VP
Average B, all atoms (Å ²)	387.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.09	0/4359	0.29	0/5960
2	B	0.10	0/1688	0.27	0/2309
3	C	0.09	0/1700	0.30	0/2307
All	All	0.09	0/7747	0.29	0/10576

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4225	0	4118	63	0
2	B	1643	0	1589	18	0
3	C	1662	0	1585	18	0
4	A	14	0	13	1	0
All	All	7544	0	7305	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:30:LEU:HD22	2:B:172:PRO:HD3	1.69	0.75
2:B:54:ASN:HD22	2:B:66:TRP:HE1	1.34	0.74
1:A:589:ILE:HG23	1:A:590:PRO:HD3	1.76	0.68
1:A:205:ASN:ND2	1:A:209:CYS:SG	2.68	0.67
1:A:101:ASN:ND2	1:A:372:SER:OG	2.30	0.63
2:B:192:PRO:HD3	3:C:184:THR:HG22	1.81	0.63
1:A:152:ARG:NH2	1:A:453:GLU:OE1	2.35	0.59
1:A:437:ASP:N	1:A:437:ASP:OD1	2.30	0.59
2:B:59:SER:HB2	2:B:62:LYS:HB2	1.84	0.59
1:A:113:GLY:HA2	1:A:316:ASN:HB3	1.85	0.58
1:A:175:TYR:HA	1:A:480:THR:HG21	1.85	0.58
3:C:74:ARG:HH21	3:C:83:THR:HG22	1.69	0.58
1:A:608:ILE:O	1:A:612:ILE:N	2.36	0.57
1:A:184:LEU:HD21	1:A:261:LEU:HD23	1.86	0.57
1:A:447:ILE:HD13	1:A:466:VAL:HG22	1.85	0.57
1:A:380:PHE:HA	1:A:383:LEU:HB2	1.86	0.56
1:A:85:LYS:NZ	1:A:360:ASP:OD2	2.37	0.56
1:A:85:LYS:NZ	1:A:355:ASN:OD1	2.28	0.56
2:B:193:ALA:HA	2:B:202:MET:HB3	1.89	0.54
1:A:124:MET:HE2	1:A:326:TRP:HE3	1.72	0.54
1:A:206:THR:HG23	1:A:234:ARG:NH2	2.23	0.53
3:C:165:ASN:HB3	3:C:217:THR:HB	1.91	0.52
1:A:106:PRO:HG3	1:A:376:GLY:HA2	1.91	0.52
1:A:478:LEU:HD23	1:A:481:LEU:HD12	1.92	0.52
1:A:178:THR:HG21	1:A:480:THR:HB	1.91	0.52
3:C:168:TRP:NE1	3:C:197:SER:OG	2.31	0.52
3:C:47:GLN:HE21	3:C:112:TYR:HE2	1.58	0.51
3:C:49:VAL:HG13	3:C:112:TYR:CE1	2.45	0.51
1:A:251:ILE:HA	1:A:482:THR:HA	1.91	0.51
3:C:130:ASP:HB3	3:C:220:THR:HG22	1.93	0.50
1:A:262:ILE:HA	1:A:265:VAL:HG12	1.93	0.50
3:C:206:TYR:CZ	3:C:231:ARG:HG3	2.47	0.49
1:A:400:ASP:OD1	1:A:400:ASP:N	2.45	0.49
1:A:429:LEU:O	1:A:433:THR:OG1	2.22	0.49
1:A:447:ILE:HA	1:A:465:PHE:HE2	1.78	0.49
1:A:234:ARG:HE	1:A:240:HIS:CG	2.30	0.49
1:A:208:ASN:HB3	1:A:224:SER:HA	1.94	0.49
2:B:86:LYS:NZ	2:B:104:SER:O	2.46	0.49
2:B:163:LEU:HB3	2:B:235:LEU:HD22	1.95	0.48
1:A:583:THR:O	1:A:587:ILE:HG23	2.14	0.48
1:A:207:GLY:HA3	4:A:700:NAG:H82	1.95	0.48
3:C:164:ILE:HB	3:C:218:HIS:HD2	1.79	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:125:ALA:O	1:A:130:ILE:HG12	2.13	0.48
1:A:396:GLU:OE1	1:A:399:LYS:HE3	2.14	0.48
1:A:414:ILE:HA	1:A:417:MET:HE2	1.96	0.47
1:A:526:LYS:HD3	1:A:532:SER:HB2	1.94	0.47
2:B:183:SER:HA	2:B:184:LEU:HA	1.47	0.47
3:C:154:CYS:HB3	3:C:197:SER:HB3	1.95	0.47
3:C:169:LYS:HA	3:C:173:SER:O	2.15	0.47
1:A:148:ILE:HG13	1:A:449:ALA:HB1	1.96	0.47
1:A:307:ARG:HD3	1:A:392:GLU:HG3	1.97	0.47
1:A:444:GLU:OE1	1:A:462:ARG:NH2	2.43	0.46
1:A:287:PHE:HB3	1:A:433:THR:HG21	1.96	0.46
3:C:171:ASP:OD2	3:C:209:HIS:ND1	2.47	0.46
2:B:187:SER:OG	2:B:207:THR:O	2.34	0.46
3:C:135:VAL:HA	3:C:155:PHE:O	2.15	0.46
2:B:116:THR:OG1	2:B:125:PHE:HB3	2.15	0.46
1:A:271:TRP:HA	1:A:466:VAL:HG21	1.98	0.45
1:A:197:TRP:HE1	1:A:415:ALA:HB2	1.80	0.45
1:A:137:LEU:HD12	1:A:348:ALA:HB2	1.98	0.45
1:A:352:LYS:HB3	1:A:355:ASN:HB2	1.98	0.45
1:A:266:ILE:HG22	1:A:440:PHE:HE1	1.82	0.45
1:A:393:ASP:OD2	1:A:396:GLU:HG2	2.18	0.44
1:A:91:SER:HA	1:A:281:VAL:HG11	1.98	0.44
1:A:379:ILE:HA	1:A:410:TYR:HE2	1.82	0.44
1:A:263:PHE:HA	1:A:266:ILE:HG12	2.00	0.44
1:A:545:SER:HB2	1:A:546:PRO:HD3	2.00	0.44
1:A:136:GLU:HG2	1:A:344:LEU:HB2	2.00	0.43
1:A:206:THR:HG23	1:A:234:ARG:HH22	1.82	0.43
3:C:140:PRO:HG2	3:C:150:ALA:HB1	1.99	0.43
1:A:266:ILE:HG22	1:A:440:PHE:CE1	2.53	0.43
2:B:58:GLN:O	2:B:111:ALA:HB1	2.18	0.43
2:B:160:SER:HA	2:B:209:PRO:HA	2.01	0.43
2:B:169:GLY:HA2	2:B:199:LEU:HB3	2.01	0.43
1:A:143:HIS:NE2	1:A:154:ILE:HD11	2.34	0.43
1:A:363:VAL:O	1:A:367:VAL:HG23	2.19	0.42
1:A:518:ILE:HD12	1:A:518:ILE:HA	1.81	0.42
1:A:114:GLY:HA3	1:A:314:LYS:O	2.20	0.42
1:A:206:THR:OG1	1:A:230:GLU:OE2	2.37	0.42
1:A:152:ARG:HE	1:A:159:LYS:HZ2	1.68	0.42
2:B:144:PRO:HB3	2:B:170:TYR:HB3	2.00	0.42
1:A:128:GLY:HA3	1:A:548:PHE:CG	2.55	0.41
3:C:69:TYR:O	3:C:73:TYR:HB2	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:55:TRP:CD2	3:C:93:PHE:HB2	2.55	0.41
3:C:53:VAL:HB	3:C:71:ALA:HB2	2.01	0.41
1:A:195:LEU:HD12	1:A:195:LEU:H	1.85	0.41
1:A:396:GLU:HA	1:A:399:LYS:HG3	2.03	0.41
1:A:577:LEU:O	1:A:581:ILE:HG13	2.20	0.41
3:C:31:MET:HE2	3:C:31:MET:HB3	1.96	0.41
1:A:516:TYR:OH	1:A:524:ASP:OD2	2.33	0.41
1:A:485:GLY:O	1:A:489:VAL:HG23	2.21	0.40
2:B:146:VAL:HG21	2:B:231:VAL:HB	2.03	0.40
2:B:224:HIS:CE1	2:B:226:ALA:HB3	2.56	0.40
1:A:540:CYS:HA	1:A:544:ILE:HB	2.03	0.40
2:B:57:LYS:HB2	2:B:67:ILE:HD11	2.03	0.40
1:A:221:THR:HG22	1:A:223:HIS:H	1.86	0.40
2:B:177:VAL:HG22	2:B:222:VAL:HG22	2.02	0.40
1:A:81:THR:HA	1:A:350:TYR:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	542/549 (99%)	519 (96%)	23 (4%)	0	100	100
2	B	216/221 (98%)	210 (97%)	6 (3%)	0	100	100
3	C	212/214 (99%)	203 (96%)	9 (4%)	0	100	100
All	All	970/984 (99%)	932 (96%)	38 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	431/463 (93%)	421 (98%)	10 (2%)	44	63
2	B	190/193 (98%)	190 (100%)	0	100	100
3	C	189/190 (100%)	185 (98%)	4 (2%)	47	65
All	All	810/846 (96%)	796 (98%)	14 (2%)	53	67

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	217	ASN
1	A	248	LEU
1	A	260	MET
1	A	281	VAL
1	A	437	ASP
1	A	457	VAL
1	A	461	ARG
1	A	563	LEU
1	A	589	ILE
1	A	615	GLU
3	C	49	VAL
3	C	53	VAL
3	C	109	GLN
3	C	233	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	101	ASN
1	A	223	HIS
1	A	359	GLN
1	A	416	ASN
2	B	54	ASN
3	C	26	GLN
3	C	28	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	A	700	1	14,14,15	0.23	0	17,19,21	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	700	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	700	NAG	O5-C5-C6-O6
4	A	700	NAG	C4-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	700	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	544/549 (99%)	-0.05	21 (3%)	43 37	117, 324, 560, 871	0
2	B	218/221 (98%)	0.28	18 (8%)	17 21	215, 398, 628, 888	0
3	C	214/214 (100%)	0.07	13 (6%)	27 28	29, 419, 726, 919	0
All	All	976/984 (99%)	0.05	52 (5%)	32 30	29, 363, 628, 919	0

All (52) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	C	75	TYR	7.1
2	B	196	GLN	7.0
2	B	104	SER	6.4
3	C	78	VAL	6.1
3	C	180	LEU	5.8
2	B	102	LEU	5.7
2	B	101	GLU	5.2
2	B	124	TYR	4.8
2	B	126	ASP	4.2
3	C	77	GLY	4.2
1	A	275	LYS	4.0
3	C	76	THR	4.0
1	A	83	GLY	3.9
2	B	103	ARG	3.5
2	B	87	ALA	3.5
2	B	88	THR	3.5
1	A	335	PHE	3.5
2	B	86	LYS	3.5
1	A	80	GLU	3.4
2	B	190	THR	3.3
2	B	85	GLY	3.3
1	A	90	LEU	3.0
3	C	65	LYS	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	565	LEU	2.8
2	B	195	LEU	2.8
2	B	186	SER	2.8
3	C	82	PHE	2.8
1	A	487	TYR	2.7
3	C	173	SER	2.7
2	B	37	VAL	2.6
3	C	178	GLY	2.5
2	B	228	SER	2.5
3	C	174	GLU	2.5
1	A	591	THR	2.4
3	C	79	PRO	2.4
1	A	93	ILE	2.4
3	C	67	LEU	2.4
1	A	272	LYS	2.3
1	A	568	TYR	2.3
2	B	39	ILE	2.3
1	A	134	TYR	2.3
3	C	200	THR	2.2
1	A	488	VAL	2.2
1	A	341	PHE	2.2
1	A	354	ASN	2.2
1	A	595	TYR	2.2
2	B	127	TYR	2.2
1	A	469	VAL	2.2
1	A	172	ILE	2.1
1	A	472	THR	2.1
1	A	282	TRP	2.1
1	A	338	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NAG	A	700	14/15	0.93	0.08	237,303,328,328	0

6.5 Other polymers [i](#)

There are no such residues in this entry.