



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 24, 2026 – 10:55 PM EDT

PDB ID : 1IA1 / pdb_00001ia1
Title : Candida albicans dihydrofolate reductase complexed with dihydro-nicotinamide-adenine-dinucleotide phosphate (NADPH) and 5-(PHENYLSULFANYL)-2,4-QUINAZOLINEDIAMINE (GW997)
Authors : Whitlow, M.; Howard, A.J.; Kuyper, L.F.
Deposited on : 2001-03-22
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	192	
1	B	192	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 3575 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DIHYDROFOLATE REDUCTASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	192	Total	C	N	O	S	0	12	0
			1594	1026	272	292	4			
1	B	192	Total	C	N	O	S	0	12	0
			1601	1027	271	299	4			

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 3 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NDP) (formula: C₂₁H₃₀N₇O₁₇P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 48	C 21	N 7	O 17	P 3	0	0
3	B	1	Total 48	C 21	N 7	O 17	P 3	0	0

- Molecule 4 is 5-PHENYLSULFANYL-2,4-QUINAZOLINEDIAMINE (CCD ID: TQ3) (formula: C₁₄H₁₂N₄S).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	S	0	0
			19	14	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	S	0	0
			19	14	4	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	113	Total	O	0	0
			113	113		
5	B	123	Total	O	0	0
			123	123		

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	76.91Å 67.28Å 38.49Å 90.00° 93.07° 90.00°	Depositor
Resolution (Å)	10.00 – 1.70 10.00 – 1.72	Depositor EDS
% Data completeness (in resolution range)	81.8 (10.00-1.70) 78.1 (10.00-1.72)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.51 (at 1.72Å)	Xtriage
Refinement program	PROFFT	Depositor
R, R_{free}	0.156 , (Not available) 0.154 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	13.0	Xtriage
Anisotropy	0.126	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 61.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	3575	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NDP, TQ3, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.55	14/1688 (0.8%)	2.18	57/2287 (2.5%)
1	B	1.53	3/1698 (0.2%)	1.99	52/2295 (2.3%)
All	All	1.54	17/3386 (0.5%)	2.09	109/4582 (2.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	133	THR	N-CA	7.69	1.55	1.46
1	A	28	ARG	CD-NE	-7.60	1.35	1.46
1	B	186	TYR	N-CA	6.94	1.55	1.46
1	B	113	GLY	N-CA	6.36	1.52	1.45
1	A	50	ASN	N-CA	6.10	1.52	1.45
1	A	32	GLU	N-CA	5.88	1.53	1.46
1	A	12	ALA	N-CA	5.82	1.53	1.45
1	A	34	ARG	N-CA	5.77	1.53	1.46
1	A	28	ARG	NE-CZ	-5.54	1.26	1.33
1	A	111	ILE	CA-C	5.41	1.59	1.52
1	A	3	LYS	CA-CB	5.30	1.57	1.52
1	A	145	MET	CA-CB	-5.24	1.44	1.53
1	A	112	ILE	CA-CB	5.12	1.60	1.54
1	A	33[A]	ILE	CA-CB	5.11	1.60	1.54
1	A	33[B]	ILE	CA-CB	5.11	1.60	1.54
1	A	110	PHE	C-O	5.07	1.30	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	134	GLU	N-CA	5.04	1.52	1.46

All (109) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	28	ARG	CD-NE-CZ	39.56	179.79	124.40
1	B	56	ARG	CD-NE-CZ	14.18	144.26	124.40
1	B	19	ILE	CA-CB-CG2	11.39	129.87	110.50
1	A	56	ARG	CD-NE-CZ	10.66	139.33	124.40
1	B	151	PHE	CA-CB-CG	10.48	124.28	113.80
1	B	67	ARG	CD-NE-CZ	10.01	138.41	124.40
1	A	170	ASP	N-CA-C	9.14	121.25	111.28
1	A	151	PHE	CA-CB-CG	8.36	122.16	113.80
1	A	84	GLU	CB-CG-CD	8.33	126.76	112.60
1	A	192	LYS	CA-CB-CG	8.28	130.66	114.10
1	A	154	GLU	CB-CG-CD	7.99	126.18	112.60
1	A	144	GLU	CB-CG-CD	7.97	126.15	112.60
1	A	185	ASN	OD1-CG-ND2	7.92	130.52	122.60
1	A	157	THR	O-C-N	7.71	132.47	123.30
1	A	72	ARG	NE-CZ-NH1	7.62	129.12	121.50
1	B	5	ASN	OD1-CG-ND2	7.37	129.97	122.60
1	B	149	LEU	O-C-N	7.29	131.22	123.06
1	B	157	THR	O-C-N	7.22	131.75	123.31
1	B	185	ASN	O-C-N	7.20	131.62	123.27
1	B	141[A]	GLU	CB-CG-CD	7.12	124.71	112.60
1	B	141[B]	GLU	CB-CG-CD	7.12	124.71	112.60
1	B	105[A]	ASP	CA-CB-CG	7.09	119.69	112.60
1	B	105[B]	ASP	CA-CB-CG	7.09	119.69	112.60
1	A	17	LEU	CB-CA-C	7.08	120.89	111.82
1	A	150	LYS	CB-CG-CD	7.07	127.56	111.30
1	A	154	GLU	CA-CB-CG	6.96	128.02	114.10
1	B	5	ASN	CA-CB-CG	-6.83	105.77	112.60
1	A	87	ASP	CA-CB-CG	6.83	119.43	112.60
1	A	169	GLY	CA-C-N	6.79	129.39	120.28
1	A	169	GLY	C-N-CA	6.79	129.39	120.28
1	B	82[A]	GLU	CA-C-O	-6.65	113.41	120.80
1	B	82[B]	GLU	CA-C-O	-6.65	113.41	120.80
1	B	6[A]	VAL	CA-CB-CG2	6.57	121.58	110.40
1	B	6[B]	VAL	CA-CB-CG2	6.57	121.58	110.40
1	B	147	THR	CA-CB-CG2	6.56	121.64	110.50
1	B	8	ILE	O-C-N	6.55	129.88	122.93
1	A	49	ARG	O-C-N	6.52	131.06	123.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	137	HIS	O-C-N	6.50	126.40	121.85
1	A	18	GLY	CA-C-O	-6.43	115.72	121.64
1	A	137	HIS	CA-CB-CG	6.38	120.19	113.80
1	A	3	LYS	O-C-N	-6.32	118.62	121.53
1	A	5	ASN	CA-C-O	-6.29	113.52	120.69
1	B	87	ASP	CA-CB-CG	6.26	118.86	112.60
1	B	67	ARG	NE-CZ-NH2	6.14	124.73	119.20
1	B	34[A]	ARG	N-CA-CB	6.05	118.78	110.01
1	B	34[B]	ARG	N-CA-CB	6.05	118.78	110.01
1	A	56	ARG	NE-CZ-NH2	6.01	124.61	119.20
1	B	19	ILE	N-CA-C	6.00	119.41	113.53
1	A	67	ARG	CB-CA-C	6.00	117.90	108.84
1	A	47	ASN	CB-CA-C	6.00	121.42	111.23
1	B	124	ASN	CB-CG-ND2	5.96	125.34	116.40
1	B	3	LYS	O-C-N	5.94	126.10	121.88
1	B	86	ILE	O-C-N	5.84	128.19	121.94
1	A	142	SER	N-CA-CB	5.81	120.31	110.49
1	B	8	ILE	CA-C-O	-5.78	114.13	120.84
1	A	147	THR	CA-CB-OG1	-5.78	100.94	109.60
1	B	185	ASN	CA-C-O	-5.76	114.38	121.06
1	B	20	GLY	O-C-N	5.74	130.20	123.66
1	B	119	ASN	CB-CA-C	5.73	121.23	110.63
1	B	130	LEU	O-C-N	5.71	130.09	123.30
1	A	67	ARG	CD-NE-CZ	5.68	132.36	124.40
1	A	67	ARG	NE-CZ-NH1	5.58	127.08	121.50
1	B	62	ILE	O-C-N	5.58	126.42	121.57
1	A	111	ILE	O-C-N	5.54	129.69	122.94
1	B	108	ARG	O-C-N	5.53	130.53	123.11
1	B	5	ASN	N-CA-CB	-5.53	101.24	110.37
1	A	141	GLU	CA-CB-CG	5.53	125.16	114.10
1	A	49	ARG	NE-CZ-NH2	-5.53	114.23	119.20
1	A	50	ASN	OD1-CG-ND2	5.51	128.11	122.60
1	B	108	ARG	NE-CZ-NH1	5.50	127.00	121.50
1	B	145	MET	CA-CB-CG	5.50	125.10	114.10
1	A	132	ILE	CA-C-N	-5.50	113.75	121.72
1	A	132	ILE	C-N-CA	-5.50	113.75	121.72
1	A	123	ASN	OD1-CG-ND2	5.41	128.01	122.60
1	B	138	PRO	CA-C-N	5.40	127.39	122.37
1	B	138	PRO	C-N-CA	5.40	127.39	122.37
1	A	170	ASP	CA-C-N	5.37	128.73	121.05
1	A	170	ASP	C-N-CA	5.37	128.73	121.05
1	B	50	ASN	OD1-CG-ND2	5.36	127.96	122.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	19	ILE	N-CA-CB	-5.33	104.92	112.12
1	A	39	VAL	CB-CA-C	5.32	118.78	111.97
1	A	81	TYR	N-CA-C	5.32	118.60	110.20
1	A	108	ARG	NE-CZ-NH1	-5.31	116.19	121.50
1	A	54	MET	CA-C-O	-5.29	115.42	121.40
1	A	115	ALA	N-CA-C	5.26	117.01	111.28
1	A	24	LYS	CA-CB-CG	5.24	124.58	114.10
1	B	6[A]	VAL	CA-CB-CG1	5.22	119.27	110.40
1	B	6[B]	VAL	CA-CB-CG1	5.22	119.27	110.40
1	A	157	THR	CA-C-N	-5.22	114.04	121.50
1	A	157	THR	C-N-CA	-5.22	114.04	121.50
1	A	38	ASP	O-C-N	5.21	127.44	122.07
1	A	74	ASN	O-C-N	5.21	129.15	123.27
1	B	149	LEU	CA-C-O	-5.17	115.15	121.36
1	A	132	ILE	O-C-N	5.17	129.15	123.10
1	A	42[A]	ARG	CD-NE-CZ	5.16	131.63	124.40
1	A	42[B]	ARG	CD-NE-CZ	5.16	131.63	124.40
1	A	144	GLU	CB-CA-C	5.14	118.12	109.89
1	B	147	THR	N-CA-CB	-5.13	101.92	110.80
1	B	56	ARG	NE-CZ-NH2	5.13	123.82	119.20
1	B	139	SER	O-C-N	5.13	124.93	121.19
1	A	49	ARG	CD-NE-CZ	-5.13	117.22	124.40
1	B	124	ASN	OD1-CG-ND2	-5.12	117.48	122.60
1	A	83	ASN	CB-CA-C	5.11	119.31	110.77
1	A	28	ARG	CG-CD-NE	5.10	123.22	112.00
1	B	34[A]	ARG	CA-CB-CG	5.02	124.15	114.10
1	B	34[B]	ARG	CA-CB-CG	5.02	124.15	114.10
1	A	8	ILE	O-C-N	5.02	128.25	122.93
1	A	145	MET	CB-CG-SD	-5.00	97.69	112.70
1	B	153	LEU	CB-CA-C	5.00	120.88	110.32

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	79[A]	ARG	Sidechain
1	A	79[B]	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1594	0	1634	26	0
1	B	1601	0	1632	33	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
3	A	48	0	26	1	0
3	B	48	0	26	1	0
4	A	19	0	12	2	0
4	B	19	0	12	0	0
5	A	113	0	0	0	0
5	B	123	0	0	3	0
All	All	3575	0	3342	59	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (59) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:28:ARG:HH11	1:B:30:ARG:HG2	1.42	0.83
1:B:124:ASN:HD22	1:B:126:LEU:H	1.25	0.81
1:B:19:ILE:HG22	1:B:147:THR:HG22	1.61	0.80
1:B:176:ASP:H	1:B:185:ASN:HD21	1.34	0.74
1:A:176:ASP:H	1:A:185:ASN:HD21	1.38	0.71
1:B:176:ASP:H	1:B:185:ASN:ND2	1.92	0.68
1:B:19:ILE:HD13	1:B:149:LEU:HG	1.76	0.67
1:B:83:ASN:ND2	1:B:94:SER:H	1.96	0.64
1:B:63:PRO:HB3	1:B:65[B]:LYS:HE3	1.82	0.62
1:A:37[B]:LYS:NZ	1:A:41[B]:THR:HG21	2.17	0.60
1:A:176:ASP:H	1:A:185:ASN:ND2	1.98	0.60
1:B:137:HIS:HD2	1:B:139:SER:H	1.49	0.59
1:B:124:ASN:ND2	1:B:126:LEU:H	2.01	0.57
1:A:46:PRO:HB2	1:A:47:ASN:HD22	1.69	0.56
1:A:65:LYS:HD2	1:A:65:LYS:H	1.72	0.55
1:B:137:HIS:CD2	1:B:139:SER:H	2.25	0.55
1:B:5:ASN:ND2	5:B:297:HOH:O	2.40	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:LEU:HB3	1:A:145:MET:HE1	1.90	0.53
1:B:109:VAL:HG12	5:B:246:HOH:O	2.09	0.52
1:A:37[B]:LYS:HZ2	1:A:41[B]:THR:HG21	1.74	0.52
1:A:65:LYS:H	1:A:65:LYS:CD	2.23	0.52
1:B:21:TYR:HB2	1:B:145:MET:HA	1.93	0.51
1:A:64:GLN:HG2	1:A:65:LYS:HE3	1.92	0.51
1:A:18:GLY:HA3	1:A:145:MET:HE3	1.92	0.51
1:A:13:LEU:HD23	1:A:145:MET:HE1	1.91	0.51
1:B:6[B]:VAL:HG13	1:B:126:LEU:O	2.11	0.50
1:B:64:GLN:HG2	1:B:65[A]:LYS:NZ	2.26	0.50
1:B:115:ALA:HB2	1:B:147:THR:HG23	1.94	0.49
1:A:42[A]:ARG:HH11	1:A:170:ASP:H	1.59	0.49
1:B:6[A]:VAL:HG22	1:B:127:VAL:HA	1.95	0.49
1:B:12:ALA:HB2	1:B:19:ILE:HD11	1.96	0.48
1:A:79[B]:ARG:NH2	1:A:116:GLU:OE1	2.48	0.47
1:B:83:ASN:HD22	1:B:93:ALA:HA	1.80	0.47
1:A:25:MET:HA	1:A:26:PRO:HD3	1.70	0.46
1:A:42[A]:ARG:HH11	1:A:170:ASP:HB2	1.80	0.46
1:B:63:PRO:CB	1:B:65[B]:LYS:HE3	2.45	0.46
1:A:137:HIS:CG	1:A:143:ILE:HD11	2.50	0.46
1:A:119:ASN:HB3	1:A:150:LYS:HE2	1.98	0.45
1:B:67:ARG:HA	1:B:68:PRO:C	2.42	0.44
1:A:6[B]:VAL:HG13	1:A:127:VAL:HA	1.99	0.44
1:A:13:LEU:HD23	1:A:145:MET:CE	2.47	0.44
1:A:137:HIS:CD2	1:A:143:ILE:HD11	2.53	0.43
1:B:20:GLY:HA2	1:B:26:PRO:HD3	2.00	0.43
1:B:24[A]:LYS:HD3	1:B:25:MET:N	2.34	0.43
1:A:33[A]:ILE:HD12	4:A:194:TQ3:HC9	2.01	0.42
1:A:33[A]:ILE:HD13	4:A:194:TQ3:HC8	2.01	0.42
1:A:67:ARG:HA	1:A:68:PRO:C	2.43	0.42
1:B:19:ILE:O	3:B:195:NDP:H2N	2.20	0.42
1:A:29:LEU:O	1:A:33[A]:ILE:HG12	2.20	0.41
1:B:80:SER:HB2	5:B:337:HOH:O	2.19	0.41
1:A:57:LYS:NZ	3:A:193:NDP:O3B	2.53	0.41
1:B:19:ILE:CD1	1:B:149:LEU:HG	2.47	0.41
1:B:20:GLY:O	1:B:145:MET:HB2	2.21	0.41
1:B:25:MET:HA	1:B:26:PRO:HD3	1.79	0.41
1:B:83:ASN:HD21	1:B:94:SER:H	1.68	0.41

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	202/192 (105%)	196 (97%)	5 (2%)	1 (0%)	24	12
1	B	202/192 (105%)	197 (98%)	5 (2%)	0	100	100
All	All	404/384 (105%)	393 (97%)	10 (2%)	1 (0%)	36	28

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	46	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	186/177 (105%)	171 (92%)	15 (8%)	11	2
1	B	186/177 (105%)	169 (91%)	17 (9%)	9	2
All	All	372/354 (105%)	340 (91%)	32 (9%)	12	2

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6[A]	VAL
1	A	6[B]	VAL
1	A	24	LYS
1	A	28	ARG
1	A	42[A]	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	42[B]	ARG
1	A	47	ASN
1	A	65	LYS
1	A	74	ASN
1	A	102	LEU
1	A	103	VAL
1	A	120	GLU
1	A	141	GLU
1	A	150	LYS
1	A	154	GLU
1	B	5	ASN
1	B	6[A]	VAL
1	B	6[B]	VAL
1	B	19	ILE
1	B	28	ARG
1	B	34[A]	ARG
1	B	34[B]	ARG
1	B	65[A]	LYS
1	B	65[B]	LYS
1	B	74	ASN
1	B	82[A]	GLU
1	B	82[B]	GLU
1	B	121	LEU
1	B	124	ASN
1	B	157	THR
1	B	166	LYS
1	B	173	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	47	ASN
1	A	89	ASN
1	A	123	ASN
1	A	185	ASN
1	B	5	ASN
1	B	83	ASN
1	B	101	ASN
1	B	123	ASN
1	B	124	ASN
1	B	137	HIS
1	B	185	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PO4	B	202	-	4,4,4	1.04	0	6,6,6	0.42	0
4	TQ3	A	194	-	21,21,21	1.73	4 (19%)	27,29,29	1.70	4 (14%)
3	NDP	A	193	-	51,52,52	1.73	7 (13%)	71,80,80	1.50	10 (14%)
2	PO4	A	201	-	4,4,4	2.17	1 (25%)	6,6,6	1.35	1 (16%)
4	TQ3	B	196	-	21,21,21	1.91	4 (19%)	27,29,29	2.26	13 (48%)
3	NDP	B	195	-	51,52,52	1.55	11 (21%)	71,80,80	1.34	10 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	TQ3	A	194	-	-	0/4/4/4	0/3/3/3
3	NDP	A	193	-	-	1/34/77/77	0/5/5/5
4	TQ3	B	196	-	-	0/4/4/4	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NDP	B	195	-	-	2/34/77/77	0/5/5/5

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	193	NDP	P2B-O2B	6.17	1.70	1.59
4	B	196	TQ3	C1-N6	6.05	1.47	1.37
4	A	194	TQ3	C1-N6	4.83	1.45	1.37
3	A	193	NDP	PA-O3	-4.66	1.54	1.59
3	B	195	NDP	C4N-C3N	-4.43	1.41	1.50
2	A	201	PO4	P-O3	-4.11	1.42	1.54
3	A	193	NDP	C7N-C3N	4.08	1.57	1.48
3	B	195	NDP	P2B-O2B	3.77	1.66	1.59
3	A	193	NDP	C4N-C3N	-3.75	1.42	1.50
3	B	195	NDP	C7N-C3N	3.74	1.56	1.48
4	B	196	TQ3	C26-C27	3.17	1.44	1.38
3	A	193	NDP	C3B-C2B	3.00	1.59	1.53
4	A	194	TQ3	C9-C8	2.86	1.42	1.36
3	A	193	NDP	C4N-C5N	-2.70	1.42	1.49
3	B	195	NDP	PN-O3	2.56	1.62	1.59
3	B	195	NDP	C4N-C5N	-2.51	1.42	1.49
3	A	193	NDP	P2B-O2X	-2.38	1.45	1.54
3	B	195	NDP	PA-O2A	-2.18	1.45	1.55
3	B	195	NDP	C3B-C2B	2.12	1.57	1.53
4	A	194	TQ3	C27-C22	2.10	1.43	1.39
3	B	195	NDP	P2B-O2X	-2.08	1.47	1.54
4	B	196	TQ3	C27-C22	2.07	1.43	1.39
4	B	196	TQ3	C25-C24	2.03	1.42	1.38
3	B	195	NDP	P2B-O3X	-2.03	1.47	1.54
3	B	195	NDP	C5A-C4A	-2.02	1.35	1.39
3	B	195	NDP	PN-O2N	-2.02	1.46	1.55
4	A	194	TQ3	C26-C27	2.02	1.42	1.38

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	194	TQ3	N6-C5-N4	-4.84	121.06	127.21
4	B	196	TQ3	C3-C2-C1	4.83	118.29	114.90
4	A	194	TQ3	N14-C5-N4	4.67	124.23	117.22
3	A	193	NDP	C1D-N1N-C2N	-4.60	113.56	121.14
4	B	196	TQ3	N14-C5-N4	4.29	123.65	117.22
3	A	193	NDP	P2B-O2B-C2B	-4.26	112.06	123.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	196	TQ3	N6-C5-N4	-4.04	122.08	127.21
3	B	195	NDP	C1D-N1N-C2N	-3.72	115.01	121.14
4	B	196	TQ3	C2-C3-N7	3.61	129.13	122.70
3	B	195	NDP	C6N-N1N-C2N	3.57	123.14	119.32
3	A	193	NDP	C3N-C2N-N1N	-3.52	118.03	123.20
3	B	195	NDP	C3N-C2N-N1N	-3.15	118.59	123.20
3	A	193	NDP	O7N-C7N-C3N	-3.14	114.97	120.90
4	B	196	TQ3	N7-C3-N4	-3.11	108.76	117.11
3	A	193	NDP	O2B-P2B-O1X	-3.04	98.50	109.33
3	A	193	NDP	O4D-C1D-N1N	2.92	113.66	108.08
4	B	196	TQ3	C2-C1-N6	-2.87	116.86	122.45
4	B	196	TQ3	C2-C13-S20	-2.68	117.58	122.47
4	B	196	TQ3	C25-C24-C23	-2.59	117.04	120.24
4	A	194	TQ3	N14-C5-N6	-2.58	113.75	117.79
3	B	195	NDP	O7N-C7N-C3N	-2.58	116.04	120.90
4	B	196	TQ3	C27-C22-C23	2.55	123.00	118.85
3	A	193	NDP	O3X-P2B-O2X	2.51	117.21	107.80
3	A	193	NDP	C6N-N1N-C2N	2.49	121.98	119.32
3	A	193	NDP	N6A-C6A-N1A	2.38	123.67	118.38
3	B	195	NDP	C3B-C2B-C1B	-2.31	98.38	102.81
4	B	196	TQ3	C26-C27-C22	-2.31	116.30	120.07
4	B	196	TQ3	N14-C5-N6	-2.29	114.21	117.79
3	B	195	NDP	O2B-P2B-O1X	-2.21	101.44	109.33
3	B	195	NDP	O3-PN-O1N	-2.19	104.12	110.70
3	B	195	NDP	C2B-C1B-N9A	-2.17	110.18	113.75
2	A	201	PO4	O4-P-O3	2.15	114.60	107.91
3	B	195	NDP	O2A-PA-O1A	2.14	122.39	112.44
3	B	195	NDP	O2N-PN-O3	2.14	113.05	107.27
3	A	193	NDP	O2X-P2B-O1X	2.10	119.02	110.83
4	A	194	TQ3	C5-N4-C3	2.08	122.66	116.72
4	B	196	TQ3	C8-C1-C2	2.08	123.12	119.31
4	B	196	TQ3	C26-C25-C24	2.00	122.61	119.87

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	193	NDP	O4D-C1D-N1N-C2N
3	B	195	NDP	O4D-C1D-N1N-C2N
3	B	195	NDP	C2N-C3N-C7N-N7N



There are no ring outliers.


3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	194	TQ3	2	0
3	A	193	NDP	1	0
3	B	195	NDP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	192/192 (100%)	-0.64	0 100 100	5, 14, 31, 45	14 (7%)
1	B	192/192 (100%)	-0.76	0 100 100	3, 12, 26, 38	14 (7%)
All	All	384/384 (100%)	-0.70	0 100 100	3, 13, 29, 45	28 (7%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PO4	A	201	5/5	0.90	0.10	17,17,26,26	5
2	PO4	B	202	5/5	0.96	0.10	29,30,42,42	0
3	NDP	A	193	48/48	0.98	0.04	7,13,18,20	0
3	NDP	B	195	48/48	0.98	0.04	6,10,15,18	0
4	TQ3	A	194	19/19	0.98	0.04	5,9,20,22	0
4	TQ3	B	196	19/19	0.98	0.04	6,8,14,16	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around NDP B 195:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TQ3 A 194:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around TQ3 B 196:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.