



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:58 PM UTC

PDB ID : 1IBJ / pdb_00001ibj
Title : Crystal structure of cystathionine beta-lyase from Arabidopsis thaliana
Authors : Breitingner, U.; Clausen, T.; Messerschmidt, A.
Deposited on : 2001-03-28
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	464	
1	C	464	

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 5965 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYSTATHIONINE BETA-LYASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	380	Total	C	N	O	S	0	0	0
			2834	1798	483	541	12			
1	C	380	Total	C	N	O	S	0	0	0
			2835	1798	483	541	13			

- Molecule 2 is CARBONATE ION (CCD ID: CO3) (formula: CO₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	1	3		
2	C	1	Total	C	O	0	0
			4	1	3		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is PYRIDOXAL-5'-PHOSPHATE (CCD ID: PLP) (formula: $C_8H_{10}NO_6P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
4	C	1	Total	C	N	O	P	0	0
			15	8	1	5	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	132	Total 132	O 132	0	0
5	C	121	Total 121	O 121	0	0


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: CYSTATHIONINE BETA-LYASE



• Molecule 1: CYSTATHIONINE BETA-LYASE





4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	107.75Å 154.33Å 118.76Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	6.00 – 2.30 6.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	87.5 (6.00-2.30) 82.9 (6.00-2.30)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.21 (at 2.30Å)	Xtrriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.249 , 0.309 0.253 , 0.310	Depositor DCC
R_{free} test set	1959 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	32.6	Xtrriage
Anisotropy	0.655	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 77.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5965	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 56.40 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.7531e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: PLP, CO3, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.87	2/2888 (0.1%)	1.28	32/3920 (0.8%)
1	C	0.87	2/2889 (0.1%)	1.26	25/3921 (0.6%)
All	All	0.87	4/5777 (0.1%)	1.27	57/7841 (0.7%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	328	MET	SD-CE	7.65	1.98	1.79
1	A	314	ALA	CA-CB	-5.63	1.44	1.53
1	C	307	ASN	CG-OD1	5.42	1.33	1.23
1	A	307	ASN	CG-OD1	5.18	1.33	1.23

All (57) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	349	HIS	CA-C-N	9.69	130.71	119.47
1	A	349	HIS	C-N-CA	9.69	130.71	119.47
1	C	275	SER	N-CA-C	-9.35	94.10	108.96
1	A	99	ASP	CA-C-N	8.34	128.45	119.28
1	A	99	ASP	C-N-CA	8.34	128.45	119.28
1	C	190	GLN	N-CA-C	8.31	122.67	112.54
1	C	293	VAL	N-CA-C	8.07	120.23	108.53
1	C	279	PHE	N-CA-C	8.02	120.11	111.36
1	C	371	SER	N-CA-C	-8.02	103.28	113.23
1	C	263	ARG	CA-C-N	7.85	129.65	119.84
1	C	263	ARG	C-N-CA	7.85	129.65	119.84
1	C	199	VAL	N-CA-C	7.50	119.20	107.28
1	A	293	VAL	N-CA-C	7.06	118.77	108.53
1	A	116	GLN	CA-C-N	6.91	126.53	119.56
1	A	116	GLN	C-N-CA	6.91	126.53	119.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	353	LYS	N-CA-C	6.89	118.58	111.14
1	A	214	ILE	N-CA-C	6.67	117.35	107.15
1	A	275	SER	N-CA-C	-6.43	96.67	107.99
1	A	343	ALA	N-CA-C	-6.33	103.91	111.69
1	A	263	ARG	CA-C-N	6.22	126.68	119.47
1	A	263	ARG	C-N-CA	6.22	126.68	119.47
1	C	349	HIS	CA-C-N	6.19	126.65	119.47
1	C	349	HIS	C-N-CA	6.19	126.65	119.47
1	A	167	LEU	N-CA-C	-6.16	105.93	113.50
1	C	425	PRO	N-CA-CB	6.11	109.67	103.25
1	C	227	THR	N-CA-C	-6.05	102.00	110.35
1	A	394	VAL	N-CA-C	5.97	116.71	110.62
1	A	425	PRO	N-CA-CB	5.89	109.43	103.25
1	C	230	ARG	N-CA-C	5.78	119.43	112.38
1	A	462	PHE	CA-C-N	5.74	125.50	119.76
1	A	462	PHE	C-N-CA	5.74	125.50	119.76
1	C	296	GLU	N-CA-C	5.73	117.21	111.07
1	A	371	SER	N-CA-C	-5.71	106.31	113.28
1	C	311	SER	N-CA-C	5.63	119.13	112.72
1	A	98	PHE	N-CA-C	5.55	117.33	111.28
1	A	393	LEU	N-CA-C	-5.54	105.15	111.07
1	C	424	ILE	N-CA-C	5.47	112.53	107.56
1	C	306	GLN	N-CA-C	-5.46	105.40	111.36
1	A	260	VAL	N-CA-C	5.45	117.41	112.29
1	C	363	HIS	N-CA-C	5.44	117.47	109.42
1	C	223	LEU	N-CA-C	5.42	118.55	110.14
1	C	343	ALA	N-CA-C	-5.38	105.49	111.36
1	A	415	MET	CA-C-N	5.33	125.39	119.32
1	A	415	MET	C-N-CA	5.33	125.39	119.32
1	C	326	LYS	N-CA-C	5.32	117.76	111.33
1	C	302	VAL	N-CA-C	-5.26	105.27	111.00
1	C	143	ALA	N-CA-C	-5.25	105.24	111.69
1	A	199	VAL	N-CA-C	5.24	115.40	107.75
1	A	164	VAL	N-CA-C	-5.19	104.91	110.36
1	A	143	ALA	N-CA-C	-5.17	105.72	111.36
1	C	309	GLU	N-CA-C	-5.16	106.57	112.92
1	A	285	ASP	N-CA-C	5.03	120.04	113.30
1	A	431	ALA	N-CA-C	-5.03	107.17	113.15
1	A	168	ILE	N-CA-C	5.02	115.00	107.51
1	A	434	LEU	CA-CB-CG	5.02	133.88	116.30
1	C	184	SER	N-CA-C	-5.00	105.91	111.36
1	A	88	SER	N-CA-C	-5.00	105.28	111.33

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2834	0	2806	133	0
1	C	2835	0	2809	154	0
2	A	4	0	0	0	0
2	C	4	0	0	0	0
3	A	5	0	0	0	0
4	A	15	0	7	0	0
4	C	15	0	7	0	0
5	A	132	0	0	8	0
5	C	121	0	0	18	1
All	All	5965	0	5629	280	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (280) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:90:LEU:HD12	1:C:93:ASN:HD21	1.23	1.01
1:C:305:LEU:O	1:C:309:GLU:HG2	1.60	0.98
1:A:87:VAL:HG23	5:A:1434:HOH:O	1.70	0.91
1:C:178:ASP:HA	1:C:201:ARG:HH11	1.38	0.86
1:C:294:LYS:HG2	5:C:2414:HOH:O	1.74	0.85
1:A:314:ALA:HB3	5:C:2485:HOH:O	1.75	0.84
1:A:344:MET:HE3	1:A:344:MET:HA	1.61	0.83
1:C:168:ILE:HG23	1:C:172:GLU:HB2	1.62	0.80
1:A:168:ILE:HD11	1:A:220:LEU:HB2	1.64	0.79
1:A:336:GLN:HE21	1:A:377:GLY:H	1.29	0.79
1:C:173:GLU:HG2	1:C:198:VAL:HB	1.63	0.79
1:C:419:MET:C	1:C:421:HIS:H	1.93	0.77
1:A:336:GLN:HE21	1:A:377:GLY:N	1.81	0.77
1:C:214:ILE:CG2	1:C:246:GLN:HG3	2.14	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:235:ASP:O	1:C:239:ILE:HG13	1.85	0.76
1:C:203:ASN:ND2	1:C:205:THR:H	1.84	0.76
1:A:287:MET:HE1	1:C:127:TYR:CZ	2.21	0.75
1:C:200:LYS:HZ3	1:C:213:ALA:HA	1.50	0.75
1:C:361:PRO:HG3	5:C:2423:HOH:O	1.86	0.75
1:C:200:LYS:NZ	1:C:213:ALA:HA	2.01	0.75
1:A:203:ASN:C	1:A:203:ASN:HD22	1.93	0.75
1:C:258:SER:OG	1:C:260:VAL:HG22	1.87	0.75
1:A:362:ASP:HB2	5:A:1509:HOH:O	1.87	0.74
1:A:229:PRO:CG	1:A:438:LEU:HD21	2.16	0.74
1:A:336:GLN:NE2	1:A:377:GLY:H	1.86	0.72
1:C:358:ALA:HA	1:C:363:HIS:CD2	2.25	0.71
1:A:164:VAL:O	1:A:167:LEU:HB2	1.90	0.71
1:C:177:GLY:O	1:C:180:VAL:HG23	1.90	0.71
1:C:90:LEU:HD12	1:C:93:ASN:ND2	2.01	0.70
1:C:203:ASN:C	1:C:203:ASN:HD22	1.99	0.70
1:A:187:LEU:O	1:A:192:VAL:HG23	1.91	0.70
1:C:278:LYS:HE2	1:C:405:SER:HB2	1.72	0.70
1:A:434:LEU:HD13	1:A:438:LEU:HD23	1.73	0.69
1:A:221:VAL:HG21	1:A:243:ALA:HB2	1.74	0.69
1:C:139:GLU:O	1:C:151:ALA:HB3	1.93	0.69
1:A:404:VAL:HG22	5:C:2474:HOH:O	1.92	0.68
1:A:129:ARG:HB2	1:C:287:MET:HE2	1.75	0.68
1:C:435:THR:O	1:C:437:ASP:N	2.26	0.68
1:C:176:ALA:CB	1:C:188:LEU:HD13	2.25	0.66
1:C:241:GLU:HA	5:C:2437:HOH:O	1.95	0.66
1:C:238:LYS:HE3	5:C:2487:HOH:O	1.95	0.66
1:A:221:VAL:HB	1:A:250:VAL:HG22	1.77	0.66
1:A:287:MET:HE1	1:C:127:TYR:CE2	2.31	0.65
1:A:419:MET:C	1:A:421:HIS:H	2.05	0.65
1:C:207:LEU:HB3	1:C:242:MET:HE1	1.79	0.65
1:C:242:MET:O	1:C:245:ALA:HB3	1.96	0.65
1:C:214:ILE:HG22	1:C:246:GLN:HG3	1.77	0.65
1:C:187:LEU:O	1:C:192:VAL:HG23	1.96	0.65
1:A:206:LYS:HD2	1:A:209:GLU:OE2	1.96	0.65
1:A:111:THR:HA	1:C:285:ASP:HA	1.78	0.64
1:A:229:PRO:HG2	1:A:438:LEU:HD21	1.79	0.64
1:A:294:LYS:HG2	5:A:1502:HOH:O	1.96	0.64
1:A:202:VAL:CG1	1:A:209:GLU:HB3	2.27	0.64
1:C:164:VAL:O	1:C:167:LEU:HB2	1.98	0.63
1:A:257:MET:HE2	1:A:373:ALA:HB1	1.80	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:180:VAL:HG12	1:A:184:SER:HB2	1.81	0.63
1:C:178:ASP:HA	1:C:201:ARG:NH1	2.14	0.62
1:C:297:LYS:O	1:C:301:GLU:HG2	1.99	0.62
1:A:256:ILE:O	1:A:256:ILE:HG12	1.98	0.61
1:A:229:PRO:HG3	1:A:438:LEU:HD21	1.81	0.61
1:C:178:ASP:HB2	1:C:201:ARG:HB3	1.82	0.61
1:A:229:PRO:HG3	1:A:438:LEU:CD2	2.31	0.60
1:A:87:VAL:HG11	1:A:260:VAL:HG12	1.82	0.60
1:C:256:ILE:O	1:C:256:ILE:HD13	2.00	0.60
1:A:417:CYS:CB	1:A:436:GLU:HA	2.32	0.59
1:A:127:TYR:CE2	1:C:287:MET:HE1	2.37	0.59
1:C:340:ARG:O	1:C:344:MET:HG3	2.03	0.59
1:C:417:CYS:HB3	1:C:434:LEU:HG	1.84	0.58
1:C:265:LEU:HG	1:C:272:VAL:CG2	2.34	0.58
1:C:160:ALA:O	1:C:164:VAL:HG23	2.05	0.57
1:C:168:ILE:HG22	1:C:197:VAL:HG22	1.87	0.56
1:A:115:LYS:C	1:A:116:GLN:HE21	2.13	0.56
1:A:171:GLY:HA2	1:A:196:GLY:O	2.05	0.56
1:A:314:ALA:CB	5:C:2485:HOH:O	2.45	0.56
1:A:264:PRO:HB2	1:A:272:VAL:HG22	1.87	0.56
1:A:296:GLU:O	1:A:300:LYS:HG2	2.04	0.56
1:A:344:MET:HA	1:A:344:MET:CE	2.33	0.56
1:C:203:ASN:O	1:C:205:THR:N	2.38	0.56
1:A:280:ILE:HG13	5:A:1433:HOH:O	2.06	0.56
1:C:203:ASN:ND2	1:C:203:ASN:C	2.60	0.55
1:A:387:VAL:HG21	1:A:436:GLU:CG	2.37	0.55
1:C:285:ASP:OD1	1:C:286:VAL:HG23	2.05	0.55
1:A:273:MET:HE2	1:A:274:HIS:C	2.32	0.55
1:A:427:GLU:O	1:A:431:ALA:HB2	2.06	0.55
1:A:87:VAL:O	1:A:88:SER:C	2.49	0.55
1:A:238:LYS:O	1:A:242:MET:HG3	2.06	0.55
1:C:168:ILE:HG22	1:C:197:VAL:CG2	2.36	0.55
1:C:207:LEU:HA	1:C:210:VAL:CG1	2.37	0.54
1:C:169:LYS:O	1:C:172:GLU:HG3	2.07	0.54
1:C:254:ASN:ND2	5:C:2427:HOH:O	2.41	0.54
1:A:257:MET:CE	1:A:373:ALA:HB1	2.36	0.54
1:C:252:VAL:O	1:C:272:VAL:HA	2.07	0.54
1:A:177:GLY:HA2	1:A:202:VAL:O	2.08	0.54
1:A:337:GLU:HA	1:A:337:GLU:OE1	2.06	0.54
1:A:223:LEU:HD11	1:A:239:ILE:HG21	1.90	0.54
1:A:168:ILE:CD1	1:A:220:LEU:HB2	2.35	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:87:VAL:HG23	5:C:2435:HOH:O	2.08	0.54
1:A:90:LEU:HD12	1:A:90:LEU:O	2.08	0.53
1:C:169:LYS:O	1:C:197:VAL:HG22	2.09	0.53
1:A:149:ASP:OD2	1:A:295:GLY:N	2.35	0.53
1:A:387:VAL:CG2	1:A:436:GLU:HG2	2.38	0.53
1:A:118:SER:OG	1:A:120:ILE:HD12	2.09	0.53
1:C:273:MET:HE2	1:C:274:HIS:C	2.33	0.53
1:C:384:THR:C	1:C:386:SER:H	2.17	0.53
1:C:166:HIS:O	1:C:305:LEU:HD11	2.09	0.53
1:A:168:ILE:HD11	1:A:220:LEU:CB	2.37	0.52
1:C:222:TRP:CD1	1:C:222:TRP:C	2.87	0.52
1:C:203:ASN:C	1:C:205:THR:H	2.18	0.52
1:C:203:ASN:HD22	1:C:205:THR:H	1.56	0.52
1:A:116:GLN:HE21	1:A:116:GLN:N	2.08	0.52
1:A:391:LYS:HD3	1:C:120:ILE:HD11	1.92	0.52
1:C:139:GLU:HG2	1:C:153:CYS:SG	2.49	0.52
1:C:207:LEU:O	1:C:211:ALA:HB2	2.10	0.52
1:C:221:VAL:HG21	1:C:243:ALA:HB2	1.92	0.52
1:C:203:ASN:HD21	1:C:205:THR:HG23	1.76	0.51
1:C:238:LYS:O	1:C:241:GLU:HG2	2.10	0.51
1:C:237:ARG:O	1:C:240:SER:HB2	2.10	0.51
1:C:163:ALA:O	1:C:164:VAL:C	2.54	0.51
1:A:354:LYS:HD3	1:A:356:TYR:CZ	2.46	0.50
1:C:257:MET:CE	1:C:373:ALA:HB1	2.41	0.50
1:C:368:LEU:HD12	1:C:368:LEU:O	2.11	0.50
1:A:184:SER:HB3	1:A:222:TRP:CZ2	2.47	0.50
1:C:185:ASP:OD2	1:C:201:ARG:NH2	2.45	0.50
1:A:257:MET:HE1	1:A:375:GLY:O	2.12	0.50
1:A:354:LYS:HD3	1:A:356:TYR:CE2	2.47	0.50
1:C:180:VAL:HG12	1:C:184:SER:CB	2.41	0.50
1:C:176:ALA:HB1	1:C:188:LEU:HD13	1.92	0.50
1:A:238:LYS:O	1:A:241:GLU:HG3	2.12	0.50
1:A:279:PHE:C	1:A:328:MET:HE3	2.35	0.50
1:A:176:ALA:O	1:A:201:ARG:HD2	2.12	0.50
1:A:430:GLU:C	1:A:432:ARG:H	2.17	0.50
1:A:206:LYS:CD	1:A:209:GLU:OE2	2.59	0.49
1:C:203:ASN:C	1:C:205:THR:N	2.71	0.49
1:A:273:MET:SD	1:A:273:MET:C	2.95	0.49
1:A:120:ILE:HD12	1:A:120:ILE:H	1.77	0.49
1:C:186:ARG:NH2	5:C:2455:HOH:O	2.19	0.49
1:A:148:ALA:HB2	1:A:265:LEU:CD1	2.42	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:264:PRO:HB2	1:A:272:VAL:CG2	2.43	0.48
1:C:206:LYS:HG3	1:C:209:GLU:OE2	2.13	0.48
1:A:394:VAL:HG21	1:A:415:MET:HG3	1.94	0.48
1:C:265:LEU:HG	1:C:272:VAL:HG23	1.95	0.48
1:C:127:TYR:HE2	1:C:129:ARG:NH2	2.11	0.48
1:C:383:ILE:HG23	1:C:437:ASP:OD2	2.13	0.48
1:C:260:VAL:HG21	1:C:332:ILE:HD12	1.95	0.48
1:A:168:ILE:HD11	1:A:220:LEU:HD22	1.95	0.48
1:A:313:LEU:HD11	1:A:317:ASP:HB3	1.96	0.48
1:A:285:ASP:HA	1:C:111:THR:HA	1.96	0.48
1:A:208:ASP:O	1:A:211:ALA:HB3	2.13	0.48
1:C:438:LEU:C	1:C:438:LEU:HD23	2.39	0.48
1:C:260:VAL:HG21	1:C:332:ILE:CD1	2.44	0.48
1:A:273:MET:HE2	1:A:274:HIS:O	2.14	0.47
1:A:387:VAL:CG2	1:A:436:GLU:CG	2.92	0.47
1:C:314:ALA:CB	5:C:2485:HOH:O	2.62	0.47
1:C:337:GLU:HG3	1:C:341:LYS:HE3	1.95	0.47
1:C:385:GLY:N	1:C:437:ASP:OD2	2.46	0.47
1:C:387:VAL:HG12	1:C:391:LYS:HE3	1.96	0.47
1:A:253:ASP:C	1:A:253:ASP:OD1	2.58	0.47
1:A:389:LEU:HD13	1:A:462:PHE:CD2	2.50	0.47
1:A:399:TYR:CD1	1:A:454:ASP:HB2	2.50	0.47
1:A:90:LEU:O	1:A:93:ASN:HB3	2.14	0.47
1:A:128:THR:O	1:A:135:ARG:NH2	2.41	0.47
1:C:228:ASN:HD21	1:C:440:ARG:NH1	2.13	0.47
1:A:170:ASN:ND2	5:A:1429:HOH:O	2.48	0.47
1:C:174:ILE:HD12	1:C:192:VAL:HG11	1.95	0.47
1:A:163:ALA:O	1:A:164:VAL:C	2.56	0.47
1:C:254:ASN:O	1:C:255:SER:C	2.58	0.47
1:A:279:PHE:CE2	1:A:407:GLY:HA2	2.50	0.47
1:C:158:MET:HE1	1:C:187:LEU:HD22	1.96	0.47
1:C:226:PRO:HB3	1:C:231:GLN:HA	1.96	0.47
1:C:257:MET:HE2	1:C:373:ALA:HB1	1.97	0.47
1:C:286:VAL:HG22	1:C:320:LEU:HD13	1.97	0.47
1:A:223:LEU:HD23	1:A:236:ILE:HG12	1.97	0.46
1:C:117:PRO:HD2	1:C:121:GLU:O	2.14	0.46
1:C:207:LEU:HA	1:C:210:VAL:HG13	1.96	0.46
1:C:207:LEU:HD22	1:C:242:MET:HE1	1.98	0.46
1:C:219:LYS:HA	1:C:219:LYS:HD2	1.73	0.46
1:A:339:ALA:O	1:A:340:ARG:C	2.58	0.46
1:C:260:VAL:HG23	1:C:261:LEU:HG	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:139:GLU:OE1	1:C:153:CYS:N	2.42	0.46
1:C:189:SER:O	1:C:193:PRO:HG2	2.15	0.46
1:C:210:VAL:O	1:C:214:ILE:HG13	2.16	0.46
1:A:158:MET:CE	1:A:187:LEU:HD22	2.46	0.46
1:A:238:LYS:HA	1:A:241:GLU:HG2	1.98	0.46
1:A:270:ASP:HB3	5:A:1462:HOH:O	2.15	0.46
1:C:307:ASN:O	1:C:307:ASN:CG	2.57	0.46
1:A:260:VAL:O	1:A:261:LEU:HD23	2.16	0.46
1:C:193:PRO:C	1:C:195:SER:H	2.24	0.46
1:C:193:PRO:C	1:C:195:SER:N	2.74	0.46
1:C:200:LYS:HE2	1:C:200:LYS:HB3	1.76	0.46
1:A:432:ARG:O	1:A:434:LEU:N	2.49	0.45
1:C:179:ASP:OD1	1:C:179:ASP:C	2.59	0.45
1:A:265:LEU:CD2	1:A:272:VAL:HG23	2.46	0.45
1:C:203:ASN:ND2	1:C:205:THR:OG1	2.49	0.45
1:C:205:THR:HG22	1:C:233:ILE:O	2.16	0.45
1:C:384:THR:C	1:C:386:SER:N	2.75	0.45
1:C:192:VAL:HB	1:C:193:PRO:HD3	1.98	0.45
1:C:417:CYS:SG	1:C:438:LEU:O	2.74	0.45
1:A:164:VAL:HG23	1:A:291:LEU:HD11	1.99	0.45
1:C:232:GLN:HE21	1:C:232:GLN:HB3	1.54	0.45
1:A:94:LEU:HD13	1:A:104:MET:O	2.17	0.45
1:A:257:MET:HE2	1:A:373:ALA:CB	2.46	0.45
1:A:368:LEU:O	1:A:371:SER:OG	2.30	0.45
1:A:387:VAL:HG21	1:A:436:GLU:HG2	1.99	0.44
1:C:192:VAL:N	1:C:193:PRO:CD	2.79	0.44
1:C:341:LYS:HD2	1:C:448:VAL:HG11	2.00	0.44
1:A:99:ASP:HA	1:A:100:PRO:HD3	1.67	0.44
1:A:278:LYS:HE2	1:A:405:SER:CB	2.47	0.44
1:C:180:VAL:HG12	1:C:184:SER:HB2	1.99	0.44
1:C:188:LEU:HD23	1:C:192:VAL:HG21	1.99	0.44
1:A:291:LEU:HD23	1:A:291:LEU:HA	1.50	0.44
1:C:265:LEU:HD22	1:C:294:LYS:HB2	1.98	0.44
1:C:449:ASP:O	1:C:453:SER:HB3	2.17	0.44
1:A:417:CYS:N	1:A:434:LEU:HD11	2.33	0.44
1:C:419:MET:O	1:C:421:HIS:N	2.50	0.44
1:A:201:ARG:HH11	1:A:201:ARG:CG	2.30	0.44
1:A:227:THR:HG23	1:A:232:GLN:HB2	1.99	0.44
1:A:434:LEU:HD13	1:A:438:LEU:CD2	2.44	0.44
1:C:158:MET:CE	1:C:187:LEU:HD22	2.48	0.44
1:A:257:MET:HE3	1:A:261:LEU:HB3	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:169:LYS:O	1:A:197:VAL:HG22	2.18	0.43
1:A:244:HIS:HE1	1:A:268:GLY:O	2.01	0.43
1:A:435:THR:OG1	1:A:437:ASP:OD1	2.35	0.43
1:C:387:VAL:HG21	1:C:436:GLU:HG2	2.00	0.43
1:A:390:SER:O	1:A:394:VAL:HG23	2.18	0.43
1:C:278:LYS:CE	1:C:405:SER:HB2	2.45	0.43
1:A:192:VAL:N	1:A:193:PRO:CD	2.82	0.43
1:C:142:LEU:HD22	5:C:2402:HOH:O	2.17	0.43
1:C:90:LEU:O	1:C:93:ASN:ND2	2.51	0.43
1:A:385:GLY:N	1:A:437:ASP:OD2	2.52	0.43
1:C:315:PRO:HD2	5:C:2409:HOH:O	2.19	0.43
1:A:207:LEU:HD22	1:A:242:MET:HE1	2.00	0.42
1:A:178:ASP:HA	1:A:201:ARG:NH1	2.35	0.42
1:C:168:ILE:HG21	1:C:197:VAL:HG13	2.02	0.42
1:A:164:VAL:HG11	1:A:251:LEU:HD22	2.01	0.42
1:C:173:GLU:HB2	1:C:217:GLN:O	2.19	0.42
1:C:225:SER:HA	1:C:226:PRO:C	2.44	0.42
1:C:176:ALA:HB1	1:C:188:LEU:CD1	2.50	0.42
1:C:207:LEU:HD22	1:C:242:MET:CE	2.50	0.42
1:C:375:GLY:HA2	5:C:2521:HOH:O	2.19	0.42
1:A:233:ILE:HD12	1:A:233:ILE:HG23	1.88	0.42
1:C:208:ASP:HB2	5:C:2447:HOH:O	2.20	0.42
1:A:173:GLU:OE2	1:A:218:THR:OG1	2.38	0.42
1:A:228:ASN:HA	1:A:229:PRO:HA	1.78	0.42
1:C:174:ILE:HG12	1:C:220:LEU:HD23	2.02	0.42
1:C:188:LEU:HA	1:C:192:VAL:HG21	2.01	0.42
1:C:336:GLN:HG3	1:C:377:GLY:O	2.19	0.42
1:A:167:LEU:HD13	1:A:305:LEU:HD12	2.02	0.42
1:C:168:ILE:HD11	1:C:220:LEU:HB2	2.01	0.42
1:C:257:MET:HE1	1:C:375:GLY:O	2.20	0.42
1:A:131:GLY:HA2	5:A:1494:HOH:O	2.20	0.41
1:A:203:ASN:C	1:A:203:ASN:ND2	2.63	0.41
1:A:294:LYS:HE3	5:A:1502:HOH:O	2.20	0.41
1:A:116:GLN:NE2	1:A:116:GLN:CA	2.84	0.41
1:A:165:THR:HG22	1:A:166:HIS:CD2	2.55	0.41
1:A:235:ASP:O	1:A:239:ILE:HG13	2.20	0.41
1:C:256:ILE:O	1:C:256:ILE:CD1	2.67	0.41
1:A:139:GLU:O	1:A:151:ALA:HB3	2.20	0.41
1:C:99:ASP:HA	1:C:100:PRO:HD2	1.90	0.41
1:C:188:LEU:HA	1:C:192:VAL:CG2	2.51	0.41
1:C:276:ALA:HB3	1:C:288:ALA:HB3	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:178:ASP:N	1:A:202:VAL:O	2.54	0.41
1:C:98:PHE:CD1	1:C:98:PHE:C	2.99	0.41
1:C:314:ALA:HB3	5:C:2485:HOH:O	2.21	0.41
1:C:416:PRO:HD2	1:C:438:LEU:CD2	2.50	0.41
1:A:179:ASP:HB2	1:A:227:THR:HB	2.03	0.41
1:A:225:SER:HA	1:A:226:PRO:C	2.45	0.41
1:A:279:PHE:O	1:A:328:MET:HE3	2.21	0.41
1:C:168:ILE:CG2	1:C:172:GLU:HB2	2.43	0.41
1:C:241:GLU:CA	5:C:2437:HOH:O	2.61	0.41
1:C:265:LEU:HG	1:C:272:VAL:HG21	2.03	0.41
1:C:368:LEU:HD12	1:C:368:LEU:C	2.46	0.41
1:A:168:ILE:CD1	1:A:220:LEU:CB	2.99	0.40
1:C:203:ASN:HD21	1:C:205:THR:CG2	2.33	0.40
1:C:237:ARG:HD2	5:C:2499:HOH:O	2.21	0.40
1:A:148:ALA:HB2	1:A:265:LEU:HD11	2.03	0.40
1:A:214:ILE:CG2	1:A:246:GLN:HG3	2.51	0.40
1:C:145:LEU:CD1	1:C:325:ILE:HD11	2.51	0.40
1:C:254:ASN:HB3	1:C:274:HIS:CE1	2.57	0.40
1:C:354:LYS:HD3	1:C:356:TYR:CZ	2.56	0.40
1:C:384:THR:HB	1:C:389:LEU:HD23	2.02	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:C:2516:HOH:O	5:C:2516:HOH:O[3_655]	1.18	1.02

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	378/464 (82%)	345 (91%)	24 (6%)	9 (2%)	4 4

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	378/464 (82%)	343 (91%)	24 (6%)	11 (3%)	3	2
All	All	756/928 (82%)	688 (91%)	48 (6%)	20 (3%)	4	3

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	421	HIS
1	C	436	GLU
1	A	177	GLY
1	A	180	VAL
1	A	204	THR
1	A	425	PRO
1	A	433	GLY
1	C	179	ASP
1	C	181	TYR
1	C	204	THR
1	A	420	SER
1	C	420	SER
1	C	421	HIS
1	C	425	PRO
1	C	433	GLY
1	A	181	TYR
1	A	194	ARG
1	C	255	SER
1	C	278	LYS
1	C	202	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	300/398 (75%)	276 (92%)	24 (8%)	11	15
1	C	301/398 (76%)	284 (94%)	17 (6%)	19	28
All	All	601/796 (76%)	560 (93%)	41 (7%)	14	20

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	88	SER
1	A	90	LEU
1	A	93	ASN
1	A	113	THR
1	A	120	ILE
1	A	121	GLU
1	A	140	SER
1	A	155	THR
1	A	165	THR
1	A	167	LEU
1	A	170	ASN
1	A	201	ARG
1	A	202	VAL
1	A	203	ASN
1	A	223	LEU
1	A	228	ASN
1	A	286	VAL
1	A	311	SER
1	A	334	LYS
1	A	344	MET
1	A	362	ASP
1	A	434	LEU
1	A	436	GLU
1	A	453	SER
1	C	88	SER
1	C	94	LEU
1	C	113	THR
1	C	155	THR
1	C	165	THR
1	C	170	ASN
1	C	203	ASN
1	C	208	ASP
1	C	210	VAL
1	C	218	THR
1	C	256	ILE
1	C	258	SER
1	C	275	SER
1	C	286	VAL
1	C	311	SER
1	C	347	SER
1	C	417	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	110	GLN
1	A	116	GLN
1	A	203	ASN
1	A	228	ASN
1	A	231	GLN
1	A	244	HIS
1	A	246	GLN
1	A	306	GLN
1	A	336	GLN
1	A	363	HIS
1	A	366	HIS
1	C	93	ASN
1	C	110	GLN
1	C	166	HIS
1	C	203	ASN
1	C	232	GLN
1	C	244	HIS
1	C	246	GLN
1	C	254	ASN
1	C	307	ASN
1	C	335	GLN
1	C	372	GLN
1	C	392	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	PLP	A	1400	1	15,15,16	4.52	5 (33%)	21,22,23	2.52	10 (47%)
3	SO4	A	500	-	4,4,4	0.40	0	6,6,6	0.36	0
4	PLP	C	2400	1	15,15,16	3.79	4 (26%)	21,22,23	2.82	11 (52%)
2	CO3	C	2401	-	3,3,3	1.42	1 (33%)	2,3,3	0.12	0
2	CO3	A	1401	-	3,3,3	1.75	1 (33%)	2,3,3	0.30	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PLP	A	1400	1	-	2/6/6/8	0/1/1/1
4	PLP	C	2400	1	-	0/6/6/8	0/1/1/1

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	2400	PLP	C5-C4	13.40	1.55	1.40
4	A	1400	PLP	C5-C4	13.36	1.55	1.40
4	A	1400	PLP	C3-C2	9.31	1.50	1.41
4	A	1400	PLP	C2-N1	4.33	1.41	1.33
4	C	2400	PLP	C2-N1	3.78	1.40	1.33
2	A	1401	CO3	O1-C	3.01	1.36	1.25
4	A	1400	PLP	C2A-C2	2.67	1.54	1.50
4	C	2400	PLP	C3-C4	2.58	1.45	1.40
2	C	2401	CO3	O1-C	2.43	1.34	1.25
4	A	1400	PLP	C6-N1	2.41	1.39	1.34
4	C	2400	PLP	C5A-C5	2.24	1.56	1.50

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1400	PLP	C2A-C2-C3	5.60	127.35	120.80
4	C	2400	PLP	O3-C3-C4	4.76	130.52	118.10
4	C	2400	PLP	C2A-C2-C3	4.68	126.28	120.80
4	C	2400	PLP	C6-N1-C2	4.61	127.56	119.20
4	C	2400	PLP	O2P-P-O4P	4.40	118.14	106.67
4	C	2400	PLP	O4P-P-O1P	-4.26	94.93	106.44
4	A	1400	PLP	C6-N1-C2	4.13	126.70	119.20
4	C	2400	PLP	O3-C3-C2	-3.78	109.75	117.58
4	A	1400	PLP	C3-C2-N1	-3.66	116.35	120.96
4	A	1400	PLP	O3-C3-C4	3.59	127.46	118.10
4	C	2400	PLP	C5-C6-N1	-3.50	118.14	123.83
4	A	1400	PLP	C5-C6-N1	-3.05	118.87	123.83
4	A	1400	PLP	C6-C5-C4	2.99	120.54	118.10
4	C	2400	PLP	O3P-P-O1P	2.80	121.75	110.83
4	A	1400	PLP	C4A-C4-C5	2.79	123.82	120.94
4	A	1400	PLP	O3P-P-O1P	2.78	121.65	110.83
4	C	2400	PLP	O4P-C5A-C5	2.75	114.51	109.36
4	C	2400	PLP	C3-C2-N1	-2.48	117.83	120.96
4	A	1400	PLP	O3-C3-C2	-2.34	112.74	117.58
4	A	1400	PLP	O4P-C5A-C5	2.25	113.58	109.36
4	C	2400	PLP	C6-C5-C4	2.16	119.87	118.10

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1400	PLP	C4-C5-C5A-O4P
4	A	1400	PLP	C6-C5-C5A-O4P

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	380/464 (81%)	-0.50	9 (2%) 59 62	23, 39, 79, 134	0
1	C	380/464 (81%)	-0.48	14 (3%) 45 48	21, 40, 83, 137	0
All	All	760/928 (81%)	-0.49	23 (3%) 52 54	21, 40, 82, 137	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	178	ASP	3.7
1	A	420	SER	2.9
1	C	426	ALA	2.9
1	A	423	SER	2.7
1	C	430	GLU	2.6
1	C	417	CYS	2.6
1	A	431	ALA	2.6
1	C	421	HIS	2.5
1	C	422	ALA	2.5
1	C	429	ARG	2.4
1	C	419	MET	2.4
1	C	431	ALA	2.4
1	C	216	PRO	2.4
1	C	420	SER	2.3
1	A	178	ASP	2.2
1	A	418	PHE	2.2
1	C	196	GLY	2.2
1	A	426	ALA	2.2
1	A	433	GLY	2.1
1	C	427	GLU	2.1
1	C	428	VAL	2.1
1	A	421	HIS	2.0
1	A	424	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CO3	A	1401	4/4	0.92	0.06	49,51,52,53	0
2	CO3	C	2401	4/4	0.92	0.05	44,46,47,49	0
4	PLP	C	2400	15/16	0.96	0.06	28,47,56,56	0
4	PLP	A	1400	15/16	0.98	0.05	21,38,47,52	0
3	SO4	A	500	5/5	0.98	0.05	47,47,55,56	0

6.5 Other polymers [i](#)

There are no such residues in this entry.