



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 18, 2026 – 11:47 PM UTC

PDB ID : 5IB0 / pdb_00005ib0
Title : PA4534: acetyl CoA complex
Authors : Choe, J.; Shin, S.
Deposited on : 2016-02-22
Resolution : 1.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2563 (1.66-1.66)
Clashscore	190562	2662 (1.66-1.66)
Ramachandran outliers	187476	2621 (1.66-1.66)
Sidechain outliers	187428	2621 (1.66-1.66)
RSRZ outliers	180081	2564 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	137	7% 93% 7%
1	B	137	5% 96% .
1	C	137	12% 93% 7%
1	D	137	37% 88% 9% ..
1	E	137	47% 88% 11% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	137	60% 78% 18%
1	G	137	7% 93% 6%

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 8678 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Uncharacterized protein PA4534.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	137	Total	C	N	O	S	0	5	0
			1126	720	207	195	4			
1	B	137	Total	C	N	O	S	0	3	0
			1115	711	206	194	4			
1	C	137	Total	C	N	O	S	0	5	0
			1126	720	207	195	4			
1	D	137	Total	C	N	O	S	0	2	0
			1109	707	206	192	4			
1	E	137	Total	C	N	O	S	0	0	0
			1095	695	205	191	4			
1	F	137	Total	C	N	O	S	0	0	0
			1095	695	205	191	4			
1	G	137	Total	C	N	O	S	0	0	0
			1095	695	205	191	4			

- Molecule 2 is ACETYL COENZYME *A (CCD ID: ACO) (formula: C₂₃H₃₈N₇O₁₇P₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	S	
			51	23	7	17	3	1	0
2	B	1	Total	C	N	O	P	S	
			51	23	7	17	3	1	0
2	C	1	Total	C	N	O	P	S	
			51	23	7	17	3	1	0
2	G	1	Total	C	N	O	P	S	
			51	23	7	17	3	1	0

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O		
			6	3	3	0	0
3	A	1	Total	C	O		
			6	3	3	0	0
3	A	1	Total	C	O		
			6	3	3	0	0
3	A	1	Total	C	O		
			6	3	3	0	0
3	A	1	Total	C	O		
			6	3	3	0	0
3	B	1	Total	C	O		
			6	3	3	0	0
3	C	1	Total	C	O		
			6	3	3	0	0
3	D	1	Total	C	O		
			6	3	3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	G	1	Total	C	O	0	0
			6	3	3		
3	G	1	Total	C	O	0	0
			6	3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	129	Total	O		0	0
			129	129			
4	B	138	Total	O		0	0
			138	138			
4	C	109	Total	O		0	0
			109	109			
4	D	56	Total	O		0	0
			56	56			
4	E	38	Total	O		0	0
			38	38			
4	F	24	Total	O		0	0
			24	24			
4	G	159	Total	O		0	0
			159	159			


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Uncharacterized protein PA4534





- Molecule 1: Uncharacterized protein PA4534




- Molecule 1: Uncharacterized protein PA4534




- Molecule 1: Uncharacterized protein PA4534






- Molecule 1: Uncharacterized protein PA4534






● Molecule 1: Uncharacterized protein PA4534



● Molecule 1: Uncharacterized protein PA4534



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	82.12Å 110.95Å 294.38Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 1.65 50.00 – 1.65	Depositor EDS
% Data completeness (in resolution range)	99.2 (50.00-1.65) 99.2 (50.00-1.65)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.98 (at 1.66Å)	Xtriage
Refinement program	REFMAC 5.8.0103	Depositor
R, R_{free}	0.193 , 0.207 0.203 , 0.215	Depositor DCC
R_{free} test set	7981 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	21.4	Xtriage
Anisotropy	0.173	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 56.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8678	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ACO, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.92	0/1166	0.90	0/1575
1	B	0.98	0/1149	0.95	0/1552
1	C	0.89	0/1166	0.87	1/1575 (0.1%)
1	D	0.74	0/1140	0.95	3/1540 (0.2%)
1	E	0.72	0/1119	0.88	2/1512 (0.1%)
1	F	0.90	5/1119 (0.4%)	1.02	3/1512 (0.2%)
1	G	1.09	0/1119	1.04	3/1512 (0.2%)
All	All	0.90	5/7978 (0.1%)	0.94	12/10778 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	F	0	1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	114	GLU	CA-C	-7.31	1.49	1.52
1	F	115	ALA	C-O	-5.65	1.15	1.24
1	F	115	ALA	N-CA	-5.27	1.38	1.46
1	F	112	ALA	CA-CB	-5.17	1.44	1.53
1	F	19	SER	CA-C	5.12	1.59	1.52

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	19	SER	N-CA-C	-10.35	95.16	110.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	114	GLU	N-CA-C	-9.21	93.93	108.30
1	D	108	VAL	CB-CA-C	9.18	124.79	110.28
1	F	115	ALA	N-CA-C	-8.63	102.92	113.19
1	C	129	LYS	CG-CD-CE	6.67	126.65	111.30
1	D	70	LEU	CB-CG-CD1	6.17	129.20	110.70
1	D	120	ARG	CA-CB-CG	6.02	126.14	114.10
1	E	116	GLN	CB-CG-CD	6.00	122.80	112.60
1	G	1	MET	CB-CG-SD	-5.92	94.95	112.70
1	E	89	LEU	CB-CA-C	-5.61	102.08	110.88
1	G	2	GLN	N-CA-C	5.38	117.85	108.76
1	G	25	ARG	N-CA-CB	5.36	119.17	110.17

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	F	113	GLU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1126	0	1136	10	0
1	B	1115	0	1117	5	0
1	C	1126	0	1136	11	0
1	D	1109	0	1111	22	0
1	E	1095	0	1094	19	0
1	F	1095	0	1094	49	0
1	G	1095	0	1094	7	0
2	A	51	0	34	2	0
2	B	51	0	34	2	0
2	C	51	0	34	3	0
2	G	51	0	34	0	0
3	A	30	0	40	0	0
3	B	6	0	8	0	0
3	C	6	0	8	0	0
3	D	6	0	8	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	G	12	0	16	3	0
4	A	129	0	0	0	0
4	B	138	0	0	1	0
4	C	109	0	0	1	0
4	D	56	0	0	0	0
4	E	38	0	0	0	0
4	F	24	0	0	0	0
4	G	159	0	0	0	0
All	All	8678	0	7998	113	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:79:TYR:O	1:F:82:LEU:CD1	1.76	1.32
1:F:79:TYR:O	1:F:82:LEU:HD13	1.35	1.17
1:F:49:VAL:HG22	1:F:57:ALA:HB3	1.27	1.15
1:F:79:TYR:C	1:F:82:LEU:HD11	1.84	1.02
1:F:82:LEU:HD12	1:F:82:LEU:N	1.68	1.02
1:F:49:VAL:CG2	1:F:57:ALA:HB3	1.89	1.01
1:F:79:TYR:O	1:F:82:LEU:HD11	1.56	1.01
1:F:16:ALA:O	1:F:19:SER:O	1.86	0.93
1:E:59:LEU:N	1:E:88:MET:HE1	1.88	0.89
1:F:59:LEU:N	1:F:88:MET:HE1	1.89	0.86
1:F:82:LEU:HD12	1:F:82:LEU:H	1.35	0.86
1:E:6:VAL:HG21	1:E:60:MET:HE1	1.56	0.85
1:E:109:LEU:O	1:E:116:GLN:OE1	1.95	0.85
1:F:6:VAL:HG21	1:F:60:MET:HE1	1.57	0.84
1:F:59:LEU:HB3	1:F:88:MET:HE2	1.60	0.84
1:E:58:CYS:C	1:E:88:MET:HE1	2.03	0.83
1:E:59:LEU:HB3	1:E:88:MET:HE2	1.61	0.83
1:F:58:CYS:C	1:F:88:MET:HE1	2.03	0.82
1:D:40[B]:GLN:HE22	1:E:40:GLN:HE22	1.29	0.80
1:F:82:LEU:CD1	1:F:82:LEU:N	2.46	0.78
1:F:49:VAL:HG22	1:F:57:ALA:CB	2.13	0.76
1:F:17:LEU:O	1:F:21:THR:OG1	2.02	0.76
1:E:110:ASP:HA	1:E:116:GLN:HE22	1.52	0.73
1:F:80:ARG:C	1:F:82:LEU:CD1	2.62	0.73
1:F:59:LEU:CB	1:F:88:MET:HE2	2.20	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:59:LEU:CB	1:E:88:MET:HE2	2.19	0.71
1:F:82:LEU:CD1	1:F:82:LEU:H	2.08	0.67
1:F:80:ARG:C	1:F:82:LEU:HD12	2.19	0.66
1:F:112:ALA:HB1	1:F:114:GLU:HB3	1.76	0.65
1:F:112:ALA:HB1	1:F:114:GLU:CB	2.26	0.65
1:D:40[B]:GLN:NE2	1:E:40:GLN:HE22	1.95	0.64
1:A:25:ARG:HH11	1:A:25:ARG:HB3	1.62	0.63
1:D:15:PHE:CZ	1:D:26:LEU:HD23	2.33	0.63
1:F:113:GLU:HB3	1:F:114:GLU:HA	1.81	0.62
1:F:49:VAL:CG2	1:F:57:ALA:CB	2.72	0.62
1:F:49:VAL:HG23	1:F:56:ILE:HG13	1.82	0.61
1:E:58:CYS:CA	1:E:88:MET:HE1	2.31	0.60
1:F:58:CYS:CA	1:F:88:MET:HE1	2.31	0.60
1:F:80:ARG:C	1:F:82:LEU:HD11	2.26	0.60
1:D:116:GLN:HB3	1:D:120:ARG:NH1	2.16	0.59
1:E:123:SER:O	1:F:137:ARG:NH1	2.34	0.59
1:F:25:ARG:HD3	1:F:27:ARG:HH11	1.67	0.59
1:F:58:CYS:HA	1:F:88:MET:HE1	1.85	0.59
1:A:25:ARG:HB3	1:A:25:ARG:NH1	2.18	0.58
1:F:113:GLU:O	1:F:113:GLU:OE1	2.20	0.58
1:D:118:PHE:CD1	1:D:118:PHE:C	2.81	0.58
1:A:25:ARG:HH11	1:A:25:ARG:CB	2.17	0.57
1:D:70:LEU:HD12	1:D:125:TRP:CH2	2.39	0.57
1:E:59:LEU:N	1:E:88:MET:CE	2.64	0.57
1:A:40[A]:GLN:HE22	1:C:40[A]:GLN:HE22	1.52	0.56
1:E:58:CYS:HA	1:E:88:MET:HE1	1.85	0.56
1:F:80:ARG:N	1:F:82:LEU:HD11	2.21	0.55
1:G:67:ARG:HE	3:G:203:GOL:H12	1.71	0.55
1:D:40[B]:GLN:HE22	1:E:40:GLN:NE2	1.98	0.55
1:C:73:LEU:HB3	2:C:201:ACO:HH33	1.89	0.55
2:C:201:ACO:H3B	4:C:354:HOH:O	2.07	0.54
1:F:59:LEU:N	1:F:88:MET:CE	2.66	0.54
1:C:107[B]:PHE:CE1	1:D:107[B]:PHE:HZ	2.26	0.53
1:C:19:SER:HA	1:C:26:LEU:HD11	1.92	0.52
1:E:19:SER:HA	1:E:26:LEU:HD11	1.90	0.52
1:A:19:SER:HA	1:A:26:LEU:HD11	1.92	0.52
1:B:73:LEU:HB3	2:B:201:ACO:HH33	1.92	0.51
1:D:25:ARG:HD2	1:D:27:ARG:NH1	2.26	0.51
1:B:40[B]:GLN:HE22	1:G:40:GLN:HE22	1.59	0.49
1:D:15:PHE:CZ	1:D:26:LEU:CD2	2.95	0.49
1:D:70:LEU:HB2	1:D:106:VAL:HG12	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:107[B]:PHE:HZ	1:D:107[B]:PHE:CE1	2.29	0.49
1:E:95:ARG:HG2	1:E:98:ARG:HH12	1.77	0.49
1:F:15:PHE:CZ	1:F:26:LEU:HD23	2.47	0.49
1:A:86:ARG:CZ	1:A:89[A]:LEU:HD23	2.43	0.48
1:B:19:SER:HA	1:B:26:LEU:HD11	1.96	0.48
1:G:19:SER:HA	1:G:26:LEU:HD11	1.96	0.48
1:G:67:ARG:HE	3:G:203:GOL:C1	2.27	0.48
1:F:49:VAL:CG2	1:F:56:ILE:HG13	2.42	0.48
1:C:86:ARG:CZ	1:C:89[A]:LEU:HD23	2.44	0.48
1:G:25:ARG:HD3	1:G:109:LEU:HD11	1.95	0.47
1:F:49:VAL:HG21	1:F:57:ALA:HB3	1.85	0.47
1:F:81:GLY:C	1:F:82:LEU:HD12	2.36	0.47
1:F:80:ARG:O	1:F:82:LEU:HD11	2.14	0.47
1:C:73:LEU:H	2:C:201:ACO:CH3	2.27	0.47
1:D:86:ARG:CZ	1:D:89:LEU:HD23	2.44	0.47
1:F:80:ARG:O	1:F:82:LEU:CD1	2.63	0.46
1:F:19:SER:O	1:F:20:ARG:HG2	2.16	0.46
1:A:48:LEU:C	1:A:48:LEU:HD12	2.41	0.46
1:F:80:ARG:CA	1:F:82:LEU:HD11	2.46	0.46
1:F:81:GLY:N	1:F:82:LEU:HD12	2.31	0.45
1:F:47:LEU:HB2	1:F:88:MET:HE3	1.98	0.45
1:E:110:ASP:HA	1:E:116:GLN:NE2	2.26	0.45
1:B:129:LYS:NZ	4:B:301:HOH:O	2.50	0.45
1:F:49:VAL:HG23	1:F:56:ILE:CG1	2.46	0.45
1:G:48:LEU:C	1:G:48:LEU:HD12	2.43	0.44
1:C:107[B]:PHE:CZ	1:D:107[B]:PHE:CZ	3.06	0.44
1:D:116:GLN:HB3	1:D:120:ARG:HH12	1.81	0.44
1:E:47:LEU:HB2	1:E:88:MET:HE3	2.00	0.44
1:F:112:ALA:HB1	1:F:114:GLU:HB2	2.00	0.44
1:D:19:SER:HA	1:D:26:LEU:HD11	1.99	0.44
1:F:110:ASP:OD1	1:F:111:ALA:N	2.51	0.43
1:C:107[B]:PHE:HE1	1:D:107[B]:PHE:HZ	1.65	0.43
1:A:73:LEU:HB3	2:A:201:ACO:HH33	2.01	0.43
1:D:25:ARG:CD	1:D:27:ARG:HH11	2.31	0.43
1:F:49:VAL:HG23	1:F:49:VAL:O	2.20	0.42
1:B:73:LEU:H	2:B:201:ACO:CH3	2.33	0.41
1:D:25:ARG:CD	1:D:27:ARG:NH1	2.83	0.41
1:F:79:TYR:HA	1:F:82:LEU:HD21	2.01	0.41
1:C:48:LEU:C	1:C:48:LEU:HD12	2.45	0.41
1:E:110:ASP:CA	1:E:116:GLN:HE22	2.27	0.41
1:A:25:ARG:NH2	1:A:27:ARG:CZ	2.83	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:17:LEU:O	1:F:19:SER:O	2.38	0.41
1:G:105:HIS:NE2	3:G:203:GOL:H12	2.36	0.41
1:D:70:LEU:HD12	1:D:125:TRP:CZ2	2.56	0.40
1:A:73:LEU:H	2:A:201:ACO:CH3	2.34	0.40
1:C:107[B]:PHE:CZ	1:D:107[B]:PHE:CE1	3.09	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	140/137 (102%)	139 (99%)	1 (1%)	0	100	100
1	B	138/137 (101%)	137 (99%)	1 (1%)	0	100	100
1	C	140/137 (102%)	139 (99%)	1 (1%)	0	100	100
1	D	137/137 (100%)	136 (99%)	1 (1%)	0	100	100
1	E	135/137 (98%)	134 (99%)	1 (1%)	0	100	100
1	F	135/137 (98%)	131 (97%)	3 (2%)	1 (1%)	18	6
1	G	135/137 (98%)	134 (99%)	1 (1%)	0	100	100
All	All	960/959 (100%)	950 (99%)	9 (1%)	1 (0%)	48	30

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	112	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	114/109 (105%)	113 (99%)	1 (1%)	70	56
1	B	112/109 (103%)	112 (100%)	0	100	100
1	C	114/109 (105%)	113 (99%)	1 (1%)	70	56
1	D	111/109 (102%)	110 (99%)	1 (1%)	70	56
1	E	109/109 (100%)	106 (97%)	3 (3%)	38	15
1	F	109/109 (100%)	104 (95%)	5 (5%)	24	5
1	G	109/109 (100%)	108 (99%)	1 (1%)	70	56
All	All	778/763 (102%)	766 (98%)	12 (2%)	55	37

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	113	GLU
1	C	114	GLU
1	D	108	VAL
1	E	89	LEU
1	E	116	GLN
1	E	129	LYS
1	F	1	MET
1	F	19	SER
1	F	21	THR
1	F	82	LEU
1	F	113	GLU
1	G	1	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	2	GLN
1	C	2	GLN
1	D	132	GLN
1	E	116	GLN
1	G	2	GLN
1	G	40	GLN
1	G	132	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	GOL	A	204	-	5,5,5	0.40	0	5,5,5	0.68	0
2	ACO	A	201	-	51,53,53	1.36	7 (13%)	73,79,79	1.53	10 (13%)
3	GOL	A	202	-	5,5,5	0.39	0	5,5,5	0.42	0
2	ACO	C	201	-	51,53,53	1.55	6 (11%)	73,79,79	1.76	14 (19%)
3	GOL	A	203	-	5,5,5	0.21	0	5,5,5	0.47	0
2	ACO	B	201	-	51,53,53	1.32	6 (11%)	73,79,79	1.47	13 (17%)
3	GOL	B	202	-	5,5,5	0.31	0	5,5,5	0.87	0
3	GOL	G	203	-	5,5,5	0.69	0	5,5,5	0.97	0
3	GOL	G	202	-	5,5,5	0.16	0	5,5,5	0.64	0
3	GOL	C	202	-	5,5,5	0.13	0	5,5,5	0.78	0
3	GOL	A	206	-	5,5,5	0.22	0	5,5,5	0.99	0
3	GOL	D	201	-	5,5,5	0.28	0	5,5,5	0.65	0
2	ACO	G	201	-	51,53,53	1.35	10 (19%)	73,79,79	1.50	10 (13%)
3	GOL	A	205	-	5,5,5	0.27	0	5,5,5	0.44	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	204	-	-	0/4/4/4	-
2	ACO	A	201	-	-	7/51/67/67	0/3/3/3
3	GOL	A	202	-	-	0/4/4/4	-
2	ACO	C	201	-	-	6/51/67/67	0/3/3/3
3	GOL	A	203	-	-	0/4/4/4	-
2	ACO	B	201	-	-	5/51/67/67	0/3/3/3
3	GOL	B	202	-	-	0/4/4/4	-
3	GOL	G	203	-	-	4/4/4/4	-
3	GOL	G	202	-	-	2/4/4/4	-
3	GOL	C	202	-	-	2/4/4/4	-
3	GOL	A	206	-	-	2/4/4/4	-
3	GOL	D	201	-	-	1/4/4/4	-
2	ACO	G	201	-	-	4/51/67/67	0/3/3/3
3	GOL	A	205	-	-	0/4/4/4	-

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	201	ACO	P1A-O3A	6.18	1.66	1.59
2	C	201	ACO	C5A-C4A	4.65	1.47	1.39
2	B	201	ACO	C5A-C4A	4.38	1.46	1.39
2	A	201	ACO	C5A-C4A	3.89	1.46	1.39
2	B	201	ACO	P2A-O3A	3.67	1.63	1.59
2	A	201	ACO	P1A-O3A	-3.57	1.55	1.59
2	G	201	ACO	C5A-C4A	2.91	1.44	1.39
2	A	201	ACO	P3B-O3B	2.89	1.64	1.59
2	G	201	ACO	C5A-N7A	-2.80	1.34	1.39
2	A	201	ACO	C5A-C6A	2.77	1.48	1.41
2	G	201	ACO	P1A-O3A	-2.73	1.56	1.59
2	C	201	ACO	C5A-C6A	2.70	1.48	1.41
2	C	201	ACO	C5A-N7A	-2.68	1.34	1.39
2	A	201	ACO	C4A-N9A	-2.65	1.32	1.37
2	B	201	ACO	C8A-N7A	2.62	1.36	1.31
2	G	201	ACO	OAP-CAP	2.61	1.46	1.42
2	G	201	ACO	C5A-C6A	2.60	1.48	1.41
2	B	201	ACO	C5A-N7A	-2.49	1.34	1.39
2	A	201	ACO	C5A-N7A	-2.48	1.34	1.39
2	G	201	ACO	P2A-O5A	-2.46	1.43	1.55
2	B	201	ACO	C4A-N9A	-2.30	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	201	ACO	OAP-CAP	2.23	1.46	1.42
2	A	201	ACO	OAP-CAP	2.20	1.46	1.42
2	C	201	ACO	C8A-N7A	2.17	1.35	1.31
2	G	201	ACO	C4A-N9A	-2.09	1.33	1.37
2	G	201	ACO	C8A-N7A	2.08	1.35	1.31
2	B	201	ACO	C5A-C6A	2.04	1.46	1.41
2	G	201	ACO	P3B-O8A	-2.04	1.47	1.54
2	G	201	ACO	C8A-N9A	-2.03	1.34	1.37

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	201	ACO	C5A-C4A-N3A	-6.35	117.97	126.72
2	A	201	ACO	C5A-C4A-N3A	-5.49	119.16	126.72
2	C	201	ACO	N3A-C4A-N9A	5.18	135.97	127.17
2	B	201	ACO	N3A-C2A-N1A	-4.61	121.60	128.58
2	G	201	ACO	C5A-C4A-N3A	-4.57	120.43	126.72
2	G	201	ACO	N3A-C2A-N1A	-4.29	122.09	128.58
2	A	201	ACO	N3A-C4A-N9A	4.22	134.34	127.17
2	C	201	ACO	C2A-N3A-C4A	4.21	122.11	111.83
2	B	201	ACO	C5A-C4A-N3A	-3.99	121.22	126.72
2	C	201	ACO	N3A-C2A-N1A	-3.98	122.56	128.58
2	G	201	ACO	O3A-P2A-O4A	-3.82	99.20	110.70
2	B	201	ACO	N3A-C4A-N9A	3.67	133.42	127.17
2	G	201	ACO	O5A-P2A-O3A	3.67	117.18	107.27
2	A	201	ACO	C2A-N3A-C4A	3.66	120.77	111.83
2	A	201	ACO	N3A-C2A-N1A	-3.65	123.06	128.58
2	G	201	ACO	C2A-N3A-C4A	3.48	120.34	111.83
2	B	201	ACO	C2A-N3A-C4A	3.38	120.09	111.83
2	B	201	ACO	C4A-N9A-C8A	3.29	109.20	105.74
2	A	201	ACO	C4A-C5A-N7A	-3.22	106.90	110.58
2	A	201	ACO	O3A-P2A-O4A	-3.18	101.14	110.70
2	C	201	ACO	C4A-C5A-N7A	-3.17	106.95	110.58
2	B	201	ACO	C2A-N1A-C6A	3.03	123.71	118.73
2	C	201	ACO	O4B-C1B-N9A	2.97	113.80	108.09
2	G	201	ACO	C4A-C5A-N7A	-2.90	107.27	110.58
2	G	201	ACO	C3B-C2B-C1B	2.74	105.92	99.89
2	C	201	ACO	O3B-C3B-C4B	2.71	119.59	110.03
2	B	201	ACO	CEP-CBP-CAP	2.66	113.31	108.77
2	C	201	ACO	C3B-C2B-C1B	2.64	105.69	99.89
2	G	201	ACO	N3A-C4A-N9A	2.62	131.62	127.17
2	C	201	ACO	O5A-P2A-O4A	2.59	124.47	112.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	201	ACO	C5A-N7A-C8A	2.58	107.51	103.45
2	A	201	ACO	C4A-N9A-C8A	2.58	108.44	105.74
2	B	201	ACO	O9P-C9P-N8P	2.56	128.41	122.98
2	G	201	ACO	C2A-N1A-C6A	2.52	122.87	118.73
2	B	201	ACO	O5A-P2A-O4A	2.41	123.67	112.44
2	C	201	ACO	C4A-N9A-C8A	2.34	108.19	105.74
2	A	201	ACO	C3B-C2B-C1B	2.33	105.01	99.89
2	C	201	ACO	O5B-P1A-O1A	2.27	117.94	108.94
2	G	201	ACO	CEP-CBP-CAP	2.22	112.56	108.77
2	A	201	ACO	C5A-N7A-C8A	2.17	106.85	103.45
2	B	201	ACO	C3B-C2B-C1B	2.13	104.57	99.89
2	B	201	ACO	C6A-C5A-N7A	2.06	136.07	132.09
2	B	201	ACO	C4A-C5A-N7A	-2.04	108.25	110.58
2	C	201	ACO	C5B-C4B-C3B	-2.03	107.62	114.38
2	C	201	ACO	O9A-P3B-O8A	2.03	115.40	107.80
2	A	201	ACO	O5A-P2A-O4A	2.01	121.80	112.44
2	B	201	ACO	N9A-C8A-N7A	-2.00	111.10	113.94

There are no chirality outliers.

All (33) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	201	ACO	C5B-O5B-P1A-O3A
2	A	201	ACO	O-C-S1P-C2P
2	A	201	ACO	CH3-C-S1P-C2P
2	B	201	ACO	C5B-O5B-P1A-O3A
2	B	201	ACO	O-C-S1P-C2P
2	B	201	ACO	CH3-C-S1P-C2P
2	C	201	ACO	C4B-C3B-O3B-P3B
2	C	201	ACO	C5B-O5B-P1A-O3A
2	C	201	ACO	O-C-S1P-C2P
2	C	201	ACO	CH3-C-S1P-C2P
2	G	201	ACO	C5B-O5B-P1A-O3A
3	A	206	GOL	C1-C2-C3-O3
3	C	202	GOL	O1-C1-C2-C3
3	G	202	GOL	C1-C2-C3-O3
3	G	202	GOL	O2-C2-C3-O3
3	G	203	GOL	C1-C2-C3-O3
3	G	203	GOL	O2-C2-C3-O3
3	G	203	GOL	O1-C1-C2-O2
3	G	203	GOL	O1-C1-C2-C3
3	C	202	GOL	O1-C1-C2-O2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	206	GOL	O2-C2-C3-O3
2	B	201	ACO	C3B-O3B-P3B-O8A
3	D	201	GOL	O2-C2-C3-O3
2	A	201	ACO	C5B-O5B-P1A-O1A
2	B	201	ACO	C5B-O5B-P1A-O1A
2	C	201	ACO	C5B-O5B-P1A-O1A
2	G	201	ACO	C5B-O5B-P1A-O1A
2	A	201	ACO	P2A-O3A-P1A-O1A
2	G	201	ACO	P2A-O3A-P1A-O1A
2	C	201	ACO	P2A-O3A-P1A-O2A
2	G	201	ACO	P2A-O3A-P1A-O2A
2	A	201	ACO	C3B-O3B-P3B-O9A
2	A	201	ACO	P2A-O3A-P1A-O2A


There are no ring outliers.

4 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	201	ACO	2	0
2	C	201	ACO	3	0
2	B	201	ACO	2	0
3	G	203	GOL	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	137/137 (100%)	0.22	9 (6%)	24 27	9, 24, 49, 71	5 (3%)
1	B	137/137 (100%)	0.14	7 (5%)	33 37	9, 22, 48, 76	3 (2%)
1	C	137/137 (100%)	0.50	17 (12%)	8 9	9, 31, 74, 90	5 (3%)
1	D	137/137 (100%)	1.76	51 (37%)	1 1	16, 55, 100, 122	2 (1%)
1	E	137/137 (100%)	1.99	65 (47%)	0 0	27, 67, 114, 128	0
1	F	137/137 (100%)	2.44	82 (59%)	0 0	41, 83, 142, 173	0
1	G	137/137 (100%)	-0.01	9 (6%)	24 27	12, 20, 44, 77	0
All	All	959/959 (100%)	1.01	240 (25%)	2 1	9, 37, 105, 173	15 (1%)

All (240) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	112	ALA	7.7
1	D	115	ALA	6.6
1	D	24	ILE	6.5
1	E	131	ILE	6.4
1	F	28	ALA	6.0
1	F	26	LEU	5.9
1	C	131	ILE	5.8
1	F	24	ILE	5.8
1	D	117	ALA	5.8
1	F	22	PRO	5.2
1	D	26	LEU	5.2
1	F	111	ALA	5.1
1	F	83	GLY	5.1
1	E	89	LEU	5.0
1	F	29	GLU	5.0
1	D	131	ILE	5.0
1	F	77	PRO	4.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	123	SER	4.7
1	F	21	THR	4.7
1	F	15	PHE	4.6
1	D	121	ALA	4.6
1	D	21	THR	4.5
1	E	78	GLY	4.5
1	E	83	GLY	4.5
1	G	26	LEU	4.5
1	F	16	ALA	4.5
1	B	28	ALA	4.5
1	D	111	ALA	4.5
1	E	117	ALA	4.4
1	F	31	ALA	4.4
1	F	25	ARG	4.4
1	A	28	ALA	4.3
1	D	16	ALA	4.3
1	F	115	ALA	4.3
1	A	27	ARG	4.3
1	B	27	ARG	4.3
1	D	129	LYS	4.2
1	D	23	GLY	4.2
1	E	97	ALA	4.1
1	E	22	PRO	4.1
1	D	108	VAL	4.1
1	D	22	PRO	4.1
1	B	26	LEU	4.0
1	F	117	ALA	4.0
1	C	137	ARG	4.0
1	F	112	ALA	4.0
1	E	23	GLY	4.0
1	E	82	LEU	4.0
1	F	109	LEU	3.9
1	D	109	LEU	3.9
1	F	133	VAL	3.8
1	D	1	MET	3.8
1	E	94	ALA	3.8
1	E	111	ALA	3.8
1	F	34	PHE	3.8
1	F	19	SER	3.8
1	G	1	MET	3.8
1	F	32	TYR	3.7
1	F	110	ASP	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	101	ILE	3.7
1	E	61	ALA	3.7
1	F	23	GLY	3.7
1	D	114	GLU	3.7
1	E	93	LEU	3.6
1	E	113	GLU	3.6
1	C	129	LYS	3.6
1	D	77	PRO	3.6
1	F	131	ILE	3.5
1	F	118	PHE	3.5
1	C	135	SER	3.5
1	D	113	GLU	3.5
1	F	78	GLY	3.5
1	A	26	LEU	3.4
1	F	106	VAL	3.4
1	D	82	LEU	3.4
1	E	96	LEU	3.4
1	G	28	ALA	3.3
1	D	107[A]	PHE	3.3
1	F	75	VAL	3.3
1	D	118	PHE	3.3
1	A	1	MET	3.2
1	E	129	LYS	3.2
1	D	124	ASP	3.2
1	E	124	ASP	3.2
1	F	13	ALA	3.2
1	E	1	MET	3.2
1	D	81	GLY	3.2
1	E	108	VAL	3.2
1	F	17	LEU	3.1
1	E	102	GLY	3.1
1	F	119	TRP	3.1
1	F	134	PHE	3.1
1	D	106	VAL	3.1
1	D	27	ARG	3.1
1	D	125	TRP	3.1
1	C	133	VAL	3.1
1	E	75	VAL	3.1
1	F	84	LEU	3.1
1	F	12	PRO	3.0
1	F	18	TRP	3.0
1	A	23	GLY	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	23	GLY	3.0
1	E	24	ILE	3.0
1	F	89	LEU	3.0
1	F	33	PRO	3.0
1	D	71	GLN	3.0
1	F	55	VAL	3.0
1	F	73	LEU	3.0
1	E	116	GLN	3.0
1	F	27	ARG	3.0
1	E	69	TYR	3.0
1	F	114	GLU	3.0
1	C	53	GLY	3.0
1	E	77	PRO	3.0
1	C	132	GLN	2.9
1	D	25	ARG	2.9
1	F	129	LYS	2.9
1	E	7	ILE	2.9
1	F	116	GLN	2.9
1	E	104	SER	2.9
1	F	82	LEU	2.9
1	E	65	GLY	2.9
1	G	27	ARG	2.9
1	D	110	ASP	2.9
1	F	121	ALA	2.9
1	E	79	TYR	2.9
1	D	80	ARG	2.9
1	E	53	GLY	2.9
1	F	53	GLY	2.9
1	G	23	GLY	2.9
1	C	109	LEU	2.9
1	F	1	MET	2.9
1	F	51	THR	2.8
1	D	78	GLY	2.8
1	D	53	GLY	2.8
1	F	74	VAL	2.8
1	F	136	THR	2.8
1	E	107	PHE	2.8
1	E	112	ALA	2.8
1	D	102	GLY	2.8
1	D	120	ARG	2.7
1	E	123	SER	2.7
1	E	118	PHE	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	26	LEU	2.7
1	B	114	GLU	2.7
1	E	114	GLU	2.7
1	F	30	ASP	2.7
1	F	113	GLU	2.7
1	D	119	TRP	2.7
1	D	28	ALA	2.7
1	F	20	ARG	2.6
1	F	58	CYS	2.6
1	F	88	MET	2.6
1	F	108	VAL	2.6
1	D	83	GLY	2.6
1	E	115	ALA	2.6
1	D	116	GLN	2.6
1	D	3	LEU	2.6
1	D	75	VAL	2.6
1	D	19	SER	2.6
1	F	125	TRP	2.6
1	C	127	ARG	2.6
1	F	127	ARG	2.6
1	F	107	PHE	2.5
1	F	59	LEU	2.5
1	D	128	ARG	2.5
1	E	49	VAL	2.5
1	E	56	ILE	2.5
1	F	97	ALA	2.5
1	E	110	ASP	2.5
1	D	70	LEU	2.5
1	E	2	GLN	2.5
1	F	76	ASP	2.5
1	F	122	GLN	2.5
1	C	136	THR	2.5
1	E	125	TRP	2.5
1	C	134	PHE	2.5
1	C	111	ALA	2.5
1	F	57	ALA	2.5
1	E	21	THR	2.5
1	C	130	ASP	2.4
1	G	53	GLY	2.4
1	E	57	ALA	2.4
1	F	85	ALA	2.4
1	C	128	ARG	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	81	GLY	2.4
1	E	51	THR	2.4
1	G	2	GLN	2.4
1	F	79	TYR	2.4
1	A	25	ARG	2.4
1	E	98	ARG	2.4
1	F	37	ALA	2.4
1	A	113	GLU	2.4
1	B	25	ARG	2.4
1	B	1	MET	2.4
1	C	113	GLU	2.3
1	E	67	ARG	2.3
1	F	90	ASP	2.3
1	F	130	ASP	2.3
1	C	112	ALA	2.3
1	E	121	ALA	2.3
1	F	9	ALA	2.3
1	A	24	ILE	2.3
1	E	119	TRP	2.3
1	E	99	GLU	2.3
1	D	15	PHE	2.3
1	E	134	PHE	2.3
1	E	13	ALA	2.2
1	E	128	ARG	2.2
1	E	85	ALA	2.2
1	D	133	VAL	2.2
1	D	2	GLN	2.2
1	E	126	GLU	2.2
1	E	122	GLN	2.1
1	E	25	ARG	2.1
1	E	137	ARG	2.1
1	G	25	ARG	2.1
1	F	81	GLY	2.1
1	C	107[A]	PHE	2.1
1	D	76	ASP	2.1
1	E	90	ASP	2.1
1	E	132	GLN	2.1
1	F	7	ILE	2.1
1	F	69	TYR	2.1
1	F	71	GLN	2.1
1	F	137	ARG	2.1
1	E	106	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	2	GLN	2.1
1	F	2	GLN	2.1
1	F	40	GLN	2.1
1	F	35	PHE	2.1
1	F	60	MET	2.1
1	E	70	LEU	2.1
1	F	14	LEU	2.1
1	G	51	THR	2.1
1	F	102	GLY	2.0
1	D	89	LEU	2.0
1	D	130	ASP	2.0
1	E	64	ASP	2.0
1	F	6	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	GOL	A	204	6/6	0.72	0.20	36,38,50,59	0
3	GOL	A	202	6/6	0.74	0.15	32,45,54,62	0
3	GOL	A	205	6/6	0.76	0.20	40,59,72,75	0
3	GOL	G	203	6/6	0.79	0.17	23,28,38,55	0
3	GOL	B	202	6/6	0.85	0.14	34,37,43,52	0
3	GOL	G	202	6/6	0.86	0.10	31,38,43,44	0
3	GOL	D	201	6/6	0.87	0.13	33,43,47,58	0
3	GOL	A	206	6/6	0.88	0.14	33,43,45,47	0
3	GOL	C	202	6/6	0.89	0.09	28,38,43,47	0
3	GOL	A	203	6/6	0.89	0.12	36,38,49,50	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ACO	C	201	51/51	0.92	0.12	22,33,62,78	0
2	ACO	A	201	51/51	0.94	0.10	22,30,49,57	0
2	ACO	B	201	51/51	0.95	0.08	20,25,35,39	0
2	ACO	G	201	51/51	0.96	0.08	15,23,36,39	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around ACO A 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ACO B 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.