



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 10:28 AM UTC

PDB ID : 6IBF / pdb_00006ibf
Title : Crystal structure of human phosphodiesterase 4D2 catalytic domain with inhibitor NPD-417
Authors : Singh, A.K.; Brown, D.G.
Deposited on : 2018-11-29
Resolution : 2.31 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.31 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7754 (2.34-2.30)
Clashscore	190562	8383 (2.34-2.30)
Ramachandran outliers	187476	8303 (2.34-2.30)
Sidechain outliers	187428	8303 (2.34-2.30)
RSRZ outliers	180081	7760 (2.34-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	364	9% 77% 12% • 10%
1	B	364	4% 76% 13% • 11%
1	C	364	8% 75% 13% • 11%
1	D	364	3% 76% 13% 11%

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 11476 atoms, of which 6 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cAMP-specific 3',5'-cyclic phosphodiesterase 4D.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	329	Total	C	N	O	S	0	1	0
			2667	1686	456	511	14			
1	B	324	Total	C	N	O	S	0	0	0
			2622	1659	448	501	14			
1	C	323	Total	C	N	O	S	0	0	0
			2613	1654	446	499	14			
1	D	324	Total	C	N	O	S	0	0	0
			2622	1659	448	501	14			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	75	GLY	-	expression tag	UNP Q08499
A	76	SER	-	expression tag	UNP Q08499
A	77	HIS	-	expression tag	UNP Q08499
A	78	MET	-	expression tag	UNP Q08499
B	75	GLY	-	expression tag	UNP Q08499
B	76	SER	-	expression tag	UNP Q08499
B	77	HIS	-	expression tag	UNP Q08499
B	78	MET	-	expression tag	UNP Q08499
C	75	GLY	-	expression tag	UNP Q08499
C	76	SER	-	expression tag	UNP Q08499
C	77	HIS	-	expression tag	UNP Q08499
C	78	MET	-	expression tag	UNP Q08499
D	75	GLY	-	expression tag	UNP Q08499
D	76	SER	-	expression tag	UNP Q08499
D	77	HIS	-	expression tag	UNP Q08499
D	78	MET	-	expression tag	UNP Q08499


- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		
2	C	1	Total	Zn	0	0
			1	1		
2	D	1	Total	Zn	0	0
			1	1		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	D	1	Total	C	O		0	0
			4	2	2			
4	D	1	Total	C	O		0	0
			4	2	2			
4	D	1	Total	C	O		0	0
			4	2	2			
4	D	1	Total	C	O		0	0
			4	2	2			
4	D	1	Total	C	O		0	0
			4	2	2			
4	D	1	Total	C	O		0	0
			4	2	2			
4	D	1	Total	C	O		0	0
			4	2	2			
4	D	1	Total	C	O		0	0
			4	2	2			
4	D	1	Total	C	O		0	0
			4	2	2			
4	D	1	Total	C	O		0	0
			4	2	2			
4	D	1	Total	C	O		0	0
			4	2	2			
4	D	1	Total	C	H	O	0	0
			10	2	6	2		

- Molecule 5 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (CCD ID: EPE) (formula: C₈H₁₈N₂O₄S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
5	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
5	C	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
5	D	1	Total	C	N	O	S	0	0
			15	8	2	4	1		

- Molecule 6 is (4 {a} {S},8 {a} {R})-4-[4-methoxy-3-[[2-(trifluoromethyl)phenyl]methoxy]phenyl]-2-(1-thieno[3,2-d]pyrimidin-4-yl)piperidin-4-yl)-4 {a},5,8,8 {a}-tetrahydrophthalazin-1-one (CCD ID: 4I7) (formula: C₃₄H₃₂F₃N₅O₃S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
6	A	1	Total	C	F	N	O	S	0	0
			46	34	3	5	3	1		
6	B	1	Total	C	F	N	O	S	0	0
			46	34	3	5	3	1		
6	C	1	Total	C	F	N	O	S	0	0
			46	34	3	5	3	1		
6	D	1	Total	C	F	N	O	S	0	0
			46	34	3	5	3	1		

- Molecule 7 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	D	1	Total	C	O	0	0
			7	4	3		
7	D	1	Total	C	O	0	0
			7	4	3		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	131	Total	O	0	0
			131	131		
8	B	118	Total	O	0	0
			118	118		
8	C	102	Total	O	0	0
			102	102		
8	D	177	Total	O	0	0
			177	177		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D



- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D




- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D



PRO
SER
PRO
ALA
PRO
ASP
ASP
PRO
GLU
GLY
GLY
ARG
GLN
GLY
THR
GLN
LYS
PHE
GLN
PHE
GLU
LEU
THR
LEU

● Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D



GLY
SER
HIS
MET
ILE
PRO
ARG
PHE
GLY
VAL
LYS
THR
GLU
Q88
E89
W102
G103
L104
I109
A110
E111
H152
V168
S171
V174
T178
P179
A192
A196
H200
D201
V202
D203
Q210
N214
E218
W222
E243
C246
F249
L260

A270
K275
L279
M286
S295
L298
Y303
S304
D305
Q308
N321
P322
P325
L326
Q327
L328
M337
D345
R348
I354
S355
P356
M357
C358
D359
K360
A363
S364
V365
E366
K367
Y375
H389
P390
E404
P411
GLN
SER
PRO
SER
PRO
ALA

PRO
ASP
ASP
PRO
GLU
GLY
GLY
ARG
GLN
GLY
THR
GLU
LYS
PHE
GLN
PHE
GLU
LEU
THR
LEU

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	98.48Å 110.51Å 160.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	80.11 – 2.31 80.11 – 2.31	Depositor EDS
% Data completeness (in resolution range)	97.4 (80.11-2.31) 97.4 (80.11-2.31)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.36 (at 2.32Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.203 , 0.262 0.210 , 0.262	Depositor DCC
R_{free} test set	3868 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	33.6	Xtriage
Anisotropy	0.135	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 36.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	11476	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EPE, EDO, 4I7, PEG, MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.06	0/2721	1.47	2/3696 (0.1%)
1	B	1.06	1/2676 (0.0%)	1.50	1/3636 (0.0%)
1	C	1.09	0/2667	1.50	0/3624
1	D	1.13	3/2676 (0.1%)	1.41	3/3636 (0.1%)
All	All	1.08	4/10740 (0.0%)	1.47	6/14592 (0.0%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	202	VAL	C-O	-6.82	1.16	1.24
1	D	171	SER	C-O	6.51	1.31	1.24
1	D	203	ASP	CG-OD1	-5.57	1.14	1.25
1	B	410	ILE	N-CA	5.42	1.50	1.46

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	390	PRO	N-CA-CB	-6.12	95.87	102.60
1	A	390	PRO	N-CA-CB	-5.93	96.08	102.60
1	D	102	TRP	CA-C-N	-5.35	114.78	122.00
1	D	102	TRP	C-N-CA	-5.35	114.78	122.00
1	A	156	ASP	CA-CB-CG	5.12	117.72	112.60
1	D	152	HIS	CB-CA-C	5.08	119.16	110.01

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2667	0	2623	27	0
1	B	2622	0	2578	25	0
1	C	2613	0	2570	34	0
1	D	2622	0	2578	25	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	36	0	54	1	0
4	B	36	0	54	0	0
4	C	20	0	30	0	0
4	D	60	6	90	4	0
5	A	15	0	18	0	0
5	B	15	0	18	0	0
5	C	15	0	18	0	0
5	D	15	0	18	1	0
6	A	46	0	0	1	0
6	B	46	0	0	0	0
6	C	46	0	0	0	0
6	D	46	0	0	0	0
7	D	14	0	20	3	0
8	A	131	0	0	1	0
8	B	118	0	0	1	0
8	C	102	0	0	2	0
8	D	177	0	0	4	0
All	All	11470	6	10669	106	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (106) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:184:VAL:CG1	1:C:300:LEU:HD12	2.16	0.75
1:C:340:PHE:HB3	1:C:358:CYS:SG	2.30	0.71
1:A:346:ARG:HD3	1:C:151:ASP:OD2	1.94	0.66
1:A:275:LYS:HE2	8:A:649:HOH:O	1.96	0.66
1:A:270:ALA:HB1	1:A:279:LEU:HD11	1.77	0.65
1:B:139:VAL:O	1:B:143:ILE:HG22	1.98	0.63
1:B:378:HIS:HB3	1:B:379:PRO:HD3	1.81	0.62
1:C:330:ARG:HG2	1:C:330:ARG:NH1	2.15	0.60
1:C:104:LEU:HD11	1:C:109:ILE:HD11	1.83	0.60
1:D:275:LYS:HE2	8:D:643:HOH:O	2.01	0.60
1:D:243:GLU:HB2	1:D:246:CYS:SG	2.43	0.59
1:C:345:ASP:OD1	1:C:348:ARG:NH2	2.37	0.58
1:D:174:VAL:HG12	7:D:511:PEG:H41	1.85	0.58
1:B:254:LYS:HZ2	1:B:254:LYS:HB3	1.70	0.57
1:D:111:GLU:OE2	5:D:516:EPE:H32	2.03	0.57
1:D:178:THR:OG1	7:D:511:PEG:H11	2.04	0.57
1:D:321:ASN:HB2	1:D:322:PRO:HD3	1.86	0.56
1:D:104:LEU:HD11	1:D:109:ILE:CD1	2.37	0.55
1:D:325:PRO:HD2	1:D:328:LEU:HD12	1.89	0.55
1:A:337:MET:HE3	1:A:337:MET:HA	1.89	0.55
1:C:184:VAL:HG11	1:C:300:LEU:HD12	1.87	0.55
1:A:107:PHE:O	1:A:111:GLU:HG3	2.08	0.54
1:B:270:ALA:HB1	1:B:279:LEU:HD11	1.89	0.54
1:A:178:THR:HG22	1:A:181:LEU:HD12	1.90	0.53
1:C:290:LYS:HG3	1:C:298:LEU:HD21	1.91	0.53
1:C:298:LEU:HD11	1:C:387:LEU:CD1	2.40	0.52
1:C:184:VAL:HG11	1:C:300:LEU:CD1	2.40	0.52
1:B:132:LEU:HA	1:B:137:ILE:HB	1.92	0.52
1:C:102:TRP:CE2	1:C:324:LYS:HE2	2.45	0.52
1:D:192:ALA:HB2	1:D:260:LEU:HD12	1.90	0.51
1:C:330:ARG:NH1	1:C:330:ARG:CG	2.73	0.51
1:D:179:PRO:HG2	7:D:512:PEG:H21	1.93	0.51
1:C:330:ARG:CG	1:C:330:ARG:HH11	2.23	0.51
1:A:116:ARG:N	1:A:117:PRO:CD	2.74	0.51
1:B:393:GLN:NE2	1:B:397:ASP:OD1	2.44	0.50
1:D:270:ALA:HB1	1:D:279:LEU:HD11	1.94	0.50
1:B:350:ARG:NH1	8:D:601:HOH:O	2.44	0.50
1:D:303:TYR:CD1	4:D:509:EDO:H22	2.46	0.50
1:D:286:MET:SD	1:D:308:GLN:NE2	2.85	0.50
1:A:333:THR:O	1:A:337:MET:HG2	2.10	0.49
1:A:225:ASP:OD1	1:B:261:ARG:NH2	2.41	0.49
1:C:179:PRO:HD2	1:C:391:ASP:CG	2.37	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:340:PHE:HB3	1:A:358:CYS:SG	2.53	0.49
1:A:372:PHE:HB2	6:A:513:4I7:F2	2.03	0.49
1:B:236:VAL:O	1:B:240:LEU:HG	2.13	0.48
1:C:142:LEU:O	1:C:146:LEU:HG	2.14	0.48
1:B:108:ARG:NH1	1:B:112:LEU:HD21	2.29	0.47
1:A:349:GLU:HG3	1:C:147:MET:HG2	1.96	0.47
1:D:218:GLU:OE2	4:D:521:EDO:H12	2.14	0.47
1:A:175:LEU:HD23	4:A:506:EDO:H21	1.96	0.47
1:A:333:THR:HA	1:A:336:ILE:HG22	1.95	0.47
1:A:350:ARG:CG	1:C:144:THR:HG23	2.45	0.46
1:B:323:THR:HB	1:B:395:ILE:HG23	1.96	0.46
1:B:292:VAL:HG12	1:B:298:LEU:HA	1.98	0.45
1:B:104:LEU:HD11	1:B:109:ILE:HD11	1.99	0.45
1:A:350:ARG:HG3	1:C:144:THR:HG23	1.98	0.45
1:D:196:ALA:O	1:D:200:HIS:HB3	2.16	0.45
1:C:340:PHE:HB3	1:C:358:CYS:CB	2.46	0.44
1:B:142:LEU:HA	1:B:248:ILE:CG2	2.48	0.44
1:C:104:LEU:HD11	1:C:109:ILE:CD1	2.46	0.44
1:C:366:GLU:O	1:C:370:VAL:HG23	2.18	0.44
1:A:366:GLU:O	1:A:370:VAL:HG23	2.17	0.44
1:A:369:GLN:O	1:A:373:ILE:HG13	2.18	0.44
1:C:337:MET:HG2	1:C:365:VAL:HG22	2.00	0.44
1:C:366:GLU:HG2	1:C:409:THR:CG2	2.47	0.44
1:D:303:TYR:CE1	4:D:509:EDO:H22	2.53	0.44
1:B:116:ARG:N	1:B:117:PRO:CD	2.81	0.44
1:B:346:ARG:O	1:B:350:ARG:HG3	2.17	0.44
1:B:297:VAL:HA	8:B:602:HOH:O	2.18	0.43
1:C:263:MET:HG2	1:C:307:ILE:HD13	1.99	0.43
1:D:337:MET:HE2	1:D:365:VAL:HG22	2.00	0.43
1:A:178:THR:CG2	1:A:181:LEU:HD12	2.48	0.43
1:A:289:THR:HG22	1:A:289:THR:O	2.18	0.43
1:A:323:THR:HB	1:A:395:ILE:HG23	1.99	0.43
1:A:405:TRP:O	1:A:409:THR:HG23	2.18	0.43
1:C:321:ASN:HB2	1:C:322:PRO:HD3	2.00	0.43
1:D:222:MET:HE1	4:D:517:EDO:O1	2.17	0.43
1:B:154:HIS:HA	8:D:602:HOH:O	2.18	0.43
1:A:223:TYR:O	1:A:224:ASN:C	2.62	0.43
1:C:336:ILE:HG23	1:C:337:MET:HE2	2.01	0.43
1:D:168:VAL:HG21	1:D:200:HIS:CE1	2.53	0.43
1:C:116:ARG:N	1:C:117:PRO:CD	2.82	0.43
1:C:367:LYS:HE2	1:C:367:LYS:HB2	1.77	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:286:MET:HE1	1:D:305:ASP:HB3	2.00	0.43
1:D:249:PHE:CZ	1:D:260:LEU:HD21	2.53	0.42
1:C:337:MET:CE	8:C:631:HOH:O	2.67	0.42
1:D:345:ASP:OD1	1:D:348:ARG:NH2	2.52	0.42
1:B:178:THR:HG22	1:B:181:LEU:HD12	2.02	0.42
1:C:322:PRO:HG2	1:C:377:VAL:HG21	2.00	0.42
1:C:346:ARG:HD2	8:C:666:HOH:O	2.19	0.42
1:D:389:HIS:HA	1:D:390:PRO:HA	1.82	0.42
1:A:321:ASN:HB2	1:A:322:PRO:HD3	2.01	0.41
1:A:201:ASP:O	1:A:204:HIS:HB2	2.20	0.41
1:A:277:MET:O	1:A:278:ASN:CB	2.68	0.41
1:B:321:ASN:HB2	1:B:322:PRO:HD3	2.03	0.41
1:C:270:ALA:HB1	1:C:279:LEU:HD11	2.02	0.41
1:B:239:LYS:HD3	1:B:239:LYS:HA	1.72	0.41
1:B:389:HIS:HA	1:B:390:PRO:HA	1.71	0.41
1:B:316:CYS:HB3	1:B:381:TRP:CZ2	2.56	0.41
1:D:243:GLU:OE1	8:D:601:HOH:O	2.21	0.41
1:C:394:ASP:O	1:C:398:THR:OG1	2.31	0.41
1:B:300:LEU:HB2	1:B:306:ARG:HG2	2.02	0.40
1:A:113:SER:O	1:A:116:ARG:HB2	2.22	0.40
1:C:298:LEU:HD11	1:C:387:LEU:HG	2.03	0.40
1:D:210:GLN:NE2	1:D:214:ASN:OD1	2.51	0.40
1:B:286:MET:HE3	1:B:286:MET:HB2	1.97	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	328/364 (90%)	304 (93%)	16 (5%)	8 (2%)	4 3
1	B	322/364 (88%)	311 (97%)	11 (3%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	321/364 (88%)	302 (94%)	15 (5%)	4 (1%)	10	11
1	D	322/364 (88%)	313 (97%)	9 (3%)	0	100	100
All	All	1293/1456 (89%)	1230 (95%)	51 (4%)	12 (1%)	14	16

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	278	ASN
1	A	354	ILE
1	A	357	MET
1	A	361	HIS
1	A	362	ASN
1	A	363	ALA
1	C	361	HIS
1	C	363	ALA
1	C	360	LYS
1	A	353	GLU
1	A	355	SER
1	C	302	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	301/331 (91%)	294 (98%)	7 (2%)	44	62
1	B	296/331 (89%)	287 (97%)	9 (3%)	36	52
1	C	295/331 (89%)	285 (97%)	10 (3%)	32	47
1	D	296/331 (89%)	288 (97%)	8 (3%)	39	56
All	All	1188/1324 (90%)	1154 (97%)	34 (3%)	37	53

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	128	GLU
1	A	304	SER
1	A	350	ARG
1	A	353	GLU
1	A	357	MET
1	A	360	LYS
1	A	390	PRO
1	B	120	VAL
1	B	128	GLU
1	B	133	LYS
1	B	239	LYS
1	B	254	LYS
1	B	299	LEU
1	B	304	SER
1	B	390	PRO
1	B	391	ASP
1	C	178	THR
1	C	221	LEU
1	C	291	LYS
1	C	295	SER
1	C	299	LEU
1	C	300	LEU
1	C	330	ARG
1	C	354	ILE
1	C	361	HIS
1	C	367	LYS
1	D	89	GLU
1	D	295	SER
1	D	298	LEU
1	D	304	SER
1	D	327	GLN
1	D	357	MET
1	D	367	LYS
1	D	404	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	216	ASN
1	A	224	ASN
1	B	210	GLN
1	B	321	ASN
1	B	407	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	242	GLN
1	C	250	GLN
1	D	216	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 56 ligands modelled in this entry, 8 are monoatomic - leaving 48 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	PEG	D	512	-	6,6,6	0.47	0	5,5,5	0.32	0
4	EDO	B	512	-	3,3,3	0.38	0	2,2,2	0.34	0
5	EPE	A	510	-	15,15,15	1.94	1 (6%)	19,20,20	5.43	6 (31%)
4	EDO	A	505	-	3,3,3	0.17	0	2,2,2	0.19	0
4	EDO	D	507	-	3,3,3	0.07	0	2,2,2	0.18	0
4	EDO	D	518	-	3,3,3	0.07	0	2,2,2	0.05	0
4	EDO	A	509	-	3,3,3	0.19	0	2,2,2	0.03	0
4	EDO	A	506	-	3,3,3	0.04	0	2,2,2	0.15	0
4	EDO	A	503	-	3,3,3	0.07	0	2,2,2	0.03	0
4	EDO	B	506	-	3,3,3	0.28	0	2,2,2	0.50	0
4	EDO	B	505	-	3,3,3	0.02	0	2,2,2	0.07	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	EDO	A	507	-	3,3,3	0.05	0	2,2,2	0.18	0
4	EDO	B	507	-	3,3,3	0.25	0	2,2,2	0.47	0
4	EDO	B	504	-	3,3,3	0.13	0	2,2,2	0.12	0
4	EDO	A	504	-	3,3,3	0.22	0	2,2,2	0.14	0
4	EDO	D	509	-	3,3,3	0.19	0	2,2,2	0.08	0
4	EDO	D	503	-	3,3,3	0.15	0	2,2,2	0.09	0
4	EDO	A	511	-	3,3,3	0.14	0	2,2,2	0.09	0
4	EDO	C	506	-	3,3,3	0.22	0	2,2,2	0.06	0
4	EDO	D	508	-	3,3,3	0.15	0	2,2,2	0.42	0
4	EDO	D	519	-	3,3,3	0.31	0	2,2,2	0.32	0
4	EDO	A	512	-	3,3,3	0.19	0	2,2,2	0.39	0
7	PEG	D	511	-	6,6,6	0.44	0	5,5,5	0.46	0
4	EDO	D	513	-	3,3,3	0.25	0	2,2,2	0.29	0
6	4I7	C	508	-	50,52,52	0.56	0	61,76,76	1.32	6 (9%)
4	EDO	B	511	-	3,3,3	0.57	0	2,2,2	0.50	0
4	EDO	D	505	-	3,3,3	0.20	0	2,2,2	0.28	0
4	EDO	D	515	-	3,3,3	0.12	0	2,2,2	0.04	0
4	EDO	D	521	-	3,3,3	0.34	0	2,2,2	0.21	0
4	EDO	B	503	-	3,3,3	0.04	0	2,2,2	0.06	0
4	EDO	D	506	-	3,3,3	0.12	0	2,2,2	0.21	0
6	4I7	A	513	-	50,52,52	0.61	1 (2%)	61,76,76	1.18	6 (9%)
4	EDO	B	509	-	3,3,3	0.11	0	2,2,2	0.18	0
4	EDO	C	504	-	3,3,3	0.22	0	2,2,2	0.36	0
4	EDO	D	514	-	3,3,3	0.44	0	2,2,2	0.55	0
5	EPE	B	510	-	15,15,15	1.88	1 (6%)	19,20,20	1.70	4 (21%)
6	4I7	D	520	-	50,52,52	0.63	0	61,76,76	0.92	4 (6%)
5	EPE	D	516	-	15,15,15	1.75	1 (6%)	19,20,20	4.77	5 (26%)
4	EDO	D	504	-	3,3,3	0.27	0	2,2,2	0.31	0
4	EDO	B	508	-	3,3,3	0.16	0	2,2,2	0.09	0
4	EDO	C	503	-	3,3,3	0.16	0	2,2,2	0.27	0
5	EPE	C	505	-	15,15,15	2.11	1 (6%)	19,20,20	1.39	2 (10%)
4	EDO	C	509	-	3,3,3	0.20	0	2,2,2	0.34	0
4	EDO	D	510	-	3,3,3	0.34	0	2,2,2	0.23	0
4	EDO	D	517	-	3,3,3	0.08	0	2,2,2	0.09	0
4	EDO	A	508	-	3,3,3	0.18	0	2,2,2	0.22	0
4	EDO	C	507	-	3,3,3	0.23	0	2,2,2	0.23	0
6	4I7	B	513	-	50,52,52	0.64	1 (2%)	61,76,76	1.27	7 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	PEG	D	512	-	-	1/4/4/4	-
4	EDO	B	512	-	-	0/1/1/1	-
5	EPE	A	510	-	-	3/9/19/19	0/1/1/1
4	EDO	A	505	-	-	0/1/1/1	-
4	EDO	D	507	-	-	1/1/1/1	-
4	EDO	D	518	-	-	1/1/1/1	-
4	EDO	A	509	-	-	0/1/1/1	-
4	EDO	A	506	-	-	1/1/1/1	-
4	EDO	A	503	-	-	0/1/1/1	-
4	EDO	B	506	-	-	1/1/1/1	-
4	EDO	B	505	-	-	1/1/1/1	-
4	EDO	A	507	-	-	1/1/1/1	-
4	EDO	B	507	-	-	1/1/1/1	-
4	EDO	B	504	-	-	0/1/1/1	-
4	EDO	A	504	-	-	0/1/1/1	-
4	EDO	D	509	-	-	0/1/1/1	-
4	EDO	D	503	-	-	1/1/1/1	-
4	EDO	A	511	-	-	1/1/1/1	-
4	EDO	C	506	-	-	1/1/1/1	-
4	EDO	D	508	-	-	1/1/1/1	-
4	EDO	D	519	-	-	1/1/1/1	-
4	EDO	A	512	-	-	1/1/1/1	-
7	PEG	D	511	-	-	3/4/4/4	-
4	EDO	D	513	-	-	1/1/1/1	-
6	4I7	C	508	-	-	3/25/62/62	0/7/7/7
4	EDO	B	511	-	-	0/1/1/1	-
4	EDO	D	505	-	-	1/1/1/1	-
4	EDO	D	515	-	-	1/1/1/1	-
4	EDO	D	521	-	-	1/1/1/1	-
4	EDO	B	503	-	-	1/1/1/1	-
4	EDO	D	506	-	-	1/1/1/1	-
6	4I7	A	513	-	-	3/25/62/62	0/7/7/7
4	EDO	B	509	-	-	1/1/1/1	-
4	EDO	C	504	-	-	0/1/1/1	-
4	EDO	D	514	-	-	0/1/1/1	-
5	EPE	B	510	-	-	7/9/19/19	0/1/1/1
6	4I7	D	520	-	-	4/25/62/62	0/7/7/7
5	EPE	D	516	-	-	4/9/19/19	0/1/1/1
4	EDO	D	504	-	-	1/1/1/1	-
4	EDO	B	508	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	C	503	-	-	1/1/1/1	-
5	EPE	C	505	-	-	2/9/19/19	0/1/1/1
4	EDO	C	509	-	-	0/1/1/1	-
4	EDO	D	510	-	-	1/1/1/1	-
4	EDO	D	517	-	-	1/1/1/1	-
4	EDO	A	508	-	-	1/1/1/1	-
4	EDO	C	507	-	-	1/1/1/1	-
6	4I7	B	513	-	-	1/25/62/62	0/7/7/7

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	505	EPE	C10-S	-7.84	1.66	1.77
5	A	510	EPE	C10-S	-6.91	1.67	1.77
5	B	510	EPE	C10-S	-6.77	1.68	1.77
5	D	516	EPE	C10-S	-6.39	1.68	1.77
6	A	513	4I7	C17-N2	2.29	1.50	1.47
6	B	513	4I7	C17-N2	2.10	1.49	1.47

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	510	EPE	O2S-S-C10	-15.83	82.80	106.73
5	A	510	EPE	O1S-S-C10	-15.20	83.76	106.73
5	D	516	EPE	O2S-S-C10	-14.79	84.37	106.73
5	D	516	EPE	O3S-S-C10	-10.43	85.60	106.00
5	D	516	EPE	O1S-S-C10	-7.40	95.54	106.73
5	A	510	EPE	O3S-S-C10	-6.86	92.59	106.00
6	B	513	4I7	C18-C17-N2	5.05	116.42	110.89
6	C	508	4I7	C18-C17-N2	4.74	116.08	110.89
5	C	505	EPE	O3S-S-C10	4.41	114.64	106.00
6	C	508	4I7	C6-C5-C16	-4.38	114.80	120.24
5	D	516	EPE	O3S-S-O2S	4.24	122.01	111.40
5	D	516	EPE	O3S-S-O1S	4.17	121.84	111.40
6	C	508	4I7	C4-C5-C16	4.09	125.63	120.74
5	B	510	EPE	O3S-S-C10	4.01	113.86	106.00
6	B	513	4I7	C27-N5-C22	3.60	120.63	111.83
6	A	513	4I7	C21-C17-N2	3.48	114.70	110.89
6	C	508	4I7	C27-N5-C22	3.47	120.31	111.83
6	A	513	4I7	C6-C5-C16	-3.37	116.06	120.24
6	B	513	4I7	C6-C5-C16	-3.36	116.06	120.24
6	D	520	4I7	C18-C17-N2	3.35	114.56	110.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	513	4I7	C27-N5-C22	3.34	119.98	111.83
6	A	513	4I7	C4-C5-C16	3.33	124.73	120.74
6	B	513	4I7	C4-C5-C16	3.31	124.71	120.74
6	D	520	4I7	C27-N5-C22	3.16	119.54	111.83
6	A	513	4I7	C18-C17-N2	3.01	114.18	110.89
5	A	510	EPE	O2S-S-O1S	2.80	122.94	113.82
5	A	510	EPE	O3S-S-O1S	2.76	118.32	111.40
5	C	505	EPE	O3S-S-O1S	-2.65	104.77	111.40
6	D	520	4I7	C15-C14-C9	2.64	123.59	121.06
5	B	510	EPE	C6-N1-C2	2.58	114.39	108.84
5	B	510	EPE	C2-C3-N4	-2.45	105.71	110.65
6	D	520	4I7	C28-N2-N1	-2.45	122.13	125.13
5	A	510	EPE	O3S-S-O2S	2.43	117.47	111.40
6	A	513	4I7	C15-C14-C9	2.36	123.33	121.06
6	B	513	4I7	C28-N2-N1	-2.27	122.35	125.13
5	B	510	EPE	C5-C6-N1	2.26	115.22	110.65
6	C	508	4I7	C15-C14-C9	2.17	123.14	121.06
6	C	508	4I7	C20-N3-C19	2.14	116.38	111.57
6	B	513	4I7	C15-C14-C9	2.07	123.05	121.06
6	B	513	4I7	C19-N3-C22	2.06	125.89	118.92

There are no chirality outliers.

All (57) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	513	4I7	C21-C17-N2-N1
6	C	508	4I7	C21-C17-N2-N1
6	D	520	4I7	C23-C22-N3-C20
6	D	520	4I7	N5-C22-N3-C20
6	A	513	4I7	C21-C17-N2-C28
7	D	511	PEG	C4-C3-O2-C2
5	B	510	EPE	C9-C10-S-O3S
5	D	516	EPE	C9-C10-S-O3S
4	D	505	EDO	O1-C1-C2-O2
4	D	507	EDO	O1-C1-C2-O2
4	D	515	EDO	O1-C1-C2-O2
7	D	511	PEG	O2-C3-C4-O4
5	A	510	EPE	S-C10-C9-N1
5	B	510	EPE	S-C10-C9-N1
4	A	506	EDO	O1-C1-C2-O2
4	A	511	EDO	O1-C1-C2-O2
4	B	503	EDO	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	B	506	EDO	O1-C1-C2-O2
4	D	506	EDO	O1-C1-C2-O2
4	D	508	EDO	O1-C1-C2-O2
6	C	508	4I7	C21-C17-N2-C28
5	B	510	EPE	C10-C9-N1-C6
5	C	505	EPE	C10-C9-N1-C2
5	D	516	EPE	C8-C7-N4-C3
5	B	510	EPE	N4-C7-C8-O8
6	D	520	4I7	C9-C8-O2-C7
5	B	510	EPE	C9-C10-S-O1S
5	B	510	EPE	C9-C10-S-O2S
5	D	516	EPE	C9-C10-S-O1S
5	D	516	EPE	C9-C10-S-O2S
6	C	508	4I7	C9-C8-O2-C7
6	B	513	4I7	C9-C8-O2-C7
7	D	512	PEG	C1-C2-O2-C3
5	A	510	EPE	C10-C9-N1-C2
5	A	510	EPE	C10-C9-N1-C6
5	B	510	EPE	C10-C9-N1-C2
5	C	505	EPE	C10-C9-N1-C6
4	A	512	EDO	O1-C1-C2-O2
4	B	507	EDO	O1-C1-C2-O2
4	B	509	EDO	O1-C1-C2-O2
4	D	510	EDO	O1-C1-C2-O2
6	A	513	4I7	C9-C8-O2-C7
4	B	505	EDO	O1-C1-C2-O2
4	A	508	EDO	O1-C1-C2-O2
4	C	507	EDO	O1-C1-C2-O2
4	D	504	EDO	O1-C1-C2-O2
4	D	513	EDO	O1-C1-C2-O2
4	D	518	EDO	O1-C1-C2-O2
7	D	511	PEG	O1-C1-C2-O2
4	C	503	EDO	O1-C1-C2-O2
4	C	506	EDO	O1-C1-C2-O2
4	D	503	EDO	O1-C1-C2-O2
4	D	517	EDO	O1-C1-C2-O2
4	D	519	EDO	O1-C1-C2-O2
4	D	521	EDO	O1-C1-C2-O2
6	D	520	4I7	C18-C17-N2-C28
4	A	507	EDO	O1-C1-C2-O2


There are no ring outliers.

8 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	D	512	PEG	1	0
4	A	506	EDO	1	0
4	D	509	EDO	2	0
7	D	511	PEG	2	0
4	D	521	EDO	1	0
6	A	513	4I7	1	0
5	D	516	EPE	1	0
4	D	517	EDO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand 4I7 C 508




Ligand 4I7 A 513



Ligand 4I7 D 520





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	329/364 (90%)	0.71	31 (9%) 14 16	18, 41, 80, 126	14 (4%)
1	B	324/364 (89%)	0.44	13 (4%) 42 45	24, 45, 68, 107	0
1	C	323/364 (88%)	0.85	28 (8%) 16 18	15, 44, 80, 114	11 (3%)
1	D	324/364 (89%)	-0.00	10 (3%) 51 54	21, 32, 68, 112	0
All	All	1300/1456 (89%)	0.50	82 (6%) 26 28	15, 41, 75, 126	25 (1%)

All (82) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	360	LYS	22.3
1	A	354	ILE	15.6
1	C	354	ILE	13.0
1	C	358	CYS	12.5
1	C	356	PRO	11.6
1	A	356	PRO	11.5
1	A	360	LYS	11.3
1	C	363	ALA	10.7
1	C	357	MET	10.0
1	A	357	MET	9.8
1	C	359	ASP	9.5
1	A	358	CYS	9.0
1	C	361	HIS	8.8
1	C	355	SER	8.7
1	A	361	HIS	8.6
1	A	355	SER	8.5
1	A	352	MET	8.4
1	A	363	ALA	8.4
1	A	359	ASP	7.6
1	C	353	GLU	7.0
1	A	351	GLY	6.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	362	ASN	6.7
1	A	362	ASN	5.4
1	B	357	MET	5.1
1	A	353	GLU	5.1
1	C	411	PRO	4.3
1	A	340	PHE	4.2
1	D	357	MET	4.0
1	A	411	PRO	3.9
1	A	350	ARG	3.7
1	B	143	ILE	3.5
1	C	291	LYS	3.4
1	A	83	GLY	3.4
1	A	298	LEU	3.3
1	B	294	SER	3.3
1	B	412	GLN	3.3
1	B	296	GLY	3.1
1	D	356	PRO	3.0
1	B	91	VAL	3.0
1	C	298	LEU	2.9
1	A	387	LEU	2.9
1	C	292	VAL	2.9
1	A	346	ARG	2.9
1	C	297	VAL	2.9
1	A	299	LEU	2.8
1	C	287	VAL	2.8
1	A	84	VAL	2.7
1	A	375	TYR	2.7
1	B	297	VAL	2.6
1	C	299	LEU	2.6
1	D	327	GLN	2.6
1	A	296	GLY	2.6
1	B	356	PRO	2.6
1	A	295	SER	2.5
1	D	363	ALA	2.5
1	D	411	PRO	2.5
1	B	354	ILE	2.5
1	C	387	LEU	2.4
1	C	301	ASP	2.4
1	C	89	GLU	2.4
1	A	410	ILE	2.4
1	B	286	MET	2.4
1	B	295	SER	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	408	SER	2.3
1	C	396	LEU	2.3
1	A	349	GLU	2.2
1	C	410	ILE	2.2
1	D	354	ILE	2.2
1	D	360	LYS	2.2
1	C	300	LEU	2.2
1	C	277	MET	2.2
1	C	302	ASN	2.2
1	B	89	GLU	2.1
1	A	348	ARG	2.1
1	A	297	VAL	2.1
1	A	341	PHE	2.1
1	C	294	SER	2.1
1	D	358	CYS	2.1
1	B	222	MET	2.1
1	D	359	ASP	2.1
1	D	375	TYR	2.1
1	A	365	VAL	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	EDO	D	521	4/4	0.75	0.36	20,20,20,20	0
4	EDO	C	504	4/4	0.76	0.24	80,81,82,84	0
4	EDO	C	509	4/4	0.76	0.26	65,68,71,74	0
4	EDO	D	517	4/4	0.76	0.31	67,68,71,74	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EDO	A	511	4/4	0.76	0.22	66,69,72,73	0
4	EDO	B	506	4/4	0.77	0.21	60,74,79,85	0
4	EDO	D	514	4/4	0.77	0.20	54,59,60,62	0
5	EPE	A	510	15/15	0.78	0.22	71,93,109,110	0
4	EDO	B	509	4/4	0.79	0.21	80,82,85,88	0
4	EDO	B	511	4/4	0.82	0.20	49,51,55,58	0
4	EDO	D	513	4/4	0.82	0.17	54,55,57,57	0
6	4I7	A	513	46/46	0.82	0.16	48,73,126,132	0
4	EDO	D	509	4/4	0.83	0.16	55,58,59,69	0
4	EDO	D	506	4/4	0.83	0.25	72,75,76,78	0
4	EDO	D	518	4/4	0.83	0.17	59,63,65,66	0
7	PEG	D	512	7/7	0.83	0.18	41,45,59,59	0
4	EDO	B	504	4/4	0.84	0.23	67,68,70,71	0
4	EDO	A	507	4/4	0.84	0.17	55,60,66,70	0
6	4I7	D	520	46/46	0.84	0.16	38,61,116,122	0
4	EDO	B	512	4/4	0.84	0.17	54,58,60,62	0
6	4I7	B	513	46/46	0.85	0.16	39,66,114,127	0
5	EPE	B	510	15/15	0.85	0.18	65,96,103,104	0
4	EDO	D	507	4/4	0.85	0.19	48,54,57,65	0
4	EDO	C	506	4/4	0.87	0.17	49,53,57,60	0
4	EDO	B	503	4/4	0.87	0.20	68,70,71,74	0
6	4I7	C	508	46/46	0.87	0.13	41,54,98,106	0
4	EDO	B	508	4/4	0.87	0.13	59,61,61,61	0
4	EDO	A	508	4/4	0.87	0.19	58,63,64,66	0
4	EDO	D	504	4/4	0.88	0.12	36,39,41,41	0
4	EDO	D	515	4/4	0.88	0.15	54,54,55,60	0
4	EDO	A	506	4/4	0.88	0.16	49,53,56,63	0
4	EDO	B	507	4/4	0.88	0.16	56,56,56,61	0
4	EDO	B	505	4/4	0.88	0.17	63,64,64,65	0
4	EDO	D	503	4/4	0.88	0.19	67,69,73,74	0
5	EPE	D	516	15/15	0.89	0.19	44,83,105,109	0
4	EDO	A	512	4/4	0.89	0.18	60,64,64,66	0
4	EDO	C	503	4/4	0.90	0.16	61,63,64,64	0
4	EDO	D	505	4/4	0.90	0.15	51,51,53,55	0
4	EDO	D	519	4/4	0.90	0.16	48,49,52,53	0
4	EDO	C	507	4/4	0.91	0.12	42,46,47,50	0
4	EDO	D	508	4/4	0.91	0.12	54,57,57,58	0
7	PEG	D	511	7/7	0.91	0.13	40,44,52,53	0
4	EDO	A	503	4/4	0.91	0.14	64,67,68,72	0
4	EDO	A	509	4/4	0.92	0.19	43,46,48,48	0
4	EDO	D	510	4/4	0.92	0.12	43,43,44,46	0
4	EDO	A	505	4/4	0.93	0.10	39,43,44,45	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	EPE	C	505	15/15	0.95	0.11	52,69,80,82	0
4	EDO	A	504	4/4	0.95	0.09	32,39,42,48	0
2	ZN	A	501	1/1	0.99	0.01	37,37,37,37	0
2	ZN	D	501	1/1	0.99	0.02	30,30,30,30	0
2	ZN	C	501	1/1	1.00	0.01	36,36,36,36	0
2	ZN	B	501	1/1	1.00	0.03	39,39,39,39	0
3	MG	A	502	1/1	1.00	0.02	23,23,23,23	0
3	MG	B	502	1/1	1.00	0.04	21,21,21,21	0
3	MG	C	502	1/1	1.00	0.01	18,18,18,18	0
3	MG	D	502	1/1	1.00	0.03	16,16,16,16	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 4I7 A 513:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 4I7 D 520:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 4I7 B 513:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 4I7 C 508:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.