



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 04:38 AM UTC

PDB ID : 1IC1 / pdb_00001ic1
Title : THE CRYSTAL STRUCTURE FOR THE N-TERMINAL TWO DOMAINS OF ICAM-1
Authors : Casasnovas, J.M.; Stehle, T.; Liu, J.-H.; Wang, J.-H.; Springer, T.A.
Deposited on : 1998-03-09
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	190	4% 42% 37% 17% .
1	B	190	6% 38% 47% 11% .
2	C	2	50% 50%
2	D	2	100%
2	E	2	50% 50%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	D	1	X	-	-	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 3131 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called INTERCELLULAR ADHESION MOLECULE-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	190	Total	C	N	O	S	0	0	0
			1467	921	256	283	7			
1	B	190	Total	C	N	O	S	0	0	0
			1467	921	256	283	7			

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	D	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	E	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	29	Total	O	0	0
			29	29		
4	B	14	Total	O	0	0
			14	14		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: INTERCELLULAR ADHESION MOLECULE-1



• Molecule 1: INTERCELLULAR ADHESION MOLECULE-1



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  50% 50%

MAG1
MAG2

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	88.00Å 42.20Å 93.00Å 90.00° 109.30° 90.00°	Depositor
Resolution (Å)	15.00 – 3.00 15.00 – 3.00	Depositor EDS
% Data completeness (in resolution range)	91.3 (15.00-3.00) 90.5 (15.00-3.00)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.16 (at 2.93Å)	Xtriage
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.222 , 0.279 0.243 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	46.2	Xtriage
Anisotropy	0.094	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 56.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	3131	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.14	6/1498 (0.4%)	1.77	41/2043 (2.0%)
1	B	0.95	4/1498 (0.3%)	1.70	32/2043 (1.6%)
All	All	1.05	10/2996 (0.3%)	1.74	73/4086 (1.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	1
1	B	0	2
All	All	1	3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	189	ALA	CA-C	11.91	1.68	1.52
1	B	189	ALA	N-CA	11.71	1.61	1.46
1	B	187	LEU	CA-C	6.76	1.61	1.52
1	A	42	LEU	CA-C	6.52	1.60	1.52
1	A	89	VAL	CA-CB	6.21	1.62	1.53
1	A	10	ILE	CA-CB	6.02	1.61	1.54
1	A	103	ASN	CB-CG	5.97	1.67	1.52
1	B	190	THR	CA-CB	5.57	1.69	1.54
1	A	125	ARG	CA-C	-5.54	1.47	1.53
1	A	43	LEU	N-CA	5.00	1.52	1.46

All (73) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	187	LEU	CA-C-N	19.42	144.12	119.84
1	B	187	LEU	C-N-CA	19.42	144.12	119.84
1	A	69	CYS	CA-C-N	16.75	140.78	119.84
1	A	69	CYS	C-N-CA	16.75	140.78	119.84
1	A	55	SER	N-CA-C	15.53	133.00	113.43
1	B	166	ARG	CA-C-N	14.75	138.28	119.84
1	B	166	ARG	C-N-CA	14.75	138.28	119.84
1	B	168	GLN	N-CA-C	-14.61	94.90	111.71
1	B	188	PRO	N-CA-C	14.43	142.19	112.47
1	A	189	ALA	N-CA-C	13.92	140.44	110.80
1	B	43	LEU	N-CA-C	11.81	128.54	108.23
1	B	169	GLY	N-CA-C	10.27	137.51	113.18
1	B	44	LEU	CA-C-N	10.21	129.59	118.97
1	B	44	LEU	C-N-CA	10.21	129.59	118.97
1	A	48	ASN	N-CA-C	-9.74	98.51	113.89
1	A	25	CYS	N-CA-C	-9.24	95.61	110.20
1	B	187	LEU	N-CA-C	9.02	129.75	109.81
1	A	69	CYS	CB-CA-C	8.83	121.82	110.34
1	A	27	GLN	CA-C-N	8.49	129.14	120.14
1	A	27	GLN	C-N-CA	8.49	129.14	120.14
1	B	103	ASN	CB-CG-ND2	8.38	128.97	116.40
1	A	187	LEU	C-N-CD	-8.34	102.26	120.60
1	B	98	GLN	CA-C-N	8.15	128.46	119.90
1	B	98	GLN	C-N-CA	8.15	128.46	119.90
1	A	190	THR	CB-CA-C	8.14	127.01	109.10
1	A	72	GLY	N-CA-C	-8.03	94.14	113.18
1	B	189	ALA	CA-C-O	-7.92	109.19	120.51
1	A	69	CYS	C-N-CD	-7.56	94.01	125.00
1	A	71	ASP	N-CA-CB	7.41	122.59	110.37
1	A	98	GLN	CA-C-N	7.31	127.07	119.76
1	A	98	GLN	C-N-CA	7.31	127.07	119.76
1	B	167	PRO	CB-CA-C	7.25	123.53	111.56
1	A	17	VAL	CB-CA-C	-7.07	101.44	111.40
1	A	47	ASN	O-C-N	7.05	131.97	122.59
1	B	41	GLU	N-CA-C	-6.80	100.42	110.48
1	A	187	LEU	CA-C-N	6.80	143.31	127.00
1	A	187	LEU	C-N-CA	6.80	143.31	127.00
1	B	62	GLN	CA-C-N	6.66	126.64	119.78
1	B	62	GLN	C-N-CA	6.66	126.64	119.78
1	B	118	ASN	N-CA-C	-6.63	103.14	113.02
1	A	126	GLY	N-CA-C	-6.46	100.25	111.50
1	A	147	LEU	N-CA-C	-6.20	99.07	108.67
1	B	39	LYS	N-CA-C	6.14	118.96	109.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	42	LEU	N-CA-C	6.01	119.35	109.85
1	A	125	ARG	N-CA-C	-5.89	96.08	107.44
1	B	65	CYS	N-CA-C	-5.84	102.27	110.50
1	B	14	GLY	N-CA-C	-5.72	107.16	114.37
1	A	71	ASP	N-CA-C	5.71	117.96	108.20
1	B	167	PRO	N-CA-C	5.67	124.15	112.47
1	A	103	ASN	CB-CG-ND2	5.65	124.88	116.40
1	B	122	VAL	N-CA-C	5.65	116.14	107.77
1	A	122	VAL	N-CA-C	5.63	116.17	107.78
1	A	189	ALA	CA-C-N	5.62	131.81	121.70
1	A	189	ALA	C-N-CA	5.62	131.81	121.70
1	B	148	VAL	N-CA-C	5.60	120.99	109.34
1	A	69	CYS	N-CA-C	-5.53	96.65	108.93
1	A	156	ASN	CB-CA-C	5.52	119.31	109.65
1	B	170	LEU	N-CA-C	-5.52	99.05	110.80
1	B	145	THR	N-CA-C	5.45	117.29	108.41
1	A	100	VAL	CA-C-N	-5.41	117.56	123.30
1	A	100	VAL	C-N-CA	-5.41	117.56	123.30
1	A	70	PRO	N-CA-CB	5.38	108.90	103.25
1	A	129	GLU	N-CA-C	5.30	117.91	109.96
1	B	37	LEU	N-CA-C	5.24	117.61	110.01
1	A	64	MET	N-CA-C	5.20	116.87	108.34
1	A	178	ALA	N-CA-C	-5.18	102.92	110.08
1	A	47	ASN	CA-C-N	5.18	130.07	121.99
1	A	47	ASN	C-N-CA	5.18	130.07	121.99
1	B	168	GLN	CA-C-N	5.11	131.43	121.41
1	B	168	GLN	C-N-CA	5.11	131.43	121.41
1	A	38	PRO	N-CA-C	-5.10	101.96	112.47
1	A	45	PRO	O-C-N	5.04	128.75	122.71
1	B	43	LEU	CA-CB-CG	-5.03	98.69	116.30

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	190	THR	CA

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	83	TYR	Sidechain
1	B	188	PRO	Mainchain
1	B	189	ALA	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1467	0	1475	94	0
1	B	1467	0	1475	104	0
2	C	28	0	25	1	0
2	D	28	0	25	1	0
2	E	28	0	25	1	0
3	A	42	0	39	9	0
3	B	28	0	26	6	0
4	A	29	0	0	0	0
4	B	14	0	0	0	0
All	All	3131	0	3090	199	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 32.

All (199) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:103:ASN:HD21	1:B:145:THR:HG21	1.16	1.10
1:B:103:ASN:ND2	1:B:145:THR:HG21	1.78	0.98
1:A:1:GLN:HE21	1:A:1:GLN:HA	1.27	0.98
1:B:186:VAL:O	1:B:187:LEU:HB2	1.67	0.93
1:B:22:SER:HB3	1:B:49:ARG:HG2	1.52	0.92
1:A:187:LEU:HD12	1:A:189:ALA:HB3	1.57	0.85
1:B:161:THR:HG22	1:B:175:ASN:HB2	1.58	0.84
1:B:187:LEU:HB3	1:B:188:PRO:HD3	1.58	0.84
1:B:64:MET:HE2	1:B:77:LYS:HE2	1.57	0.83
1:B:90:GLU:HG3	1:B:177:SER:HB2	1.60	0.81
1:A:156:ASN:HB3	1:A:181:GLN:HA	1.63	0.79
1:A:187:LEU:CD1	1:A:189:ALA:HB3	2.12	0.79
1:A:188:PRO:O	1:A:189:ALA:HB2	1.82	0.78
1:A:105:THR:HB	1:A:145:THR:HG22	1.65	0.78
1:A:44:LEU:HD12	1:A:45:PRO:HD2	1.65	0.76
1:A:64:MET:HB2	1:A:77:LYS:HG2	1.70	0.74
1:A:25:CYS:HB2	1:A:28:PRO:HG3	1.68	0.74
1:B:116:ARG:HD3	1:B:135:ALA:O	1.89	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:73:GLN:HG2	1:A:74:SER:H	1.52	0.71
1:B:9:VAL:HB	1:B:80:LEU:HD22	1.73	0.71
1:A:156:ASN:CB	1:A:181:GLN:HA	2.20	0.71
1:A:66:TYR:HB2	1:A:73:GLN:NE2	2.06	0.71
1:B:165:LEU:HD23	1:B:168:GLN:HE21	1.57	0.70
1:A:86:PRO:HA	1:A:112:GLY:O	1.91	0.70
1:A:44:LEU:HD23	1:A:49:ARG:HB3	1.76	0.68
1:A:187:LEU:HD12	1:A:189:ALA:CB	2.24	0.67
1:A:1:GLN:HA	1:A:1:GLN:NE2	2.02	0.67
1:B:64:MET:CE	1:B:77:LYS:HE2	2.25	0.67
1:B:187:LEU:CB	1:B:188:PRO:HD3	2.22	0.66
1:B:165:LEU:CD2	1:B:168:GLN:HE21	2.08	0.66
1:B:167:PRO:C	1:B:169:GLY:N	2.48	0.66
1:B:40:LYS:HB2	1:B:53:GLU:HB3	1.79	0.64
1:A:85:THR:HG21	2:C:1:NAG:H5	1.79	0.64
1:A:152:HIS:HB3	1:A:182:LEU:HD23	1.80	0.64
1:B:89:VAL:HG12	1:B:110:VAL:HG13	1.80	0.64
1:A:124:LEU:HD23	1:A:129:GLU:HG2	1.81	0.63
1:B:100:VAL:HG22	1:B:184:THR:HB	1.81	0.63
1:B:58:GLN:HG2	1:B:59:GLU:HG3	1.81	0.62
1:A:113:GLY:H	1:A:116:ARG:HH21	1.46	0.62
1:A:125:ARG:HB2	1:A:130:LEU:HD11	1.80	0.62
1:A:156:ASN:HB2	1:A:180:TYR:O	1.99	0.62
1:A:1:GLN:N	1:A:24:SER:OG	2.31	0.62
1:A:72:GLY:O	1:A:73:GLN:HB2	2.00	0.61
1:A:105:THR:HB	1:A:145:THR:CG2	2.30	0.61
1:B:165:LEU:HB2	1:B:171:GLU:O	2.01	0.61
1:A:1:GLN:HE21	1:A:1:GLN:CA	2.07	0.60
1:A:147:LEU:H	3:A:311:NAG:C7	2.14	0.60
1:B:23:THR:O	1:B:48:ASN:ND2	2.34	0.60
1:B:66:TYR:HB2	1:B:73:GLN:NE2	2.17	0.60
1:B:103:ASN:ND2	1:B:145:THR:CG2	2.61	0.60
1:A:15:GLY:O	1:A:57:VAL:HG23	2.02	0.59
1:B:145:THR:HG23	3:B:311:NAG:C7	2.33	0.58
1:B:13:ARG:HA	1:B:82:VAL:CG1	2.33	0.58
1:B:145:THR:HG23	3:B:311:NAG:H82	1.85	0.58
1:B:88:ARG:HB3	1:B:111:GLU:HG2	1.85	0.58
1:B:11:LEU:HD21	1:B:57:VAL:HG21	1.85	0.57
1:B:100:VAL:HG23	1:B:185:PHE:O	2.04	0.57
1:B:108:CYS:HB3	1:B:142:VAL:CG1	2.34	0.57
1:B:124:LEU:HD23	1:B:129:GLU:HA	1.87	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:124:LEU:CD2	1:A:129:GLU:HG2	2.35	0.56
1:B:161:THR:CG2	1:B:175:ASN:HB2	2.34	0.56
1:B:84:TRP:HE1	1:B:114:ALA:HB3	1.69	0.56
1:B:122:VAL:HG12	1:B:160:ARG:O	2.06	0.56
1:B:90:GLU:HA	1:B:177:SER:HB2	1.87	0.56
1:B:131:LYS:HG3	1:B:132:ARG:H	1.71	0.56
1:A:99:PRO:HD2	1:A:102:LYS:HD2	1.87	0.55
1:B:131:LYS:O	1:B:132:ARG:HB2	2.07	0.55
1:A:98:GLN:HB2	1:A:182:LEU:HD11	1.88	0.55
1:A:146:VAL:HG13	3:A:311:NAG:H82	1.88	0.55
1:A:113:GLY:N	1:A:116:ARG:HH21	2.04	0.54
1:A:147:LEU:HB3	3:A:311:NAG:O7	2.08	0.54
1:A:90:GLU:HA	1:A:177:SER:HB2	1.88	0.54
1:B:186:VAL:O	1:B:187:LEU:CB	2.50	0.54
1:B:2:THR:OG1	1:B:74:SER:HB2	2.06	0.54
1:B:119:LEU:HD23	1:B:135:ALA:CB	2.37	0.54
1:B:44:LEU:HD13	1:B:51:VAL:HG21	1.90	0.54
1:A:41:GLU:HG3	1:A:52:TYR:CE1	2.43	0.53
1:B:124:LEU:HD11	1:B:160:ARG:NH1	2.24	0.53
1:A:157:PHE:CD1	1:A:157:PHE:N	2.76	0.53
1:A:62:GLN:HG2	1:A:79:PHE:CE1	2.43	0.52
1:A:167:PRO:HG3	3:A:312:NAG:H82	1.92	0.52
1:A:187:LEU:HA	1:A:188:PRO:O	2.10	0.52
1:A:44:LEU:CD2	1:A:49:ARG:HB3	2.41	0.51
1:B:5:SER:HA	1:B:6:PRO:C	2.35	0.51
1:A:108:CYS:HB2	1:A:123:LEU:HD21	1.91	0.51
1:A:66:TYR:HB2	1:A:73:GLN:HE21	1.76	0.51
1:B:187:LEU:HB3	1:B:188:PRO:CD	2.35	0.51
1:A:13:ARG:HA	1:A:82:VAL:CG1	2.42	0.50
1:B:11:LEU:HD12	1:B:11:LEU:H	1.77	0.50
1:B:73:GLN:HG2	1:B:74:SER:N	2.26	0.50
1:B:145:THR:HG23	3:B:311:NAG:N2	2.26	0.50
1:B:8:LYS:HD3	1:B:9:VAL:N	2.26	0.50
1:B:145:THR:CG2	3:B:311:NAG:N2	2.75	0.50
1:B:1:GLN:NE2	1:B:25:CYS:HA	2.27	0.49
1:B:11:LEU:HD23	1:B:17:VAL:HB	1.93	0.49
1:B:20:THR:OG1	1:B:51:VAL:HG22	2.12	0.49
1:B:116:ARG:NH1	1:B:137:GLY:O	2.45	0.49
1:B:119:LEU:HD23	1:B:135:ALA:HB3	1.94	0.49
1:A:62:GLN:HG2	1:A:79:PHE:CD1	2.48	0.49
1:A:38:PRO:HB2	1:A:55:SER:HB2	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:117:ALA:HB3	3:A:312:NAG:O6	2.13	0.49
1:B:122:VAL:HG23	1:B:131:LYS:O	2.13	0.49
1:A:96:SER:OG	1:A:183:GLN:HG3	2.13	0.49
1:B:11:LEU:CD2	1:B:17:VAL:HB	2.43	0.48
1:B:190:THR:HG23	1:B:190:THR:O	2.13	0.48
1:B:84:TRP:NE1	1:B:114:ALA:HB3	2.27	0.48
1:B:153:HIS:HB2	1:B:184:THR:OG1	2.12	0.48
1:A:104:LEU:O	1:A:146:VAL:N	2.47	0.48
1:B:96:SER:OG	1:B:183:GLN:HG3	2.14	0.48
1:B:124:LEU:O	1:B:157:PHE:HA	2.13	0.48
1:B:181:GLN:HG3	1:B:181:GLN:O	2.14	0.48
2:D:1:NAG:O3	2:D:2:NAG:O5	2.20	0.48
1:B:73:GLN:HG2	1:B:74:SER:H	1.78	0.48
1:B:165:LEU:HB3	1:B:169:GLY:HA2	1.94	0.48
1:A:150:ARG:HH11	1:A:150:ARG:HG3	1.79	0.48
1:A:165:LEU:HB2	1:A:170:LEU:HB2	1.96	0.48
1:B:125:ARG:HH11	1:B:125:ARG:HG2	1.79	0.48
1:A:97:TRP:HA	1:A:183:GLN:O	2.14	0.47
1:B:15:GLY:O	1:B:57:VAL:HG23	2.14	0.47
1:B:63:PRO:O	1:B:77:LYS:HA	2.14	0.47
1:A:118:ASN:OD1	3:A:312:NAG:O5	2.29	0.47
1:A:40:LYS:O	1:A:52:TYR:HA	2.14	0.47
1:B:66:TYR:C	1:B:66:TYR:CD1	2.92	0.47
1:B:123:LEU:HD13	1:B:144:THR:HG22	1.97	0.47
1:A:35:THR:HG22	1:A:39:LYS:HE2	1.95	0.47
1:B:43:LEU:HD23	1:B:44:LEU:H	1.78	0.47
1:B:30:LEU:HD13	1:B:66:TYR:HE1	1.80	0.47
1:A:165:LEU:CB	1:A:170:LEU:HB2	2.45	0.47
1:B:99:PRO:HD2	1:B:102:LYS:HD2	1.97	0.47
1:A:18:LEU:HD23	1:A:18:LEU:HA	1.65	0.46
1:A:147:LEU:HB3	3:A:311:NAG:C7	2.45	0.46
1:B:44:LEU:HA	1:B:45:PRO:HD2	1.52	0.46
1:A:11:LEU:O	1:A:82:VAL:HA	2.16	0.46
1:B:9:VAL:HB	1:B:80:LEU:CD2	2.45	0.46
1:A:57:VAL:HG12	1:A:82:VAL:CG2	2.44	0.46
1:B:182:LEU:HD22	1:B:184:THR:HG23	1.98	0.46
1:B:145:THR:HG23	3:B:311:NAG:C8	2.45	0.46
1:A:187:LEU:CG	1:A:189:ALA:HB3	2.45	0.46
1:B:125:ARG:HA	1:B:157:PHE:CD2	2.51	0.46
1:A:96:SER:O	1:A:182:LEU:HD12	2.15	0.46
1:B:19:VAL:HG22	1:B:20:THR:N	2.31	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:85:THR:HG21	2:E:1:NAG:H5	1.98	0.45
1:A:156:ASN:OD1	3:A:313:NAG:H2	2.16	0.45
1:A:166:ARG:N	1:A:167:PRO:HD2	2.31	0.45
1:B:89:VAL:CG1	1:B:110:VAL:HG13	2.47	0.45
1:B:8:LYS:HG2	1:B:79:PHE:HB2	1.98	0.45
1:B:86:PRO:HA	1:B:113:GLY:N	2.32	0.45
1:B:165:LEU:HD23	1:B:165:LEU:HA	1.62	0.45
1:A:165:LEU:HA	1:A:168:GLN:HG3	1.98	0.45
1:A:147:LEU:HB2	3:A:311:NAG:H2	1.98	0.44
1:B:69:CYS:HB3	1:B:70:PRO:HD2	1.98	0.44
1:A:108:CYS:CB	1:A:123:LEU:HD21	2.47	0.44
1:B:10:ILE:O	1:B:10:ILE:HG23	2.16	0.44
1:B:11:LEU:HD22	1:B:15:GLY:O	2.18	0.44
1:A:12:PRO:HG3	1:A:83:TYR:CZ	2.52	0.44
1:A:108:CYS:HB3	1:A:142:VAL:CG1	2.48	0.44
1:B:163:LEU:HD12	1:B:163:LEU:HA	1.87	0.43
1:B:88:ARG:NH1	1:B:90:GLU:HB3	2.33	0.43
1:B:98:GLN:HA	1:B:99:PRO:HD3	1.76	0.43
1:B:83:TYR:CE2	1:B:170:LEU:HD13	2.53	0.43
1:A:43:LEU:O	1:A:43:LEU:HG	2.18	0.43
1:A:105:THR:CB	1:A:145:THR:HG22	2.43	0.43
1:B:10:ILE:HA	1:B:81:THR:O	2.17	0.43
1:B:39:LYS:HA	1:B:53:GLU:O	2.18	0.43
1:B:88:ARG:O	1:B:110:VAL:HA	2.18	0.43
1:A:21:CYS:SG	1:A:33:ILE:HB	2.59	0.42
1:B:13:ARG:HA	1:B:82:VAL:HG13	2.01	0.42
1:B:43:LEU:HD23	1:B:43:LEU:HA	1.48	0.42
1:B:166:ARG:HA	1:B:167:PRO:HD3	1.81	0.42
1:B:188:PRO:HB3	1:B:189:ALA:H	1.61	0.42
1:A:11:LEU:CD2	1:A:17:VAL:HG22	2.50	0.42
1:A:84:TRP:NE1	1:A:114:ALA:HB3	2.34	0.42
1:A:125:ARG:HG3	1:A:157:PHE:CE2	2.55	0.42
1:A:181:GLN:HE21	1:A:181:GLN:HB3	1.56	0.42
1:A:34:GLU:HG2	1:A:64:MET:CE	2.50	0.42
1:B:145:THR:HG21	3:B:311:NAG:C1	2.48	0.42
1:A:28:PRO:HB3	1:A:69:CYS:SG	2.60	0.42
1:A:119:LEU:HD13	1:A:163:LEU:HD13	2.02	0.42
1:A:113:GLY:H	1:A:116:ARG:NH2	2.15	0.42
1:A:108:CYS:O	1:A:141:GLU:HA	2.20	0.41
1:A:124:LEU:HD23	1:A:129:GLU:CG	2.49	0.41
1:A:91:LEU:CD2	1:A:159:CYS:HB2	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:98:GLN:HA	1:A:99:PRO:HD3	1.73	0.41
1:A:104:LEU:O	1:A:145:THR:HA	2.20	0.41
1:A:23:THR:HG21	1:A:28:PRO:HG2	2.01	0.41
1:A:29:LYS:HE2	1:A:70:PRO:HA	2.03	0.41
1:A:48:ASN:HD22	1:A:48:ASN:HA	1.60	0.41
1:B:11:LEU:HD12	1:B:11:LEU:N	2.36	0.41
1:A:97:TRP:C	1:A:98:GLN:HG2	2.44	0.41
1:A:118:ASN:OD1	1:A:168:GLN:NE2	2.54	0.41
1:A:165:LEU:N	1:A:171:GLU:O	2.49	0.41
1:B:4:VAL:HB	1:B:65:CYS:SG	2.60	0.41
1:B:17:VAL:HG22	1:B:18:LEU:N	2.34	0.40
1:A:11:LEU:O	1:A:11:LEU:HD12	2.22	0.40
1:A:181:GLN:H	1:A:181:GLN:HG2	1.62	0.40
1:B:79:PHE:C	1:B:80:LEU:HD23	2.46	0.40
1:A:162:GLU:HB3	1:A:172:LEU:HD11	2.03	0.40
1:B:86:PRO:HG3	1:B:113:GLY:HA3	2.03	0.40
1:B:116:ARG:NH1	1:B:140:ALA:HB2	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	188/190 (99%)	166 (88%)	14 (7%)	8 (4%)	2	12
1	B	188/190 (99%)	161 (86%)	15 (8%)	12 (6%)	1	6
All	All	376/380 (99%)	327 (87%)	29 (8%)	20 (5%)	1	9

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	70	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	73	GLN
1	A	188	PRO
1	B	46	GLY
1	B	132	ARG
1	B	167	PRO
1	B	169	GLY
1	B	187	LEU
1	B	188	PRO
1	B	189	ALA
1	A	43	LEU
1	A	112	GLY
1	A	189	ALA
1	B	71	ASP
1	B	138	GLU
1	A	15	GLY
1	B	86	PRO
1	B	100	VAL
1	B	113	GLY
1	A	86	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	169/169 (100%)	143 (85%)	26 (15%)	2	13
1	B	169/169 (100%)	148 (88%)	21 (12%)	4	20
All	All	338/338 (100%)	291 (86%)	47 (14%)	3	17

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	GLN
1	A	5	SER
1	A	7	SER
1	A	8	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	10	ILE
1	A	11	LEU
1	A	17	VAL
1	A	26	ASP
1	A	30	LEU
1	A	39	LYS
1	A	43	LEU
1	A	47	ASN
1	A	48	ASN
1	A	57	VAL
1	A	89	VAL
1	A	90	GLU
1	A	96	SER
1	A	103	ASN
1	A	122	VAL
1	A	124	LEU
1	A	156	ASN
1	A	168	GLN
1	A	174	GLU
1	A	181	GLN
1	A	187	LEU
1	A	190	THR
1	B	11	LEU
1	B	22	SER
1	B	24	SER
1	B	30	LEU
1	B	42	LEU
1	B	44	LEU
1	B	50	LYS
1	B	53	GLU
1	B	88	ARG
1	B	89	VAL
1	B	90	GLU
1	B	94	LEU
1	B	141	GLU
1	B	143	THR
1	B	145	THR
1	B	147	LEU
1	B	164	ASP
1	B	167	PRO
1	B	170	LEU
1	B	187	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	188	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1	GLN
1	A	48	ASN
1	A	56	ASN
1	A	68	ASN
1	A	73	GLN
1	A	153	HIS
1	A	181	GLN
1	A	183	GLN
1	B	1	GLN
1	B	48	ASN
1	B	73	GLN
1	B	168	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

6 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	C	1	1,2	14,14,15	0.51	0	17,19,21	0.98	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	2	2	14,14,15	0.71	0	17,19,21	1.13	1 (5%)
2	NAG	D	1	1,2	14,14,15	0.77	1 (7%)	17,19,21	1.66	4 (23%)
2	NAG	D	2	2	14,14,15	0.45	0	17,19,21	1.19	2 (11%)
2	NAG	E	1	1,2	14,14,15	1.08	1 (7%)	17,19,21	1.39	2 (11%)
2	NAG	E	2	2	14,14,15	1.26	2 (14%)	17,19,21	0.69	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	C	2	2	-	0/6/23/26	0/1/1/1
2	NAG	D	1	1,2	1/1/5/7	3/6/23/26	0/1/1/1
2	NAG	D	2	2	-	2/6/23/26	0/1/1/1
2	NAG	E	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	2	NAG	C1-C2	3.16	1.56	1.52
2	E	1	NAG	O4-C4	2.93	1.50	1.43
2	E	2	NAG	O5-C5	2.19	1.47	1.43
2	D	1	NAG	C4-C3	2.08	1.57	1.52

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1	NAG	C1-C2-N2	4.23	117.09	110.43
2	C	2	NAG	C2-N2-C7	-3.34	118.43	122.90
2	D	2	NAG	C1-O5-C5	3.26	116.55	112.19
2	E	1	NAG	O4-C4-C3	2.90	117.20	110.38
2	E	1	NAG	O4-C4-C5	2.73	116.05	109.32
2	D	1	NAG	C4-C3-C2	-2.22	107.76	111.02
2	D	1	NAG	C2-N2-C7	-2.15	120.02	122.90
2	D	2	NAG	C4-C3-C2	-2.06	108.00	111.02
2	C	1	NAG	C2-N2-C7	-2.04	120.16	122.90
2	D	1	NAG	C8-C7-N2	2.00	119.44	116.12

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	D	1	NAG	C1

All (7) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	D	1	NAG	O5-C5-C6-O6
2	C	1	NAG	C4-C5-C6-O6
2	C	1	NAG	O5-C5-C6-O6
2	D	2	NAG	C3-C2-N2-C7
2	D	1	NAG	C1-C2-N2-C7
2	D	2	NAG	C1-C2-N2-C7
2	D	1	NAG	C4-C5-C6-O6


There are no ring outliers.


4 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	1	NAG	1	0
2	D	2	NAG	1	0
2	E	1	NAG	1	0
2	D	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	311	1	14,14,15	3.74	2 (14%)	17,19,21	2.10	4 (23%)
3	NAG	A	313	1	14,14,15	0.73	0	17,19,21	0.86	0
3	NAG	B	311	1	14,14,15	3.08	3 (21%)	17,19,21	1.64	3 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	A	312	1	14,14,15	0.71	1 (7%)	17,19,21	1.24	2 (11%)
3	NAG	B	312	1	14,14,15	1.39	2 (14%)	17,19,21	2.22	8 (47%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	311	1	-	0/6/23/26	0/1/1/1
3	NAG	A	313	1	-	0/6/23/26	0/1/1/1
3	NAG	B	311	1	-	0/6/23/26	0/1/1/1
3	NAG	A	312	1	-	0/6/23/26	0/1/1/1
3	NAG	B	312	1	-	2/6/23/26	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	311	NAG	C1-C2	12.63	1.69	1.52
3	B	311	NAG	C1-C2	10.41	1.66	1.52
3	A	311	NAG	C3-C2	4.79	1.62	1.52
3	B	312	NAG	O5-C5	-3.79	1.36	1.43
3	B	311	NAG	C3-C2	2.96	1.58	1.52
3	B	311	NAG	O5-C5	2.72	1.48	1.43
3	B	312	NAG	C1-C2	2.53	1.55	1.52
3	A	312	NAG	C1-C2	2.04	1.55	1.52

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	311	NAG	C1-O5-C5	6.05	120.29	112.19
3	B	311	NAG	C1-O5-C5	4.41	118.10	112.19
3	B	312	NAG	C2-N2-C7	-3.98	117.57	122.90
3	B	312	NAG	C8-C7-N2	3.86	122.52	116.12
3	B	312	NAG	C1-C2-N2	3.75	116.35	110.43
3	A	311	NAG	C1-C2-N2	3.45	115.87	110.43
3	B	311	NAG	C1-C2-N2	3.26	115.58	110.43
3	B	312	NAG	O7-C7-C8	-2.78	117.10	122.05
3	A	311	NAG	O5-C5-C6	-2.73	102.34	107.66
3	A	312	NAG	C6-C5-C4	2.70	119.64	113.02
3	A	312	NAG	C3-C4-C5	-2.65	105.43	110.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	312	NAG	O5-C1-C2	-2.61	107.26	111.29
3	B	312	NAG	C4-C3-C2	2.48	114.66	111.02
3	B	312	NAG	C1-O5-C5	2.41	115.41	112.19
3	B	311	NAG	O5-C5-C6	-2.40	102.98	107.66
3	B	312	NAG	O5-C5-C6	-2.33	103.13	107.66
3	A	311	NAG	O7-C7-C8	-2.20	118.14	122.05

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	312	NAG	O5-C5-C6-O6
3	B	312	NAG	C4-C5-C6-O6

There are no ring outliers.

4 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	311	NAG	5	0
3	A	313	NAG	1	0
3	B	311	NAG	6	0
3	A	312	NAG	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	190/190 (100%)	-0.13	8 (4%)	40	22	7, 25, 69, 93	0
1	B	190/190 (100%)	0.58	12 (6%)	26	13	33, 68, 95, 111	0
All	All	380/380 (100%)	0.23	20 (5%)	32	16	7, 48, 91, 111	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	190	THR	5.1
1	B	190	THR	4.5
1	A	189	ALA	3.8
1	A	73	GLN	3.1
1	B	58	GLN	2.9
1	A	70	PRO	2.7
1	B	189	ALA	2.7
1	B	166	ARG	2.5
1	A	71	ASP	2.5
1	B	46	GLY	2.4
1	B	181	GLN	2.4
1	A	27	GLN	2.3
1	A	47	ASN	2.2
1	B	25	CYS	2.2
1	B	168	GLN	2.2
1	B	116	ARG	2.1
1	B	170	LEU	2.1
1	A	72	GLY	2.1
1	B	26	ASP	2.1
1	B	127	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	E	2	14/15	0.34	0.26	76,79,83,84	0
2	NAG	D	2	14/15	0.56	0.18	85,86,87,89	0
2	NAG	E	1	14/15	0.81	0.13	61,65,68,74	0
2	NAG	D	1	14/15	0.82	0.14	73,77,79,83	0
2	NAG	C	2	14/15	0.85	0.11	33,38,44,50	0
2	NAG	C	1	14/15	0.88	0.11	29,34,40,42	0


The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around Chain D:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	B	311	14/15	0.33	0.21	78,86,94,98	0
3	NAG	B	312	14/15	0.49	0.18	105,107,109,109	0
3	NAG	A	311	14/15	0.66	0.31	74,82,88,90	0
3	NAG	A	313	14/15	0.73	0.18	48,51,53,57	0
3	NAG	A	312	14/15	0.81	0.15	50,52,57,58	0

6.5 Other polymers [i](#)

There are no such residues in this entry.