



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 11:45 PM UTC

PDB ID : 5ICR / pdb_00005icr
Title : 2.25 Angstrom Resolution Crystal Structure of Fatty-Acid-CoA Ligase (FadD32) from Mycobacterium smegmatis in complex with Inhibitor 5'-O-[(11-phenoxyundecanoyl)sulfamoyl]adenosine.
Authors : Minasov, G.; Shuvalova, L.; Hung, D.; Fisher, S.L.; Edelstein, J.; Kiryukhina, O.; Dubrovskaya, I.; Anderson, W.F.; Center for Structural Genomics of Infectious Diseases (CSGID)
Deposited on : 2016-02-23
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1898 (2.26-2.26)
Clashscore	190562	2005 (2.26-2.26)
Ramachandran outliers	187476	1965 (2.26-2.26)
Sidechain outliers	187428	1966 (2.26-2.26)
RSRZ outliers	180081	1898 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	650	% 87% 6% • 7%
1	B	650	2% 89% • 6%
1	C	650	2% 90% • 5%

Continued on next page...

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	D	650	3% 85% 8% • 6%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 20342 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acyl-CoA synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	607	Total	C	N	O	S	0	14	0
			4782	3012	851	911	8			
1	B	609	Total	C	N	O	S	0	1	0
			4680	2957	829	887	7			
1	C	618	Total	C	N	O	S	0	4	0
			4768	3003	849	908	8			
1	D	609	Total	C	N	O	S	0	8	0
			4732	2989	839	897	7			

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP A0R618
A	-18	GLY	-	expression tag	UNP A0R618
A	-17	SER	-	expression tag	UNP A0R618
A	-16	SER	-	expression tag	UNP A0R618
A	-15	HIS	-	expression tag	UNP A0R618
A	-14	HIS	-	expression tag	UNP A0R618
A	-13	HIS	-	expression tag	UNP A0R618
A	-12	HIS	-	expression tag	UNP A0R618
A	-11	HIS	-	expression tag	UNP A0R618
A	-10	HIS	-	expression tag	UNP A0R618
A	-9	SER	-	expression tag	UNP A0R618
A	-8	SER	-	expression tag	UNP A0R618
A	-7	GLY	-	expression tag	UNP A0R618
A	-6	LEU	-	expression tag	UNP A0R618
A	-5	VAL	-	expression tag	UNP A0R618
A	-4	PRO	-	expression tag	UNP A0R618
A	-3	ARG	-	expression tag	UNP A0R618
A	-2	GLY	-	expression tag	UNP A0R618
A	-1	SER	-	expression tag	UNP A0R618
A	0	HIS	-	expression tag	UNP A0R618
B	-19	MET	-	initiating methionine	UNP A0R618

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-18	GLY	-	expression tag	UNP A0R618
B	-17	SER	-	expression tag	UNP A0R618
B	-16	SER	-	expression tag	UNP A0R618
B	-15	HIS	-	expression tag	UNP A0R618
B	-14	HIS	-	expression tag	UNP A0R618
B	-13	HIS	-	expression tag	UNP A0R618
B	-12	HIS	-	expression tag	UNP A0R618
B	-11	HIS	-	expression tag	UNP A0R618
B	-10	HIS	-	expression tag	UNP A0R618
B	-9	SER	-	expression tag	UNP A0R618
B	-8	SER	-	expression tag	UNP A0R618
B	-7	GLY	-	expression tag	UNP A0R618
B	-6	LEU	-	expression tag	UNP A0R618
B	-5	VAL	-	expression tag	UNP A0R618
B	-4	PRO	-	expression tag	UNP A0R618
B	-3	ARG	-	expression tag	UNP A0R618
B	-2	GLY	-	expression tag	UNP A0R618
B	-1	SER	-	expression tag	UNP A0R618
B	0	HIS	-	expression tag	UNP A0R618
C	-19	MET	-	initiating methionine	UNP A0R618
C	-18	GLY	-	expression tag	UNP A0R618
C	-17	SER	-	expression tag	UNP A0R618
C	-16	SER	-	expression tag	UNP A0R618
C	-15	HIS	-	expression tag	UNP A0R618
C	-14	HIS	-	expression tag	UNP A0R618
C	-13	HIS	-	expression tag	UNP A0R618
C	-12	HIS	-	expression tag	UNP A0R618
C	-11	HIS	-	expression tag	UNP A0R618
C	-10	HIS	-	expression tag	UNP A0R618
C	-9	SER	-	expression tag	UNP A0R618
C	-8	SER	-	expression tag	UNP A0R618
C	-7	GLY	-	expression tag	UNP A0R618
C	-6	LEU	-	expression tag	UNP A0R618
C	-5	VAL	-	expression tag	UNP A0R618
C	-4	PRO	-	expression tag	UNP A0R618
C	-3	ARG	-	expression tag	UNP A0R618
C	-2	GLY	-	expression tag	UNP A0R618
C	-1	SER	-	expression tag	UNP A0R618
C	0	HIS	-	expression tag	UNP A0R618
D	-19	MET	-	initiating methionine	UNP A0R618
D	-18	GLY	-	expression tag	UNP A0R618
D	-17	SER	-	expression tag	UNP A0R618

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-16	SER	-	expression tag	UNP A0R618
D	-15	HIS	-	expression tag	UNP A0R618
D	-14	HIS	-	expression tag	UNP A0R618
D	-13	HIS	-	expression tag	UNP A0R618
D	-12	HIS	-	expression tag	UNP A0R618
D	-11	HIS	-	expression tag	UNP A0R618
D	-10	HIS	-	expression tag	UNP A0R618
D	-9	SER	-	expression tag	UNP A0R618
D	-8	SER	-	expression tag	UNP A0R618
D	-7	GLY	-	expression tag	UNP A0R618
D	-6	LEU	-	expression tag	UNP A0R618
D	-5	VAL	-	expression tag	UNP A0R618
D	-4	PRO	-	expression tag	UNP A0R618
D	-3	ARG	-	expression tag	UNP A0R618
D	-2	GLY	-	expression tag	UNP A0R618
D	-1	SER	-	expression tag	UNP A0R618
D	0	HIS	-	expression tag	UNP A0R618


- Molecule 2 is 5'-O-[(11-phenoxyundecanoyl)sulfamoyl]adenosine (CCD ID: 649) (formula: C₂₇H₃₈N₆O₈S).



Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	S	0	0
			42	27	6	8	1		
2	D	1	Total	C	N	O	S	0	0
			42	27	6	8	1		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Cl	0	0
			1	1		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	C	O	0	0
			6	3	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	369	Total	O	0	22
			388	388		
6	B	241	Total	O	0	13
			252	252		
6	C	283	Total	O	0	12
			294	294		
6	D	232	Total	O	0	15
			246	246		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Acyl-CoA synthase




• Molecule 1: Acyl-CoA synthase



• Molecule 1: Acyl-CoA synthase



● Molecule 1: Acyl-CoA synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	90.29Å 153.56Å 201.25Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.86 – 2.25 29.86 – 2.25	Depositor EDS
% Data completeness (in resolution range)	99.9 (29.86-2.25) 99.9 (29.86-2.25)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.47 (at 2.24Å)	Xtriage
Refinement program	REFMAC 5.8.0135	Depositor
R, R_{free}	0.173 , 0.219 0.178 , 0.220	Depositor DCC
R_{free} test set	6648 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	39.4	Xtriage
Anisotropy	0.070	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 45.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	20342	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 16.87% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, GOL, CL, 649

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.79	2/4894 (0.0%)	0.99	11/6665 (0.2%)
1	B	0.77	0/4790	0.99	8/6529 (0.1%)
1	C	0.76	0/4877	0.97	7/6642 (0.1%)
1	D	0.76	1/4844 (0.0%)	0.95	7/6601 (0.1%)
All	All	0.77	3/19405 (0.0%)	0.97	33/26437 (0.1%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	127	HIS	N-CA	5.91	1.50	1.46
1	A	127	HIS	N-CA	5.87	1.50	1.46
1	A	300	PRO	CA-C	5.08	1.54	1.51

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	405	ASP	N-CA-C	-7.16	96.88	108.41
1	C	405	ASP	N-CA-C	-7.04	97.07	108.41
1	C	73	VAL	N-CA-C	6.87	118.75	112.29
1	A	442	PHE	N-CA-C	6.67	121.71	113.50
1	C	351	PHE	N-CA-C	6.67	119.56	108.96
1	A	406	ALA	N-CA-C	6.61	118.14	111.07
1	B	605	ARG	CG-CD-NE	6.58	126.48	112.00
1	D	138	ALA	N-CA-C	6.46	117.98	111.07
1	A	73	VAL	N-CA-C	6.33	118.25	112.43
1	B	405	ASP	N-CA-C	-6.28	98.93	108.67
1	A	138	ALA	N-CA-C	6.16	118.50	111.11
1	A	351	PHE	N-CA-C	6.05	119.51	109.46
1	A	615	SER	N-CA-C	6.05	117.96	111.36
1	D	405	ASP	N-CA-C	-6.03	98.70	108.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	521	VAL	N-CA-C	-6.01	104.26	109.19
1	B	578	ARG	N-CA-C	5.97	117.58	111.14
1	B	524	ASN	CB-CA-C	-5.94	100.59	110.68
1	D	442	PHE	N-CA-C	5.86	120.71	113.50
1	A	404	VAL	N-CA-C	5.63	118.23	108.95
1	A	18	GLY	N-CA-C	5.47	126.15	113.18
1	B	351	PHE	N-CA-C	5.44	118.50	109.46
1	B	442	PHE	N-CA-C	5.40	120.15	113.50
1	B	374	GLY	N-CA-C	5.34	123.22	115.32
1	D	381	ALA	N-CA-C	5.32	116.77	111.07
1	C	404	VAL	N-CA-C	5.27	117.64	108.95
1	D	577	VAL	N-CA-C	5.21	115.43	110.53
1	D	330	GLY	O-C-N	5.16	122.93	121.07
1	A	374	GLY	N-CA-C	5.13	122.92	115.32
1	C	374	GLY	N-CA-C	5.11	123.44	115.72
1	A	393	GLY	N-CA-C	5.11	120.26	111.47
1	C	615	SER	N-CA-C	5.11	116.93	111.36
1	D	351	PHE	N-CA-C	5.11	117.94	109.46
1	C	467	THR	N-CA-C	5.02	117.65	111.82

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4782	0	4662	16	0
1	B	4680	0	4593	12	0
1	C	4768	0	4668	13	0
1	D	4732	0	4637	27	0
2	A	42	0	0	0	0
2	B	42	0	0	0	0
2	C	42	0	0	0	0
2	D	42	0	0	0	0
3	A	10	0	0	0	0
3	B	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	5	0	0	0	0
3	D	5	0	0	0	0
4	B	1	0	0	0	0
5	C	6	0	8	0	0
6	A	388	0	0	0	0
6	B	252	0	0	1	0
6	C	294	0	0	2	0
6	D	246	0	0	0	0
All	All	20342	0	18568	68	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (68) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:511:ILE:HD11	1:D:571:ILE:HD11	1.63	0.80
1:D:362[A]:LYS:HB2	1:D:362[A]:LYS:NZ	2.00	0.75
1:C:317:ILE:HD13	1:C:341:PRO:HB3	1.76	0.68
1:A:555:ARG:NH1	1:A:562:LEU:O	2.27	0.66
1:C:243[B]:MET:HA	1:C:243[B]:MET:HE2	1.79	0.64
1:D:36:LEU:HD11	1:D:53:ASP:HB3	1.80	0.63
1:D:564:ILE:HD12	1:D:564:ILE:H	1.64	0.63
1:C:555:ARG:NH1	1:C:562:LEU:O	2.33	0.61
1:D:362[A]:LYS:HB2	1:D:362[A]:LYS:HZ2	1.63	0.61
1:A:15:PHE:O	1:A:16:PRO:C	2.46	0.59
1:C:31:VAL:HG23	1:C:32:ARG:HG3	1.86	0.56
1:A:240:LEU:HD12	1:A:240:LEU:C	2.31	0.55
1:B:28[A]:TRP:NE1	6:B:801[A]:HOH:O	1.98	0.55
1:D:68:ALA:HB3	1:D:166:VAL:HG12	1.90	0.54
1:B:375:ARG:NE	1:B:416:GLN:OE1	2.41	0.53
1:C:483:ARG:NH2	6:C:801:HOH:O	2.39	0.53
1:B:165:ASP:OD1	1:B:165:ASP:N	2.36	0.53
1:A:444:ASN:ND2	1:A:466[B]:ARG:HG3	2.23	0.53
1:B:317:ILE:HD13	1:B:341:PRO:HB3	1.92	0.51
1:D:564:ILE:HD12	1:D:564:ILE:N	2.26	0.50
1:C:222:ARG:NH2	1:C:270:LYS:HD3	2.28	0.49
1:D:578:ARG:HG3	1:D:579:HIS:CD2	2.48	0.48
1:A:16:PRO:HA	1:A:18:GLY:N	2.28	0.48
1:D:362[A]:LYS:HB2	1:D:362[A]:LYS:HZ3	1.78	0.48
1:D:551:ILE:HD11	1:D:575:ILE:CD1	2.43	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:557:PRO:HA	1:D:559:ALA:N	2.29	0.48
1:A:452[B]:PRO:O	1:A:453[B]:SER:HB3	2.13	0.47
1:D:222:ARG:HB3	1:D:246:HIS:CD2	2.50	0.46
1:A:466[A]:ARG:O	1:A:466[A]:ARG:HG3	2.15	0.46
1:C:344:GLY:HA3	1:C:350:LEU:O	2.16	0.46
1:B:344:GLY:HA3	1:B:350:LEU:O	2.16	0.45
1:A:419[B]:GLU:CD	1:A:466[B]:ARG:HH11	2.25	0.45
1:B:524:ASN:OD1	1:B:545:THR:HG22	2.16	0.45
1:C:375[B]:ARG:NE	1:C:416:GLN:HG2	2.32	0.45
1:D:221:ASP:HA	1:D:276:GLY:O	2.16	0.45
1:B:70:LEU:HD11	1:B:132:LEU:HD11	1.99	0.45
1:B:311:LEU:HD12	1:B:311:LEU:N	2.31	0.45
1:C:192:ARG:HH21	1:C:192:ARG:HG3	1.81	0.45
1:D:224:LEU:HD22	1:D:266:GLU:HB3	1.98	0.45
1:D:330:GLY:N	1:D:331:PRO:CD	2.80	0.44
1:C:224:LEU:HA	1:C:249:THR:O	2.17	0.44
1:D:62:ARG:NH1	1:D:162:VAL:O	2.50	0.44
1:A:450:THR:O	1:A:453[B]:SER:HB2	2.16	0.44
1:C:243[B]:MET:HE2	1:C:243[B]:MET:CA	2.47	0.44
1:B:568:THR:HG23	1:B:586:VAL:HB	2.00	0.44
1:C:142:ARG:NH2	6:C:806:HOH:O	2.51	0.44
1:B:236:ILE:HB	1:B:350:LEU:HD22	2.00	0.44
1:A:330:GLY:N	1:A:331:PRO:CD	2.81	0.43
1:A:36:LEU:HD11	1:A:53:ASP:HB3	2.01	0.43
1:D:556:ALA:O	1:D:558:GLY:HA3	2.20	0.42
1:B:330:GLY:N	1:B:331:PRO:CD	2.83	0.42
1:D:82:ILE:HD11	1:D:94:PHE:HA	2.00	0.42
1:D:240:LEU:HD12	1:D:240:LEU:C	2.45	0.42
1:A:441:THR:O	1:A:465:VAL:HA	2.19	0.42
1:B:215:LEU:O	1:B:216:GLU:C	2.61	0.42
1:D:548:GLN:HB3	1:D:584:ARG:HG3	2.02	0.42
1:A:224:LEU:HA	1:A:249:THR:O	2.20	0.42
1:C:112:GLU:O	1:C:112:GLU:HG3	2.20	0.41
1:D:345:LEU:HD23	1:D:345:LEU:N	2.35	0.41
1:A:25:VAL:HG22	1:A:243[B]:MET:HE1	2.01	0.41
1:D:564:ILE:H	1:D:564:ILE:CD1	2.33	0.41
1:D:195:THR:HB	1:D:431:TYR:CD1	2.56	0.41
1:D:21:ILE:O	1:D:25:VAL:HG23	2.21	0.41
1:D:344:GLY:HA3	1:D:350:LEU:O	2.21	0.41
1:A:578:ARG:HG3	1:A:579:HIS:CD2	2.56	0.40
1:D:112:GLU:HB3	1:D:113:PRO:HD2	2.04	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:344:GLY:HA3	1:A:350:LEU:O	2.21	0.40
1:D:551:ILE:HD12	1:D:583:VAL:HG21	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	613/650 (94%)	593 (97%)	10 (2%)	10 (2%)	7	4
1	B	602/650 (93%)	580 (96%)	18 (3%)	4 (1%)	18	17
1	C	614/650 (94%)	598 (97%)	13 (2%)	3 (0%)	24	24
1	D	609/650 (94%)	582 (96%)	19 (3%)	8 (1%)	9	6
All	All	2438/2600 (94%)	2353 (96%)	60 (2%)	25 (1%)	12	10

All (25) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	18	GLY
1	A	16	PRO
1	A	17	ASP
1	B	33	GLY
1	D	33	GLY
1	A	15	PHE
1	C	9	LYS
1	D	314	SER
1	D	561	LYS
1	D	563	ASP
1	A	314	SER
1	B	45	THR
1	B	314	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	314	SER
1	D	114	GLY
1	D	560	HIS
1	A	350	LEU
1	A	453[A]	SER
1	A	453[B]	SER
1	B	9	LYS
1	D	350	LEU
1	C	8	ILE
1	D	557	PRO
1	A	452[A]	PRO
1	A	452[B]	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	497/518 (96%)	495 (100%)	2 (0%)	84	89
1	B	486/518 (94%)	483 (99%)	3 (1%)	78	84
1	C	495/518 (96%)	491 (99%)	4 (1%)	73	80
1	D	491/518 (95%)	488 (99%)	3 (1%)	78	84
All	All	1969/2072 (95%)	1957 (99%)	12 (1%)	78	84

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	451	ASN
1	A	524	ASN
1	B	165	ASP
1	B	596	ARG
1	B	605	ARG
1	C	192	ARG
1	C	274	THR
1	C	419	GLU
1	C	562	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	337	LYS
1	D	362[A]	LYS
1	D	362[B]	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	198	GLN
1	A	425	GLN
1	B	58	GLN
1	B	246	HIS
1	B	505	GLN
1	C	370	GLN
1	C	443	GLN
1	C	444	ASN
1	D	75	GLN
1	D	494	ASN
1	D	495	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 11 ligands modelled in this entry, 1 is monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	A	702	-	4,4,4	0.46	0	6,6,6	0.12	0
3	SO4	B	703	-	4,4,4	0.46	0	6,6,6	0.10	0
2	649	B	701	-	45,45,45	1.82	9 (20%)	57,61,61	1.79	12 (21%)
3	SO4	A	703	-	4,4,4	0.56	0	6,6,6	0.08	0
5	GOL	C	703	-	5,5,5	0.32	0	5,5,5	0.14	0
2	649	D	701	-	45,45,45	1.61	8 (17%)	57,61,61	1.74	12 (21%)
2	649	C	701	-	45,45,45	1.80	8 (17%)	57,61,61	1.73	13 (22%)
3	SO4	C	702	-	4,4,4	0.45	0	6,6,6	0.14	0
3	SO4	D	702	-	4,4,4	0.44	0	6,6,6	0.12	0
2	649	A	701	-	45,45,45	1.70	7 (15%)	57,61,61	1.82	10 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	649	B	701	-	-	5/28/45/45	0/4/4/4
5	GOL	C	703	-	-	0/4/4/4	-
2	649	D	701	-	-	6/28/45/45	0/4/4/4
2	649	C	701	-	-	3/28/45/45	0/4/4/4
2	649	A	701	-	-	1/28/45/45	0/4/4/4

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	701	649	O3-S	7.35	1.48	1.42
2	A	701	649	O3-S	7.13	1.48	1.42
2	B	701	649	O4-S	6.16	1.47	1.42
2	C	701	649	O4-S	5.77	1.47	1.42
2	B	701	649	O3-S	5.76	1.47	1.42
2	D	701	649	O4-S	5.39	1.47	1.42
2	D	701	649	O3-S	5.37	1.47	1.42
2	A	701	649	O4-S	5.06	1.46	1.42
2	B	701	649	S-N6	-4.99	1.51	1.59
2	D	701	649	S-N6	-3.93	1.53	1.59
2	C	701	649	S-N6	-3.63	1.53	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	701	649	S-N6	-3.56	1.53	1.59
2	B	701	649	O5-S	-3.27	1.53	1.60
2	C	701	649	O5-S	-3.03	1.53	1.60
2	B	701	649	C24-C27	2.80	1.48	1.41
2	D	701	649	C24-C27	2.78	1.48	1.41
2	A	701	649	C24-N2	-2.78	1.34	1.39
2	A	701	649	O5-S	-2.73	1.54	1.60
2	D	701	649	O5-S	-2.67	1.54	1.60
2	B	701	649	C24-N2	-2.63	1.34	1.39
2	C	701	649	C24-C27	2.62	1.48	1.41
2	A	701	649	C25-N1	-2.55	1.32	1.37
2	C	701	649	C24-N2	-2.52	1.34	1.39
2	D	701	649	C24-N2	-2.47	1.34	1.39
2	B	701	649	C17-N6	-2.36	1.33	1.39
2	A	701	649	C24-C27	2.25	1.47	1.41
2	B	701	649	C23-N2	2.20	1.35	1.31
2	C	701	649	C25-N1	-2.18	1.33	1.37
2	D	701	649	C25-N1	-2.14	1.33	1.37
2	C	701	649	C17-N6	-2.09	1.33	1.39
2	B	701	649	C23-N1	-2.06	1.34	1.37
2	D	701	649	C17-N6	-2.01	1.34	1.39

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	649	O3-S-O4	-6.48	111.14	120.85
2	B	701	649	O3-S-O4	-5.98	111.89	120.85
2	B	701	649	C24-C25-N3	-5.44	119.22	126.72
2	C	701	649	O3-S-O4	-5.19	113.09	120.85
2	D	701	649	C24-C25-N3	-4.95	119.91	126.72
2	C	701	649	C24-C25-N3	-4.82	120.08	126.72
2	A	701	649	C24-C25-N3	-4.65	120.32	126.72
2	A	701	649	N4-C26-N3	-4.64	121.56	128.58
2	D	701	649	N4-C26-N3	-4.57	121.66	128.58
2	D	701	649	O3-S-O4	-4.39	114.27	120.85
2	D	701	649	C26-N3-C25	3.97	121.52	111.83
2	B	701	649	N4-C26-N3	-3.95	122.60	128.58
2	C	701	649	N4-C26-N3	-3.88	122.72	128.58
2	D	701	649	N1-C23-N2	-3.80	108.54	113.94
2	A	701	649	C26-N3-C25	3.75	120.99	111.83
2	B	701	649	C26-N3-C25	3.73	120.95	111.83
2	B	701	649	N3-C25-N1	3.60	133.29	127.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	701	649	N3-C25-N1	3.51	133.13	127.17
2	C	701	649	C26-N3-C25	3.47	120.31	111.83
2	C	701	649	N1-C23-N2	-3.40	109.11	113.94
2	A	701	649	N1-C23-N2	-3.34	109.20	113.94
2	D	701	649	N3-C25-N1	3.24	132.67	127.17
2	A	701	649	N3-C25-N1	3.14	132.50	127.17
2	A	701	649	C7-O1-C5	3.05	125.86	117.93
2	B	701	649	N1-C23-N2	-3.04	109.62	113.94
2	C	701	649	O1-C7-C8	3.00	119.33	108.30
2	C	701	649	C25-N1-C23	2.87	108.75	105.74
2	D	701	649	C25-N1-C23	2.80	108.68	105.74
2	A	701	649	O1-C7-C8	2.74	118.38	108.30
2	B	701	649	O1-C7-C8	2.72	118.33	108.30
2	D	701	649	C24-N2-C23	2.66	107.63	103.45
2	D	701	649	O1-C7-C8	2.66	118.09	108.30
2	A	701	649	C25-N1-C23	2.51	108.37	105.74
2	D	701	649	C25-C24-N2	-2.50	107.73	110.58
2	C	701	649	C24-N2-C23	2.35	107.14	103.45
2	C	701	649	C21-C22-N1	-2.33	107.52	113.30
2	D	701	649	C7-O1-C5	2.33	123.98	117.93
2	C	701	649	O5-S-N6	2.31	111.67	105.69
2	B	701	649	C25-C24-N2	-2.24	108.03	110.58
2	C	701	649	C7-O1-C5	2.22	123.70	117.93
2	D	701	649	C21-C22-N1	-2.17	107.91	113.30
2	B	701	649	C24-N2-C23	2.17	106.86	103.45
2	B	701	649	C25-N1-C23	2.15	107.99	105.74
2	B	701	649	C9-C8-C7	-2.10	104.34	113.47
2	C	701	649	C25-C24-N2	-2.09	108.19	110.58
2	A	701	649	C24-N2-C23	2.07	106.70	103.45
2	B	701	649	O5-S-N6	2.05	111.00	105.69

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	701	649	C4-C5-O1-C7
2	D	701	649	O1-C7-C8-C9
2	B	701	649	C6-C5-O1-C7
2	B	701	649	O1-C7-C8-C9
2	D	701	649	C4-C5-O1-C7
2	D	701	649	C6-C5-O1-C7
2	C	701	649	O1-C7-C8-C9

Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	C	701	649	C4-C5-O1-C7
2	C	701	649	C6-C5-O1-C7
2	D	701	649	C10-C11-C12-C13
2	D	701	649	C11-C12-C13-C14
2	A	701	649	C11-C12-C13-C14
2	B	701	649	C18-O5-S-N6
2	D	701	649	C18-O5-S-N6
2	B	701	649	C11-C12-C13-C14


There are no ring outliers.

No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand 649 D 701



Ligand 649 C 701



Ligand 649 A 701



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	607/650 (93%)	-0.41	9 (1%) 72 73	13, 36, 74, 122	14 (2%)
1	B	609/650 (93%)	-0.16	16 (2%) 57 58	26, 45, 92, 133	1 (0%)
1	C	618/650 (95%)	-0.19	12 (1%) 66 67	14, 44, 92, 124	4 (0%)
1	D	609/650 (93%)	-0.07	19 (3%) 51 51	19, 49, 93, 144	8 (1%)
All	All	2443/2600 (93%)	-0.21	56 (2%) 61 61	13, 44, 90, 144	27 (1%)

All (56) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	8	ILE	5.8
1	D	28[A]	TRP	5.6
1	C	8	ILE	5.1
1	A	11	GLY	4.5
1	D	11	GLY	4.1
1	D	530	VAL	3.9
1	B	244	ILE	3.9
1	D	559	ALA	3.9
1	C	113	PRO	3.7
1	C	628	ALA	3.6
1	A	16	PRO	3.5
1	D	8	ILE	3.4
1	B	28[A]	TRP	3.4
1	D	188	SER	3.3
1	C	193	ILE	3.2
1	A	8	ILE	3.2
1	C	7	PHE	3.1
1	D	187	THR	2.8
1	C	192	ARG	2.8
1	B	20	SER	2.8
1	A	7	PHE	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	18	GLY	2.7
1	D	19	SER	2.7
1	B	628	ALA	2.7
1	D	7	PHE	2.7
1	B	243	MET	2.7
1	D	113	PRO	2.6
1	B	11	GLY	2.6
1	C	629	THR	2.5
1	D	114	GLY	2.5
1	D	112	GLU	2.5
1	D	191	THR	2.5
1	D	562	LEU	2.5
1	D	30[A]	LYS	2.5
1	A	188	SER	2.4
1	B	192	ARG	2.4
1	D	20	SER	2.4
1	B	113	PRO	2.4
1	C	558	GLY	2.4
1	C	166	VAL	2.3
1	A	192	ARG	2.3
1	C	630	ASP	2.2
1	B	562	LEU	2.2
1	D	298[A]	GLY	2.2
1	A	28[A]	TRP	2.2
1	B	491	ASP	2.2
1	B	193	ILE	2.1
1	D	165	ASP	2.1
1	B	47	ARG	2.1
1	A	19	SER	2.1
1	B	187	THR	2.1
1	D	168	SER	2.1
1	C	115	HIS	2.1
1	B	114	GLY	2.1
1	B	539	LYS	2.0
1	C	188	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	A	703	5/5	0.66	0.16	73,82,83,109	0
3	SO4	C	702	5/5	0.78	0.13	85,92,99,105	0
3	SO4	B	703	5/5	0.82	0.14	89,97,107,109	0
3	SO4	D	702	5/5	0.82	0.14	99,100,115,117	0
3	SO4	A	702	5/5	0.88	0.13	97,99,107,111	0
4	CL	B	702	1/1	0.90	0.18	79,79,79,79	0
5	GOL	C	703	6/6	0.91	0.11	67,74,75,80	0
2	649	B	701	42/42	0.96	0.07	27,31,52,55	0
2	649	D	701	42/42	0.97	0.07	29,40,58,64	0
2	649	A	701	42/42	0.97	0.06	22,25,46,49	0
2	649	C	701	42/42	0.98	0.06	27,31,61,64	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 649 B 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 649 D 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 649 A 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 649 C 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.