



Full wwPDB EM Validation Report ⓘ

Mar 5, 2026 – 11:22 AM UTC

PDB ID : 6IC4 / pdb_00006ic4
EMDB ID : EMD-0007
Title : Cryo-EM structure of the A. baumannii MLA complex at 8.7 Å resolution
Authors : Bergeron, J.R.; Kollman, J.M.
Deposited on : 2018-12-02
Resolution : 8.70 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 8.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Q-score	-	25397	282 (8.20 - 9.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	183	13% 91% 8%
1	B	183	17% 91% 8%
1	C	183	11% 92% 7%
1	D	183	14% 93% 7%
1	E	183	20% 90% 9%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	183	
2	G	257	
2	H	257	
3	I	233	
3	J	233	
4	K	93	
4	L	93	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 9056 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Toluene tolerance efflux transporter (ABC superfamily, PerI-bind).

Mol	Chain	Residues	Atoms				AltConf	Trace
1	A	183	Total	C	N	O	0	0
			732	366	183	183		
1	B	183	Total	C	N	O	0	0
			732	366	183	183		
1	C	183	Total	C	N	O	0	0
			732	366	183	183		
1	D	183	Total	C	N	O	0	0
			732	366	183	183		
1	E	183	Total	C	N	O	0	0
			732	366	183	183		
1	F	183	Total	C	N	O	0	0
			732	366	183	183		

- Molecule 2 is a protein called ABC transporter permease.

Mol	Chain	Residues	Atoms				AltConf	Trace
2	G	257	Total	C	N	O	0	0
			1028	514	257	257		
2	H	257	Total	C	N	O	0	0
			1028	514	257	257		

- Molecule 3 is a protein called ABC transporter ATP-binding protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	I	233	Total	C	N	O	0	0
			932	466	233	233		
3	J	233	Total	C	N	O	0	0
			932	466	233	233		

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
I	?	-	GLU	deletion	UNP A0A086HZU3
I	?	-	LEU	deletion	UNP A0A086HZU3
I	?	-	PHE	deletion	UNP A0A086HZU3
I	?	-	ALA	deletion	UNP A0A086HZU3
I	?	-	ALA	deletion	UNP A0A086HZU3
I	?	-	LYS	deletion	UNP A0A086HZU3
J	?	-	GLU	deletion	UNP A0A086HZU3
J	?	-	LEU	deletion	UNP A0A086HZU3
J	?	-	PHE	deletion	UNP A0A086HZU3
J	?	-	ALA	deletion	UNP A0A086HZU3
J	?	-	ALA	deletion	UNP A0A086HZU3
J	?	-	LYS	deletion	UNP A0A086HZU3


- Molecule 4 is a protein called Ttg2E.

Mol	Chain	Residues	Atoms				AltConf	Trace
4	K	93	Total	C	N	O	0	0
			372	186	93	93		
4	L	93	Total	C	N	O	0	0
			372	186	93	93		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Toluene tolerance efflux transporter (ABC superfamily, PerI-bind)




- Molecule 1: Toluene tolerance efflux transporter (ABC superfamily, PerI-bind)




- Molecule 1: Toluene tolerance efflux transporter (ABC superfamily, PerI-bind)




- Molecule 1: Toluene tolerance efflux transporter (ABC superfamily, PerI-bind)





- Molecule 1: Toluene tolerance efflux transporter (ABC superfamily, PerI-bind)









- Molecule 1: Toluene tolerance efflux transporter (ABC superfamily, PerI-bind)




- Molecule 2: ABC transporter permease




- Molecule 2: ABC transporter permease




- Molecule 3: ABC transporter ATP-binding protein




- Molecule 3: ABC transporter ATP-binding protein



- Molecule 4: Ttg2E



- Molecule 4: Ttg2E



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	14000	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TECNAI F20	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	100	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.103	Depositor
Minimum map value	-0.027	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.009	Depositor
Recommended contour level	0.043	Depositor
Map size (Å)	252.0, 252.0, 252.0	wwPDB
Map dimensions	200, 200, 200	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.26, 1.26, 1.26	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.22	3/731 (0.4%)	1.72	14/912 (1.5%)
1	B	1.22	3/731 (0.4%)	1.66	13/912 (1.4%)
1	C	1.31	5/731 (0.7%)	1.87	17/912 (1.9%)
1	D	1.18	3/731 (0.4%)	1.63	10/912 (1.1%)
1	E	1.35	7/731 (1.0%)	1.77	17/912 (1.9%)
1	F	1.23	3/731 (0.4%)	1.80	12/912 (1.3%)
2	G	0.74	0/1027	2.11	35/1282 (2.7%)
2	H	0.75	0/1027	2.12	34/1282 (2.7%)
3	I	0.67	3/931 (0.3%)	1.01	3/1162 (0.3%)
3	J	0.68	3/931 (0.3%)	1.02	3/1162 (0.3%)
4	K	0.89	0/371	4.47	5/462 (1.1%)
4	L	0.88	0/371	3.70	4/462 (0.9%)
All	All	1.02	30/9044 (0.3%)	2.02	167/11284 (1.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
1	E	0	1
1	F	0	2
2	G	0	1
2	H	0	1
3	I	0	1
3	J	0	1
4	K	0	3
4	L	0	3
All	All	0	16

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	14	VAL	C-N	-24.27	1.03	1.33
1	F	14	VAL	C-N	-24.25	1.03	1.33
1	A	14	VAL	C-N	-24.22	1.03	1.33
1	E	14	VAL	C-N	-24.18	1.03	1.33
1	B	14	VAL	C-N	-24.13	1.03	1.33
1	D	14	VAL	C-N	-22.32	1.03	1.33
1	E	167	LEU	CA-C	8.63	1.60	1.52
3	J	237	TYR	N-CA	8.47	1.57	1.46
3	I	237	TYR	N-CA	8.44	1.57	1.46
3	J	236	ALA	CA-C	7.92	1.63	1.52
1	C	167	LEU	CA-C	7.81	1.60	1.52
1	E	92	SER	CA-C	7.59	1.61	1.52
3	I	237	TYR	CA-C	7.57	1.62	1.52
3	J	237	TYR	CA-C	7.54	1.62	1.52
3	I	236	ALA	CA-C	7.47	1.63	1.52
1	E	91	THR	N-CA	6.12	1.53	1.45
1	C	139	SER	CA-C	6.11	1.60	1.52
1	B	168	ASN	CA-C	6.05	1.60	1.52
1	D	24	LEU	C-N	5.86	1.42	1.34
1	E	90	LEU	CA-C	5.80	1.60	1.52
1	C	139	SER	N-CA	5.79	1.53	1.46
1	A	168	ASN	CA-C	5.78	1.60	1.52
1	A	24	LEU	C-N	5.54	1.42	1.33
1	B	24	LEU	C-N	5.54	1.42	1.33
1	E	24	LEU	C-N	5.53	1.42	1.33
1	E	91	THR	CA-C	5.48	1.60	1.53
1	F	167	LEU	CA-C	5.46	1.59	1.52
1	F	24	LEU	C-N	5.44	1.42	1.33
1	C	24	LEU	C-N	5.33	1.42	1.33
1	D	93	PHE	N-CA	5.18	1.51	1.45

All (167) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	K	5	LEU	O-C-N	-91.66	23.39	122.38
4	L	5	LEU	O-C-N	-74.58	23.40	122.59
1	A	14	VAL	O-C-N	15.13	137.06	122.23
1	D	14	VAL	O-C-N	15.09	137.01	122.23
1	C	14	VAL	O-C-N	14.74	137.01	121.83
1	F	14	VAL	O-C-N	14.71	136.99	121.83
2	G	93	LEU	CA-C-N	12.36	141.72	120.58
2	G	93	LEU	C-N-CA	12.36	141.72	120.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	34	THR	CA-C-N	-12.32	100.09	121.52
1	F	34	THR	C-N-CA	-12.32	100.09	121.52
1	B	14	VAL	O-C-N	11.50	137.02	121.84
1	E	14	VAL	O-C-N	11.37	136.85	121.84
1	C	34	THR	CA-C-N	-11.25	100.06	121.54
1	C	34	THR	C-N-CA	-11.25	100.06	121.54
1	A	14	VAL	CA-C-N	-11.16	104.57	120.42
1	A	14	VAL	C-N-CA	-11.16	104.57	120.42
1	B	14	VAL	CA-C-N	-11.14	104.60	120.42
1	B	14	VAL	C-N-CA	-11.14	104.60	120.42
1	F	14	VAL	CA-C-N	-11.11	104.64	120.42
1	F	14	VAL	C-N-CA	-11.11	104.64	120.42
1	C	14	VAL	CA-C-N	-11.09	104.67	120.42
1	C	14	VAL	C-N-CA	-11.09	104.67	120.42
1	E	14	VAL	CA-C-N	-11.08	104.68	120.42
1	E	14	VAL	C-N-CA	-11.08	104.68	120.42
2	H	93	LEU	CA-C-N	10.47	141.54	121.54
2	H	93	LEU	C-N-CA	10.47	141.54	121.54
2	H	124	GLU	N-CA-C	10.12	124.14	111.69
1	F	24	LEU	O-C-N	-10.07	109.89	122.27
1	C	91	THR	N-CA-C	-10.03	99.17	111.40
2	G	32	LEU	O-C-N	-9.79	110.06	121.32
2	H	32	LEU	O-C-N	-9.77	110.09	121.32
1	C	24	LEU	O-C-N	-9.65	109.85	122.39
1	D	14	VAL	CA-C-N	-9.64	104.62	121.97
1	D	14	VAL	C-N-CA	-9.64	104.62	121.97
1	A	24	LEU	O-C-N	-9.54	109.91	122.59
1	E	24	LEU	O-C-N	-9.41	109.82	122.43
1	B	24	LEU	O-C-N	-9.40	109.83	122.43
2	H	78	VAL	N-CA-C	9.29	119.83	110.82
2	G	78	VAL	N-CA-C	9.26	119.81	110.82
1	D	24	LEU	O-C-N	-9.17	109.81	122.46
1	E	140	ILE	N-CA-C	-9.16	99.86	110.21
1	C	92	SER	N-CA-C	-9.16	91.30	110.80
1	D	146	ILE	N-CA-C	9.06	120.79	108.11
1	B	146	ILE	N-CA-C	9.01	120.79	108.17
1	A	146	ILE	N-CA-C	8.95	120.69	108.17
1	E	93	PHE	CA-C-N	-8.87	106.51	122.12
1	E	93	PHE	C-N-CA	-8.87	106.51	122.12
2	G	192	PHE	N-CA-C	8.55	120.21	111.07
1	F	146	ILE	N-CA-C	8.47	120.78	108.58
1	A	155	GLY	N-CA-C	-8.41	102.70	112.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	253	VAL	N-CA-C	8.24	118.90	111.81
1	B	49	VAL	N-CA-C	8.19	118.47	106.85
1	C	146	ILE	N-CA-C	8.18	120.75	108.23
2	H	222	ASP	N-CA-C	-8.06	99.19	110.31
1	F	33	GLY	N-CA-C	7.87	122.23	110.75
2	G	190	VAL	N-CA-C	7.77	119.55	112.17
1	E	146	ILE	N-CA-C	7.75	120.78	108.85
2	G	79	GLY	CA-C-N	7.67	132.87	120.60
2	G	79	GLY	C-N-CA	7.67	132.87	120.60
1	C	137	ILE	O-C-N	-7.53	112.91	122.17
1	D	49	VAL	N-CA-C	7.41	118.55	107.51
1	C	49	VAL	N-CA-C	7.39	118.52	107.80
1	A	166	GLY	N-CA-C	7.37	119.67	111.85
1	A	49	VAL	N-CA-C	7.34	118.45	107.80
1	F	49	VAL	N-CA-C	7.34	118.47	107.75
2	H	135	ASP	CA-C-N	7.33	127.03	119.56
2	H	135	ASP	C-N-CA	7.33	127.03	119.56
1	A	74	ASP	CA-C-N	7.27	127.28	119.28
1	A	74	ASP	C-N-CA	7.27	127.28	119.28
1	A	91	THR	N-CA-C	-7.25	103.31	111.14
1	D	74	ASP	CA-C-N	7.22	127.22	119.28
1	D	74	ASP	C-N-CA	7.22	127.22	119.28
1	B	155	GLY	N-CA-C	-7.15	102.77	112.57
1	F	74	ASP	CA-C-N	7.11	127.27	119.87
1	F	74	ASP	C-N-CA	7.11	127.27	119.87
3	I	235	GLN	CA-C-N	7.11	134.21	120.99
3	I	235	GLN	C-N-CA	7.11	134.21	120.99
1	C	137	ILE	CA-C-N	-7.10	108.05	120.97
1	C	137	ILE	C-N-CA	-7.10	108.05	120.97
1	E	74	ASP	CA-C-N	6.96	127.25	119.32
1	E	74	ASP	C-N-CA	6.96	127.25	119.32
2	G	191	GLN	CA-C-N	6.88	129.38	120.44
2	G	191	GLN	C-N-CA	6.88	129.38	120.44
2	G	253	VAL	N-CA-C	6.86	118.85	111.58
2	H	190	VAL	N-CA-C	6.86	119.62	112.83
1	E	138	THR	N-CA-C	6.77	120.11	109.96
1	E	92	SER	N-CA-C	6.70	120.55	108.69
3	J	235	GLN	CA-C-N	6.68	134.30	121.54
3	J	235	GLN	C-N-CA	6.68	134.30	121.54
1	C	74	ASP	CA-C-N	6.67	127.21	119.47
1	C	74	ASP	C-N-CA	6.67	127.21	119.47
1	B	74	ASP	CA-C-N	6.67	127.20	119.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	74	ASP	C-N-CA	6.67	127.20	119.47
2	G	174	PHE	N-CA-C	-6.64	103.86	112.23
3	J	237	TYR	N-CA-C	6.61	124.87	110.80
3	I	237	TYR	N-CA-C	6.59	124.84	110.80
2	G	135	ASP	CA-C-N	6.59	127.11	119.47
2	G	135	ASP	C-N-CA	6.59	127.11	119.47
1	F	155	GLY	N-CA-C	-6.51	102.64	112.41
2	G	222	ASP	N-CA-C	-6.47	99.20	109.04
1	D	155	GLY	N-CA-C	-6.46	102.73	112.41
4	K	68	SER	CA-C-N	6.44	129.43	121.83
4	K	68	SER	C-N-CA	6.44	129.43	121.83
4	L	68	SER	CA-C-N	6.39	129.37	121.83
4	L	68	SER	C-N-CA	6.39	129.37	121.83
2	H	108	ARG	N-CA-C	6.30	117.81	111.07
2	H	174	PHE	N-CA-C	-6.30	103.72	111.40
2	G	124	GLU	N-CA-C	6.30	124.21	110.80
2	G	108	ARG	N-CA-C	6.20	117.73	110.97
2	H	56	ILE	N-CA-C	6.16	116.90	110.62
1	E	137	ILE	N-CA-C	6.09	119.50	113.53
1	D	190	SER	N-CA-C	6.07	117.97	111.36
1	B	34	THR	N-CA-C	-6.06	105.92	113.55
2	G	56	ILE	N-CA-C	6.03	116.81	110.72
2	H	173	ASP	N-CA-C	6.01	118.79	111.82
2	G	173	ASP	N-CA-C	6.00	118.78	111.82
1	C	139	SER	N-CA-C	5.96	123.50	110.80
1	B	169	TYR	N-CA-C	5.93	118.12	108.76
2	H	79	GLY	CA-C-N	5.91	132.87	121.18
2	H	79	GLY	C-N-CA	5.91	132.87	121.18
2	G	140	ILE	CA-C-N	-5.88	115.41	122.35
2	G	140	ILE	C-N-CA	-5.88	115.41	122.35
2	H	88	VAL	N-CA-C	5.80	116.60	111.90
2	H	130	GLU	N-CA-C	-5.79	105.04	111.36
2	G	130	GLU	N-CA-C	-5.76	105.08	111.36
1	A	169	TYR	N-CA-C	5.71	116.94	108.60
2	G	137	LEU	N-CA-C	-5.67	104.72	111.69
2	H	137	LEU	N-CA-C	-5.58	104.69	112.45
2	H	112	ALA	CA-C-N	5.57	127.69	120.44
2	H	112	ALA	C-N-CA	5.57	127.69	120.44
2	H	134	VAL	N-CA-C	-5.54	99.76	108.23
1	B	35	ASN	CA-C-N	-5.53	114.39	122.19
1	B	35	ASN	C-N-CA	-5.53	114.39	122.19
2	G	112	ALA	CA-C-N	5.53	127.69	120.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	112	ALA	C-N-CA	5.53	127.69	120.28
2	H	251	THR	N-CA-C	-5.50	105.37	111.36
1	E	35	ASN	CA-C-N	-5.47	114.47	122.19
1	E	35	ASN	C-N-CA	-5.47	114.47	122.19
4	K	19	ASN	N-CA-C	5.46	117.23	111.28
2	G	154	MET	N-CA-C	-5.46	105.75	112.90
1	E	90	LEU	N-CA-C	5.41	119.75	113.20
2	H	71	GLY	CA-C-N	5.41	127.53	120.28
2	H	71	GLY	C-N-CA	5.41	127.53	120.28
2	H	79	GLY	N-CA-C	5.26	117.67	111.63
2	G	239	SER	N-CA-C	-5.24	106.74	113.23
2	G	71	GLY	CA-C-N	5.21	127.69	120.29
2	G	71	GLY	C-N-CA	5.21	127.69	120.29
4	K	74	ASN	N-CA-C	5.18	118.28	111.28
1	C	155	GLY	N-CA-C	-5.17	102.70	111.08
4	L	74	ASN	N-CA-C	5.15	118.23	111.28
1	E	34	THR	N-CA-C	-5.14	105.84	112.68
2	G	251	THR	N-CA-C	-5.13	105.38	111.69
1	A	180	GLN	N-CA-C	5.11	116.58	110.44
2	G	70	GLN	CA-C-N	5.11	125.61	119.94
2	G	70	GLN	C-N-CA	5.11	125.61	119.94
1	A	92	SER	N-CA-C	-5.11	100.14	108.67
2	H	86	THR	N-CA-C	-5.09	105.19	111.40
2	H	28	ILE	N-CA-C	-5.08	108.34	113.47
2	H	109	ALA	CA-C-N	5.06	125.60	119.98
2	H	109	ALA	C-N-CA	5.06	125.60	119.98
2	H	224	THR	CA-C-N	-5.05	114.54	119.64
2	H	224	THR	C-N-CA	-5.05	114.54	119.64
2	H	32	LEU	N-CA-C	5.05	120.97	109.81
2	H	181	SER	N-CA-C	-5.04	106.64	112.89
2	G	224	THR	CA-C-N	-5.03	114.48	119.56
2	G	224	THR	C-N-CA	-5.03	114.48	119.56
2	G	32	LEU	N-CA-C	5.02	120.90	109.81

There are no chirality outliers.

All (16) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	90	LEU	Mainchain
1	B	32	VAL	Peptide
1	C	31	LEU	Mainchain
1	E	32	VAL	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	F	31	LEU	Mainchain
1	F	90	LEU	Mainchain
2	G	32	LEU	Mainchain
2	H	32	LEU	Mainchain
3	I	235	GLN	Mainchain
3	J	235	GLN	Mainchain
4	K	5	LEU	Mainchain,Peptide
4	K	62	ARG	Mainchain
4	L	5	LEU	Mainchain,Peptide
4	L	62	ARG	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	732	0	209	0	0
1	B	732	0	209	3	0
1	C	732	0	209	0	0
1	D	732	0	209	0	0
1	E	732	0	209	2	0
1	F	732	0	209	0	0
2	G	1028	0	316	0	0
2	H	1028	0	316	0	0
3	I	932	0	264	1	0
3	J	932	0	264	1	0
4	K	372	0	97	0	0
4	L	372	0	97	0	0
All	All	9056	0	2608	7	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (7) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:32:VAL:N	1:B:33:GLY:CA	2.73	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:32:VAL:N	1:E:33:GLY:CA	2.75	0.50
1:B:137:ILE:O	1:B:139:SER:N	2.45	0.50
1:E:35:ASN:O	1:E:36:LEU:C	2.58	0.45
1:B:35:ASN:O	1:B:36:LEU:C	2.58	0.45
3:I:33:ASP:O	3:I:34:ASN:C	2.61	0.44
3:J:33:ASP:O	3:J:34:ASN:C	2.62	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	181/183 (99%)	163 (90%)	14 (8%)	4 (2%)	5	29
1	B	181/183 (99%)	157 (87%)	21 (12%)	3 (2%)	7	36
1	C	181/183 (99%)	166 (92%)	11 (6%)	4 (2%)	5	29
1	D	181/183 (99%)	166 (92%)	10 (6%)	5 (3%)	4	24
1	E	181/183 (99%)	164 (91%)	15 (8%)	2 (1%)	11	46
1	F	181/183 (99%)	170 (94%)	8 (4%)	3 (2%)	7	36
2	G	255/257 (99%)	237 (93%)	15 (6%)	3 (1%)	10	44
2	H	255/257 (99%)	236 (92%)	16 (6%)	3 (1%)	10	44
3	I	231/233 (99%)	218 (94%)	9 (4%)	4 (2%)	7	36
3	J	231/233 (99%)	215 (93%)	15 (6%)	1 (0%)	30	67
4	K	91/93 (98%)	84 (92%)	7 (8%)	0	100	100
4	L	91/93 (98%)	84 (92%)	7 (8%)	0	100	100
All	All	2240/2264 (99%)	2060 (92%)	148 (7%)	32 (1%)	11	40

All (32) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	139	SER
1	F	92	SER
3	I	34	ASN
3	J	34	ASN
1	A	154	LEU
1	B	154	LEU
1	C	92	SER
1	C	139	SER
1	C	154	LEU
1	D	154	LEU
1	E	154	LEU
1	F	154	LEU
1	B	138	THR
1	E	139	SER
1	F	138	THR
3	I	199	THR
3	I	237	TYR
1	A	168	ASN
1	D	32	VAL
2	G	32	LEU
1	B	168	ASN
1	C	156	GLU
2	H	32	LEU
1	A	33	GLY
1	D	33	GLY
2	G	176	GLY
2	H	33	PRO
1	A	10	VAL
1	D	12	ILE
2	H	135	ASP
3	I	80	ILE
2	G	135	ASP

5.3.2 Protein sidechains ⓘ

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1
1	B	1
1	C	1
1	D	1
1	E	1
1	F	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	14:VAL	C	15:ILE	N	1.03
1	B	14:VAL	C	15:ILE	N	1.03
1	C	14:VAL	C	15:ILE	N	1.03
1	D	14:VAL	C	15:ILE	N	1.03
1	E	14:VAL	C	15:ILE	N	1.03
1	F	14:VAL	C	15:ILE	N	1.03

6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-0007. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y



Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 100



Y Index: 100



Z Index: 100


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 99



Y Index: 96




Z Index: 123


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views

This section was not generated.


6.6 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 259 nm³; this corresponds to an approximate mass of 234 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.115 Å⁻¹

8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-0007 and PDB model 6IC4. Per-residue inclusion information can be found in section 3 on page 6.

9.1 Map-model overlay [i](#)

This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

9.4 Atom inclusion [i](#)



At the recommended contour level, 79% of all backbone atoms, 79% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.043) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7860	 0.1950
A	 0.8270	 0.2140
B	 0.7800	 0.1970
C	 0.8620	 0.2140
D	 0.8160	 0.2010
E	 0.7650	 0.2000
F	 0.8720	 0.2180
G	 0.8280	 0.1920
H	 0.7920	 0.1730
I	 0.7920	 0.1920
J	 0.7770	 0.1920
K	 0.5350	 0.1480
L	 0.5190	 0.1680

