



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:31 PM UTC

PDB ID : 4IED / pdb_00004ied
Title : Crystal Structure of FUS-1 (OXA-85), a Class D beta-lactamase from *Fusobacterium nucleatum* subsp. *polymorphum*
Authors : Mangani, S.; Benvenuti, M.; Docquier, J.D.
Deposited on : 2012-12-13
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4037 (1.50-1.50)
Clashscore	190562	4235 (1.50-1.50)
Ramachandran outliers	187476	4153 (1.50-1.50)
Sidechain outliers	187428	4150 (1.50-1.50)
RSRZ outliers	180081	4039 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	254	82% 12% .. 5%
1	B	254	83% 12% ..
1	C	254	84% 13% ..
1	D	254	85% 9% 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	EDO	A	305	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 10027 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Class D beta-lactamase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	242	Total	C	N	O	S	0	10	0
			2066	1346	335	380	5			
1	B	245	Total	C	N	O	S	0	13	0
			2109	1376	341	387	5			
1	C	247	Total	C	N	O	S	0	5	0
			2068	1345	334	384	5			
1	D	242	Total	C	N	O	S	0	11	0
			2069	1349	333	382	5			

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Mg	0	0
			2	2		
2	B	3	Total	Mg	0	0
			3	3		
2	C	4	Total	Mg	0	0
			4	4		
2	D	3	Total	Mg	0	0
			3	3		

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Cl	0	0
			1	1		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0

- Molecule 5 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total Na 1 1	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	472	Total O 472 472	0	0
6	B	416	Total O 416 416	0	0
6	C	397	Total O 397 397	0	0
6	D	404	Total O 404 404	0	0

4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	43.95Å 65.67Å 91.70Å 84.59° 82.91° 70.12°	Depositor
Resolution (Å)	37.59 – 1.50 37.59 – 1.50	Depositor EDS
% Data completeness (in resolution range)	95.5 (37.59-1.50) 95.5 (37.59-1.50)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.95 (at 1.50Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.146 , 0.184 0.155 , 0.190	Depositor DCC
R_{free} test set	13309 reflections (9.11%)	wwPDB-VP
Wilson B-factor (Å ²)	9.4	Xtriage
Anisotropy	0.252	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 47.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10027	wwPDB-VP
Average B, all atoms (Å ²)	12.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, MG, KCX, CL, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.39	5/2126 (0.2%)	1.25	5/2853 (0.2%)
1	B	1.40	5/2182 (0.2%)	1.18	1/2927 (0.0%)
1	C	1.41	7/2114 (0.3%)	1.21	3/2842 (0.1%)
1	D	1.26	2/2132 (0.1%)	1.09	2/2861 (0.1%)
All	All	1.36	19/8554 (0.2%)	1.18	11/11483 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	38	ASN	CG-ND2	-7.94	1.16	1.33
1	A	53	PHE	C-O	6.69	1.32	1.23
1	B	230	ILE	C-O	-6.67	1.17	1.24
1	B	152	ILE	C-O	6.60	1.31	1.23
1	A	56	ALA	CA-C	-6.55	1.44	1.53
1	B	195	GLY	N-CA	6.19	1.52	1.45
1	C	200	ALA	CA-C	-5.95	1.45	1.52
1	A	174	GLU	C-O	-5.88	1.16	1.24
1	C	126	GLY	CA-C	5.54	1.58	1.52
1	C	32	VAL	C-O	-5.41	1.18	1.24
1	A	99	LEU	C-O	-5.36	1.17	1.24
1	A	157	GLN	CD-OE1	5.18	1.33	1.23
1	D	122	ARG	N-CA	-5.16	1.39	1.46
1	C	207	PRO	N-CA	5.13	1.53	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	163	LEU	C-O	5.10	1.30	1.24
1	C	148	GLY	N-CA	5.07	1.51	1.44
1	C	112	LYS	C-O	-5.04	1.18	1.24
1	B	35	ASP	CA-CB	5.01	1.59	1.53
1	D	160	LEU	N-CA	5.01	1.52	1.46

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	108	VAL	N-CA-CB	6.82	115.09	110.52
1	A	234	LYS	CD-CE-NZ	6.75	133.51	111.90
1	A	174	GLU	CB-CG-CD	-5.94	102.50	112.60
1	D	89	PHE	N-CA-C	5.84	117.72	111.36
1	A	46	LEU	N-CA-C	5.83	118.39	111.33
1	C	47	ASP	CA-CB-CG	5.73	118.33	112.60
1	A	224	PHE	CA-C-O	5.40	127.04	120.99
1	A	173	LEU	CD1-CG-CD2	5.37	122.60	110.80
1	C	46	LEU	N-CA-C	5.17	116.92	111.28
1	B	194	HIS	CB-CG-CD2	-5.16	124.50	131.20
1	C	173	LEU	CB-CG-CD1	5.03	125.80	110.70

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	253	ILE	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2066	0	2109	31	0
1	B	2109	0	2161	30	0
1	C	2068	0	2084	26	0
1	D	2069	0	2113	18	0
2	A	2	0	0	0	0
2	B	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	4	0	0	0	0
2	D	3	0	0	0	0
3	A	1	0	0	0	0
4	A	8	0	12	8	0
4	B	4	0	6	2	0
5	B	1	0	0	0	0
6	A	472	0	0	13	0
6	B	416	0	0	18	0
6	C	397	0	0	8	0
6	D	404	0	0	7	0
All	All	10027	0	8485	106	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (106) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:21:ILE:HD12	1:B:242:ILE:HG23	1.41	1.00
1:C:79[B]:MET:HE2	1:C:82:TYR:CE1	2.05	0.91
1:A:79[B]:MET:HG2	4:A:305:EDO:O2	1.72	0.90
1:D:174:GLU:HG3	6:D:616:HOH:O	1.72	0.88
1:C:25:LYS:CG	1:C:27:LEU:HG	2.04	0.86
1:B:17:PHE:O	1:B:20[A]:GLU:HG3	1.79	0.83
1:C:25:LYS:HG3	1:C:27:LEU:HG	1.59	0.83
1:B:116[A]:ARG:NH2	1:B:142:ASP:OD2	2.12	0.81
1:C:19[A]:LYS:HD3	6:C:572:HOH:O	1.80	0.79
1:A:117[A]:GLU:HG3	6:A:520:HOH:O	1.84	0.77
1:A:141:ILE:H	1:C:38:ASN:HD21	1.30	0.76
1:A:245[A]:GLU:HG3	6:A:609:HOH:O	1.86	0.76
1:B:21:ILE:CD1	1:B:242:ILE:HG23	2.17	0.74
1:C:79[B]:MET:CE	1:C:82:TYR:CE1	2.72	0.73
1:B:245[A]:GLU:HG3	6:B:571:HOH:O	1.90	0.72
1:A:248:LYS:NZ	6:A:852:HOH:O	2.21	0.72
1:A:137:ILE:HG22	6:A:716:HOH:O	1.90	0.72
1:D:174:GLU:CG	6:D:616:HOH:O	2.35	0.72
4:A:304:EDO:H22	1:B:236:LEU:HD13	1.73	0.71
1:C:108:VAL:CG2	6:C:795:HOH:O	2.38	0.71
1:A:232:ASP:OD1	1:A:234:LYS:HD3	1.92	0.70
1:C:177[A]:GLU:OE2	6:C:715:HOH:O	2.10	0.69
1:A:174:GLU:HG3	6:A:542:HOH:O	1.93	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:79[B]:MET:HE2	1:D:82:TYR:CD1	2.29	0.67
1:D:169:LEU:H	1:D:176:GLN:HE22	1.42	0.66
1:A:21[A]:ILE:HD12	1:A:22:PHE:N	2.10	0.66
1:B:192[A]:ILE:HG13	6:B:508:HOH:O	1.94	0.66
4:B:305:EDO:C1	6:B:786:HOH:O	2.45	0.65
1:A:79[B]:MET:CG	4:A:305:EDO:O2	2.46	0.64
1:D:79[B]:MET:HE2	1:D:82:TYR:CE1	2.33	0.64
1:B:108:VAL:HG21	6:B:540:HOH:O	1.99	0.63
1:B:108:VAL:CG2	6:B:540:HOH:O	2.47	0.63
1:D:192[A]:ILE:HG13	6:D:789:HOH:O	1.97	0.63
1:A:172[A]:LYS:HG2	6:A:542:HOH:O	2.00	0.62
1:B:245[A]:GLU:HG2	6:B:791:HOH:O	1.99	0.61
1:D:192[A]:ILE:CG1	6:D:789:HOH:O	2.48	0.61
1:D:79[B]:MET:CE	1:D:82:TYR:CD1	2.82	0.61
1:A:174:GLU:CD	6:A:705:HOH:O	2.44	0.61
1:C:169:LEU:H	1:C:176:GLN:HE22	1.47	0.60
1:C:235:PHE:CE1	1:C:238:LYS:HG3	2.37	0.60
1:A:96:ASP:OD2	4:A:305:EDO:H22	2.02	0.60
1:A:96:ASP:OD2	4:A:305:EDO:C2	2.50	0.58
1:C:108:VAL:HG21	6:C:795:HOH:O	1.99	0.58
1:A:169:LEU:H	1:A:176:GLN:HE22	1.51	0.57
1:A:174:GLU:CD	6:A:542:HOH:O	2.46	0.57
1:B:169:LEU:H	1:B:176:GLN:HE22	1.53	0.57
1:B:192[A]:ILE:CG1	6:B:508:HOH:O	2.51	0.57
1:D:79[B]:MET:CE	1:D:82:TYR:CE1	2.88	0.57
1:C:108:VAL:HG22	6:C:795:HOH:O	2.01	0.56
1:D:79[B]:MET:HE1	1:D:81:TYR:O	2.05	0.56
1:A:174:GLU:CG	6:A:542:HOH:O	2.53	0.56
4:B:305:EDO:H12	6:B:786:HOH:O	2.06	0.56
1:B:17:PHE:CE1	1:B:20[A]:GLU:OE1	2.59	0.55
1:A:141:ILE:H	1:C:38:ASN:ND2	2.01	0.55
1:B:194:HIS:HE1	6:B:561:HOH:O	1.90	0.54
1:C:25:LYS:HG2	1:C:27:LEU:HG	1.87	0.54
1:C:238:LYS:HG2	6:C:651:HOH:O	2.06	0.54
1:D:187[A]:LYS:HG2	1:D:192[A]:ILE:HG12	1.90	0.53
1:A:79[B]:MET:SD	4:A:305:EDO:O2	2.67	0.53
1:C:25:LYS:H	1:C:25:LYS:HD2	1.74	0.53
1:C:79[B]:MET:CE	1:C:82:TYR:CZ	2.92	0.53
1:B:172[A]:LYS:NZ	6:B:623:HOH:O	2.29	0.52
1:D:13:ASN:HB3	1:D:43:TYR:OH	2.09	0.51
1:B:20[A]:GLU:OE2	1:B:24:ARG:NH2	2.44	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:79[A]:MET:HG2	6:B:576:HOH:O	2.10	0.51
1:D:238[A]:LYS:HD2	6:D:607:HOH:O	2.12	0.50
1:C:19[A]:LYS:CD	6:C:572:HOH:O	2.51	0.49
1:C:19[A]:LYS:CG	6:C:572:HOH:O	2.61	0.49
4:A:304:EDO:C1	6:A:458:HOH:O	2.61	0.48
1:A:194:HIS:HE1	6:A:533:HOH:O	1.96	0.48
1:A:137:ILE:CG2	6:A:716:HOH:O	2.56	0.47
1:D:192[A]:ILE:HD11	6:D:789:HOH:O	2.14	0.47
1:A:209:GLY:O	1:A:227:ASN:HA	2.16	0.46
1:C:25:LYS:HG3	1:C:27:LEU:CG	2.39	0.46
1:A:172[A]:LYS:HD2	1:A:174:GLU:CD	2.41	0.46
1:A:96:ASP:CG	4:A:305:EDO:H22	2.42	0.44
1:B:18:MET:O	1:B:21:ILE:HG12	2.17	0.44
1:A:172[A]:LYS:HD2	1:A:174:GLU:OE1	2.17	0.44
1:A:52:ARG:HB3	1:A:151:LYS:HB3	1.98	0.44
1:C:20:GLU:O	1:C:24:ARG:HG3	2.18	0.44
1:D:238[A]:LYS:HD3	1:D:241:GLU:OE1	2.18	0.44
1:B:108:VAL:HG22	6:B:540:HOH:O	2.17	0.44
1:C:41:ILE:HD13	1:C:155:MET:SD	2.58	0.44
1:C:74:LYS:HE3	1:C:75:ASN:ND2	2.33	0.44
1:B:172[A]:LYS:HE2	6:B:590:HOH:O	2.17	0.43
1:A:21[A]:ILE:CD1	1:A:242:ILE:HG23	2.48	0.43
1:B:187[A]:LYS:HD3	6:B:560:HOH:O	2.19	0.42
1:B:174:GLU:OE2	1:B:175:ASN:OD1	2.36	0.42
1:C:235:PHE:CZ	1:C:238:LYS:HG3	2.54	0.42
1:B:174:GLU:CD	6:B:811:HOH:O	2.62	0.42
1:C:209:GLY:O	1:C:227:ASN:HA	2.20	0.41
1:D:254:LYS:NZ	6:D:633:HOH:O	2.51	0.41
1:A:113[B]:LYS:NZ	6:A:631:HOH:O	2.39	0.41
1:D:43:TYR:CE1	1:D:46:LEU:HB2	2.55	0.41
1:B:121:GLU:OE2	6:B:539:HOH:O	2.22	0.41
1:B:250:ILE:HG23	6:B:642:HOH:O	2.19	0.41
1:B:174:GLU:HG2	6:B:482:HOH:O	2.20	0.41
1:A:172[A]:LYS:CD	1:A:174:GLU:OE1	2.69	0.41
1:B:21:ILE:HD13	1:B:21:ILE:HG21	1.88	0.41
1:B:52:ARG:HB3	1:B:151:LYS:HB3	2.02	0.41
1:B:236:LEU:N	1:B:237:PRO:CD	2.84	0.41
1:A:21[A]:ILE:HD13	1:A:242:ILE:HG23	2.02	0.40
1:D:236:LEU:N	1:D:237:PRO:CD	2.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	249/254 (98%)	244 (98%)	5 (2%)	0	100	100
1	B	256/254 (101%)	252 (98%)	4 (2%)	0	100	100
1	C	249/254 (98%)	246 (99%)	3 (1%)	0	100	100
1	D	250/254 (98%)	245 (98%)	5 (2%)	0	100	100
All	All	1004/1016 (99%)	987 (98%)	17 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	228/229 (100%)	221 (97%)	7 (3%)	35	9
1	B	234/229 (102%)	227 (97%)	7 (3%)	36	9
1	C	227/229 (99%)	222 (98%)	5 (2%)	45	17
1	D	229/229 (100%)	223 (97%)	6 (3%)	40	13
All	All	918/916 (100%)	893 (97%)	25 (3%)	42	12

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	ASN
1	A	40	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	157	GLN
1	A	173	LEU
1	A	174	GLU
1	A	234	LYS
1	A	254	LYS
1	B	106	SER
1	B	157	GLN
1	B	173[A]	LEU
1	B	173[B]	LEU
1	B	174	GLU
1	B	187[A]	LYS
1	B	187[B]	LYS
1	C	8	ILE
1	C	25	LYS
1	C	157	GLN
1	C	173	LEU
1	C	234	LYS
1	D	157	GLN
1	D	173	LEU
1	D	174	GLU
1	D	219[A]	ASP
1	D	219[B]	ASP
1	D	234	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	28	ASN
1	A	157	GLN
1	A	176	GLN
1	A	194	HIS
1	B	28	ASN
1	B	157	GLN
1	B	176	GLN
1	B	194	HIS
1	B	203	ASN
1	C	28	ASN
1	C	38	ASN
1	C	50	ASN
1	C	128	ASN
1	C	157	GLN
1	C	176	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	251	ASN
1	D	28	ASN
1	D	50	ASN
1	D	128	ASN
1	D	157	GLN
1	D	166	GLN
1	D	176	GLN
1	D	194	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	KCX	A	60	1	10,11,12	1.01	1 (10%)	6,12,14	2.04	2 (33%)
1	KCX	D	60	1	10,11,12	1.86	2 (20%)	6,12,14	1.63	2 (33%)
1	KCX	C	60	1	10,11,12	0.64	0	6,12,14	1.23	1 (16%)
1	KCX	B	60	1	10,11,12	1.03	0	6,12,14	2.16	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KCX	A	60	1	-	2/9/10/12	-
1	KCX	D	60	1	-	0/9/10/12	-
1	KCX	C	60	1	-	1/9/10/12	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KCX	B	60	1	-	0/9/10/12	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	60	KCX	CX-NZ	4.51	1.43	1.35
1	D	60	KCX	CB-CA	2.23	1.57	1.53
1	A	60	KCX	OQ1-CX	2.15	1.25	1.21

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	60	KCX	OQ1-CX-NZ	-4.88	117.51	124.92
1	A	60	KCX	OQ1-CX-NZ	-3.92	118.97	124.92
1	D	60	KCX	OQ1-CX-NZ	-3.23	120.02	124.92
1	A	60	KCX	CE-NZ-CX	3.00	127.07	121.98
1	C	60	KCX	OQ1-CX-NZ	-2.92	120.48	124.92
1	D	60	KCX	CE-NZ-CX	2.03	125.42	121.98

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	60	KCX	O-C-CA-CB
1	C	60	KCX	O-C-CA-CB
1	A	60	KCX	C-CA-CB-CG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 17 ligands modelled in this entry, 14 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EDO	A	305	-	3,3,3	0.70	0	2,2,2	0.73	0
4	EDO	B	305	-	3,3,3	0.30	0	2,2,2	0.40	0
4	EDO	A	304	-	3,3,3	0.98	0	2,2,2	1.76	1 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	305	-	-	1/1/1/1	-
4	EDO	B	305	-	-	0/1/1/1	-
4	EDO	A	304	-	-	1/1/1/1	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	304	EDO	O1-C1-C2	-2.40	94.11	112.39

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	304	EDO	O1-C1-C2-O2
4	A	305	EDO	O1-C1-C2-O2

There are no ring outliers.

3 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	305	EDO	6	0
4	B	305	EDO	2	0
4	A	304	EDO	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	241/254 (94%)	-0.46	2 (0%) 82 86	4, 7, 17, 34	10 (4%)
1	B	244/254 (96%)	-0.41	3 (1%) 76 80	3, 8, 20, 36	13 (5%)
1	C	246/254 (96%)	-0.32	3 (1%) 76 80	5, 10, 21, 35	5 (2%)
1	D	241/254 (94%)	-0.36	0 100 100	6, 10, 21, 32	11 (4%)
All	All	972/1016 (95%)	-0.39	8 (0%) 82 86	3, 9, 21, 36	39 (4%)

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	21	ILE	2.9
1	A	13	ASN	2.8
1	B	10	SER	2.7
1	C	26	GLY	2.5
1	C	8	ILE	2.4
1	C	9	ILE	2.4
1	A	254	LYS	2.3
1	B	11	PHE	2.2

6.2 Non-standard residues in protein, DNA, RNA chains

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	KCX	A	60	12/13	0.97	0.04	4,4,5,6	0
1	KCX	D	60	12/13	0.97	0.05	6,7,10,13	0
1	KCX	C	60	12/13	0.98	0.04	6,7,9,10	0
1	KCX	B	60	12/13	0.98	0.04	4,4,6,7	0

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EDO	A	305	4/4	0.82	0.17	14,18,23,26	0
2	MG	D	303	1/1	0.86	0.18	38,38,38,38	0
4	EDO	B	305	4/4	0.91	0.14	23,23,25,26	0
2	MG	C	303	1/1	0.92	0.14	32,32,32,32	0
4	EDO	A	304	4/4	0.92	0.14	15,17,17,17	0
2	MG	C	304	1/1	0.93	0.14	23,23,23,23	0
2	MG	B	304	1/1	0.95	0.13	40,40,40,40	0
2	MG	B	303	1/1	0.96	0.14	28,28,28,28	0
2	MG	C	302	1/1	0.98	0.12	14,14,14,14	0
2	MG	A	301	1/1	0.98	0.18	19,19,19,19	0
2	MG	A	302	1/1	0.98	0.13	17,17,17,17	0
2	MG	D	302	1/1	0.98	0.14	17,17,17,17	0
2	MG	D	301	1/1	0.99	0.05	18,18,18,18	0
2	MG	C	301	1/1	0.99	0.09	13,13,13,13	0
2	MG	B	302	1/1	0.99	0.04	7,7,7,7	0
5	NA	B	301	1/1	0.99	0.04	16,16,16,16	0
3	CL	A	303	1/1	1.00	0.04	12,12,12,12	0

6.5 Other polymers ⓘ

There are no such residues in this entry.