



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 09:49 AM UTC

PDB ID : 4IFQ / pdb_00004ifq
Title : Crystal structure of *Saccharomyces cerevisiae* NUP192, residues 2 to 960 [ScNup192(2-960)]
Authors : Sampathkumar, P.; Almo, S.C.; New York Structural Genomics Research Consortium (NYSGRG); Nucleocytoplasmic Transport: a Target for Cellular Control (NPCXstals)
Deposited on : 2012-12-14
Resolution : 3.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1605 (3.30-3.22)
Clashscore	190562	1660 (3.30-3.22)
Ramachandran outliers	187476	1630 (3.30-3.22)
Sidechain outliers	187428	1629 (3.30-3.22)
RSRZ outliers	180081	1605 (3.30-3.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	970	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	IOD	A	1011	-	-	X	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6971 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nucleoporin NUP192.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	852	Total	C	N	O	S	Se	0	0	0
			6923	4498	1100	1306	11	8			

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MSE	-	expression tag	UNP P47054
A	0	SER	-	expression tag	UNP P47054
A	1	LEU	-	expression tag	UNP P47054
A	961	GLU	-	expression tag	UNP P47054
A	962	GLY	-	expression tag	UNP P47054
A	963	HIS	-	expression tag	UNP P47054
A	964	HIS	-	expression tag	UNP P47054
A	965	HIS	-	expression tag	UNP P47054
A	966	HIS	-	expression tag	UNP P47054
A	967	HIS	-	expression tag	UNP P47054
A	968	HIS	-	expression tag	UNP P47054

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is IODIDE ION (CCD ID: IOD) (formula: I).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	7	Total	I	0	0
			7	7		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	6	Total	O	0	0
			6	6		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Nucleoporin NUP192



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	134.60Å 134.60Å 234.79Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.76 – 3.25 47.76 – 3.25	Depositor EDS
% Data completeness (in resolution range)	99.6 (47.76-3.25) 99.8 (47.76-3.25)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.14	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.97 (at 3.25Å)	Xtriage
Refinement program	REFMAC 5.7.0025	Depositor
R, R_{free}	0.188 , 0.243 0.191 , 0.242	Depositor DCC
R_{free} test set	1932 reflections (5.58%)	wwPDB-VP
Wilson B-factor (Å ²)	80.7	Xtriage
Anisotropy	0.298	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 49.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6971	wwPDB-VP
Average B, all atoms (Å ²)	85.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.07% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, IOD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.94	0/7067	1.17	19/9554 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

There are no bond length outliers.

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	136	LYS	N-CA-C	8.96	120.66	111.07
1	A	551	SER	N-CA-C	6.14	117.56	108.60
1	A	816	PHE	N-CA-C	-5.97	104.70	111.14
1	A	763	HIS	N-CA-C	5.64	119.15	112.72
1	A	428	GLN	N-CA-C	-5.60	105.18	111.28
1	A	446	CYS	N-CA-C	5.53	119.60	112.41
1	A	322	ILE	CB-CA-C	-5.53	104.60	112.22
1	A	883	VAL	N-CA-C	5.51	116.29	110.72
1	A	832	PHE	N-CA-C	5.35	118.91	112.38
1	A	445	ASP	N-CA-C	5.35	119.29	112.87
1	A	635	PHE	N-CA-C	5.29	120.01	113.50
1	A	623	VAL	CB-CA-C	-5.28	103.30	110.90
1	A	815	PHE	N-CA-C	-5.28	106.68	113.23
1	A	238	PHE	N-CA-C	-5.17	105.72	111.36
1	A	495	TYR	CB-CA-C	-5.16	101.35	109.34
1	A	205	ALA	N-CA-C	5.15	118.34	111.75

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	872	ILE	CB-CA-C	-5.10	105.45	111.97
1	A	894	GLY	N-CA-C	-5.02	104.71	111.54
1	A	494	GLU	CB-CG-CD	5.01	121.12	112.60

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	135	ILE	Peptide
1	A	950	GLU	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6923	0	6833	148	0
2	A	35	0	0	0	0
3	A	7	0	0	5	0
4	A	6	0	0	3	0
All	All	6971	0	6833	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:837:TYR:OH	1:A:911:SER:HB3	1.73	0.86
1:A:550:ASN:HD22	1:A:550:ASN:N	1.81	0.79
1:A:473:SER:O	1:A:480:ARG:NH2	2.18	0.76
1:A:550:ASN:HD22	1:A:550:ASN:H	1.34	0.73
1:A:920:ILE:HB	1:A:921:PRO:HD3	1.70	0.71
1:A:857:GLY:HA2	1:A:860:ASN:HB3	1.73	0.70
1:A:913:TYR:HA	1:A:916:ILE:HG22	1.75	0.69
1:A:129:GLU:HB2	3:A:1011:IOD:I	2.63	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:787:GLY:HA3	1:A:827:ILE:CD1	2.25	0.68
1:A:256:HIS:CD2	1:A:285:PHE:CZ	2.82	0.67
1:A:921:PRO:O	1:A:925:HIS:ND1	2.26	0.67
1:A:925:HIS:HD2	4:A:1101:HOH:O	1.80	0.64
1:A:915:ALA:O	1:A:919:ASN:HB3	1.99	0.63
1:A:920:ILE:O	1:A:923:VAL:N	2.31	0.63
1:A:837:TYR:OH	1:A:911:SER:CB	2.47	0.62
1:A:132:GLN:O	1:A:136:LYS:HB2	1.99	0.62
1:A:310:MSE:HE1	1:A:446:CYS:SG	2.40	0.62
1:A:550:ASN:N	1:A:550:ASN:ND2	2.48	0.62
1:A:130:LEU:O	1:A:131:TYR:C	2.40	0.61
1:A:561:CYS:SG	4:A:1103:HOH:O	2.56	0.61
1:A:769:ASP:HB3	1:A:772:ASN:OD1	2.01	0.60
1:A:925:HIS:CD2	4:A:1101:HOH:O	2.55	0.59
1:A:301:ASP:O	1:A:305:ASP:HB2	2.02	0.59
1:A:157:GLU:O	1:A:161:GLN:HG3	2.03	0.59
1:A:834:GLU:HA	1:A:837:TYR:CE2	2.38	0.58
1:A:306:VAL:HG12	1:A:307:ASP:N	2.18	0.57
1:A:884:GLU:O	1:A:888:PRO:HG2	2.04	0.57
1:A:916:ILE:HG23	1:A:917:PHE:N	2.20	0.57
1:A:278:ILE:O	1:A:281:PHE:HB3	2.05	0.56
1:A:84:ASP:OD1	1:A:86:ILE:HG13	2.06	0.56
1:A:349:GLU:O	1:A:349:GLU:HG2	2.06	0.56
1:A:128:THR:HG23	3:A:1011:IOD:I	2.76	0.55
1:A:534:SER:HB3	1:A:543:VAL:HG21	1.88	0.55
1:A:81:LEU:O	1:A:82:ASN:C	2.50	0.55
1:A:130:LEU:HD23	3:A:1011:IOD:I	2.77	0.55
1:A:688:SER:O	1:A:691:SER:OG	2.25	0.54
1:A:723:GLU:HB3	1:A:726:SER:OG	2.08	0.53
1:A:769:ASP:OD1	1:A:769:ASP:C	2.51	0.53
1:A:875:VAL:O	1:A:879:GLN:N	2.39	0.53
1:A:201:VAL:HG23	1:A:206:ILE:HD11	1.91	0.53
1:A:442:ILE:O	1:A:446:CYS:HB2	2.09	0.53
1:A:118:SER:O	1:A:122:ASN:HB2	2.08	0.52
1:A:33:GLN:NE2	1:A:137:ASN:OD1	2.43	0.52
1:A:213:ILE:HD12	1:A:213:ILE:H	1.75	0.52
1:A:639:LEU:O	1:A:643:THR:HG23	2.09	0.52
1:A:915:ALA:O	1:A:919:ASN:CB	2.58	0.52
1:A:486:TYR:CD2	1:A:532:SER:HB2	2.45	0.52
1:A:885:GLU:O	1:A:889:ILE:HG13	2.10	0.52
1:A:887:PHE:HB3	1:A:888:PRO:HD3	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:919:ASN:OD1	1:A:919:ASN:C	2.53	0.51
1:A:537:PRO:CD	1:A:538:GLU:H	2.23	0.51
1:A:672:TRP:CZ2	1:A:716:LEU:HB3	2.46	0.51
1:A:46:ALA:O	1:A:50:GLN:HG2	2.11	0.51
1:A:919:ASN:OD1	1:A:920:ILE:N	2.44	0.51
1:A:213:ILE:HD12	1:A:213:ILE:N	2.26	0.50
1:A:256:HIS:CD2	1:A:285:PHE:CE2	2.99	0.50
1:A:165:ALA:HA	3:A:1013:IOD:I	2.82	0.50
1:A:242:ALA:HB2	1:A:284:TYR:CZ	2.47	0.49
1:A:76:SER:O	1:A:80:GLU:HB2	2.13	0.49
1:A:248:PRO:HG2	1:A:251:ASP:OD2	2.13	0.49
1:A:685:LEU:HA	1:A:691:SER:HB2	1.93	0.49
1:A:869:VAL:HG12	1:A:940:ASN:HB3	1.94	0.49
1:A:913:TYR:O	1:A:917:PHE:N	2.39	0.49
1:A:1:LEU:HD23	1:A:31:ASP:HA	1.95	0.48
1:A:791:PHE:HB2	1:A:822:CYS:SG	2.53	0.48
1:A:6:ILE:N	1:A:7:PRO:HD2	2.28	0.48
1:A:140:LEU:C	1:A:140:LEU:HD23	2.39	0.48
1:A:549:GLU:HB2	1:A:550:ASN:HD22	1.78	0.48
1:A:703:TYR:CD2	1:A:703:TYR:C	2.91	0.47
1:A:228:PHE:O	1:A:228:PHE:CD2	2.67	0.47
1:A:54:GLY:O	1:A:66:VAL:N	2.41	0.47
1:A:440:GLN:O	1:A:444:THR:HG23	2.15	0.47
1:A:825:ILE:HB	1:A:826:PRO:CD	2.45	0.47
1:A:883:VAL:HG12	1:A:906:LEU:HD22	1.97	0.47
1:A:916:ILE:CG2	1:A:917:PHE:N	2.77	0.47
1:A:125:HIS:O	1:A:128:THR:HB	2.14	0.47
1:A:228:PHE:O	1:A:228:PHE:CG	2.66	0.47
1:A:656:VAL:O	1:A:657:ILE:C	2.55	0.47
1:A:672:TRP:CE2	1:A:716:LEU:HB3	2.50	0.46
1:A:781:LEU:HD12	1:A:864:LEU:HD12	1.97	0.46
1:A:920:ILE:O	1:A:922:LEU:N	2.49	0.46
1:A:795:VAL:CG1	1:A:796:ILE:N	2.77	0.46
1:A:676:ASP:OD2	1:A:740:LEU:HG	2.16	0.46
1:A:213:ILE:H	1:A:213:ILE:CD1	2.29	0.45
1:A:236:ALA:O	1:A:240:LEU:HB2	2.17	0.45
1:A:296:ARG:O	1:A:299:THR:HB	2.16	0.45
1:A:686:ASN:C	1:A:686:ASN:OD1	2.60	0.45
1:A:907:HIS:HB2	1:A:908:GLY:H	1.54	0.45
1:A:444:THR:OG1	1:A:445:ASP:N	2.49	0.45
1:A:300:MSE:SE	1:A:305:ASP:OD2	2.84	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:795:VAL:HG13	1:A:796:ILE:HG13	1.97	0.45
1:A:234:THR:OG1	1:A:235:PRO:HD3	2.17	0.45
1:A:66:VAL:HG13	1:A:70:PHE:CD1	2.52	0.45
1:A:796:ILE:HG21	1:A:885:GLU:HG3	1.98	0.45
1:A:112:TYR:O	1:A:113:ILE:C	2.60	0.44
1:A:776:VAL:O	1:A:780:ILE:HG13	2.17	0.44
1:A:547:PHE:O	1:A:554:SER:HA	2.17	0.44
1:A:676:ASP:OD1	1:A:680:PHE:HD2	1.99	0.44
1:A:488:PHE:C	1:A:488:PHE:CD1	2.95	0.44
1:A:159:LYS:HE2	1:A:361:LEU:O	2.17	0.44
1:A:549:GLU:CB	1:A:550:ASN:HD22	2.30	0.44
1:A:877:ASP:OD1	1:A:947:LYS:CE	2.65	0.44
1:A:865:LEU:HD12	1:A:865:LEU:O	2.18	0.44
1:A:795:VAL:HG13	1:A:796:ILE:N	2.32	0.44
1:A:949:SER:O	1:A:952:SER:N	2.51	0.44
1:A:255:LEU:O	1:A:258:GLN:HB3	2.17	0.44
1:A:341:PHE:HB2	1:A:610:SER:HB2	1.98	0.44
1:A:741:GLY:HA2	1:A:744:TYR:CZ	2.53	0.43
1:A:255:LEU:O	1:A:256:HIS:C	2.62	0.43
1:A:549:GLU:CB	1:A:550:ASN:ND2	2.81	0.43
1:A:201:VAL:CG2	1:A:206:ILE:HD11	2.47	0.43
1:A:731:PHE:CE2	1:A:795:VAL:HG11	2.53	0.43
1:A:620:THR:HG21	1:A:660:LEU:HD21	2.00	0.43
1:A:555:TRP:HB2	3:A:1012:IOD:I	2.89	0.43
1:A:918:PHE:O	1:A:919:ASN:C	2.62	0.43
1:A:21:ASP:C	1:A:23:ASP:N	2.74	0.43
1:A:628:LYS:HD3	1:A:659:ASN:O	2.19	0.43
1:A:913:TYR:O	1:A:916:ILE:HG22	2.18	0.43
1:A:774:ARG:HH11	1:A:857:GLY:N	2.17	0.42
1:A:256:HIS:CE1	1:A:260:MSE:SE	3.23	0.42
1:A:502:ASP:OD1	1:A:502:ASP:C	2.61	0.42
1:A:260:MSE:HE1	1:A:304:THR:O	2.20	0.42
1:A:702:LYS:O	1:A:703:TYR:C	2.62	0.42
1:A:878:TYR:O	1:A:879:GLN:C	2.63	0.42
1:A:4:SER:O	1:A:109:ARG:HD2	2.19	0.42
1:A:21:ASP:OD2	1:A:24:LEU:CB	2.68	0.42
1:A:883:VAL:HG12	1:A:906:LEU:CD2	2.49	0.42
1:A:67:ASN:O	1:A:71:ILE:HG12	2.20	0.42
1:A:88:ALA:O	1:A:92:ILE:HG13	2.20	0.42
1:A:507:ALA:O	1:A:510:PHE:HB3	2.20	0.42
1:A:927:GLY:O	1:A:930:VAL:HG22	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:785:TYR:CE1	1:A:874:LYS:HE3	2.55	0.42
1:A:764:VAL:C	1:A:766:GLN:H	2.26	0.41
1:A:345:ARG:NH2	1:A:354:ARG:HG2	2.35	0.41
1:A:524:SER:HB3	1:A:608:PHE:HA	2.03	0.41
1:A:282:PHE:O	1:A:283:ALA:C	2.63	0.41
1:A:523:ARG:O	1:A:523:ARG:HD3	2.21	0.41
1:A:285:PHE:O	1:A:286:ILE:C	2.63	0.41
1:A:787:GLY:HA3	1:A:827:ILE:HD13	2.01	0.41
1:A:869:VAL:CG1	1:A:940:ASN:HB3	2.51	0.41
1:A:643:THR:HG22	1:A:653:ALA:HB3	2.01	0.40
1:A:821:GLU:OE2	1:A:898:TYR:OH	2.37	0.40
1:A:886:LEU:O	1:A:887:PHE:C	2.62	0.40
1:A:95:GLY:O	1:A:96:ASP:C	2.63	0.40
1:A:643:THR:OG1	1:A:674:PHE:HZ	2.04	0.40
1:A:279:PHE:CD1	1:A:279:PHE:C	2.99	0.40
1:A:834:GLU:O	1:A:835:LYS:C	2.64	0.40
1:A:495:TYR:O	1:A:496:SER:C	2.63	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	842/970 (87%)	755 (90%)	81 (10%)	6 (1%)	18 48

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	113	ILE
1	A	920	ILE
1	A	536	GLY
1	A	932	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	286	ILE
1	A	306	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	776/870 (89%)	756 (97%)	20 (3%)	40 62

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	38	ASN
1	A	130	LEU
1	A	137	ASN
1	A	220	VAL
1	A	257	SER
1	A	260	MSE
1	A	294	LYS
1	A	443	ILE
1	A	498	THR
1	A	534	SER
1	A	550	ASN
1	A	638	VAL
1	A	664	LEU
1	A	717	ILE
1	A	776	VAL
1	A	781	LEU
1	A	815	PHE
1	A	831	ILE
1	A	889	ILE
1	A	937	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	ASN
1	A	45	ASN
1	A	101	ASN
1	A	321	GLN
1	A	426	GLN
1	A	518	ASN
1	A	545	HIS
1	A	550	ASN
1	A	724	ASN
1	A	777	GLN
1	A	879	GLN
1	A	935	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 7 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	A	1004	-	4,4,4	0.53	0	6,6,6	0.45	0
2	SO4	A	1005	-	4,4,4	0.71	0	6,6,6	0.37	0
2	SO4	A	1007	-	4,4,4	0.77	0	6,6,6	0.63	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	A	1001	-	4,4,4	0.60	0	6,6,6	0.63	0
2	SO4	A	1006	-	4,4,4	0.51	0	6,6,6	0.64	0
2	SO4	A	1002	-	4,4,4	0.55	0	6,6,6	0.21	0
2	SO4	A	1003	-	4,4,4	0.53	0	6,6,6	0.68	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	844/970 (87%)	-0.21	17 (2%) 65 46	51, 79, 132, 173	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	2	LYS	4.4
1	A	954	GLY	4.3
1	A	814	ASN	3.8
1	A	909	LEU	3.6
1	A	857	GLY	3.3
1	A	97	THR	3.1
1	A	86	ILE	2.8
1	A	41	LYS	2.5
1	A	22	PHE	2.4
1	A	848	VAL	2.3
1	A	303	LYS	2.2
1	A	65	LYS	2.2
1	A	768	VAL	2.1
1	A	952	SER	2.1
1	A	75	ILE	2.1
1	A	858	GLY	2.1
1	A	20	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	A	1003	5/5	0.78	0.13	129,134,140,155	0
2	SO4	A	1002	5/5	0.84	0.13	147,151,172,180	0
2	SO4	A	1007	5/5	0.84	0.14	101,110,112,114	0
2	SO4	A	1005	5/5	0.88	0.13	113,116,119,138	0
2	SO4	A	1001	5/5	0.88	0.10	122,124,133,137	0
2	SO4	A	1004	5/5	0.90	0.12	108,116,130,137	0
2	SO4	A	1006	5/5	0.91	0.13	117,124,132,140	0
3	IOD	A	1013	1/1	0.96	0.17	108,108,108,108	1
3	IOD	A	1011	1/1	0.97	0.04	98,98,98,98	1
3	IOD	A	1014	1/1	0.97	0.07	115,115,115,115	1
3	IOD	A	1009	1/1	0.98	0.06	95,95,95,95	1
3	IOD	A	1012	1/1	0.99	0.07	86,86,86,86	1
3	IOD	A	1010	1/1	0.99	0.07	90,90,90,90	1
3	IOD	A	1008	1/1	0.99	0.12	113,113,113,113	0

6.5 Other polymers

There are no such residues in this entry.