



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 2, 2026 – 04:16 AM UTC

PDB ID : 6IGR / pdb\_00006igr  
Title : Crystal structure of S9 peptidase (S514A mutant in inactive state) from *Deinococcus radiodurans* R1  
Authors : Yadav, P.; Gaur, N.K.; Goyal, V.D.; Kumar, A.; Makde, R.D.  
Deposited on : 2018-09-25  
Resolution : 2.60 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 2.0  
EDS : 3.0  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	656	 5% 80% 11% 9%
1	B	656	 6% 79% 12% 9%
1	C	656	 4% 82% 9% 9%
1	D	656	 4% 80% 10% 10%

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 18665 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acyl-peptide hydrolase, putative.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	599	Total 4606	C 2927	N 827	O 843	S 9	0	0	0
1	B	597	Total 4584	C 2913	N 826	O 836	S 9	0	0	0
1	C	595	Total 4563	C 2899	N 822	O 833	S 9	0	0	0
1	D	593	Total 4531	C 2882	N 811	O 829	S 9	0	0	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	expression tag	UNP Q9RXY9
A	1	SER	-	expression tag	UNP Q9RXY9
A	514	ALA	SER	engineered mutation	UNP Q9RXY9
B	0	GLY	-	expression tag	UNP Q9RXY9
B	1	SER	-	expression tag	UNP Q9RXY9
B	514	ALA	SER	engineered mutation	UNP Q9RXY9
C	0	GLY	-	expression tag	UNP Q9RXY9
C	1	SER	-	expression tag	UNP Q9RXY9
C	514	ALA	SER	engineered mutation	UNP Q9RXY9
D	0	GLY	-	expression tag	UNP Q9RXY9
D	1	SER	-	expression tag	UNP Q9RXY9
D	514	ALA	SER	engineered mutation	UNP Q9RXY9

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 6 3 3	0	0
2	A	1	Total C O 6 3 3	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	114	Total O 114 114	0	0
3	B	85	Total O 85 85	0	0
3	C	100	Total O 100 100	0	0
3	D	70	Total O 70 70	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Acyl-peptide hydrolase, putative





- Molecule 1: Acyl-peptide hydrolase, putative







- Molecule 1: Acyl-peptide hydrolase, putative



- Molecule 1: Acyl-peptide hydrolase, putative



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	77.42Å 189.20Å 121.03Å 90.00° 108.59° 90.00°	Depositor
Resolution (Å)	39.76 – 2.60 39.76 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.6 (39.76-2.60) 99.6 (39.76-2.60)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.28 (at 2.61Å)	Xtrriage
Refinement program	PHENIX (1.11.1_2575: ???)	Depositor
R, $R_{free}$	0.216 , 0.253 0.219 , 0.253	Depositor DCC
$R_{free}$ test set	4984 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	38.3	Xtrriage
Anisotropy	0.646	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 30.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.52$ , $\langle L^2 \rangle = 0.36$	Xtrriage
Estimated twinning fraction	0.000 for h,-k,-h-l	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	18665	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	42.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 12.02% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.21	0/4745	0.40	0/6475
1	B	0.23	1/4722 (0.0%)	0.44	1/6443 (0.0%)
1	C	0.20	0/4699	0.41	1/6414 (0.0%)
1	D	0.19	0/4668	0.40	0/6376
All	All	0.21	1/18834 (0.0%)	0.41	2/25708 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	82	ALA	C-O	5.33	1.26	1.23

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	330	THR	OG1-CB-CG2	6.32	121.95	109.30
1	C	107	LEU	CD1-CG-CD2	-5.29	99.17	110.80

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4606	0	4340	47	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	4584	0	4318	55	0
1	C	4563	0	4285	43	0
1	D	4531	0	4236	46	0
2	A	12	0	16	2	0
3	A	114	0	0	1	0
3	B	85	0	0	2	0
3	C	100	0	0	0	0
3	D	70	0	0	0	0
All	All	18665	0	17195	184	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (184) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:408:THR:HG22	1:C:410:LEU:H	1.28	0.96
1:B:511:MET:HE3	1:B:534:ILE:HD12	1.50	0.94
1:A:511:MET:HE3	1:A:534:ILE:HD12	1.47	0.93
1:A:541:ASN:HD22	1:A:607:GLN:HE22	1.17	0.87
1:B:491:ASN:ND2	1:B:495:ARG:HH11	1.79	0.79
1:D:629:HIS:HA	1:D:640:ARG:HH22	1.52	0.75
1:C:107:LEU:CD1	1:C:118:VAL:CG1	2.65	0.75
1:D:278:HIS:H	1:D:471:GLN:HE22	1.35	0.75
1:C:107:LEU:CD1	1:C:118:VAL:HG11	2.18	0.74
1:B:399:ARG:H	1:B:449:GLN:HE22	1.36	0.74
1:B:595:VAL:HG13	1:B:596:LEU:HG	1.70	0.73
1:C:107:LEU:HD12	1:C:118:VAL:HG13	1.71	0.73
1:C:107:LEU:HD13	1:C:118:VAL:HG11	1.71	0.71
1:B:540:SER:H	1:B:604:GLN:HE21	1.39	0.71
1:A:31:GLN:HG2	1:A:64:GLU:HG3	1.72	0.70
1:B:522:TRP:O	1:B:526:HIS:HD2	1.74	0.69
1:B:107:LEU:HD13	1:B:118:VAL:HG11	1.75	0.67
1:B:567:ARG:HE	1:C:580:GLN:HE21	1.41	0.67
1:B:230:ASP:HB2	1:B:245:LEU:HG	1.77	0.66
1:B:614:LYS:HD2	1:C:553:LEU:HD22	1.78	0.65
1:A:107:LEU:HD12	1:A:118:VAL:HG11	1.78	0.65
1:D:278:HIS:H	1:D:471:GLN:NE2	1.95	0.64
1:C:84:ARG:HD3	1:C:128:PRO:O	1.98	0.63
1:A:420:PRO:O	1:A:502:ARG:NH2	2.30	0.63
1:B:541:ASN:H	1:B:604:GLN:HE22	1.45	0.63

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:542:LEU:HD13	1:B:577:SER:HA	1.79	0.63
1:D:107:LEU:HD13	1:D:118:VAL:HG11	1.81	0.62
1:D:326:LEU:HD11	1:D:337:LEU:HB3	1.81	0.62
1:D:437:HIS:HD2	1:D:465:GLY:O	1.82	0.61
1:D:204:TRP:CZ2	1:D:211:LEU:HD21	2.35	0.61
1:B:491:ASN:HD22	1:B:495:ARG:HH11	1.47	0.59
1:B:540:SER:H	1:B:604:GLN:NE2	1.99	0.59
1:D:629:HIS:HA	1:D:640:ARG:NH2	2.17	0.59
1:B:495:ARG:NH2	1:B:498:GLU:OE1	2.35	0.59
1:C:204:TRP:CZ2	1:C:211:LEU:HD21	2.39	0.58
1:A:433:HIS:HB3	1:A:440:TYR:CZ	2.40	0.57
1:C:281:LEU:HD13	1:C:325:LEU:HD23	1.86	0.57
1:D:119:THR:HG22	1:D:188:LEU:HD21	1.87	0.57
1:B:213:VAL:HG23	1:B:255:LEU:HD11	1.87	0.56
1:D:420:PRO:HB3	1:D:452:ALA:O	2.04	0.56
1:B:541:ASN:H	1:B:604:GLN:NE2	2.04	0.56
1:A:230:ASP:HB2	1:A:245:LEU:HG	1.87	0.56
1:B:491:ASN:O	1:B:495:ARG:HG2	2.07	0.55
1:C:420:PRO:HB3	1:C:452:ALA:O	2.06	0.55
1:D:630:GLU:N	1:D:640:ARG:HH12	2.04	0.54
1:B:495:ARG:HH21	1:B:498:GLU:CD	2.16	0.54
1:D:281:LEU:HD13	1:D:325:LEU:HD23	1.87	0.54
1:C:213:VAL:HG23	1:C:255:LEU:HD11	1.90	0.54
1:D:23:PRO:HG3	1:D:370:ILE:HG12	1.90	0.54
1:A:231:LEU:HB2	1:A:242:PRO:HB3	1.90	0.53
1:B:440:TYR:CD2	1:B:460:TYR:HB2	2.44	0.53
1:C:329:SER:HB3	1:C:338:PHE:CE2	2.44	0.53
1:C:440:TYR:CD2	1:C:460:TYR:HB2	2.44	0.53
1:A:269:ARG:NH1	3:A:803:HOH:O	2.43	0.52
1:C:107:LEU:CD1	1:C:118:VAL:HG13	2.33	0.52
1:D:213:VAL:HG23	1:D:255:LEU:HD11	1.91	0.52
1:A:542:LEU:HD13	1:A:577:SER:HA	1.91	0.52
1:B:491:ASN:ND2	1:B:495:ARG:NH1	2.55	0.51
1:A:491:ASN:OD1	1:A:495:ARG:NH1	2.44	0.51
1:D:191:TRP:CD1	1:D:234:PRO:HG3	2.46	0.50
1:D:92:LEU:HG	1:D:110:LEU:HD11	1.93	0.50
1:A:435:GLY:O	2:A:702:GOL:H32	2.11	0.50
1:A:440:TYR:CD2	1:A:460:TYR:HB2	2.47	0.50
1:B:114:GLU:HG2	1:D:114:GLU:HG2	1.94	0.50
1:B:421:GLU:O	1:B:502:ARG:NH2	2.45	0.49
1:D:542:LEU:HD13	1:D:577:SER:HA	1.95	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:557:ASP:OD2	1:D:614:LYS:NZ	2.33	0.49
1:B:103:ALA:HB3	1:B:124:GLY:HA3	1.94	0.49
1:D:278:HIS:N	1:D:471:GLN:HE22	2.07	0.49
1:D:433:HIS:HB3	1:D:440:TYR:CZ	2.47	0.48
1:B:281:LEU:HD13	1:B:325:LEU:HD23	1.94	0.48
1:B:407:GLU:HG2	3:B:775:HOH:O	2.13	0.48
1:A:120:HIS:NE2	1:C:75:GLU:OE1	2.38	0.48
1:B:595:VAL:HG23	1:B:623:ARG:HH21	1.78	0.48
1:C:415:GLY:HA3	1:C:492:PHE:CE2	2.48	0.47
1:B:537:ARG:NE	1:B:597:ASP:OD1	2.40	0.47
1:D:425:LYS:HA	1:D:502:ARG:O	2.14	0.47
1:C:541:ASN:C	1:C:541:ASN:HD22	2.22	0.47
1:A:307:ASP:O	1:A:640:ARG:NH1	2.48	0.47
1:C:433:HIS:HB3	1:C:440:TYR:CZ	2.49	0.47
1:A:514:ALA:HB1	2:A:702:GOL:H2	1.96	0.47
1:C:23:PRO:HG3	1:C:370:ILE:HG13	1.96	0.47
1:D:116:ARG:HH22	1:D:186:ASP:CG	2.23	0.47
1:D:437:HIS:HE1	1:D:559:GLU:OE1	1.97	0.47
1:A:139:PHE:O	1:A:178:LEU:HD12	2.15	0.47
1:B:223:GLN:HG2	1:B:225:ARG:NH2	2.29	0.47
1:A:447:GLU:OE2	1:A:643:ARG:NH2	2.43	0.47
1:A:114:GLU:HG2	1:C:114:GLU:HG2	1.96	0.47
1:A:594:SER:OG	1:A:639:ARG:NH2	2.44	0.47
1:A:197:GLY:O	1:A:214:GLN:HB2	2.15	0.46
1:B:191:TRP:CD1	1:B:234:PRO:HG3	2.49	0.46
1:B:420:PRO:HB3	1:B:452:ALA:O	2.14	0.46
1:A:420:PRO:HB3	1:A:452:ALA:O	2.15	0.46
1:A:575:ASP:HA	1:A:580:GLN:NE2	2.30	0.46
1:B:210:VAL:HG12	1:B:212:ILE:HG23	1.96	0.46
1:C:588:PRO:HB3	1:C:618:PRO:HB2	1.97	0.46
1:C:542:LEU:HD13	1:C:577:SER:HA	1.98	0.46
1:D:440:TYR:CD2	1:D:460:TYR:HB2	2.50	0.46
1:D:321:ASP:OD1	1:D:324:THR:N	2.45	0.46
1:B:219:TRP:O	1:B:222:SER:OG	2.34	0.46
1:B:542:LEU:HG	1:B:556:TRP:CZ2	2.51	0.46
1:D:60:LEU:HD11	1:D:94:PHE:CG	2.51	0.46
1:A:275:ASN:O	1:A:275:ASN:ND2	2.49	0.46
1:C:483:THR:OG1	1:C:484:VAL:N	2.48	0.46
1:A:214:GLN:HG2	1:A:229:TYR:CE1	2.50	0.45
1:C:419:LEU:HD11	1:C:500:VAL:HG11	1.98	0.45
1:A:211:LEU:HD13	1:A:257:PRO:HG3	1.98	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:246:LEU:HD11	1:B:248:TRP:CE3	2.52	0.45
1:D:318:ARG:C	1:D:325:LEU:HD12	2.41	0.45
1:A:180:LEU:HD21	1:A:233:LEU:HD23	1.98	0.45
1:C:513:GLY:HA2	1:C:536:ASP:O	2.15	0.45
1:A:275:ASN:HB3	1:A:558:ASP:HB3	1.99	0.45
1:B:491:ASN:HD22	1:B:495:ARG:NH1	2.15	0.45
1:A:588:PRO:HB3	1:A:618:PRO:HB2	1.98	0.45
1:D:415:GLY:HA3	1:D:492:PHE:CE1	2.52	0.45
1:B:371:ARG:HD3	3:B:714:HOH:O	2.16	0.45
1:D:491:ASN:OD1	1:D:495:ARG:NH1	2.50	0.45
1:C:116:ARG:NH2	1:C:186:ASP:OD1	2.50	0.44
1:D:437:HIS:CE1	1:D:559:GLU:OE1	2.70	0.44
1:B:23:PRO:HG3	1:B:370:ILE:HG13	2.00	0.44
1:D:139:PHE:O	1:D:178:LEU:HD12	2.17	0.44
1:A:281:LEU:HD13	1:A:325:LEU:HD23	2.00	0.44
1:A:269:ARG:HD3	1:A:274:GLY:O	2.18	0.44
1:B:437:HIS:C	1:B:467:VAL:HB	2.43	0.44
1:A:601:PRO:HB2	1:A:603:GLU:HG3	2.00	0.43
1:B:291:ARG:NH2	1:B:293:ASP:O	2.49	0.43
1:A:319:TRP:CE2	1:A:325:LEU:HD13	2.53	0.43
1:B:433:HIS:HB3	1:B:440:TYR:CZ	2.53	0.43
1:B:244:LYS:HB2	1:B:244:LYS:HE3	1.80	0.43
1:D:575:ASP:HA	1:D:580:GLN:NE2	2.33	0.43
1:B:269:ARG:HD3	1:B:274:GLY:O	2.18	0.43
1:C:130:TRP:CZ2	1:C:137:ILE:HD11	2.54	0.43
1:D:212:ILE:HD11	1:D:229:TYR:HB2	2.00	0.43
1:B:135:ARG:HG2	1:B:136:PHE:CE2	2.53	0.43
1:C:541:ASN:HD21	1:C:543:ILE:HB	1.84	0.43
1:C:220:GLN:HG2	1:C:225:ARG:HB2	2.01	0.43
1:C:377:PHE:CG	1:C:378:PRO:HD2	2.54	0.43
1:D:424:GLN:H	1:D:424:GLN:CD	2.25	0.43
1:C:485:ASP:OD1	1:C:485:ASP:N	2.51	0.42
1:B:376:ARG:HD3	1:B:376:ARG:HA	1.90	0.42
1:C:433:HIS:HB3	1:C:440:TYR:CE2	2.54	0.42
1:B:250:SER:HB2	1:B:271:ALA:HA	2.02	0.42
1:C:648:PHE:O	1:C:652:GLU:HG3	2.20	0.42
1:C:376:ARG:HA	1:C:376:ARG:HD3	1.82	0.42
1:D:130:TRP:CZ2	1:D:137:ILE:HD11	2.53	0.42
1:A:542:LEU:HG	1:A:556:TRP:CZ2	2.55	0.42
1:B:204:TRP:HZ2	1:B:245:LEU:HD11	1.84	0.42
1:A:250:SER:HB2	1:A:271:ALA:HA	2.02	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:246:LEU:CD1	1:B:248:TRP:HB2	2.50	0.42
1:D:513:GLY:HA2	1:D:536:ASP:O	2.19	0.42
1:A:464:ARG:CZ	1:A:484:VAL:HB	2.50	0.42
1:A:377:PHE:CG	1:A:378:PRO:HD2	2.55	0.42
1:B:553:LEU:HD12	1:B:553:LEU:HA	1.86	0.42
1:C:191:TRP:CD1	1:C:234:PRO:HG3	2.55	0.42
1:C:543:ILE:HD11	1:C:574:TRP:HB2	2.02	0.42
1:D:107:LEU:HD13	1:D:118:VAL:CG1	2.49	0.42
1:B:567:ARG:HE	1:C:580:GLN:NE2	2.13	0.41
1:D:350:ASP:CG	1:D:371:ARG:HH12	2.27	0.41
1:A:437:HIS:C	1:A:467:VAL:HB	2.45	0.41
1:B:648:PHE:O	1:B:652:GLU:HG3	2.19	0.41
1:D:630:GLU:H	1:D:640:ARG:HH12	1.66	0.41
1:B:307:ASP:O	1:B:640:ARG:NH1	2.54	0.41
1:A:23:PRO:HG3	1:A:370:ILE:HG13	2.02	0.41
1:A:491:ASN:O	1:A:495:ARG:HG2	2.21	0.41
1:A:518:PHE:HB2	1:A:539:ILE:HB	2.02	0.41
1:B:464:ARG:CZ	1:B:484:VAL:HB	2.51	0.41
1:A:239:PRO:HB2	1:A:240:ALA:H	1.66	0.41
1:A:513:GLY:HA2	1:A:536:ASP:O	2.21	0.41
1:D:299:PRO:HG3	1:D:467:VAL:HG22	2.03	0.41
1:D:377:PHE:CG	1:D:378:PRO:HD2	2.55	0.41
1:D:370:ILE:HD13	1:D:380:VAL:HG22	2.03	0.41
1:C:408:THR:HG23	1:C:464:ARG:CZ	2.51	0.41
1:C:511:MET:HE2	1:C:511:MET:HB3	1.97	0.41
1:B:214:GLN:HG2	1:B:229:TYR:CE1	2.56	0.41
1:A:118:VAL:HG23	1:A:119:THR:HG23	2.02	0.40
1:D:433:HIS:HB3	1:D:440:TYR:CE2	2.56	0.40
1:B:230:ASP:N	1:B:243:GLN:O	2.53	0.40
1:D:511:MET:HE2	1:D:511:MET:HB3	1.97	0.40
1:D:542:LEU:HG	1:D:556:TRP:CZ2	2.56	0.40
1:A:433:HIS:HB3	1:A:440:TYR:CE2	2.56	0.40
1:C:269:ARG:HH11	1:C:269:ARG:HD2	1.75	0.40
1:A:485:ASP:OD1	1:A:485:ASP:N	2.55	0.40
1:C:107:LEU:HD13	1:C:118:VAL:CG1	2.38	0.40
1:C:270:PRO:HD3	1:C:282:TYR:CZ	2.57	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	589/656 (90%)	572 (97%)	17 (3%)	0	100	100
1	B	587/656 (90%)	569 (97%)	18 (3%)	0	100	100
1	C	583/656 (89%)	566 (97%)	17 (3%)	0	100	100
1	D	581/656 (89%)	567 (98%)	14 (2%)	0	100	100
All	All	2340/2624 (89%)	2274 (97%)	66 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	460/525 (88%)	459 (100%)	1 (0%)	87	95
1	B	456/525 (87%)	454 (100%)	2 (0%)	84	93
1	C	453/525 (86%)	453 (100%)	0	100	100
1	D	449/525 (86%)	449 (100%)	0	100	100
All	All	1818/2100 (87%)	1815 (100%)	3 (0%)	87	95

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	364	GLU
1	B	266	LEU
1	B	553	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	73	HIS
1	A	275	ASN
1	A	354	GLN
1	A	607	GLN
1	B	31	GLN
1	B	253	HIS
1	B	351	HIS
1	B	449	GLN
1	B	491	ASN
1	B	526	HIS
1	B	604	GLN
1	C	24	GLN
1	C	73	HIS
1	C	120	HIS
1	C	220	GLN
1	C	541	ASN
1	C	580	GLN
1	D	73	HIS
1	D	288	GLN
1	D	354	GLN
1	D	365	HIS
1	D	402	GLN
1	D	437	HIS
1	D	442	HIS
1	D	471	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	GOL	A	701	-	5,5,5	0.36	0	5,5,5	0.26	0
2	GOL	A	702	-	5,5,5	0.31	0	5,5,5	0.63	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	701	-	-	4/4/4/4	-
2	GOL	A	702	-	-	0/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	701	GOL	O1-C1-C2-C3
2	A	701	GOL	C1-C2-C3-O3
2	A	701	GOL	O2-C2-C3-O3
2	A	701	GOL	O1-C1-C2-O2

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	702	GOL	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	599/656 (91%)	0.33	35 (5%) 29 23	25, 36, 59, 87	0
1	B	597/656 (91%)	0.52	41 (6%) 23 18	27, 40, 69, 89	0
1	C	595/656 (90%)	0.20	26 (4%) 39 33	26, 38, 61, 88	0
1	D	593/656 (90%)	0.39	28 (4%) 36 30	28, 45, 66, 90	0
All	All	2384/2624 (90%)	0.36	130 (5%) 30 25	25, 40, 65, 90	0

All (130) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	286	ASN	7.7
1	A	239	PRO	6.1
1	D	241	ALA	6.0
1	C	236	ALA	5.9
1	C	143	ALA	5.8
1	B	143	ALA	5.0
1	B	7	PRO	4.9
1	B	174	ARG	4.8
1	A	285	GLU	4.8
1	D	7	PRO	4.7
1	A	174	ARG	4.4
1	B	216	GLU	4.3
1	C	223	GLN	4.2
1	C	224	TRP	4.2
1	D	553	LEU	4.2
1	B	236	ALA	4.1
1	A	288	GLN	4.1
1	A	7	PRO	4.1
1	A	98	ALA	4.0
1	B	98	ALA	4.0
1	D	247	ASP	4.0

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	C	218	GLU	3.9
1	B	224	TRP	3.8
1	B	596	LEU	3.8
1	A	54	PRO	3.8
1	D	235	THR	3.7
1	B	243	GLN	3.7
1	B	273	LYS	3.7
1	A	240	ALA	3.7
1	A	596	LEU	3.6
1	B	184	GLU	3.6
1	C	101	VAL	3.6
1	D	219	TRP	3.5
1	B	217	ASP	3.4
1	A	216	GLU	3.4
1	D	184	GLU	3.4
1	D	243	GLN	3.3
1	A	219	TRP	3.3
1	B	220	GLN	3.3
1	D	54	PRO	3.3
1	D	174	ARG	3.2
1	D	215	SER	3.2
1	A	235	THR	3.2
1	B	235	THR	3.1
1	B	272	GLY	3.1
1	D	107	LEU	3.1
1	B	242	PRO	3.1
1	D	423	GLU	3.0
1	C	107	LEU	3.0
1	B	219	TRP	3.0
1	D	224	TRP	3.0
1	C	54	PRO	3.0
1	A	274	GLY	3.0
1	C	222	SER	2.9
1	D	218	GLU	2.9
1	C	98	ALA	2.9
1	A	272	GLY	2.8
1	A	287	GLY	2.8
1	B	245	LEU	2.8
1	C	118	VAL	2.8
1	D	195	GLU	2.8
1	B	288	GLN	2.7
1	B	222	SER	2.7

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	274	GLY	2.7
1	A	101	VAL	2.7
1	B	275	ASN	2.7
1	C	215	SER	2.7
1	B	269	ARG	2.7
1	D	64	GLU	2.7
1	D	554	ARG	2.7
1	D	102	LYS	2.7
1	B	412	GLU	2.6
1	C	345	GLY	2.6
1	A	273	LYS	2.6
1	D	223	GLN	2.6
1	C	553	LEU	2.6
1	B	136	PHE	2.6
1	B	175	PRO	2.6
1	C	174	ARG	2.6
1	A	184	GLU	2.6
1	B	142	THR	2.5
1	D	123	ASN	2.5
1	A	222	SER	2.5
1	B	188	LEU	2.5
1	D	142	THR	2.5
1	B	102	LYS	2.5
1	A	243	GLN	2.5
1	A	247	ASP	2.5
1	A	245	LEU	2.4
1	B	343	GLY	2.4
1	C	408	THR	2.4
1	B	54	PRO	2.4
1	B	111	LYS	2.4
1	B	194	PRO	2.4
1	A	254	GLY	2.3
1	C	275	ASN	2.3
1	C	247	ASP	2.3
1	B	232	PRO	2.3
1	B	285	GLU	2.3
1	B	345	GLY	2.3
1	C	142	THR	2.2
1	C	64	GLU	2.2
1	B	247	ASP	2.2
1	C	219	TRP	2.2
1	A	175	PRO	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	271	ALA	2.2
1	A	120	HIS	2.2
1	B	193	ALA	2.2
1	A	197	GLY	2.2
1	C	554	ARG	2.1
1	C	243	GLN	2.1
1	D	39	ILE	2.1
1	D	346	VAL	2.1
1	D	121	PHE	2.1
1	A	241	ALA	2.1
1	D	185	ALA	2.1
1	B	364	GLU	2.1
1	A	275	ASN	2.1
1	B	195	GLU	2.1
1	A	224	TRP	2.1
1	C	111	LYS	2.1
1	A	262	GLN	2.1
1	C	120	HIS	2.1
1	B	244	LYS	2.1
1	C	12	ASP	2.0
1	A	277	GLU	2.0
1	D	273	LYS	2.0
1	A	553	LEU	2.0
1	A	343	GLY	2.0
1	A	412	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	GOL	A	702	6/6	0.76	0.23	39,55,57,57	0
2	GOL	A	701	6/6	0.80	0.18	44,46,48,48	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.