



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 03:01 PM UTC

PDB ID : 4IHG / pdb_00004ihg
Title : Chasing Acyl Carrier Protein Through a Catalytic Cycle of Lipid A Production
Authors : Masoudi, A.; Raetz, C.R.H.; Pemble, C.W.
Deposited on : 2012-12-18
Resolution : 2.89 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	348	90% 5% .
1	B	348	89% 7% .
1	C	348	86% 9% 5%
1	D	348	2% 87% 7% 5%
1	E	348	88% 9% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	348	
2	G	80	
2	H	80	
2	I	80	
2	J	80	
2	K	80	
2	L	80	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	FTT	C	401	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 35552 atoms, of which 17828 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UDP-3-O-(3-hydroxymyristoyl)glucosamine N-acyltransferase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	334	Total	C	H	N	O	S	0	0	0
			4952	1533	2496	435	469	19			
1	B	333	Total	C	H	N	O	S	0	0	0
			4933	1527	2487	432	468	19			
1	C	332	Total	C	H	N	O	S	0	0	0
			4923	1524	2482	431	467	19			
1	D	331	Total	C	H	N	O	S	0	0	0
			4908	1519	2476	430	464	19			
1	E	337	Total	C	H	N	O	S	0	0	0
			5009	1548	2528	441	473	19			
1	F	331	Total	C	H	N	O	S	0	0	0
			4908	1519	2476	430	464	19			

There are 54 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	MET	-	expression tag	UNP P21645
A	-6	GLY	-	expression tag	UNP P21645
A	-5	HIS	-	expression tag	UNP P21645
A	-4	HIS	-	expression tag	UNP P21645
A	-3	HIS	-	expression tag	UNP P21645
A	-2	HIS	-	expression tag	UNP P21645
A	-1	HIS	-	expression tag	UNP P21645
A	0	HIS	-	expression tag	UNP P21645
A	2	ALA	-	expression tag	UNP P21645
B	-6	MET	-	expression tag	UNP P21645
B	-5	GLY	-	expression tag	UNP P21645
B	-4	HIS	-	expression tag	UNP P21645
B	-3	HIS	-	expression tag	UNP P21645
B	-2	HIS	-	expression tag	UNP P21645
B	-1	HIS	-	expression tag	UNP P21645
B	0	HIS	-	expression tag	UNP P21645
B	1	HIS	-	expression tag	UNP P21645

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	2	ALA	-	expression tag	UNP P21645
C	-6	MET	-	expression tag	UNP P21645
C	-5	GLY	-	expression tag	UNP P21645
C	-4	HIS	-	expression tag	UNP P21645
C	-3	HIS	-	expression tag	UNP P21645
C	-2	HIS	-	expression tag	UNP P21645
C	-1	HIS	-	expression tag	UNP P21645
C	0	HIS	-	expression tag	UNP P21645
C	1	HIS	-	expression tag	UNP P21645
C	2	ALA	-	expression tag	UNP P21645
D	-6	MET	-	expression tag	UNP P21645
D	-5	GLY	-	expression tag	UNP P21645
D	-4	HIS	-	expression tag	UNP P21645
D	-3	HIS	-	expression tag	UNP P21645
D	-2	HIS	-	expression tag	UNP P21645
D	-1	HIS	-	expression tag	UNP P21645
D	0	HIS	-	expression tag	UNP P21645
D	1	HIS	-	expression tag	UNP P21645
D	2	ALA	-	expression tag	UNP P21645
E	-6	MET	-	expression tag	UNP P21645
E	-5	GLY	-	expression tag	UNP P21645
E	-4	HIS	-	expression tag	UNP P21645
E	-3	HIS	-	expression tag	UNP P21645
E	-2	HIS	-	expression tag	UNP P21645
E	-1	HIS	-	expression tag	UNP P21645
E	0	HIS	-	expression tag	UNP P21645
E	1	HIS	-	expression tag	UNP P21645
E	2	ALA	-	expression tag	UNP P21645
F	-6	MET	-	expression tag	UNP P21645
F	-5	GLY	-	expression tag	UNP P21645
F	-4	HIS	-	expression tag	UNP P21645
F	-3	HIS	-	expression tag	UNP P21645
F	-2	HIS	-	expression tag	UNP P21645
F	-1	HIS	-	expression tag	UNP P21645
F	0	HIS	-	expression tag	UNP P21645
F	1	HIS	-	expression tag	UNP P21645
F	2	ALA	-	expression tag	UNP P21645

- Molecule 2 is a protein called Acyl carrier protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
2	G	63	Total	C	H	N	O	S	0	0	0
			972	309	478	72	111	2			

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	H	72	Total	C	H	N	O	S	0	0	0
			1097	347	538	85	126	1			
2	I	49	Total	C	H	N	O	S	0	0	0
			757	242	374	57	83	1			
2	J	75	Total	C	H	N	O	S	0	0	0
			1140	359	560	88	131	2			
2	K	69	Total	C	H	N	O	S	0	0	0
			1057	335	518	81	122	1			
2	L	10	Total	C	H	N	O	S	0	0	0
			149	47	73	10	18	1			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
G	-2	SER	-	expression tag	UNP G7RM21
G	-1	HIS	-	expression tag	UNP G7RM21
H	-2	SER	-	expression tag	UNP G7RM21
H	-1	HIS	-	expression tag	UNP G7RM21
I	-2	SER	-	expression tag	UNP G7RM21
I	-1	HIS	-	expression tag	UNP G7RM21
J	-2	SER	-	expression tag	UNP G7RM21
J	-1	HIS	-	expression tag	UNP G7RM21
K	-2	SER	-	expression tag	UNP G7RM21
K	-1	HIS	-	expression tag	UNP G7RM21
L	-2	SER	-	expression tag	UNP G7RM21
L	-1	HIS	-	expression tag	UNP G7RM21

- Molecule 3 is 3-HYDROXY-TETRADECANOIC ACID (CCD ID: FTT) (formula: C₁₄H₂₈O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	H	O	0	0
			44	14	27	3		
3	B	1	Total	C	H	O	0	0
			44	14	27	3		
3	B	1	Total	C	H	O	0	0
			44	14	27	3		
3	C	1	Total	C	H	O	0	0
			44	14	27	3		
3	D	1	Total	C	H	O	0	0
			44	14	27	3		
3	E	1	Total	C	H	O	0	0
			44	14	27	3		
3	E	1	Total	C	H	O	0	0
			44	14	27	3		
3	F	1	Total	C	H	O	0	0
			44	14	27	3		

- Molecule 4 is 4'-PHOSPHOPANTETHEINE (CCD ID: PNS) (formula: C₁₁H₂₃N₂O₇PS).




Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
4	G	1	Total 42	C 11	H 21	N 2	O 6	P 1	S 1	0	0
4	H	1	Total 42	C 11	H 21	N 2	O 6	P 1	S 1	0	0
4	I	1	Total 42	C 11	H 21	N 2	O 6	P 1	S 1	0	0
4	J	1	Total 42	C 11	H 21	N 2	O 6	P 1	S 1	0	0
4	K	1	Total 42	C 11	H 21	N 2	O 6	P 1	S 1	0	0
4	L	1	Total 42	C 11	H 21	N 2	O 6	P 1	S 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	29	Total O 29 29	0	0
5	B	22	Total O 22 22	0	0
5	C	20	Total O 20 20	0	0
5	D	15	Total O 15 15	0	0
5	E	32	Total O 32 32	0	0
5	F	25	Total O 25 25	0	0


- Molecule 1: UDP-3-O-(3-hydroxymyristoyl)glucosamine N-acyltransferase




- Molecule 1: UDP-3-O-(3-hydroxymyristoyl)glucosamine N-acyltransferase




- Molecule 2: Acyl carrier protein



- Molecule 2: Acyl carrier protein




- Molecule 2: Acyl carrier protein




- Molecule 2: Acyl carrier protein






● Molecule 2: Acyl carrier protein



● Molecule 2: Acyl carrier protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	84.18Å 89.31Å 111.93Å 104.09° 92.58° 118.64°	Depositor
Resolution (Å)	28.43 – 2.89 28.43 – 2.89	Depositor EDS
% Data completeness (in resolution range)	94.5 (28.43-2.89) 94.5 (28.43-2.89)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.95 (at 2.90Å)	Xtriage
Refinement program	PHENIX dev_1232	Depositor
R, R_{free}	0.204 , 0.253 0.207 , 0.251	Depositor DCC
R_{free} test set	1962 reflections (3.22%)	wwPDB-VP
Wilson B-factor (Å ²)	25.5	Xtriage
Anisotropy	0.680	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 34.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.000 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	35552	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PNS, FTT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.33	0/2490	0.68	0/3379
1	B	0.32	0/2479	0.68	0/3364
1	C	0.33	0/2474	0.68	0/3357
1	D	0.32	0/2465	0.67	0/3345
1	E	0.32	0/2514	0.68	0/3410
1	F	0.31	0/2465	0.67	0/3345
2	G	0.35	0/496	0.95	0/669
2	H	0.50	1/562 (0.2%)	1.02	1/760 (0.1%)
2	I	0.44	0/383	1.17	3/515 (0.6%)
2	J	0.39	0/583	0.95	0/788
2	K	0.50	0/542	1.22	4/733 (0.5%)
2	L	0.36	0/75	0.77	0/101
All	All	0.34	1/17528 (0.0%)	0.75	8/23766 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	62	ILE	CA-CB	5.17	1.59	1.53

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	38	ASP	N-CA-C	6.25	118.10	111.28
2	I	50	PHE	N-CA-C	-5.94	105.22	112.88
2	K	54	ILE	N-CA-C	5.65	113.14	107.55
2	K	37	LEU	N-CA-C	5.47	117.32	111.36
2	I	70	ASP	N-CA-C	5.44	116.89	111.07
2	H	63	THR	N-CA-C	-5.30	106.75	114.12
2	K	6	ARG	N-CA-C	-5.20	105.69	111.36
2	K	59	ALA	N-CA-C	-5.03	105.80	111.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2456	2496	2491	12	0
1	B	2446	2487	2481	20	0
1	C	2441	2482	2476	21	0
1	D	2432	2476	2470	21	0
1	E	2481	2528	2522	16	0
1	F	2432	2476	2470	13	0
2	G	494	478	480	5	0
2	H	559	538	538	11	0
2	I	383	374	374	4	0
2	J	580	560	562	13	0
2	K	539	518	518	11	0
2	L	76	73	73	0	0
3	A	17	27	27	6	0
3	B	34	54	54	12	0
3	C	17	27	27	9	0
3	D	17	27	27	3	0
3	E	34	54	54	11	0
3	F	17	27	27	3	0
4	G	21	21	21	2	0
4	H	21	21	21	3	0
4	I	21	21	21	3	0
4	J	21	21	21	6	0
4	K	21	21	21	0	0
4	L	21	21	21	3	0
5	A	29	0	0	1	0
5	B	22	0	0	0	0
5	C	20	0	0	0	0
5	D	15	0	0	0	0
5	E	32	0	0	1	0
5	F	25	0	0	0	0
All	All	17724	17828	17797	142	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 4.

All (142) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:269:GLY:HA3	3:C:401:FTT:H81	1.44	0.97
1:B:232:ASP:OD2	3:C:401:FTT:H41	1.71	0.91
2:J:28:PHE:HA	2:J:32:LEU:HD13	1.58	0.86
1:B:232:ASP:OD2	3:C:401:FTT:C4	2.24	0.85
3:E:401:FTT:H111	4:J:101:PNS:H382	1.58	0.84
1:A:293:ARG:NH2	2:I:38:ASP:OD1	2.10	0.84
1:F:162:HIS:O	1:F:217:ARG:NH2	2.13	0.81
1:C:239:HIS:NE2	3:C:401:FTT:O2	2.14	0.81
3:B:402:FTT:H42	1:C:183:PHE:HE2	1.46	0.80
2:J:17:VAL:HG21	2:J:32:LEU:HD23	1.68	0.76
1:F:199:GLY:O	1:F:217:ARG:NH1	2.22	0.73
1:D:162:HIS:O	1:D:217:ARG:NH2	2.21	0.72
2:J:15:LEU:HD12	2:J:32:LEU:HD22	1.69	0.72
1:E:162:HIS:O	1:E:217:ARG:NH2	2.22	0.72
2:J:35:ASP:OD1	2:J:38:ASP:N	2.23	0.71
3:B:402:FTT:H42	1:C:183:PHE:CE2	2.25	0.71
1:D:239:HIS:NE2	3:D:401:FTT:O2	2.24	0.71
1:C:199:GLY:O	1:C:217:ARG:NH1	2.25	0.69
1:B:266:MET:HB3	3:B:402:FTT:H72	1.75	0.69
4:J:101:PNS:O35	4:J:101:PNS:H313	1.92	0.69
1:D:287:GLY:HA3	3:E:401:FTT:H122	1.74	0.68
1:B:293:ARG:NH1	2:G:38:ASP:OD1	2.27	0.68
3:D:401:FTT:H22	4:L:101:PNS:S44	2.35	0.67
1:E:199:GLY:O	1:E:217:ARG:NH1	2.28	0.66
2:J:34:ALA:HB1	2:J:38:ASP:HB3	1.77	0.66
3:E:402:FTT:H112	4:J:101:PNS:H372	1.76	0.66
1:F:293:ARG:NH2	2:K:38:ASP:OD1	2.29	0.65
2:J:37:LEU:O	2:J:41:GLU:OE1	2.16	0.62
1:C:162:HIS:O	1:C:217:ARG:NH2	2.30	0.62
1:D:263:ARG:NH1	1:D:281:ASP:OD2	2.32	0.62
1:C:272:VAL:HG12	3:C:401:FTT:H112	1.81	0.62
1:A:199:GLY:O	1:A:217:ARG:NH1	2.34	0.61
1:E:35:GLN:NE2	5:E:529:HOH:O	2.33	0.61
1:B:256:ALA:HA	3:B:401:FTT:H51	1.83	0.60
1:A:95:GLN:OE1	1:A:153:ARG:NH1	2.35	0.60
3:A:401:FTT:H42	1:C:232:ASP:OD2	2.03	0.59
1:E:269:GLY:HA3	3:F:401:FTT:H71	1.86	0.58
1:B:232:ASP:OD2	3:C:401:FTT:H42	2.02	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:401:FTT:H71	1:C:269:GLY:HA3	1.87	0.56
1:B:314:ARG:CZ	2:I:36:SER:HB3	2.36	0.56
1:D:232:ASP:OD2	3:E:401:FTT:H52	2.06	0.55
3:B:402:FTT:O1	3:B:402:FTT:O3	2.21	0.54
2:H:24:ASN:HA	2:H:65:VAL:CG1	2.38	0.54
1:A:176:THR:OG1	1:A:210:GLY:O	2.26	0.54
1:A:232:ASP:OD2	3:B:401:FTT:H41	2.08	0.54
2:K:3:ILE:HG22	2:K:4:GLU:N	2.23	0.54
3:D:401:FTT:H71	1:F:269:GLY:HA3	1.90	0.54
3:E:401:FTT:C11	4:J:101:PNS:H382	2.35	0.53
4:L:101:PNS:N36	4:L:101:PNS:H303	2.23	0.53
1:E:30:SER:OG	1:E:33:SER:OG	2.27	0.52
3:E:402:FTT:O1	3:E:402:FTT:O3	2.25	0.52
2:K:20:GLU:OE1	2:K:20:GLU:N	2.39	0.52
1:B:121:ASN:ND2	1:C:121:ASN:OD1	2.44	0.51
1:E:30:SER:O	1:E:34:ALA:N	2.44	0.51
1:D:22:ASP:N	1:D:22:ASP:OD1	2.44	0.51
2:H:15:LEU:HD21	2:H:32:LEU:HB3	1.93	0.51
1:E:183:PHE:O	3:E:402:FTT:O2	2.27	0.51
1:C:314:ARG:HE	2:G:36:SER:HB3	1.75	0.50
2:H:15:LEU:HD21	2:H:32:LEU:O	2.11	0.50
5:A:512:HOH:O	1:B:234:GLN:NE2	2.44	0.50
4:J:101:PNS:O35	4:J:101:PNS:C31	2.58	0.50
1:E:292:MET:HG3	4:J:101:PNS:H302	1.93	0.49
2:K:7:VAL:O	2:K:10:ILE:HG22	2.13	0.49
2:J:34:ALA:HB1	2:J:38:ASP:CB	2.42	0.49
3:A:401:FTT:H92	4:I:101:PNS:C39	2.43	0.49
2:H:35:ASP:O	2:H:37:LEU:N	2.45	0.49
1:A:200:ARG:NH2	1:A:222:ASP:OD2	2.45	0.49
1:D:64:ASP:N	1:D:64:ASP:OD1	2.46	0.49
2:K:3:ILE:HG22	2:K:4:GLU:H	1.76	0.49
1:F:145:ASN:O	1:F:147:LYS:NZ	2.45	0.49
1:A:125:GLU:HG3	1:A:126:SER:H	1.78	0.48
1:C:156:ALA:O	1:C:174:SER:OG	2.29	0.48
1:D:66:LEU:N	1:D:67:PRO:HD2	2.29	0.48
1:D:266:MET:HB3	3:E:402:FTT:H72	1.95	0.48
3:B:401:FTT:H112	4:G:101:PNS:H371	1.95	0.48
3:B:401:FTT:H22	4:G:101:PNS:S44	2.55	0.47
1:D:314:ARG:HB3	2:K:40:VAL:HG21	1.96	0.47
2:J:27:SER:O	2:J:32:LEU:HD12	2.15	0.47
1:D:307:LEU:HD21	1:E:301:TYR:HB3	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:401:FTT:H72	4:I:101:PNS:H422	1.97	0.47
2:K:11:ILE:HD12	2:K:42:LEU:HD11	1.97	0.46
3:B:402:FTT:H41	4:H:101:PNS:S44	2.55	0.46
2:J:36:SER:C	2:J:37:LEU:HD23	2.40	0.46
1:C:293:ARG:NH2	2:H:38:ASP:OD1	2.48	0.46
1:F:254:ILE:CG2	3:F:401:FTT:H62	2.45	0.46
1:C:176:THR:OG1	1:C:210:GLY:O	2.33	0.46
1:C:273:ILE:HA	1:C:291:VAL:HB	1.98	0.45
1:D:292:MET:HE3	1:F:306:PRO:HG3	1.97	0.45
3:A:401:FTT:H112	4:I:101:PNS:C38	2.45	0.45
1:E:312:VAL:HA	1:E:315:LYS:HE3	1.99	0.45
1:C:48:ARG:NH2	1:C:65:ASP:OD1	2.46	0.45
1:D:323:ILE:HG22	1:E:316:THR:HG22	1.99	0.45
1:D:314:ARG:NE	2:K:36:SER:HB3	2.32	0.45
2:H:24:ASN:HA	2:H:65:VAL:HG13	1.99	0.45
1:B:199:GLY:O	1:B:217:ARG:NH1	2.47	0.44
1:D:248:ALA:HB1	3:E:402:FTT:H62	1.99	0.44
2:K:47:GLU:HG2	2:K:54:ILE:CD1	2.48	0.44
1:B:254:ILE:HG22	3:B:401:FTT:H82	2.00	0.44
1:F:66:LEU:N	1:F:67:PRO:HD2	2.33	0.43
4:L:101:PNS:N36	4:L:101:PNS:C30	2.81	0.43
1:F:83:TYR:HA	1:F:86:MET:HE2	1.99	0.43
1:D:125:GLU:HG3	1:D:126:SER:H	1.83	0.43
2:H:15:LEU:HD23	2:H:17:VAL:HG13	1.99	0.43
2:G:30:GLU:N	2:G:30:GLU:OE1	2.50	0.43
1:B:16:GLU:OE1	1:B:63:GLN:NE2	2.52	0.43
1:F:314:ARG:NH1	2:J:36:SER:O	2.52	0.42
1:D:303:SER:HB3	1:F:307:LEU:HA	2.01	0.42
2:J:19:GLN:O	2:J:22:VAL:HG12	2.19	0.42
1:D:207:VAL:HG11	1:D:225:ILE:HG21	2.02	0.42
2:H:62:ILE:CG1	2:H:62:ILE:O	2.67	0.42
1:B:326:MET:HG3	1:C:326:MET:HE1	2.01	0.42
1:E:232:ASP:CG	1:E:233:ASN:H	2.26	0.42
1:F:42:MET:HE3	1:F:47:TYR:HB2	2.00	0.42
2:J:24:ASN:HB3	2:J:66:GLN:HE21	1.85	0.42
3:C:401:FTT:H82	4:H:101:PNS:H422	2.00	0.42
1:C:314:ARG:HB3	2:G:40:VAL:HG21	2.02	0.42
1:A:293:ARG:NH2	2:I:37:LEU:HB3	2.35	0.42
1:C:292:MET:HG3	4:H:101:PNS:H302	2.01	0.42
1:F:254:ILE:HG22	3:F:401:FTT:H62	2.00	0.41
1:A:66:LEU:N	1:A:67:PRO:CD	2.83	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:40:THR:OG1	1:D:41:PHE:N	2.51	0.41
1:D:269:GLY:HA3	3:E:401:FTT:H91	2.02	0.41
2:H:10:ILE:HD11	2:H:49:GLU:HG2	2.03	0.41
1:B:66:LEU:N	1:B:67:PRO:HD2	2.35	0.41
1:A:188:ASP:O	1:E:55:GLN:NE2	2.54	0.41
2:H:20:GLU:OE1	2:H:20:GLU:N	2.44	0.41
1:B:268:GLY:HA2	3:B:402:FTT:H92	2.03	0.41
1:C:254:ILE:HG22	3:C:401:FTT:H72	2.03	0.41
3:A:401:FTT:H111	1:C:287:GLY:HA3	2.02	0.41
1:C:272:VAL:CG1	3:C:401:FTT:H112	2.49	0.41
2:J:27:SER:OG	2:J:30:GLU:HB2	2.21	0.41
1:A:307:LEU:HD11	1:B:291:VAL:HG22	2.02	0.41
1:B:248:ALA:HB1	3:B:402:FTT:H51	2.03	0.40
1:E:200:ARG:NH2	1:E:222:ASP:OD2	2.51	0.40
1:E:238:ALA:HB1	3:E:401:FTT:H3	2.03	0.40
1:E:306:PRO:HG2	2:K:37:LEU:HD11	2.03	0.40
2:K:42:LEU:O	2:K:46:LEU:HD13	2.21	0.40
1:A:321:MET:CE	1:B:306:PRO:HD2	2.51	0.40
1:B:293:ARG:NH1	2:G:37:LEU:HB2	2.37	0.40
2:I:31:ASP:HB2	2:I:32:LEU:HD12	2.02	0.40
1:D:125:GLU:HG3	1:D:144:LYS:HG2	2.04	0.40
2:H:65:VAL:HG13	2:H:66:GLN:N	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	332/348 (95%)	317 (96%)	15 (4%)	0	100	100
1	B	331/348 (95%)	321 (97%)	10 (3%)	0	100	100
1	C	330/348 (95%)	314 (95%)	16 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	329/348 (94%)	312 (95%)	17 (5%)	0	100	100
1	E	335/348 (96%)	324 (97%)	11 (3%)	0	100	100
1	F	329/348 (94%)	311 (94%)	18 (6%)	0	100	100
2	G	59/80 (74%)	57 (97%)	2 (3%)	0	100	100
2	H	70/80 (88%)	68 (97%)	1 (1%)	1 (1%)	9	30
2	I	43/80 (54%)	42 (98%)	0	1 (2%)	5	19
2	J	73/80 (91%)	70 (96%)	3 (4%)	0	100	100
2	K	67/80 (84%)	66 (98%)	1 (2%)	0	100	100
2	L	8/80 (10%)	8 (100%)	0	0	100	100
All	All	2306/2568 (90%)	2210 (96%)	94 (4%)	2 (0%)	48	77

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	36	SER
2	I	51	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	262/275 (95%)	258 (98%)	4 (2%)	57	84
1	B	261/275 (95%)	258 (99%)	3 (1%)	65	88
1	C	261/275 (95%)	252 (97%)	9 (3%)	32	66
1	D	260/275 (94%)	254 (98%)	6 (2%)	44	76
1	E	265/275 (96%)	254 (96%)	11 (4%)	26	60
1	F	260/275 (94%)	256 (98%)	4 (2%)	57	84
2	G	56/69 (81%)	53 (95%)	3 (5%)	20	51
2	H	62/69 (90%)	58 (94%)	4 (6%)	15	44
2	I	43/69 (62%)	39 (91%)	4 (9%)	8	27

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	J	65/69 (94%)	62 (95%)	3 (5%)	24	57
2	K	60/69 (87%)	56 (93%)	4 (7%)	15	43
2	L	10/69 (14%)	10 (100%)	0	100	100
All	All	1865/2064 (90%)	1810 (97%)	55 (3%)	37	71

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	114	ASN
1	A	239	HIS
1	A	288	MET
1	A	293	ARG
1	B	4	ILE
1	B	11	GLN
1	B	329	ARG
1	C	22	ASP
1	C	42	MET
1	C	51	LEU
1	C	103	SER
1	C	239	HIS
1	C	247	THR
1	C	263	ARG
1	C	288	MET
1	C	328	LYS
1	D	14	ASP
1	D	22	ASP
1	D	64	ASP
1	D	128	VAL
1	D	165	GLN
1	D	239	HIS
1	E	33	SER
1	E	36	THR
1	E	125	GLU
1	E	208	GLU
1	E	215	ILE
1	E	239	HIS
1	E	278	GLU
1	E	296	THR
1	E	319	LEU
1	E	330	LEU
1	E	333	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	103	SER
1	F	176	THR
1	F	239	HIS
1	F	315	LYS
2	G	1	SER
2	G	46	LEU
2	G	57	GLU
2	H	36	SER
2	H	62	ILE
2	H	64	THR
2	H	73	ASN
2	I	6	ARG
2	I	32	LEU
2	I	36	SER
2	I	64	THR
2	J	39	THR
2	J	58	GLU
2	J	64	THR
2	K	18	LYS
2	K	43	VAL
2	K	46	LEU
2	K	64	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (43) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	50	HIS
1	A	63	GLN
1	A	133	ASN
1	A	157	ASN
1	A	246	ASN
1	A	276	HIS
1	B	63	GLN
1	B	121	ASN
1	B	133	ASN
1	B	165	GLN
1	B	234	GLN
1	B	308	GLN
1	C	12	GLN
1	C	187	ASN
1	D	12	GLN
1	D	35	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	50	HIS
1	D	191	ASN
1	D	310	ASN
1	E	12	GLN
1	E	18	HIS
1	E	35	GLN
1	E	133	ASN
1	E	157	ASN
1	E	168	GLN
1	E	246	ASN
1	E	310	ASN
1	E	338	ASN
1	F	115	ASN
1	F	157	ASN
1	F	246	ASN
1	F	276	HIS
2	G	14	GLN
2	H	14	GLN
2	H	19	GLN
2	H	24	ASN
2	H	73	ASN
2	I	14	GLN
2	J	14	GLN
2	J	66	GLN
2	J	73	ASN
2	K	19	GLN
2	K	24	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	FTT	E	402	-	16,16,16	0.59	0	16,17,17	0.98	0
4	PNS	I	101	2	15,20,21	0.46	0	18,26,29	0.99	1 (5%)
4	PNS	L	101	2	15,20,21	2.03	3 (20%)	18,26,29	1.63	3 (16%)
4	PNS	H	101	2	15,20,21	2.03	4 (26%)	18,26,29	1.98	3 (16%)
3	FTT	B	401	-	16,16,16	0.56	0	16,17,17	1.02	0
4	PNS	G	101	2	15,20,21	2.00	4 (26%)	18,26,29	1.69	3 (16%)
3	FTT	F	401	-	16,16,16	0.57	0	16,17,17	0.98	0
3	FTT	D	401	-	16,16,16	0.57	0	16,17,17	1.04	0
3	FTT	C	401	-	16,16,16	0.56	0	16,17,17	1.04	0
4	PNS	K	101	2	15,20,21	1.99	4 (26%)	18,26,29	1.68	4 (22%)
4	PNS	J	101	2	15,20,21	0.51	0	18,26,29	0.99	1 (5%)
3	FTT	E	401	-	16,16,16	0.59	0	16,17,17	0.98	0
3	FTT	B	402	-	16,16,16	0.64	0	16,17,17	0.97	0
3	FTT	A	401	-	16,16,16	0.55	0	16,17,17	1.05	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FTT	E	402	-	-	6/15/15/15	-
4	PNS	I	101	2	-	6/24/26/27	-
4	PNS	L	101	2	-	10/24/26/27	-
4	PNS	H	101	2	-	7/24/26/27	-
3	FTT	B	401	-	-	10/15/15/15	-
4	PNS	G	101	2	-	11/24/26/27	-
3	FTT	F	401	-	-	4/15/15/15	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FTT	D	401	-	-	10/15/15/15	-
3	FTT	C	401	-	-	6/15/15/15	-
4	PNS	K	101	2	-	2/24/26/27	-
4	PNS	J	101	2	-	2/24/26/27	-
3	FTT	E	401	-	-	7/15/15/15	-
3	FTT	B	402	-	-	10/15/15/15	-
3	FTT	A	401	-	-	5/15/15/15	-

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	L	101	PNS	C39-N41	4.55	1.44	1.33
4	L	101	PNS	C34-N36	4.47	1.44	1.33
4	G	101	PNS	C34-N36	4.43	1.44	1.33
4	H	101	PNS	C34-N36	4.40	1.43	1.33
4	K	101	PNS	C34-N36	4.38	1.43	1.33
4	G	101	PNS	C39-N41	4.33	1.43	1.33
4	H	101	PNS	C39-N41	4.30	1.43	1.33
4	K	101	PNS	C39-N41	4.28	1.43	1.33
4	K	101	PNS	P24-O27	-2.43	1.56	1.62
4	G	101	PNS	O33-C32	-2.43	1.38	1.42
4	G	101	PNS	P24-O27	-2.37	1.56	1.62
4	H	101	PNS	O33-C32	-2.35	1.38	1.42
4	H	101	PNS	P24-O27	-2.34	1.56	1.62
4	K	101	PNS	O33-C32	-2.25	1.38	1.42
4	L	101	PNS	P24-O27	-2.20	1.56	1.62

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	101	PNS	C38-C37-N36	5.06	122.77	112.00
4	K	101	PNS	C38-C37-N36	4.84	122.30	112.00
4	L	101	PNS	C38-C37-N36	4.36	121.27	112.00
4	H	101	PNS	C37-C38-C39	3.85	118.81	112.39
4	H	101	PNS	C43-C42-N41	3.62	120.52	112.31
4	L	101	PNS	C37-C38-C39	3.53	118.28	112.39
4	G	101	PNS	C38-C37-N36	3.38	119.19	112.00
4	I	101	PNS	C37-C38-C39	-2.78	107.77	112.39
4	J	101	PNS	C37-C38-C39	-2.72	107.86	112.39
4	K	101	PNS	C37-C38-C39	2.56	116.66	112.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	101	PNS	C37-C38-C39	2.49	116.53	112.39
4	K	101	PNS	C32-C34-N36	2.48	121.19	116.48
4	K	101	PNS	O35-C34-N36	-2.41	117.88	122.98
4	G	101	PNS	C30-C29-C32	2.14	112.42	108.77
4	L	101	PNS	C43-C42-N41	2.04	116.94	112.31

There are no chirality outliers.

All (96) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	401	FTT	C1-C2-C3-C4
3	A	401	FTT	C1-C2-C3-O3
3	B	401	FTT	C1-C2-C3-C4
3	B	401	FTT	C1-C2-C3-O3
3	B	401	FTT	C2-C3-C4-C5
3	B	401	FTT	O3-C3-C4-C5
3	B	402	FTT	C1-C2-C3-C4
3	B	402	FTT	C1-C2-C3-O3
3	C	401	FTT	C1-C2-C3-O3
3	D	401	FTT	C1-C2-C3-C4
3	D	401	FTT	C1-C2-C3-O3
4	G	101	PNS	O27-C28-C29-C30
4	G	101	PNS	O27-C28-C29-C31
4	G	101	PNS	O27-C28-C29-C32
4	G	101	PNS	C28-C29-C32-O33
4	G	101	PNS	C28-C29-C32-C34
4	G	101	PNS	C30-C29-C32-O33
4	G	101	PNS	C30-C29-C32-C34
4	G	101	PNS	C31-C29-C32-O33
4	G	101	PNS	C31-C29-C32-C34
4	G	101	PNS	N36-C37-C38-C39
4	G	101	PNS	N41-C42-C43-S44
4	H	101	PNS	O27-C28-C29-C30
4	H	101	PNS	O27-C28-C29-C31
4	H	101	PNS	O27-C28-C29-C32
4	H	101	PNS	N41-C42-C43-S44
4	L	101	PNS	C29-C32-C34-O35
4	L	101	PNS	C29-C32-C34-N36
4	L	101	PNS	O33-C32-C34-N36
4	L	101	PNS	N41-C42-C43-S44
4	H	101	PNS	C38-C37-N36-C34
4	L	101	PNS	C38-C37-N36-C34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	I	101	PNS	C38-C37-N36-C34
3	E	401	FTT	O3-C3-C4-C5
3	E	402	FTT	O3-C3-C4-C5
3	B	401	FTT	C5-C6-C7-C8
3	B	402	FTT	C5-C6-C7-C8
3	A	401	FTT	C5-C6-C7-C8
3	A	401	FTT	C10-C11-C12-C13
3	D	401	FTT	C9-C10-C11-C12
3	E	402	FTT	C11-C10-C9-C8
3	B	402	FTT	C6-C7-C8-C9
3	E	402	FTT	C7-C8-C9-C10
3	F	401	FTT	C10-C11-C12-C13
3	B	401	FTT	C4-C5-C6-C7
3	D	401	FTT	C11-C10-C9-C8
3	D	401	FTT	C5-C6-C7-C8
4	L	101	PNS	O33-C32-C34-O35
3	E	401	FTT	C2-C3-C4-C5
3	E	401	FTT	C9-C10-C11-C12
3	B	402	FTT	C7-C8-C9-C10
3	E	401	FTT	C10-C11-C12-C13
3	D	401	FTT	C6-C7-C8-C9
3	B	401	FTT	C11-C12-C13-C14
3	B	401	FTT	C7-C8-C9-C10
3	B	401	FTT	C6-C7-C8-C9
3	E	402	FTT	C10-C11-C12-C13
3	B	402	FTT	C10-C11-C12-C13
3	F	401	FTT	O3-C3-C4-C5
4	K	101	PNS	C37-C38-C39-O40
4	L	101	PNS	C37-C38-C39-O40
4	I	101	PNS	O27-C28-C29-C31
4	K	101	PNS	C37-C38-C39-N41
4	L	101	PNS	C37-C38-C39-N41
3	E	401	FTT	C11-C12-C13-C14
4	I	101	PNS	O27-C28-C29-C32
3	D	401	FTT	O1-C1-C2-C3
3	B	401	FTT	C9-C10-C11-C12
3	E	402	FTT	C5-C6-C7-C8
3	E	402	FTT	C2-C3-C4-C5
3	F	401	FTT	C11-C12-C13-C14
4	L	101	PNS	N36-C37-C38-C39
3	B	402	FTT	C9-C10-C11-C12
3	B	402	FTT	C3-C4-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	J	101	PNS	C29-C32-C34-O35
3	F	401	FTT	C3-C4-C5-C6
3	D	401	FTT	C10-C11-C12-C13
3	C	401	FTT	C2-C3-C4-C5
3	D	401	FTT	C3-C4-C5-C6
4	J	101	PNS	C29-C32-C34-N36
3	D	401	FTT	O2-C1-C2-C3
3	C	401	FTT	O3-C3-C4-C5
3	E	401	FTT	C3-C4-C5-C6
4	H	101	PNS	C37-C38-C39-O40
3	C	401	FTT	C1-C2-C3-C4
4	I	101	PNS	C37-C38-C39-O40
4	H	101	PNS	C37-C38-C39-N41
4	I	101	PNS	C37-C38-C39-N41
3	E	401	FTT	C4-C5-C6-C7
3	C	401	FTT	C6-C7-C8-C9
4	I	101	PNS	O27-C28-C29-C30
4	L	101	PNS	O27-C28-C29-C31
3	A	401	FTT	C4-C5-C6-C7
3	C	401	FTT	C3-C4-C5-C6
3	B	402	FTT	O2-C1-C2-C3
3	B	402	FTT	O1-C1-C2-C3


There are no ring outliers.

13 monomers are involved in 50 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	402	FTT	5	0
4	I	101	PNS	3	0
4	L	101	PNS	3	0
4	H	101	PNS	3	0
3	B	401	FTT	5	0
4	G	101	PNS	2	0
3	F	401	FTT	3	0
3	D	401	FTT	3	0
3	C	401	FTT	9	0
4	J	101	PNS	6	0
3	E	401	FTT	6	0
3	B	402	FTT	7	0
3	A	401	FTT	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,


bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand PNS H 101



Ligand PNS G 101





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	334/348 (95%)	-0.16	3 (0%) 81 75	20, 33, 54, 94	0
1	B	333/348 (95%)	-0.00	3 (0%) 81 75	21, 40, 70, 88	0
1	C	332/348 (95%)	-0.05	1 (0%) 90 87	19, 36, 73, 88	0
1	D	331/348 (95%)	0.34	8 (2%) 59 50	28, 48, 92, 108	0
1	E	337/348 (96%)	0.02	5 (1%) 72 64	24, 38, 72, 125	0
1	F	331/348 (95%)	-0.05	2 (0%) 85 81	23, 38, 63, 111	0
2	G	63/80 (78%)	1.34	12 (19%) 3 3	61, 80, 94, 100	0
2	H	72/80 (90%)	1.36	11 (15%) 5 4	48, 77, 99, 103	0
2	I	49/80 (61%)	1.97	21 (42%) 0 0	64, 93, 112, 118	0
2	J	75/80 (93%)	1.42	18 (24%) 2 1	69, 84, 95, 104	0
2	K	69/80 (86%)	1.70	16 (23%) 2 2	71, 96, 109, 111	0
2	L	10/80 (12%)	1.52	2 (20%) 3 2	77, 84, 90, 91	0
All	All	2336/2568 (90%)	0.24	102 (4%) 39 30	19, 42, 94, 125	0

All (102) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	I	71	TYR	6.3
2	H	74	GLY	5.4
2	I	73	ASN	4.7
2	I	62	ILE	3.9
1	A	334	GLU	3.9
2	I	6	ARG	3.9
2	J	74	GLY	3.8
2	G	52	THR	3.8
2	K	3	ILE	3.7
1	E	335	ARG	3.6
1	D	66	LEU	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	K	71	TYR	3.5
2	K	20	GLU	3.5
2	I	69	ILE	3.4
2	I	8	LYS	3.4
2	J	68	ALA	3.4
1	E	333	LEU	3.3
2	J	1	SER	3.3
1	D	63	GLN	3.2
1	C	333	LEU	3.2
2	I	70	ASP	3.1
1	E	338	ASN	3.1
2	L	44	MET	3.1
2	G	35	ASP	3.0
2	G	73	ASN	3.0
1	A	50	HIS	3.0
2	K	7	VAL	2.9
2	I	50	PHE	2.9
2	K	63	THR	2.9
2	J	38	ASP	2.8
2	H	12	GLY	2.8
2	I	7	VAL	2.7
1	A	0	HIS	2.7
2	J	64	THR	2.7
2	J	37	LEU	2.7
2	H	63	THR	2.7
2	J	35	ASP	2.7
2	J	36	SER	2.7
1	E	330	LEU	2.6
1	F	333	LEU	2.6
2	I	72	ILE	2.6
2	K	10	ILE	2.6
2	K	70	ASP	2.6
2	I	10	ILE	2.6
1	D	47	TYR	2.6
2	I	68	ALA	2.6
2	H	61	LYS	2.5
1	E	337	VAL	2.5
2	G	32	LEU	2.5
2	J	0	MET	2.5
2	I	29	VAL	2.5
2	L	43	VAL	2.5
2	J	21	GLU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	G	64	THR	2.5
2	I	51	ASP	2.4
2	K	11	ILE	2.4
2	G	29	VAL	2.4
2	I	11	ILE	2.4
2	J	17	VAL	2.4
1	D	71	SER	2.4
2	H	3	ILE	2.4
2	H	62	ILE	2.4
2	K	34	ALA	2.4
2	J	3	ILE	2.4
1	D	52	GLY	2.3
2	G	0	MET	2.3
2	H	10	ILE	2.3
1	B	48	ARG	2.3
2	H	70	ASP	2.3
2	H	14	GLN	2.3
2	G	36	SER	2.3
2	G	28	PHE	2.3
1	B	49	GLU	2.3
2	I	63	THR	2.3
1	B	2	ALA	2.2
2	K	66	GLN	2.2
2	J	39	THR	2.2
2	K	17	VAL	2.2
1	D	3	SER	2.2
2	I	53	GLU	2.2
2	K	59	ALA	2.2
2	G	27	SER	2.2
2	J	58	GLU	2.2
2	I	52	THR	2.1
2	K	23	THR	2.1
2	J	72	ILE	2.1
2	J	63	THR	2.1
2	I	15	LEU	2.1
2	J	23	THR	2.1
2	K	45	ALA	2.1
2	K	4	GLU	2.1
1	D	50	HIS	2.0
1	F	98	GLN	2.0
2	I	66	GLN	2.0
2	J	73	ASN	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	G	56	ASP	2.0
2	I	67	ALA	2.0
2	G	57	GLU	2.0
2	H	57	GLU	2.0
1	D	332	SER	2.0
2	H	15	LEU	2.0
2	K	16	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	FTT	B	402	17/17	0.78	0.18	37,44,47,47	0
4	PNS	G	101	21/22	0.82	0.16	28,41,48,58	0
4	PNS	L	101	21/22	0.82	0.15	23,41,46,65	0
3	FTT	E	402	17/17	0.87	0.16	35,42,44,44	29
3	FTT	A	401	17/17	0.88	0.14	31,38,42,44	0
3	FTT	B	401	17/17	0.90	0.13	34,41,44,45	0
3	FTT	F	401	17/17	0.90	0.14	35,42,44,44	0
3	FTT	D	401	17/17	0.90	0.11	36,43,45,46	0
3	FTT	E	401	17/17	0.90	0.12	34,41,45,49	0
4	PNS	H	101	21/22	0.91	0.11	33,42,46,58	0
3	FTT	C	401	17/17	0.91	0.13	32,41,43,43	0
4	PNS	J	101	21/22	0.92	0.11	22,41,44,61	0
4	PNS	I	101	21/22	0.92	0.10	32,38,46,47	0
4	PNS	K	101	21/22	0.93	0.10	32,42,44,61	0




The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around PNS L 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PNS H 101:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PNS J 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PNS I 101:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around PNS K 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.