



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 05:11 AM UTC

PDB ID : 1IIN / pdb_00001iin
Title : thymidyltransferase complexed with UDP-glucose
Authors : Barton, W.A.; Lesniak, J.; Biggins, J.B.; Jeffrey, P.D.; Jiang, J.; Rajashankar, K.R.; Thorson, J.S.; Nikolov, D.B.
Deposited on : 2001-04-23
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	292	2% 78% 18% ..
1	B	292	% 78% 19% ..
1	C	292	3% 76% 21% ..
1	D	292	3% 74% 23% ..

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9934 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called glucose-1-phosphate thymidyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	289	Total	C	N	O	S	0	0	0
			2257	1443	375	427	12			
1	B	289	Total	C	N	O	S	0	0	0
			2257	1443	375	427	12			
1	C	289	Total	C	N	O	S	0	0	0
			2257	1443	375	427	12			
1	D	289	Total	C	N	O	S	0	0	0
			2257	1443	375	427	12			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	26	GLN	LYS	conflict	UNP Q9F7K6
B	26	GLN	LYS	conflict	UNP Q9F7K6
C	26	GLN	LYS	conflict	UNP Q9F7K6
D	26	GLN	LYS	conflict	UNP Q9F7K6

- Molecule 2 is URIDINE-5'-DIPHOSPHATE-GLUCOSE (CCD ID: UPG) (formula: C₁₅H₂₄N₂O₁₇P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			36	15	2	17	2		
2	B	1	Total	C	N	O	P	0	0
			36	15	2	17	2		
2	C	1	Total	C	N	O	P	0	0
			36	15	2	17	2		
2	D	1	Total	C	N	O	P	0	0
			36	15	2	17	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	205	Total	O	0	0
			205	205		
3	B	219	Total	O	0	0
			219	219		
3	C	171	Total	O	0	0
			171	171		
3	D	167	Total	O	0	0
			167	167		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: glucose-1-phosphate thymidyltransferase




- Molecule 1: glucose-1-phosphate thymidyltransferase



- Molecule 1: glucose-1-phosphate thymidyltransferase



- Molecule 1: glucose-1-phosphate thymidyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	92.90Å 112.14Å 132.26Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.83 – 2.10 39.83 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.1 (39.83-2.10) 99.1 (39.83-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.73 (at 2.00Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.184 , 0.224 0.188 , 0.187	Depositor DCC
R_{free} test set	8054 reflections (8.57%)	wwPDB-VP
Wilson B-factor (Å ²)	16.7	Xtriage
Anisotropy	0.077	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 54.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9934	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: UPG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.80	5/2304 (0.2%)	1.04	8/3121 (0.3%)
1	B	0.85	6/2304 (0.3%)	1.05	11/3121 (0.4%)
1	C	0.70	2/2304 (0.1%)	1.06	9/3121 (0.3%)
1	D	0.68	2/2304 (0.1%)	1.08	11/3121 (0.4%)
All	All	0.76	15/9216 (0.2%)	1.06	39/12484 (0.3%)

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	36	MET	SD-CE	-15.82	1.40	1.79
1	A	217	MET	SD-CE	14.11	2.14	1.79
1	A	218	MET	SD-CE	-12.22	1.49	1.79
1	B	208	MET	SD-CE	-10.91	1.52	1.79
1	B	218	MET	SD-CE	-10.45	1.53	1.79
1	B	217	MET	SD-CE	-9.15	1.56	1.79
1	A	208	MET	SD-CE	-8.19	1.59	1.79
1	A	1	MET	SD-CE	-7.55	1.60	1.79
1	D	217	MET	SD-CE	-6.80	1.62	1.79
1	C	217	MET	SD-CE	6.53	1.95	1.79
1	C	208	MET	SD-CE	-6.27	1.63	1.79
1	B	1	MET	SD-CE	-6.15	1.64	1.79
1	B	288	MET	SD-CE	6.06	1.94	1.79
1	A	288	MET	SD-CE	5.50	1.93	1.79
1	D	208	MET	SD-CE	-5.31	1.66	1.79

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	117	HIS	N-CA-C	11.78	123.81	110.97
1	A	147	GLY	N-CA-C	-9.57	98.53	111.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	147	GLY	N-CA-C	-7.83	99.34	111.64
1	B	147	GLY	N-CA-C	-7.63	99.66	111.64
1	D	22	MET	N-CA-C	-7.61	102.65	112.23
1	B	142	ASP	CA-C-N	7.44	127.47	119.28
1	B	142	ASP	C-N-CA	7.44	127.47	119.28
1	D	263	PHE	N-CA-C	-7.10	103.28	112.23
1	B	31	ILE	N-CA-C	-6.99	96.67	106.53
1	C	263	PHE	N-CA-C	-6.86	104.38	112.89
1	D	52	ILE	N-CA-C	6.46	118.09	108.46
1	C	31	ILE	N-CA-C	-6.44	97.45	106.53
1	A	277	SER	N-CA-C	6.39	120.75	113.15
1	B	277	SER	N-CA-C	6.30	120.65	113.15
1	C	147	GLY	N-CA-C	-6.26	100.14	111.15
1	B	263	PHE	N-CA-C	-6.24	104.37	112.23
1	C	87	ASP	N-CA-C	6.08	120.32	113.02
1	A	31	ILE	N-CA-C	-6.07	97.97	106.53
1	C	199	GLU	N-CA-C	5.96	119.23	109.76
1	D	31	ILE	N-CA-C	-5.90	98.22	106.53
1	D	199	GLU	N-CA-C	5.84	119.04	109.76
1	B	198	LEU	N-CA-C	-5.63	99.94	108.67
1	A	103	ASP	N-CA-C	5.61	118.73	110.59
1	B	146	TYR	N-CA-C	5.61	117.14	109.18
1	C	277	SER	N-CA-C	5.52	119.76	113.19
1	B	94	ILE	N-CA-C	-5.37	105.61	110.82
1	C	130	GLU	N-CA-C	5.35	116.79	111.07
1	B	199	GLU	N-CA-C	5.33	118.23	109.76
1	A	199	GLU	N-CA-C	5.30	118.26	109.46
1	C	124	GLU	N-CA-C	5.25	116.69	111.07
1	D	146	TYR	N-CA-C	5.23	116.61	109.18
1	A	146	TYR	N-CA-C	5.21	116.58	109.18
1	C	68	LEU	N-CA-C	5.18	120.60	113.97
1	D	130	GLU	N-CA-C	5.16	116.59	111.07
1	A	28	LEU	N-CA-C	-5.13	107.07	113.38
1	D	68	LEU	N-CA-C	5.13	119.81	113.50
1	D	248	GLY	N-CA-C	-5.06	106.08	114.48
1	B	103	ASP	N-CA-C	5.05	117.92	110.59
1	A	104	ASP	N-CA-C	-5.00	103.79	110.55

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2257	0	2253	45	0
1	B	2257	0	2253	47	1
1	C	2257	0	2253	51	0
1	D	2257	0	2253	59	0
2	A	36	0	22	1	0
2	B	36	0	22	2	0
2	C	36	0	22	3	0
2	D	36	0	22	0	0
3	A	205	0	0	5	1
3	B	219	0	0	3	0
3	C	171	0	0	3	0
3	D	167	0	0	4	0
All	All	9934	0	9100	193	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (193) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:217:MET:CE	1:A:217:MET:SD	2.14	1.36
1:D:121:LYS:HD2	1:D:121:LYS:H	0.97	1.09
1:D:121:LYS:HD2	1:D:121:LYS:N	1.76	0.99
1:D:121:LYS:H	1:D:121:LYS:CD	1.76	0.98
1:B:83:GLN:HE22	2:B:1502:UPG:HN3	1.12	0.98
1:B:27:GLN:HA	1:B:36:MET:HE2	1.50	0.93
1:B:27:GLN:HA	1:B:36:MET:CE	1.98	0.93
1:B:26:GLN:HG2	1:B:36:MET:HE1	1.57	0.86
1:C:118:ASP:CG	1:C:121:LYS:HE3	2.02	0.84
1:B:108:VAL:HG12	1:B:176:LEU:CD1	2.07	0.83
1:C:118:ASP:OD2	1:C:121:LYS:HE3	1.78	0.83
1:D:142:ASP:OD2	1:D:145:ARG:HD3	1.78	0.83
1:C:153:GLN:H	1:C:153:GLN:CD	1.90	0.79
1:C:205:ARG:O	1:C:209:GLU:HG3	1.83	0.78
1:D:153:GLN:H	1:D:153:GLN:CD	1.93	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:108:VAL:HG12	1:B:176:LEU:HD13	1.67	0.75
1:A:121:LYS:H	1:A:121:LYS:HD2	1.53	0.73
1:C:201:THR:HG22	1:C:205:ARG:HH21	1.54	0.72
1:B:180:ASP:OD2	1:B:212:ARG:NH2	2.22	0.72
1:B:27:GLN:HG3	1:B:36:MET:HE3	1.71	0.70
1:A:265:ASN:C	1:A:265:ASN:HD22	1.99	0.70
1:D:267:GLN:N	1:D:267:GLN:OE1	2.25	0.70
1:A:249:LEU:HD23	1:B:220:ARG:HB2	1.73	0.69
1:A:4:ARG:HG2	3:A:1700:HOH:O	1.91	0.69
1:D:118:ASP:OD2	1:D:121:LYS:NZ	2.26	0.69
1:B:30:PRO:HB3	1:C:20:VAL:HG13	1.75	0.69
1:A:58:PRO:HG2	1:A:59:GLN:NE2	2.08	0.68
1:D:118:ASP:CG	1:D:121:LYS:NZ	2.52	0.68
1:D:58:PRO:HG2	1:D:59:GLN:NE2	2.09	0.67
3:A:1553:HOH:O	1:D:230:HIS:HD2	1.78	0.67
1:A:153:GLN:CD	1:A:153:GLN:H	2.02	0.66
1:C:221:GLY:HA3	1:D:117:HIS:HA	1.77	0.66
1:A:265:ASN:ND2	1:A:268:GLN:H	1.94	0.66
1:B:44:LEU:HD21	1:B:108:VAL:HG13	1.78	0.66
1:A:242:THR:HG21	1:B:239:PHE:HA	1.79	0.65
1:A:180:ASP:OD2	1:A:212:ARG:NH2	2.30	0.64
1:B:108:VAL:HG12	1:B:176:LEU:HD12	1.80	0.64
1:C:276:LEU:HD13	1:C:281:TYR:CD2	2.33	0.64
1:D:190:LEU:HD11	1:D:203:ILE:HG13	1.78	0.64
1:D:217:MET:HE3	1:D:217:MET:HA	1.78	0.64
1:A:205:ARG:O	1:A:209:GLU:HG3	1.98	0.63
1:D:118:ASP:CB	1:D:121:LYS:HD3	2.29	0.63
1:C:23:ALA:HB3	3:C:1577:HOH:O	1.99	0.62
1:A:30:PRO:HB3	1:D:20:VAL:HG13	1.80	0.62
1:B:241:ALA:O	1:B:245:GLU:HG2	1.99	0.62
1:A:121:LYS:H	1:A:121:LYS:CD	2.13	0.62
1:C:153:GLN:CD	1:C:153:GLN:N	2.58	0.61
1:D:206:ILE:O	1:D:210:GLN:HG3	2.00	0.61
1:C:28:LEU:HD11	1:C:63:ARG:HB2	1.82	0.61
1:D:137:ALA:O	1:D:217:MET:HE2	2.01	0.61
1:D:118:ASP:HB3	1:D:121:LYS:HD3	1.82	0.61
1:B:249:LEU:HD12	1:B:249:LEU:C	2.26	0.60
1:A:17:LEU:O	1:A:20:VAL:HG22	2.00	0.60
1:D:114:PHE:CZ	1:D:218:MET:HE1	2.36	0.60
1:D:180:ASP:OD2	1:D:212:ARG:NH2	2.35	0.60
1:D:145:ARG:NH2	3:D:1666:HOH:O	2.35	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:137:ALA:O	1:B:217:MET:HE3	2.02	0.59
1:D:276:LEU:HD13	1:D:281:TYR:CD2	2.39	0.57
1:B:153:GLN:H	1:B:153:GLN:CD	2.12	0.57
1:B:27:GLN:HA	1:B:36:MET:HE3	1.82	0.57
1:B:58:PRO:HG3	1:B:82:VAL:HG11	1.85	0.57
1:C:86:PRO:HB2	2:C:1503:UPG:N3	2.20	0.57
3:B:1589:HOH:O	1:C:230:HIS:HD2	1.86	0.57
1:B:58:PRO:HG3	1:B:82:VAL:CG1	2.35	0.57
1:D:267:GLN:H	1:D:267:GLN:CD	2.14	0.56
1:C:114:PHE:CZ	1:C:218:MET:HE1	2.41	0.56
1:C:143:PRO:HD2	1:C:144:GLU:OE2	2.05	0.56
1:B:142:ASP:OD2	1:B:145:ARG:HD3	2.06	0.55
1:C:118:ASP:HB3	1:C:121:LYS:HG2	1.89	0.55
1:A:242:THR:HG23	3:B:1514:HOH:O	2.06	0.55
1:D:58:PRO:HG2	1:D:59:GLN:HE22	1.71	0.55
1:D:150:GLU:OE1	1:D:168:LYS:HD3	2.07	0.55
1:D:143:PRO:CG	1:D:170:ASN:HA	2.37	0.55
1:C:246:ARG:HG2	3:D:1551:HOH:O	2.06	0.55
1:C:143:PRO:CG	1:C:170:ASN:HA	2.38	0.54
1:C:73:GLN:HB2	1:C:272:LEU:HD21	1.88	0.54
1:C:12:GLY:HA2	2:C:1503:UPG:O2	2.07	0.54
1:C:144:GLU:H	1:C:144:GLU:CD	2.15	0.54
1:C:159:SER:HA	1:C:208:MET:HE1	1.89	0.54
1:D:150:GLU:HB3	1:D:159:SER:OG	2.09	0.53
1:C:142:ASP:OD2	1:C:145:ARG:HD3	2.09	0.53
1:D:35:PRO:HG2	1:D:38:TYR:CD1	2.45	0.52
1:B:142:ASP:N	1:B:143:PRO:HD3	2.23	0.52
1:D:144:GLU:CD	1:D:144:GLU:H	2.17	0.52
1:C:143:PRO:HG2	1:C:170:ASN:HA	1.91	0.52
1:B:205:ARG:O	1:B:209:GLU:HG3	2.10	0.52
1:B:83:GLN:NE2	2:B:1502:UPG:HN3	1.95	0.52
1:A:1:MET:HG3	3:A:1703:HOH:O	2.10	0.51
1:B:137:ALA:O	1:B:217:MET:CE	2.58	0.51
1:A:159:SER:HA	1:A:208:MET:HE1	1.92	0.51
1:D:143:PRO:HG2	1:D:170:ASN:HA	1.92	0.51
1:D:164:PRO:HG2	1:D:167:PRO:HG3	1.92	0.51
1:B:206:ILE:O	1:B:210:GLN:HG3	2.10	0.51
1:D:9:LEU:HD23	1:D:89:LEU:HD22	1.93	0.51
1:C:81:LYS:HD3	1:C:95:ILE:HG23	1.92	0.51
1:C:81:LYS:HD3	1:C:95:ILE:CG2	2.40	0.51
1:B:141:ASN:C	1:B:143:PRO:HD3	2.36	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:59:GLN:H	1:D:59:GLN:CD	2.18	0.50
1:A:121:LYS:HD2	1:A:121:LYS:N	2.23	0.50
1:A:13:SER:OG	1:A:15:THR:HG23	2.11	0.50
1:A:217:MET:CE	1:A:217:MET:HB3	2.42	0.50
1:D:61:THR:N	1:D:62:PRO:HD2	2.27	0.50
1:D:118:ASP:CG	1:D:121:LYS:HZ2	2.20	0.49
1:B:164:PRO:HG2	1:B:167:PRO:HG3	1.95	0.49
1:D:122:LEU:HD22	1:D:136:PHE:CE2	2.48	0.49
1:D:171:TYR:CD2	1:D:217:MET:HE1	2.47	0.49
1:A:249:LEU:C	1:A:249:LEU:HD12	2.39	0.48
1:A:265:ASN:HD21	1:A:268:GLN:HG3	1.78	0.48
1:B:217:MET:HE3	1:B:217:MET:HA	1.96	0.48
1:C:50:ARG:HD2	1:C:75:GLY:O	2.13	0.48
1:B:220:ARG:NE	1:B:220:ARG:H	2.12	0.47
1:D:122:LEU:HD22	1:D:136:PHE:HE2	1.79	0.47
1:A:18:TYR:HB3	1:D:276:LEU:HD23	1.96	0.47
1:C:150:GLU:HB3	1:C:159:SER:OG	2.14	0.47
1:A:4:ARG:HH11	1:A:4:ARG:CG	2.27	0.47
1:B:44:LEU:HD21	1:B:108:VAL:CG1	2.44	0.47
1:B:210:GLN:OE1	1:B:212:ARG:NH1	2.33	0.47
1:D:256:GLU:O	1:D:260:ARG:HG2	2.14	0.47
1:B:18:TYR:HB3	1:C:276:LEU:HD23	1.97	0.47
1:D:63:ARG:HG2	1:D:63:ARG:HH11	1.80	0.47
1:D:205:ARG:O	1:D:209:GLU:HG3	2.15	0.47
1:A:16:ARG:NE	3:A:1554:HOH:O	2.47	0.47
1:D:264:ILE:HB	1:D:268:GLN:HG2	1.96	0.47
1:A:104:ASP:OD1	1:A:180:ASP:HA	2.15	0.47
1:A:4:ARG:HH11	1:A:4:ARG:HG3	1.80	0.46
1:C:122:LEU:HD22	1:C:136:PHE:HE2	1.80	0.46
1:B:143:PRO:CG	1:B:170:ASN:HA	2.46	0.46
1:A:217:MET:CE	1:A:217:MET:CB	2.94	0.46
1:D:246:ARG:NH1	3:D:1519:HOH:O	2.41	0.46
1:C:115:TYR:CZ	1:C:243:ILE:HD13	2.50	0.46
1:A:141:ASN:C	1:A:143:PRO:HD3	2.40	0.46
1:C:268:GLN:HB3	3:C:1634:HOH:O	2.15	0.46
1:D:17:LEU:O	1:D:230:HIS:HE1	1.98	0.46
1:D:57:THR:HB	1:D:58:PRO:HD2	1.98	0.45
1:C:86:PRO:HB2	2:C:1503:UPG:C2	2.47	0.45
1:A:12:GLY:HA3	2:A:1501:UPG:O2C	2.16	0.45
1:B:73:GLN:HB2	1:B:272:LEU:HD21	1.98	0.45
1:C:63:ARG:HH11	1:C:63:ARG:HB3	1.81	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:143:PRO:CG	1:A:170:ASN:HA	2.46	0.45
1:C:112:ASN:ND2	1:C:175:GLY:H	2.14	0.45
1:D:152:ASP:OD1	1:D:152:ASP:C	2.60	0.45
1:B:143:PRO:HG2	1:B:170:ASN:HA	1.99	0.45
1:C:112:ASN:HD21	1:C:175:GLY:H	1.65	0.45
1:A:35:PRO:HG2	1:A:38:TYR:CD1	2.53	0.44
1:B:26:GLN:O	1:B:36:MET:HE2	2.17	0.44
1:C:245:GLU:HG3	3:C:1668:HOH:O	2.17	0.44
1:A:61:THR:N	1:A:62:PRO:HD2	2.33	0.44
1:C:119:LEU:N	1:C:120:PRO:CD	2.81	0.44
1:C:171:TYR:CD2	1:C:217:MET:HE1	2.53	0.44
1:C:240:ILE:O	1:C:244:GLU:HG3	2.17	0.44
1:D:143:PRO:HD2	1:D:144:GLU:OE2	2.18	0.44
1:B:50:ARG:HD2	1:B:75:GLY:O	2.18	0.44
1:B:210:GLN:OE1	1:B:212:ARG:HD3	2.18	0.44
1:C:142:ASP:CG	1:C:145:ARG:HD3	2.43	0.44
1:D:142:ASP:OD2	1:D:145:ARG:CD	2.58	0.44
3:B:1650:HOH:O	1:C:280:ASP:HB3	2.17	0.43
1:C:142:ASP:OD2	1:C:145:ARG:CD	2.66	0.43
1:D:63:ARG:HG2	1:D:63:ARG:NH1	2.33	0.43
1:D:217:MET:HA	1:D:217:MET:CE	2.44	0.43
1:B:220:ARG:H	1:B:220:ARG:CD	2.31	0.43
1:A:66:GLN:HG2	3:D:1670:HOH:O	2.17	0.43
1:A:231:GLN:O	1:A:235:GLU:HG3	2.19	0.43
1:B:238:ASN:OD1	1:C:234:ILE:HD11	2.19	0.43
1:A:265:ASN:ND2	1:A:268:GLN:HG3	2.33	0.43
1:D:31:ILE:HB	1:D:39:TYR:CE1	2.53	0.43
1:C:276:LEU:HD13	1:C:281:TYR:HD2	1.79	0.42
1:A:41:LEU:CD1	1:A:45:MET:SD	3.08	0.42
1:B:136:PHE:HB3	1:B:218:MET:HE2	2.01	0.42
1:D:160:LEU:O	1:D:205:ARG:NH2	2.51	0.42
1:C:267:GLN:CD	1:C:267:GLN:N	2.77	0.42
1:D:137:ALA:O	1:D:217:MET:CE	2.68	0.42
1:A:31:ILE:HB	1:A:39:TYR:CE1	2.55	0.42
1:A:50:ARG:HD2	1:A:75:GLY:O	2.20	0.42
1:D:14:GLY:H	1:D:16:ARG:NH2	2.18	0.41
1:D:277:SER:HA	1:D:282:GLY:HA3	2.02	0.41
1:C:89:LEU:HD13	1:C:109:LEU:HD21	2.01	0.41
1:D:273:ALA:HB1	1:D:286:LEU:HG	2.02	0.41
1:C:122:LEU:HD22	1:C:136:PHE:CE2	2.56	0.41
1:D:276:LEU:C	1:D:282:GLY:HA3	2.46	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:164:PRO:HG2	1:C:167:PRO:HG3	2.02	0.41
1:A:190:LEU:HD11	1:A:203:ILE:HG13	2.02	0.41
1:A:242:THR:HG22	1:B:239:PHE:HD1	1.86	0.41
1:B:242:THR:HG23	1:B:243:ILE:N	2.36	0.41
1:C:115:TYR:CE1	1:C:243:ILE:HD13	2.55	0.41
1:C:126:ALA:HB2	1:C:134:THR:HG21	2.03	0.41
1:A:71:GLY:HA3	1:A:78:LEU:HG	2.03	0.41
1:A:239:PHE:O	1:A:243:ILE:HD13	2.21	0.41
1:D:118:ASP:CA	1:D:121:LYS:HD3	2.51	0.41
1:A:41:LEU:HD13	1:A:45:MET:SD	2.62	0.40
1:A:16:ARG:HG3	3:A:1554:HOH:O	2.20	0.40
1:B:152:ASP:OD1	1:B:152:ASP:C	2.64	0.40
1:B:190:LEU:HD11	1:B:203:ILE:HG13	2.03	0.40
1:B:220:ARG:N	1:B:220:ARG:HD2	2.36	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1:MET:N	3:A:1513:HOH:O[2_564]	1.66	0.54

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	287/292 (98%)	284 (99%)	2 (1%)	1 (0%)	36	36
1	B	287/292 (98%)	282 (98%)	4 (1%)	1 (0%)	36	36
1	C	287/292 (98%)	281 (98%)	5 (2%)	1 (0%)	36	36
1	D	287/292 (98%)	280 (98%)	6 (2%)	1 (0%)	36	36
All	All	1148/1168 (98%)	1127 (98%)	17 (2%)	4 (0%)	36	36

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	32	TYR
1	B	32	TYR
1	C	32	TYR
1	D	32	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	242/245 (99%)	237 (98%)	5 (2%)	47	54
1	B	242/245 (99%)	239 (99%)	3 (1%)	63	72
1	C	242/245 (99%)	237 (98%)	5 (2%)	47	54
1	D	242/245 (99%)	235 (97%)	7 (3%)	37	42
All	All	968/980 (99%)	948 (98%)	20 (2%)	47	54

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	PRO
1	A	53	LEU
1	A	67	LEU
1	A	121	LYS
1	A	265	ASN
1	B	19	PRO
1	B	79	GLN
1	B	112	ASN
1	C	63	ARG
1	C	122	LEU
1	C	144	GLU
1	C	149	VAL
1	C	267	GLN
1	D	67	LEU
1	D	121	LYS
1	D	122	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	144	GLU
1	D	217	MET
1	D	267	GLN
1	D	287	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	59	GLN
1	A	79	GLN
1	A	265	ASN
1	B	26	GLN
1	B	66	GLN
1	B	83	GLN
1	B	139	HIS
1	B	166	GLN
1	B	189	ASN
1	C	26	GLN
1	C	79	GLN
1	C	83	GLN
1	C	112	ASN
1	C	117	HIS
1	C	153	GLN
1	C	230	HIS
1	D	26	GLN
1	D	59	GLN
1	D	112	ASN
1	D	117	HIS
1	D	230	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	UPG	C	1503	-	37,38,38	1.75	8 (21%)	55,58,58	1.34	7 (12%)
2	UPG	A	1501	-	37,38,38	1.62	6 (16%)	55,58,58	1.01	1 (1%)
2	UPG	B	1502	-	37,38,38	1.55	4 (10%)	55,58,58	1.00	2 (3%)
2	UPG	D	1504	-	37,38,38	1.77	5 (13%)	55,58,58	1.05	1 (1%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	UPG	C	1503	-	-	4/23/59/59	0/3/3/3
2	UPG	A	1501	-	-	2/23/59/59	0/3/3/3
2	UPG	B	1502	-	-	2/23/59/59	0/3/3/3
2	UPG	D	1504	-	-	3/23/59/59	0/3/3/3

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1501	UPG	PA-O3A	5.59	1.65	1.59
2	D	1504	UPG	O5'-C1'	5.50	1.56	1.41
2	D	1504	UPG	PA-O3A	5.24	1.65	1.59
2	C	1503	UPG	PA-O3A	5.16	1.65	1.59
2	B	1502	UPG	PA-O3A	5.03	1.64	1.59
2	D	1504	UPG	PB-O3A	4.89	1.64	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1503	UPG	O5'-C1'	4.76	1.54	1.41
2	A	1501	UPG	O5'-C1'	4.72	1.54	1.41
2	B	1502	UPG	O5'-C1'	4.57	1.53	1.41
2	C	1503	UPG	PB-O3A	3.60	1.63	1.59
2	A	1501	UPG	PB-O3A	3.08	1.62	1.59
2	C	1503	UPG	C3'-C2'	2.75	1.59	1.52
2	C	1503	UPG	C1C-N1	2.69	1.55	1.47
2	B	1502	UPG	C4-N3	2.64	1.43	1.38
2	D	1504	UPG	C2-N1	2.55	1.42	1.38
2	C	1503	UPG	PB-O2B	-2.49	1.43	1.55
2	A	1501	UPG	C4'-C5'	2.49	1.58	1.53
2	B	1502	UPG	PB-O3A	2.45	1.62	1.59
2	C	1503	UPG	PB-O1B	2.25	1.58	1.50
2	A	1501	UPG	C3'-C2'	2.21	1.58	1.52
2	C	1503	UPG	C6-N1	2.16	1.43	1.38
2	A	1501	UPG	C2-N1	2.12	1.41	1.38
2	D	1504	UPG	C3'-C2'	2.05	1.57	1.52

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1503	UPG	O3C-C3C-C4C	3.97	122.49	111.08
2	C	1503	UPG	O5'-C1'-O3B	-3.77	106.44	111.36
2	D	1504	UPG	O3C-C3C-C4C	3.07	119.91	111.08
2	B	1502	UPG	O3C-C3C-C4C	3.07	119.91	111.08
2	A	1501	UPG	O3C-C3C-C4C	3.06	119.88	111.08
2	C	1503	UPG	O4C-C1C-N1	2.74	114.56	108.36
2	C	1503	UPG	C3C-C2C-C1C	2.43	106.06	101.46
2	C	1503	UPG	O2-C2-N1	-2.24	119.88	122.80
2	C	1503	UPG	O5C-PA-O1A	2.11	117.31	108.94
2	B	1502	UPG	O4C-C4C-C5C	-2.02	102.85	109.33
2	C	1503	UPG	C6-N1-C2	-2.02	118.54	121.00

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1501	UPG	O4C-C4C-C5C-O5C
2	B	1502	UPG	O4C-C4C-C5C-O5C
2	C	1503	UPG	O4C-C4C-C5C-O5C
2	D	1504	UPG	O4C-C4C-C5C-O5C
2	A	1501	UPG	C3C-C4C-C5C-O5C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	1502	UPG	C3C-C4C-C5C-O5C
2	C	1503	UPG	C3C-C4C-C5C-O5C
2	D	1504	UPG	C3C-C4C-C5C-O5C
2	C	1503	UPG	C4'-C5'-C6'-O6'
2	C	1503	UPG	O5'-C5'-C6'-O6'
2	D	1504	UPG	O5'-C5'-C6'-O6'


There are no ring outliers.

3 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	1503	UPG	3	0
2	A	1501	UPG	1	0
2	B	1502	UPG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand UPG C 1503




Ligand UPG A 1501



Ligand UPG B 1502



Ligand UPG D 1504



5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	289/292 (98%)	-0.28	6 (2%) 63 66	8, 16, 34, 52	0
1	B	289/292 (98%)	-0.39	3 (1%) 79 81	8, 15, 32, 45	0
1	C	289/292 (98%)	-0.06	9 (3%) 51 54	8, 18, 39, 56	0
1	D	289/292 (98%)	-0.08	9 (3%) 51 54	7, 18, 38, 53	0
All	All	1156/1168 (98%)	-0.20	27 (2%) 61 64	7, 17, 37, 56	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	280	ASP	5.2
1	C	23	ALA	3.7
1	D	289	VAL	3.7
1	A	13	SER	3.5
1	C	289	VAL	3.5
1	C	280	ASP	3.3
1	D	118	ASP	3.3
1	C	275	PRO	3.1
1	D	277	SER	3.1
1	C	121	LYS	3.1
1	D	166	GLN	2.9
1	C	270	ILE	2.9
1	B	220	ARG	2.8
1	C	151	PHE	2.8
1	A	14	GLY	2.7
1	C	276	LEU	2.6
1	D	276	LEU	2.5
1	A	154	LYS	2.4
1	A	220	ARG	2.4
1	D	155	GLY	2.4
1	D	121	LYS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	289	VAL	2.3
1	B	63	ARG	2.3
1	B	141	ASN	2.2
1	A	16	ARG	2.2
1	D	267	GLN	2.1
1	C	277	SER	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	UPG	C	1503	36/36	0.82	0.22	13,44,69,72	0
2	UPG	D	1504	36/36	0.92	0.10	17,25,48,52	0
2	UPG	A	1501	36/36	0.94	0.08	9,18,44,53	0
2	UPG	B	1502	36/36	0.94	0.09	10,18,45,49	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around UPG C 1503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UPG D 1504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UPG A 1501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around UPG B 1502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.