



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 07:23 PM UTC

PDB ID : 4IIB / pdb_00004iib
Title : Crystal structure of beta-glucosidase 1 from *Aspergillus aculeatus*
Authors : Suzuki, K.; Sumitani, J.; Kawaguchi, T.; Fushinobu, S.
Deposited on : 2012-12-20
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	841	85% 13% ..
1	B	841	88% 10% ..
2	C	6	67% 33%
3	D	3	33% 67%
3	G	3	100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	K	3	 100%
3	M	3	 100%
4	E	2	 50% 50%
5	F	10	 80% 20%
5	L	10	 100%
6	H	7	 71% 29%
6	N	7	 86% 14%
7	I	7	 100%
8	J	7	 71% 29%
9	O	6	 83% 17%
10	P	8	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MAN	C	4	-	-	X	-

2 Entry composition [i](#)


There are 16 unique types of molecules in this entry. The entry contains 15992 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-glucosidase 1.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	834	Total	C	N	O	S	0	0	0
			6387	4031	1097	1241	18			
1	B	832	Total	C	N	O	S	0	0	0
			6375	4023	1095	1239	18			

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	6	Total	C	N	O	0	0	0
			72	40	2	30			

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	3	Total	C	N	O	0	0	0
			39	22	2	15			
3	G	3	Total	C	N	O	0	0	0
			39	22	2	15			
3	K	3	Total	C	N	O	0	0	0
			39	22	2	15			

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	M	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	E	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	F	10	Total	C	N	O	0	0	0
			116	64	2	50			
5	L	10	Total	C	N	O	0	0	0
			116	64	2	50			

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	H	7	Total	C	N	O	0	0	0
			83	46	2	35			
6	N	7	Total	C	N	O	0	0	0
			83	46	2	35			

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
7	I	7	Total	C	N	O	0	0	0
			83	46	2	35			

- Molecule 8 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
8	J	7	Total	C	N	O	0	0	0
			83	46	2	35			

- Molecule 9 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
9	O	6	Total	C	N	O	0	0	0
			72	40	2	30			

- Molecule 10 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
10	P	8	Total	C	N	O	0	0	0
			94	52	2	40			

- Molecule 11 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	A	1	Total	C	N	O	0	0
			14	8	1	5		
11	A	1	Total	C	N	O	0	0
			14	8	1	5		
11	B	1	Total	C	N	O	0	0
			14	8	1	5		
11	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 12 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: $C_6H_{14}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	A	1	Total	C	O	0	0
			8	6	2		

- Molecule 13 is (4R)-2-METHYLPENTANE-2,4-DIOL (CCD ID: MRD) (formula: $C_6H_{14}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	A	1	Total	C	O	0	0
			8	6	2		
13	A	1	Total	C	O	0	0
			8	6	2		
13	B	1	Total	C	O	0	0
			8	6	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	B	1	Total	C	O	0	0
			8	6	2		
13	B	1	Total	C	O	0	0
			8	6	2		

- Molecule 14 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	A	1	Total	Na	0	0
			1	1		
14	B	1	Total	Na	0	0
			1	1		

- Molecule 15 is ACETIC ACID (CCD ID: ACY) (formula: C₂H₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
15	A	1	Total	C	O	0	0
			4	2	2		
15	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 16 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	A	1027	Total	O	0	0
			1027	1027		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	B	1103	Total	O	0	0
			1103	1103		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Beta-glucosidase 1



• Molecule 1: Beta-glucosidase 1




• Molecule 2: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:  67% 33%



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  33% 67%




- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%




- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  100%



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  50% 50%



- Molecule 5: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  80% 20%



- Molecule 5: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L: 100%



- Molecule 6: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H: 71% 29%



- Molecule 6: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N: 86% 14%



- Molecule 7: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I: 100%




- Molecule 8: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J: 71% 29%




- Molecule 9: alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

ido-2-deoxy-beta-D-glucopyranose

Chain O:  83% 17%

MAG1
MAG2
BMA3
MAN4
MAN5
MAN6

- Molecule 10: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  100%

MAG1
MAG2
BMA3
MAN4
MAN5
MAN6
MAN7
MAN8

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	82.16Å 123.02Å 222.25Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	34.49 – 1.80 34.49 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.8 (34.49-1.80) 99.9 (34.49-1.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.58 (at 1.81Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.137 , 0.169 0.137 , 0.171	Depositor DCC
R_{free} test set	10460 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	11.7	Xtriage
Anisotropy	0.047	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 41.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	15992	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MPD, BMA, NAG, MRD, MAN, NA, ACY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.81	74/6550 (1.1%)	1.40	21/8930 (0.2%)
1	B	1.77	50/6538 (0.8%)	1.43	29/8913 (0.3%)
All	All	1.79	124/13088 (0.9%)	1.42	50/17843 (0.3%)

All (124) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	352	PRO	CA-C	10.44	1.57	1.51
1	B	557	ASP	N-CA	7.96	1.56	1.46
1	A	517	ASN	CA-CB	7.94	1.63	1.53
1	B	333	MET	N-CA	7.70	1.55	1.46
1	A	223	LYS	CA-C	7.67	1.62	1.52
1	B	223	LYS	CA-C	7.48	1.62	1.52
1	A	325	VAL	N-CA	7.30	1.53	1.46
1	A	561	ASP	CG-OD2	7.19	1.39	1.25
1	A	459	LEU	C-O	6.83	1.31	1.23
1	B	139	VAL	CA-CB	6.82	1.63	1.54
1	B	198	HIS	N-CA	6.75	1.54	1.46
1	A	154	GLY	CA-C	6.75	1.58	1.52
1	A	526	LEU	N-CA	6.71	1.54	1.46
1	A	205	ALA	CA-C	6.71	1.61	1.52
1	B	594	ALA	N-CA	6.63	1.54	1.46
1	A	535	LYS	N-CA	6.58	1.54	1.46
1	B	802	ARG	C-O	-6.56	1.16	1.24
1	A	426	GLY	N-CA	6.47	1.50	1.44
1	B	386	ARG	C-O	-6.46	1.15	1.24
1	A	152	PRO	C-O	6.42	1.32	1.24
1	A	325	VAL	CA-C	6.35	1.58	1.53
1	A	150	ARG	C-O	6.28	1.31	1.24
1	B	795	VAL	CA-C	6.24	1.60	1.52
1	B	450	GLY	N-CA	6.22	1.52	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	633	ASP	C-O	6.21	1.30	1.24
1	A	402	LEU	CA-CB	6.20	1.60	1.52
1	B	369	TYR	CA-C	6.19	1.60	1.52
1	A	562	HIS	N-CA	6.17	1.53	1.45
1	B	48	VAL	N-CA	6.14	1.53	1.46
1	A	569	LEU	N-CA	6.13	1.53	1.45
1	A	52	SER	N-CA	6.10	1.54	1.46
1	A	365	PHE	C-O	6.10	1.31	1.23
1	B	236	ALA	N-CA	6.08	1.53	1.46
1	B	220	VAL	C-O	6.08	1.30	1.24
1	A	125	GLY	CA-C	6.07	1.58	1.52
1	A	552	GLY	N-CA	6.02	1.52	1.44
1	A	841	VAL	N-CA	5.99	1.53	1.46
1	B	350	TYR	C-O	5.96	1.30	1.23
1	B	702	ARG	C-O	-5.96	1.16	1.24
1	A	570	TRP	C-O	-5.94	1.17	1.24
1	A	167	LEU	N-CA	5.94	1.53	1.46
1	B	596	SER	C-N	5.90	1.38	1.33
1	A	783	LEU	N-CA	5.89	1.53	1.46
1	A	733	VAL	C-O	5.88	1.31	1.24
1	A	536	ALA	C-O	5.85	1.31	1.24
1	B	370	PRO	N-CA	5.81	1.53	1.47
1	A	609	ASP	CA-CB	5.79	1.62	1.53
1	A	281	TRP	NE1-CE2	-5.79	1.31	1.37
1	A	184	VAL	N-CA	5.76	1.52	1.46
1	A	780	VAL	N-CA	5.76	1.53	1.46
1	A	696	TYR	N-CA	5.75	1.52	1.45
1	B	518	GLU	N-CA	5.74	1.54	1.46
1	A	22	LEU	N-CA	5.73	1.57	1.46
1	A	709	PRO	CA-C	5.72	1.58	1.52
1	A	336	ARG	CZ-NH1	5.72	1.40	1.32
1	A	613	ARG	CZ-NH1	5.68	1.40	1.32
1	B	455	GLU	N-CA	5.68	1.53	1.46
1	B	507	ALA	C-O	5.67	1.29	1.24
1	A	156	ARG	N-CA	5.67	1.52	1.46
1	B	689	GLY	C-O	-5.67	1.18	1.24
1	A	181	ASP	N-CA	5.67	1.53	1.46
1	A	261	TYR	CA-C	5.66	1.59	1.52
1	A	125	GLY	N-CA	5.66	1.52	1.45
1	A	224	THR	N-CA	5.65	1.53	1.46
1	B	382	VAL	CA-C	5.64	1.58	1.52
1	A	137	ILE	N-CA	5.63	1.53	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	613	ARG	CZ-NH1	5.62	1.40	1.32
1	B	552	GLY	N-CA	5.61	1.52	1.44
1	B	798	ARG	C-O	5.61	1.31	1.23
1	B	146	GLY	N-CA	5.60	1.52	1.44
1	A	201	GLN	N-CA	5.58	1.52	1.46
1	A	435	CYS	N-CA	5.53	1.52	1.46
1	B	523	ASN	CA-CB	5.53	1.62	1.53
1	A	576	GLN	N-CA	5.51	1.53	1.46
1	B	771	ASN	CA-C	5.49	1.59	1.52
1	A	202	VAL	C-O	5.47	1.30	1.24
1	B	612	VAL	CA-CB	5.44	1.59	1.53
1	B	506	ASP	C-O	5.43	1.30	1.23
1	A	715	ASP	N-CA	-5.42	1.39	1.46
1	A	47	ALA	CA-CB	5.42	1.61	1.53
1	A	450	GLY	N-CA	5.41	1.51	1.45
1	B	569	LEU	N-CA	5.41	1.52	1.46
1	A	764	ARG	CZ-NH1	5.40	1.40	1.32
1	A	318	ILE	N-CA	5.38	1.52	1.46
1	A	540	ASN	CA-CB	5.37	1.61	1.54
1	A	831	ASP	N-CA	-5.36	1.39	1.46
1	B	476	SER	C-O	5.34	1.30	1.23
1	A	469	GLU	C-O	-5.33	1.18	1.24
1	A	352	PRO	CA-C	5.32	1.57	1.52
1	A	317	THR	N-CA	5.31	1.52	1.46
1	B	351	GLN	N-CA	5.31	1.52	1.46
1	B	349	LEU	N-CA	5.30	1.52	1.46
1	A	100	SER	C-O	5.30	1.29	1.24
1	A	586	LEU	N-CA	5.28	1.52	1.46
1	B	781	PRO	CA-C	5.27	1.59	1.52
1	A	613	ARG	CD-NE	5.27	1.53	1.46
1	B	406	ASN	CA-CB	5.26	1.59	1.52
1	A	496	ALA	C-O	5.26	1.30	1.23
1	A	195	GLU	N-CA	5.26	1.52	1.46
1	A	853	HIS	C-O	5.26	1.30	1.23
1	B	255	TYR	N-CA	5.25	1.52	1.46
1	A	186	ALA	N-CA	5.24	1.52	1.45
1	B	338	MET	N-CA	5.24	1.52	1.46
1	A	635	ARG	CZ-NH1	5.22	1.40	1.32
1	B	502	PHE	C-O	-5.22	1.17	1.24
1	A	288	VAL	CA-CB	5.18	1.60	1.54
1	B	839	LYS	N-CA	5.17	1.52	1.45
1	A	56	LEU	N-CA	5.17	1.52	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	332	ASP	CA-C	5.16	1.59	1.52
1	A	333	MET	N-CA	5.16	1.52	1.46
1	A	429	SER	N-CA	5.16	1.53	1.46
1	A	793	PRO	CA-CB	5.16	1.60	1.53
1	B	641	ASN	CA-CB	5.16	1.61	1.53
1	B	498	VAL	C-O	5.15	1.29	1.23
1	B	202	VAL	N-CA	5.14	1.52	1.46
1	A	645	ILE	CA-CB	5.12	1.60	1.54
1	A	828	ALA	N-CA	5.12	1.52	1.46
1	B	565	VAL	N-CA	5.11	1.53	1.46
1	A	613	ARG	CZ-NH2	5.10	1.40	1.33
1	A	648	PHE	C-O	5.09	1.30	1.23
1	B	636	GLY	N-CA	5.07	1.52	1.45
1	B	833	VAL	N-CA	5.07	1.51	1.46
1	B	500	LEU	CA-CB	5.02	1.60	1.53
1	B	775	VAL	N-CA	5.01	1.52	1.46

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	819	ARG	NE-CZ-NH1	-7.63	113.87	121.50
1	A	808	SER	CA-CB-OG	-7.25	96.60	111.10
1	B	698	GLU	N-CA-C	6.45	119.14	111.33
1	A	326	PRO	CB-CA-C	-6.45	103.14	111.46
1	B	449	TRP	N-CA-C	6.40	119.96	109.85
1	A	536	ALA	N-CA-C	-6.29	104.50	111.36
1	B	406	ASN	CB-CA-C	6.19	120.61	111.88
1	B	129	GLY	N-CA-C	-6.11	105.41	112.50
1	B	780	VAL	CA-C-N	-6.05	113.74	119.85
1	B	780	VAL	C-N-CA	-6.05	113.74	119.85
1	A	790	PRO	CA-C-N	-6.04	112.94	122.79
1	A	790	PRO	C-N-CA	-6.04	112.94	122.79
1	B	425	ALA	CA-C-N	-6.01	116.44	122.69
1	B	425	ALA	C-N-CA	-6.01	116.44	122.69
1	A	449	TRP	N-CA-C	5.81	119.15	110.14
1	B	369	TYR	CA-C-N	-5.69	114.00	120.89
1	B	369	TYR	C-N-CA	-5.69	114.00	120.89
1	A	696	TYR	CA-C-N	5.68	125.61	119.76
1	A	696	TYR	C-N-CA	5.68	125.61	119.76
1	A	413	GLY	N-CA-C	-5.68	107.83	115.21
1	B	177	LYS	CD-CE-NZ	5.58	129.76	111.90
1	B	786	SER	N-CA-C	-5.57	98.11	108.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	180	GLN	CA-CB-CG	-5.53	103.05	114.10
1	A	333	MET	N-CA-C	-5.51	105.17	111.07
1	B	413	GLY	N-CA-C	-5.51	108.13	114.69
1	A	264	ASN	N-CA-C	5.51	117.09	111.14
1	A	494	LYS	N-CA-C	5.49	118.02	111.71
1	B	412	THR	CA-C-N	-5.44	114.91	122.86
1	B	412	THR	C-N-CA	-5.44	114.91	122.86
1	A	819	ARG	NE-CZ-NH1	-5.44	116.06	121.50
1	A	304	THR	N-CA-C	-5.42	101.11	109.52
1	B	446	ALA	N-CA-C	-5.33	106.71	114.12
1	A	368	PHE	N-CA-C	5.28	116.72	111.07
1	B	784	TYR	CA-C-N	-5.24	116.56	122.48
1	B	784	TYR	C-N-CA	-5.24	116.56	122.48
1	B	268	LYS	CA-CB-CG	-5.23	103.64	114.10
1	B	507	ALA	CA-C-N	-5.18	113.21	120.56
1	B	507	ALA	C-N-CA	-5.18	113.21	120.56
1	A	736	GLY	N-CA-C	-5.16	108.50	115.21
1	B	597	PRO	N-CA-C	-5.15	108.09	114.68
1	B	304	THR	CA-C-N	-5.12	113.61	120.82
1	B	304	THR	C-N-CA	-5.12	113.61	120.82
1	A	320	VAL	N-CA-C	-5.11	105.86	110.82
1	A	502	PHE	CA-CB-CG	-5.11	108.69	113.80
1	A	75	GLY	CA-C-N	-5.07	113.02	121.64
1	A	75	GLY	C-N-CA	-5.07	113.02	121.64
1	A	88	MET	CA-CB-CG	-5.07	103.96	114.10
1	B	819	ARG	NE-CZ-NH2	5.06	123.76	119.20
1	B	45	GLN	CA-CB-CG	-5.03	104.04	114.10
1	B	88	MET	CA-CB-CG	-5.01	104.09	114.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6387	0	6097	24	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	6375	0	6083	27	0
2	C	72	0	61	6	0
3	D	39	0	33	2	0
3	G	39	0	34	0	0
3	K	39	0	34	0	0
3	M	39	0	34	0	0
4	E	28	0	25	3	0
5	F	116	0	98	3	0
5	L	116	0	97	0	0
6	H	83	0	70	2	0
6	N	83	0	69	1	0
7	I	83	0	68	0	0
8	J	83	0	70	2	0
9	O	72	0	61	1	0
10	P	94	0	77	0	0
11	A	28	0	26	0	0
11	B	28	0	26	0	0
12	A	8	0	14	0	0
13	A	16	0	28	2	0
13	B	24	0	42	5	0
14	A	1	0	0	0	0
14	B	1	0	0	0	0
15	A	4	0	3	0	0
15	B	4	0	3	0	0
16	A	1027	0	0	7	0
16	B	1103	0	0	8	0
All	All	15992	0	13153	72	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (72) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:3:BMA:C3	2:C:4:MAN:H5	1.82	1.09
2:C:3:BMA:H3	2:C:4:MAN:H5	1.36	1.07
2:C:3:BMA:H3	2:C:4:MAN:C5	1.84	1.07
1:A:819:ARG:HH12	1:A:860:GLN:C	1.71	0.96
2:C:3:BMA:C3	2:C:4:MAN:C5	2.45	0.94
13:A:942:MRD:H1C2	13:A:942:MRD:C5	2.00	0.88
8:J:5:MAN:C2	8:J:6:MAN:C1	2.52	0.86

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:F:5:MAN:C2	5:F:6:MAN:C1	2.55	0.85
1:A:857:PRO:HD3	16:A:1336:HOH:O	1.80	0.82
13:A:942:MRD:H1C2	13:A:942:MRD:H5C3	1.61	0.80
2:C:3:BMA:H3	2:C:4:MAN:C6	2.12	0.79
1:A:201:GLN:HG3	16:A:2020:HOH:O	1.86	0.75
4:E:2:NAG:H83	4:E:2:NAG:H3	1.70	0.73
13:B:948:MRD:C5	13:B:948:MRD:H1C2	2.17	0.72
8:J:5:MAN:O2	8:J:6:MAN:C2	2.40	0.68
1:A:794:LYS:HG3	16:A:1747:HOH:O	1.95	0.66
5:F:5:MAN:HO2	5:F:6:MAN:C1	2.05	0.66
1:B:815:THR:HG22	16:B:1545:HOH:O	1.95	0.65
16:A:1834:HOH:O	2:C:4:MAN:H61	1.97	0.65
1:B:819:ARG:HH12	1:B:860:GLN:C	2.05	0.64
13:B:948:MRD:H1C2	13:B:948:MRD:H5C3	1.79	0.64
1:A:819:ARG:NH1	1:A:860:GLN:C	2.53	0.62
13:B:948:MRD:H4	16:B:1369:HOH:O	2.00	0.62
1:A:542:ASN:ND2	16:A:1640:HOH:O	2.27	0.61
1:B:387:ASN:CG	16:B:1673:HOH:O	2.47	0.58
5:F:5:MAN:O2	5:F:6:MAN:C2	2.51	0.55
1:B:595:LYS:HE2	16:B:1078:HOH:O	2.07	0.53
16:A:1150:HOH:O	6:H:1:NAG:H82	2.08	0.53
1:B:764:ARG:HD3	1:B:814:THR:HG21	1.89	0.53
1:A:595:LYS:HE2	16:A:1340:HOH:O	2.09	0.53
1:A:664:ILE:HD11	1:A:841:VAL:HG11	1.91	0.51
1:B:387:ASN:ND2	16:B:1673:HOH:O	2.43	0.51
1:B:783:LEU:C	1:B:783:LEU:HD23	2.36	0.51
1:A:251:ILE:HG21	3:D:1:NAG:H82	1.94	0.50
1:B:860:GLN:HB3	16:B:1945:HOH:O	2.11	0.49
1:B:188:ALA:HB3	1:B:244:ILE:HD13	1.95	0.49
1:B:90:LEU:HG	1:B:139:VAL:HB	1.96	0.48
1:A:231:TRP:HB3	1:A:232:PRO:HD3	1.95	0.48
1:A:807:PRO:O	1:A:808:SER:HB2	2.13	0.48
1:B:449:TRP:CD1	1:B:508:GLY:HA3	2.49	0.47
1:A:303:ILE:HG21	4:E:2:NAG:H81	1.96	0.47
1:A:484:TRP:CE2	6:H:3:BMA:H62	2.50	0.47
1:B:613:ARG:NH1	16:B:1057:HOH:O	2.39	0.46
1:B:193:LEU:HD13	1:B:220:VAL:HG21	1.98	0.46
1:A:446:ALA:HA	1:A:574:PRO:HD2	1.98	0.45
1:B:146:GLY:HA2	1:B:147:PRO:C	2.42	0.45
1:A:470:VAL:HG11	1:A:477:VAL:HB	1.99	0.45
1:B:172:PHE:CE2	1:B:236:ALA:HB2	2.52	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:E:2:NAG:H83	4:E:2:NAG:C3	2.43	0.44
1:A:97:ILE:HD13	1:A:135:LYS:HG3	1.99	0.44
1:B:251:ILE:HG21	9:O:1:NAG:H82	2.00	0.43
1:A:188:ALA:HB3	1:A:244:ILE:HD13	2.01	0.43
1:A:783:LEU:C	1:A:783:LEU:HD23	2.44	0.43
13:B:949:MRD:O2	13:B:949:MRD:C5	2.66	0.43
1:A:500:LEU:HD23	1:A:545:ILE:HB	2.01	0.42
1:B:500:LEU:HD23	1:B:545:ILE:HB	2.01	0.42
1:B:385:GLN:O	1:B:386:ARG:C	2.62	0.42
1:A:827:VAL:HG11	3:D:2:NAG:O3	2.20	0.42
1:B:659:TYR:HE1	1:B:781:PRO:HB3	1.85	0.42
1:B:504:ASN:HA	1:B:549:HIS:O	2.20	0.42
1:B:595:LYS:HE3	16:B:1003:HOH:O	2.20	0.41
1:B:611:LEU:HD12	1:B:613:ARG:NH2	2.35	0.41
1:B:484:TRP:CZ2	1:B:529:ASN:HB2	2.55	0.41
1:B:764:ARG:HD3	1:B:814:THR:CG2	2.50	0.41
1:A:191:TYR:O	1:A:246:CYS:HA	2.20	0.41
1:B:484:TRP:CE2	6:N:3:BMA:H62	2.55	0.41
1:A:659:TYR:HE1	1:A:781:PRO:HB3	1.85	0.41
1:B:102:TYR:HB3	1:B:383:ASN:HA	2.03	0.41
1:B:664:ILE:HD11	1:B:854:ALA:HB3	2.03	0.41
13:B:948:MRD:H1C2	13:B:948:MRD:H4	1.48	0.41
1:A:484:TRP:CZ2	1:A:529:ASN:HB2	2.56	0.40
1:A:312:TRP:O	1:A:313:GLY:C	2.62	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	830/841 (99%)	807 (97%)	23 (3%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	828/841 (98%)	802 (97%)	26 (3%)	0	100	100
All	All	1658/1682 (99%)	1609 (97%)	49 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	671/677 (99%)	669 (100%)	2 (0%)	86	86
1	B	670/677 (99%)	668 (100%)	2 (0%)	86	86
All	All	1341/1354 (99%)	1337 (100%)	4 (0%)	86	86

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	838	PRO
1	A	860	GLN
1	B	806	LYS
1	B	860	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	53	GLN
1	A	371	GLN
1	B	53	GLN
1	B	126	GLN
1	B	371	GLN
1	B	540	ASN
1	B	853	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

82 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	C	1	2,1	14,14,15	1.59	4 (28%)	17,19,21	2.24	6 (35%)
2	NAG	C	2	2	14,14,15	1.04	2 (14%)	17,19,21	2.44	9 (52%)
2	BMA	C	3	2	11,11,12	0.89	1 (9%)	15,15,17	2.67	6 (40%)
2	MAN	C	4	2	11,11,12	1.79	3 (27%)	15,15,17	4.30	10 (66%)
2	MAN	C	5	2	11,11,12	0.70	0	15,15,17	1.71	4 (26%)
2	MAN	C	6	2	11,11,12	0.78	0	15,15,17	1.87	5 (33%)
3	NAG	D	1	3,1	14,14,15	1.64	2 (14%)	17,19,21	1.82	5 (29%)
3	NAG	D	2	3	14,14,15	1.57	3 (21%)	17,19,21	2.69	7 (41%)
3	BMA	D	3	3	11,11,12	1.19	1 (9%)	15,15,17	2.89	7 (46%)
4	NAG	E	1	1,4	14,14,15	0.96	1 (7%)	17,19,21	2.15	7 (41%)
4	NAG	E	2	4	14,14,15	1.62	2 (14%)	17,19,21	2.44	7 (41%)
5	NAG	F	1	1,5	14,14,15	1.57	3 (21%)	17,19,21	1.78	5 (29%)
5	MAN	F	10	5	11,11,12	1.45	2 (18%)	15,15,17	2.31	7 (46%)
5	NAG	F	2	5	14,14,15	2.00	1 (7%)	17,19,21	1.61	4 (23%)
5	BMA	F	3	5	11,11,12	1.27	2 (18%)	15,15,17	1.48	3 (20%)
5	MAN	F	4	5	11,11,12	0.79	0	15,15,17	1.16	1 (6%)
5	MAN	F	5	5	11,11,12	1.31	2 (18%)	15,15,17	1.79	5 (33%)
5	MAN	F	6	5	11,11,12	0.58	0	15,15,17	2.18	3 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	MAN	F	7	5	11,11,12	1.48	3 (27%)	15,15,17	1.17	2 (13%)
5	MAN	F	8	5	11,11,12	1.28	2 (18%)	15,15,17	1.31	1 (6%)
5	MAN	F	9	5	11,11,12	1.05	1 (9%)	15,15,17	1.86	2 (13%)
3	NAG	G	1	3,1	14,14,15	0.97	1 (7%)	17,19,21	2.05	5 (29%)
3	NAG	G	2	3	14,14,15	1.15	2 (14%)	17,19,21	1.53	4 (23%)
3	BMA	G	3	3	11,11,12	0.94	1 (9%)	15,15,17	2.08	5 (33%)
6	NAG	H	1	6,1	14,14,15	1.48	2 (14%)	17,19,21	2.33	7 (41%)
6	NAG	H	2	6	14,14,15	0.98	0	17,19,21	2.30	7 (41%)
6	BMA	H	3	6	11,11,12	1.31	1 (9%)	15,15,17	0.99	0
6	MAN	H	4	6	11,11,12	1.04	1 (9%)	15,15,17	2.12	7 (46%)
6	MAN	H	5	6	11,11,12	1.09	1 (9%)	15,15,17	2.61	7 (46%)
6	MAN	H	6	6	11,11,12	1.19	1 (9%)	15,15,17	1.20	1 (6%)
6	MAN	H	7	6	11,11,12	0.80	0	15,15,17	1.88	5 (33%)
7	NAG	I	1	7,1,14	14,14,15	0.82	0	17,19,21	1.59	3 (17%)
7	NAG	I	2	7	14,14,15	1.32	2 (14%)	17,19,21	1.85	6 (35%)
7	BMA	I	3	7	11,11,12	0.97	0	15,15,17	2.12	3 (20%)
7	MAN	I	4	7	11,11,12	1.26	1 (9%)	15,15,17	1.48	2 (13%)
7	MAN	I	5	7	11,11,12	1.27	1 (9%)	15,15,17	1.29	3 (20%)
7	MAN	I	6	7	11,11,12	1.07	0	15,15,17	2.43	5 (33%)
7	MAN	I	7	7	11,11,12	1.18	2 (18%)	15,15,17	1.46	2 (13%)
8	NAG	J	1	8,1	14,14,15	1.74	3 (21%)	17,19,21	2.41	11 (64%)
8	NAG	J	2	8	14,14,15	1.08	1 (7%)	17,19,21	2.46	8 (47%)
8	BMA	J	3	8	11,11,12	1.68	4 (36%)	15,15,17	2.82	6 (40%)
8	MAN	J	4	8	11,11,12	1.16	1 (9%)	15,15,17	1.64	5 (33%)
8	MAN	J	5	8	11,11,12	1.12	1 (9%)	15,15,17	2.10	6 (40%)
8	MAN	J	6	8	11,11,12	1.09	1 (9%)	15,15,17	2.39	6 (40%)
8	MAN	J	7	8	11,11,12	0.88	0	15,15,17	2.19	5 (33%)
3	NAG	K	1	3,1	14,14,15	1.34	2 (14%)	17,19,21	1.28	1 (5%)
3	NAG	K	2	3	14,14,15	1.11	1 (7%)	17,19,21	1.63	5 (29%)
3	BMA	K	3	3	11,11,12	0.87	0	15,15,17	2.24	4 (26%)
5	NAG	L	1	1,5	14,14,15	1.00	0	17,19,21	2.01	5 (29%)
5	MAN	L	10	5	11,11,12	0.75	0	15,15,17	1.91	4 (26%)
5	NAG	L	2	5	14,14,15	1.34	2 (14%)	17,19,21	1.76	3 (17%)
5	BMA	L	3	5	11,11,12	1.27	2 (18%)	15,15,17	2.04	5 (33%)
5	MAN	L	4	5	11,11,12	0.97	0	15,15,17	1.51	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	MAN	L	5	5	11,11,12	1.50	3 (27%)	15,15,17	2.73	7 (46%)
5	MAN	L	6	5	11,11,12	1.13	0	15,15,17	1.33	2 (13%)
5	MAN	L	7	5	11,11,12	1.63	2 (18%)	15,15,17	2.33	6 (40%)
5	MAN	L	8	5	11,11,12	1.46	2 (18%)	15,15,17	1.52	3 (20%)
5	MAN	L	9	5	11,11,12	1.12	0	15,15,17	2.17	6 (40%)
3	NAG	M	1	3,1	14,14,15	1.12	1 (7%)	17,19,21	2.24	6 (35%)
3	NAG	M	2	3	14,14,15	1.22	1 (7%)	17,19,21	2.12	5 (29%)
3	BMA	M	3	3	11,11,12	1.26	1 (9%)	15,15,17	2.12	6 (40%)
6	NAG	N	1	6,1	14,14,15	1.54	3 (21%)	17,19,21	1.83	6 (35%)
6	NAG	N	2	6	14,14,15	0.91	0	17,19,21	2.03	8 (47%)
6	BMA	N	3	6	11,11,12	1.06	1 (9%)	15,15,17	2.13	3 (20%)
6	MAN	N	4	6	11,11,12	1.66	2 (18%)	15,15,17	2.16	6 (40%)
6	MAN	N	5	6	11,11,12	1.40	2 (18%)	15,15,17	2.19	5 (33%)
6	MAN	N	6	6	11,11,12	1.28	2 (18%)	15,15,17	1.89	6 (40%)
6	MAN	N	7	6	11,11,12	1.12	2 (18%)	15,15,17	1.89	5 (33%)
9	NAG	O	1	1,9	14,14,15	1.10	1 (7%)	17,19,21	1.62	3 (17%)
9	NAG	O	2	9	14,14,15	2.02	6 (42%)	17,19,21	2.45	8 (47%)
9	BMA	O	3	9	11,11,12	0.96	1 (9%)	15,15,17	1.28	2 (13%)
9	MAN	O	4	9	11,11,12	0.79	0	15,15,17	1.79	3 (20%)
9	MAN	O	5	9	11,11,12	1.24	1 (9%)	15,15,17	0.95	1 (6%)
9	MAN	O	6	9	11,11,12	1.42	1 (9%)	15,15,17	1.76	3 (20%)
10	NAG	P	1	10,1,14	14,14,15	1.35	2 (14%)	17,19,21	1.89	8 (47%)
10	NAG	P	2	10	14,14,15	1.08	1 (7%)	17,19,21	2.21	7 (41%)
10	BMA	P	3	10	11,11,12	1.12	1 (9%)	15,15,17	1.23	2 (13%)
10	MAN	P	4	10	11,11,12	1.42	1 (9%)	15,15,17	1.98	6 (40%)
10	MAN	P	5	10	11,11,12	1.25	2 (18%)	15,15,17	1.48	2 (13%)
10	MAN	P	6	10	11,11,12	0.98	1 (9%)	15,15,17	1.43	4 (26%)
10	MAN	P	7	10	11,11,12	1.34	2 (18%)	15,15,17	2.26	4 (26%)
10	MAN	P	8	10	11,11,12	1.19	0	15,15,17	2.30	8 (53%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	C	2	2	-	0/6/23/26	0/1/1/1
2	BMA	C	3	2	-	0/2/19/22	0/1/1/1
2	MAN	C	4	2	-	2/2/19/22	0/1/1/1
2	MAN	C	5	2	-	1/2/19/22	0/1/1/1
2	MAN	C	6	2	-	0/2/19/22	0/1/1/1
3	NAG	D	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	0/6/23/26	0/1/1/1
3	BMA	D	3	3	-	0/2/19/22	0/1/1/1
4	NAG	E	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	E	2	4	-	3/6/23/26	0/1/1/1
5	NAG	F	1	1,5	-	0/6/23/26	0/1/1/1
5	MAN	F	10	5	-	0/2/19/22	0/1/1/1
5	NAG	F	2	5	-	0/6/23/26	0/1/1/1
5	BMA	F	3	5	-	0/2/19/22	0/1/1/1
5	MAN	F	4	5	-	0/2/19/22	0/1/1/1
5	MAN	F	5	5	-	0/2/19/22	0/1/1/1
5	MAN	F	6	5	-	0/2/19/22	0/1/1/1
5	MAN	F	7	5	-	0/2/19/22	0/1/1/1
5	MAN	F	8	5	-	0/2/19/22	0/1/1/1
5	MAN	F	9	5	-	0/2/19/22	0/1/1/1
3	NAG	G	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	G	2	3	-	2/6/23/26	0/1/1/1
3	BMA	G	3	3	-	0/2/19/22	0/1/1/1
6	NAG	H	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	H	2	6	-	0/6/23/26	0/1/1/1
6	BMA	H	3	6	-	0/2/19/22	0/1/1/1
6	MAN	H	4	6	-	0/2/19/22	0/1/1/1
6	MAN	H	5	6	-	0/2/19/22	0/1/1/1
6	MAN	H	6	6	-	0/2/19/22	0/1/1/1
6	MAN	H	7	6	-	1/2/19/22	0/1/1/1
7	NAG	I	1	7,1,14	-	0/6/23/26	0/1/1/1
7	NAG	I	2	7	-	0/6/23/26	0/1/1/1
7	BMA	I	3	7	-	0/2/19/22	0/1/1/1
7	MAN	I	4	7	-	0/2/19/22	0/1/1/1
7	MAN	I	5	7	-	0/2/19/22	0/1/1/1
7	MAN	I	6	7	-	2/2/19/22	0/1/1/1
7	MAN	I	7	7	-	0/2/19/22	0/1/1/1
8	NAG	J	1	8,1	-	0/6/23/26	0/1/1/1
8	NAG	J	2	8	-	0/6/23/26	0/1/1/1
8	BMA	J	3	8	-	0/2/19/22	0/1/1/1
8	MAN	J	4	8	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	MAN	J	5	8	-	2/2/19/22	0/1/1/1
8	MAN	J	6	8	-	2/2/19/22	0/1/1/1
8	MAN	J	7	8	-	0/2/19/22	0/1/1/1
3	NAG	K	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	K	2	3	-	2/6/23/26	0/1/1/1
3	BMA	K	3	3	-	2/2/19/22	0/1/1/1
5	NAG	L	1	1,5	-	0/6/23/26	0/1/1/1
5	MAN	L	10	5	-	0/2/19/22	0/1/1/1
5	NAG	L	2	5	-	0/6/23/26	0/1/1/1
5	BMA	L	3	5	-	0/2/19/22	0/1/1/1
5	MAN	L	4	5	-	0/2/19/22	0/1/1/1
5	MAN	L	5	5	-	0/2/19/22	0/1/1/1
5	MAN	L	6	5	-	0/2/19/22	0/1/1/1
5	MAN	L	7	5	-	0/2/19/22	0/1/1/1
5	MAN	L	8	5	-	0/2/19/22	0/1/1/1
5	MAN	L	9	5	-	0/2/19/22	0/1/1/1
3	NAG	M	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	M	2	3	-	1/6/23/26	0/1/1/1
3	BMA	M	3	3	-	0/2/19/22	0/1/1/1
6	NAG	N	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	N	2	6	-	0/6/23/26	0/1/1/1
6	BMA	N	3	6	-	0/2/19/22	0/1/1/1
6	MAN	N	4	6	-	0/2/19/22	0/1/1/1
6	MAN	N	5	6	-	2/2/19/22	0/1/1/1
6	MAN	N	6	6	-	0/2/19/22	0/1/1/1
6	MAN	N	7	6	-	1/2/19/22	0/1/1/1
9	NAG	O	1	1,9	-	0/6/23/26	0/1/1/1
9	NAG	O	2	9	-	1/6/23/26	0/1/1/1
9	BMA	O	3	9	-	0/2/19/22	0/1/1/1
9	MAN	O	4	9	-	0/2/19/22	0/1/1/1
9	MAN	O	5	9	-	1/2/19/22	0/1/1/1
9	MAN	O	6	9	-	0/2/19/22	0/1/1/1
10	NAG	P	1	10,1,14	-	1/6/23/26	0/1/1/1
10	NAG	P	2	10	-	0/6/23/26	0/1/1/1
10	BMA	P	3	10	-	0/2/19/22	0/1/1/1
10	MAN	P	4	10	-	0/2/19/22	0/1/1/1
10	MAN	P	5	10	-	2/2/19/22	0/1/1/1
10	MAN	P	6	10	-	2/2/19/22	0/1/1/1
10	MAN	P	7	10	-	0/2/19/22	0/1/1/1
10	MAN	P	8	10	-	1/2/19/22	0/1/1/1

All (111) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	F	2	NAG	C1-C2	6.38	1.61	1.52
3	D	1	NAG	C8-C7	5.07	1.61	1.50
6	N	4	MAN	O2-C2	-4.41	1.34	1.43
8	J	1	NAG	C2-N2	4.11	1.53	1.46
4	E	2	NAG	O7-C7	4.06	1.32	1.23
6	H	1	NAG	C1-C2	4.00	1.57	1.52
10	P	4	MAN	O5-C1	3.97	1.50	1.43
8	J	3	BMA	C2-C3	3.55	1.57	1.52
9	O	2	NAG	C1-C2	3.51	1.57	1.52
5	F	1	NAG	C4-C3	3.50	1.61	1.52
4	E	2	NAG	C8-C7	-3.48	1.43	1.50
9	O	2	NAG	O7-C7	3.45	1.31	1.23
6	H	3	BMA	O5-C5	-3.25	1.37	1.43
5	L	2	NAG	O5-C1	3.14	1.49	1.43
5	L	7	MAN	C4-C5	3.13	1.59	1.53
9	O	5	MAN	O5-C1	-3.12	1.38	1.43
9	O	6	MAN	C2-C3	3.10	1.57	1.52
9	O	1	NAG	C2-N2	3.05	1.51	1.46
5	F	5	MAN	O5-C1	-3.00	1.38	1.43
2	C	4	MAN	C4-C5	-2.99	1.46	1.53
5	L	5	MAN	O2-C2	2.97	1.49	1.43
2	C	4	MAN	C2-C3	2.96	1.57	1.52
6	H	4	MAN	O2-C2	-2.95	1.37	1.43
8	J	1	NAG	C1-C2	2.93	1.56	1.52
7	I	2	NAG	C6-C5	2.92	1.61	1.51
6	N	6	MAN	C2-C3	2.90	1.56	1.52
5	F	10	MAN	O5-C1	-2.88	1.38	1.43
2	C	1	NAG	C8-C7	2.87	1.56	1.50
2	C	1	NAG	C1-C2	2.85	1.56	1.52
6	N	1	NAG	C2-N2	2.80	1.50	1.46
9	O	2	NAG	C4-C5	2.78	1.59	1.53
3	M	3	BMA	O5-C1	-2.78	1.39	1.43
3	D	3	BMA	C4-C5	2.77	1.58	1.53
10	P	1	NAG	O7-C7	2.77	1.29	1.23
6	N	5	MAN	C1-C2	2.75	1.58	1.52
10	P	5	MAN	O5-C1	-2.74	1.39	1.43
5	F	1	NAG	O5-C1	2.72	1.48	1.43
6	N	4	MAN	O5-C1	2.72	1.48	1.43
8	J	4	MAN	O5-C1	-2.69	1.39	1.43
3	K	2	NAG	O7-C7	-2.69	1.17	1.23
5	L	8	MAN	C1-C2	2.68	1.58	1.52
3	D	2	NAG	C4-C5	2.68	1.58	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	J	2	NAG	O4-C4	2.65	1.49	1.43
5	F	7	MAN	C1-C2	2.61	1.58	1.52
3	G	2	NAG	O5-C1	-2.60	1.39	1.43
5	F	10	MAN	C2-C3	2.60	1.56	1.52
7	I	5	MAN	O5-C5	-2.59	1.38	1.43
5	L	7	MAN	O5-C1	-2.59	1.39	1.43
9	O	2	NAG	C7-N2	2.58	1.42	1.34
5	L	8	MAN	C4-C3	2.57	1.59	1.52
6	H	6	MAN	O5-C5	2.57	1.48	1.43
5	F	9	MAN	C2-C3	-2.54	1.48	1.52
3	G	2	NAG	C2-N2	-2.54	1.42	1.46
2	C	2	NAG	O7-C7	2.53	1.28	1.23
3	D	2	NAG	O4-C4	2.50	1.49	1.43
3	K	1	NAG	C8-C7	2.50	1.55	1.50
5	F	5	MAN	O5-C5	2.49	1.48	1.43
2	C	4	MAN	O5-C1	-2.47	1.39	1.43
6	N	7	MAN	C2-C3	-2.44	1.48	1.52
5	L	3	BMA	O5-C1	2.41	1.47	1.43
3	D	1	NAG	C2-N2	2.40	1.50	1.46
3	M	1	NAG	O5-C5	2.39	1.48	1.43
5	F	3	BMA	C4-C3	2.38	1.58	1.52
8	J	1	NAG	C8-C7	2.37	1.55	1.50
10	P	6	MAN	O5-C1	-2.37	1.39	1.43
5	F	3	BMA	C6-C5	2.36	1.59	1.51
9	O	2	NAG	O5-C1	-2.35	1.39	1.43
9	O	3	BMA	O5-C1	-2.34	1.39	1.43
3	M	2	NAG	O7-C7	-2.33	1.18	1.23
5	F	8	MAN	C2-C3	2.32	1.56	1.52
2	C	1	NAG	C6-C5	2.31	1.59	1.51
5	F	1	NAG	O3-C3	2.31	1.48	1.43
6	N	1	NAG	C4-C5	2.30	1.57	1.53
10	P	3	BMA	O2-C2	-2.29	1.38	1.43
3	G	1	NAG	C8-C7	2.28	1.55	1.50
6	N	1	NAG	O3-C3	2.25	1.48	1.43
10	P	7	MAN	O5-C1	2.22	1.47	1.43
5	L	5	MAN	O5-C5	2.22	1.47	1.43
6	H	5	MAN	O5-C1	2.22	1.47	1.43
2	C	3	BMA	C2-C3	2.22	1.55	1.52
10	P	7	MAN	C2-C3	2.21	1.55	1.52
2	C	2	NAG	C1-C2	2.21	1.55	1.52
10	P	1	NAG	C3-C2	2.21	1.57	1.52
9	O	2	NAG	C8-C7	2.21	1.55	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	F	8	MAN	O5-C5	2.19	1.47	1.43
8	J	3	BMA	O5-C5	2.18	1.47	1.43
7	I	4	MAN	C2-C3	-2.17	1.49	1.52
6	N	6	MAN	O5-C1	-2.17	1.40	1.43
8	J	6	MAN	C1-C2	2.16	1.57	1.52
7	I	2	NAG	C8-C7	2.16	1.55	1.50
3	G	3	BMA	O5-C1	-2.16	1.40	1.43
5	L	5	MAN	C6-C5	2.15	1.59	1.51
3	D	2	NAG	C3-C2	2.14	1.57	1.52
2	C	1	NAG	C2-N2	2.14	1.49	1.46
6	N	7	MAN	O5-C5	-2.12	1.39	1.43
5	F	7	MAN	C2-C3	-2.11	1.49	1.52
5	L	2	NAG	C1-C2	2.11	1.55	1.52
10	P	2	NAG	C1-C2	2.11	1.55	1.52
4	E	1	NAG	O7-C7	2.09	1.27	1.23
8	J	3	BMA	C1-C2	2.08	1.57	1.52
6	N	3	BMA	C1-C2	2.08	1.57	1.52
8	J	3	BMA	C4-C5	2.08	1.57	1.53
7	I	7	MAN	C4-C5	2.07	1.57	1.53
5	L	3	BMA	C6-C5	2.06	1.58	1.51
10	P	5	MAN	O2-C2	-2.06	1.39	1.43
7	I	7	MAN	C1-C2	2.05	1.57	1.52
6	H	1	NAG	O3-C3	2.05	1.48	1.43
8	J	5	MAN	O5-C5	-2.04	1.39	1.43
5	F	7	MAN	C4-C3	2.03	1.57	1.52
6	N	5	MAN	O4-C4	-2.03	1.37	1.43
3	K	1	NAG	C4-C5	2.01	1.57	1.53

All (395) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	4	MAN	O5-C5-C4	-9.06	88.80	110.83
2	C	4	MAN	C1-C2-C3	-7.03	99.41	109.64
2	C	3	BMA	O3-C3-C2	-6.86	96.04	110.05
2	C	4	MAN	O5-C5-C6	6.56	120.43	107.66
8	J	3	BMA	C1-C2-C3	-6.49	100.20	109.64
3	D	2	NAG	C1-O5-C5	-6.46	103.53	112.19
5	L	5	MAN	O6-C6-C5	-6.34	89.74	111.33
3	K	3	BMA	C1-O5-C5	6.28	120.61	112.19
3	D	3	BMA	C3-C4-C5	5.97	121.06	110.23
5	F	6	MAN	C1-O5-C5	5.93	120.14	112.19
10	P	7	MAN	C1-O5-C5	5.85	120.02	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	N	3	BMA	C1-O5-C5	-5.83	104.38	112.19
8	J	6	MAN	C1-O5-C5	5.81	119.97	112.19
7	I	6	MAN	O4-C4-C3	-5.81	96.68	110.38
8	J	1	NAG	O5-C1-C2	-5.79	102.33	111.29
3	G	3	BMA	C1-O5-C5	5.76	119.91	112.19
6	N	5	MAN	C1-O5-C5	5.63	119.73	112.19
5	L	7	MAN	C1-O5-C5	5.58	119.66	112.19
6	H	2	NAG	C1-O5-C5	-5.56	104.74	112.19
8	J	3	BMA	C1-O5-C5	-5.51	104.80	112.19
5	L	2	NAG	C1-O5-C5	-5.38	104.98	112.19
3	D	3	BMA	O3-C3-C2	-5.35	99.14	110.05
8	J	5	MAN	O6-C6-C5	-5.28	93.35	111.33
5	F	10	MAN	C1-O5-C5	5.24	119.20	112.19
7	I	3	BMA	C1-O5-C5	5.18	119.13	112.19
8	J	2	NAG	O7-C7-C8	-5.15	112.89	122.05
3	G	1	NAG	C1-C2-N2	-5.06	102.46	110.43
2	C	4	MAN	C3-C4-C5	-5.01	101.14	110.23
6	H	5	MAN	C1-O5-C5	4.97	118.85	112.19
2	C	1	NAG	O5-C1-C2	-4.97	103.60	111.29
6	H	5	MAN	C6-C5-C4	-4.93	100.92	113.02
3	M	1	NAG	C4-C3-C2	-4.91	103.82	111.02
8	J	7	MAN	C1-C2-C3	4.88	116.75	109.64
4	E	2	NAG	O5-C1-C2	4.87	118.82	111.29
9	O	2	NAG	O6-C6-C5	-4.72	95.26	111.33
6	H	1	NAG	C2-N2-C7	-4.69	116.61	122.90
10	P	2	NAG	O5-C1-C2	-4.63	104.12	111.29
2	C	4	MAN	O4-C4-C3	4.60	121.22	110.38
9	O	2	NAG	C6-C5-C4	4.53	124.15	113.02
3	D	1	NAG	C1-O5-C5	-4.52	106.13	112.19
9	O	6	MAN	O2-C2-C3	4.51	119.49	110.15
5	L	1	NAG	C1-O5-C5	-4.50	106.16	112.19
5	L	10	MAN	C6-C5-C4	-4.47	102.03	113.02
8	J	2	NAG	O7-C7-N2	4.46	129.86	121.98
10	P	8	MAN	O3-C3-C4	-4.45	99.89	110.38
6	N	7	MAN	O5-C1-C2	-4.45	100.18	110.79
4	E	2	NAG	C2-N2-C7	4.44	128.85	122.90
5	L	5	MAN	C6-C5-C4	-4.41	102.18	113.02
8	J	6	MAN	O2-C2-C1	-4.41	99.12	109.22
3	D	2	NAG	C6-C5-C4	4.38	123.78	113.02
2	C	2	NAG	O5-C5-C4	-4.38	100.18	110.83
5	F	2	NAG	C1-O5-C5	-4.37	106.33	112.19
5	L	9	MAN	C1-C2-C3	4.36	116.00	109.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	N	4	MAN	C1-C2-C3	4.35	115.98	109.64
6	H	1	NAG	O5-C1-C2	-4.34	104.58	111.29
4	E	2	NAG	O6-C6-C5	-4.34	96.57	111.33
3	D	3	BMA	C1-O5-C5	-4.31	106.40	112.19
2	C	1	NAG	C2-N2-C7	-4.26	117.20	122.90
3	M	1	NAG	C1-O5-C5	-4.24	106.50	112.19
3	M	2	NAG	C3-C4-C5	-4.21	102.61	110.23
7	I	6	MAN	C1-O5-C5	4.20	117.81	112.19
2	C	4	MAN	O5-C1-C2	-4.18	100.83	110.79
5	L	3	BMA	C2-C3-C4	-4.13	103.60	110.86
3	D	3	BMA	O6-C6-C5	4.05	125.11	111.33
2	C	4	MAN	O3-C3-C2	3.98	118.18	110.05
8	J	7	MAN	O2-C2-C1	-3.98	100.11	109.22
5	F	9	MAN	O3-C3-C2	-3.98	101.94	110.05
2	C	3	BMA	C1-O5-C5	-3.97	106.86	112.19
10	P	7	MAN	O2-C2-C1	-3.95	100.19	109.22
2	C	5	MAN	O5-C5-C6	3.94	115.34	107.66
5	L	10	MAN	C1-O5-C5	3.90	117.41	112.19
10	P	4	MAN	C6-C5-C4	-3.90	103.45	113.02
9	O	4	MAN	O5-C5-C6	3.90	115.25	107.66
6	H	5	MAN	O2-C2-C3	-3.88	102.12	110.15
5	F	1	NAG	C1-C2-N2	-3.83	104.40	110.43
10	P	2	NAG	C1-C2-N2	3.83	116.47	110.43
3	M	3	BMA	O3-C3-C2	3.82	117.85	110.05
4	E	1	NAG	C1-C2-N2	-3.81	104.42	110.43
7	I	6	MAN	O2-C2-C1	3.81	117.95	109.22
5	L	9	MAN	C1-O5-C5	3.79	117.26	112.19
6	H	4	MAN	C1-O5-C5	3.77	117.24	112.19
4	E	1	NAG	C4-C3-C2	-3.77	105.50	111.02
6	N	5	MAN	C6-C5-C4	-3.73	103.86	113.02
5	F	6	MAN	O2-C2-C1	-3.73	100.69	109.22
9	O	1	NAG	C4-C3-C2	-3.72	105.56	111.02
3	M	3	BMA	O4-C4-C3	-3.72	101.60	110.38
8	J	4	MAN	C1-O5-C5	3.70	117.14	112.19
3	D	2	NAG	C8-C7-N2	3.68	122.22	116.12
5	F	10	MAN	O2-C2-C3	3.68	117.77	110.15
6	H	5	MAN	O3-C3-C2	3.67	117.54	110.05
6	H	4	MAN	O4-C4-C5	-3.64	100.36	109.32
2	C	3	BMA	C1-C2-C3	-3.63	104.36	109.64
2	C	2	NAG	O6-C6-C5	-3.62	98.99	111.33
5	L	5	MAN	O4-C4-C5	-3.62	100.42	109.32
2	C	1	NAG	O7-C7-N2	3.59	128.32	121.98

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	L	4	MAN	C1-O5-C5	3.58	116.99	112.19
2	C	2	NAG	O4-C4-C5	-3.57	100.54	109.32
3	G	1	NAG	C1-O5-C5	-3.56	107.42	112.19
5	F	9	MAN	O4-C4-C3	-3.55	102.01	110.38
10	P	8	MAN	O4-C4-C3	-3.54	102.03	110.38
6	H	7	MAN	O5-C5-C6	3.53	114.53	107.66
5	L	7	MAN	O6-C6-C5	-3.51	99.39	111.33
5	L	3	BMA	O3-C3-C2	-3.50	102.91	110.05
9	O	4	MAN	C2-C3-C4	-3.46	104.78	110.86
8	J	1	NAG	C4-C3-C2	-3.45	105.96	111.02
8	J	2	NAG	O6-C6-C5	-3.44	99.62	111.33
4	E	1	NAG	O4-C4-C5	-3.44	100.85	109.32
7	I	2	NAG	O5-C1-C2	-3.44	105.97	111.29
4	E	1	NAG	O7-C7-C8	-3.43	115.94	122.05
10	P	8	MAN	C6-C5-C4	-3.41	104.64	113.02
6	N	4	MAN	C6-C5-C4	3.40	121.36	113.02
7	I	3	BMA	O6-C6-C5	-3.40	99.77	111.33
6	N	6	MAN	O6-C6-C5	-3.39	99.78	111.33
3	M	2	NAG	O5-C1-C2	-3.39	106.04	111.29
3	M	2	NAG	C1-O5-C5	-3.39	107.64	112.19
3	K	1	NAG	C2-N2-C7	3.37	127.42	122.90
3	K	2	NAG	C3-C4-C5	-3.37	104.12	110.23
8	J	3	BMA	O6-C6-C5	-3.36	99.89	111.33
3	M	3	BMA	C6-C5-C4	-3.35	104.79	113.02
9	O	2	NAG	O5-C5-C4	-3.35	102.68	110.83
6	H	7	MAN	C2-C3-C4	-3.34	104.99	110.86
8	J	5	MAN	O4-C4-C3	-3.31	102.57	110.38
10	P	4	MAN	O2-C2-C1	-3.28	101.70	109.22
6	N	3	BMA	O4-C4-C3	-3.28	102.65	110.38
3	D	2	NAG	O5-C1-C2	-3.27	106.23	111.29
6	H	4	MAN	O3-C3-C4	3.27	118.08	110.38
6	H	2	NAG	C3-C4-C5	-3.26	104.33	110.23
5	L	3	BMA	O6-C6-C5	-3.25	100.26	111.33
3	K	3	BMA	O4-C4-C3	-3.25	102.72	110.38
5	F	1	NAG	C1-O5-C5	-3.24	107.84	112.19
5	L	1	NAG	C2-N2-C7	-3.24	118.56	122.90
3	M	2	NAG	C4-C3-C2	3.24	115.76	111.02
7	I	4	MAN	O3-C3-C2	-3.23	103.46	110.05
10	P	5	MAN	O5-C5-C6	3.22	113.92	107.66
6	N	6	MAN	C6-C5-C4	-3.22	105.12	113.02
5	F	5	MAN	C1-O5-C5	3.21	116.49	112.19
4	E	2	NAG	C1-O5-C5	-3.19	107.91	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	J	3	BMA	O3-C3-C2	-3.19	103.55	110.05
6	N	2	NAG	C2-N2-C7	-3.18	118.64	122.90
6	N	4	MAN	O3-C3-C4	3.18	117.87	110.38
2	C	2	NAG	C1-O5-C5	-3.18	107.93	112.19
10	P	8	MAN	O3-C3-C2	3.18	116.54	110.05
2	C	2	NAG	C6-C5-C4	3.16	120.77	113.02
5	F	3	BMA	C3-C4-C5	-3.15	104.52	110.23
2	C	2	NAG	O7-C7-N2	3.15	127.55	121.98
5	F	5	MAN	O6-C6-C5	-3.14	100.65	111.33
9	O	2	NAG	C2-N2-C7	-3.11	118.74	122.90
3	K	2	NAG	C1-O5-C5	-3.09	108.04	112.19
8	J	6	MAN	O6-C6-C5	-3.09	100.81	111.33
2	C	6	MAN	O2-C2-C1	-3.09	102.15	109.22
5	L	1	NAG	C1-C2-N2	-3.09	105.56	110.43
6	N	1	NAG	O5-C5-C4	-3.09	103.31	110.83
5	L	7	MAN	C1-C2-C3	3.08	114.13	109.64
2	C	5	MAN	O2-C2-C1	3.07	116.25	109.22
10	P	6	MAN	C1-O5-C5	3.07	116.30	112.19
10	P	2	NAG	O5-C5-C6	3.06	113.61	107.66
7	I	1	NAG	O7-C7-N2	3.04	127.35	121.98
3	G	3	BMA	O3-C3-C4	3.03	117.53	110.38
6	H	1	NAG	O3-C3-C2	-3.03	103.10	109.40
10	P	1	NAG	C1-O5-C5	3.02	116.24	112.19
5	L	5	MAN	C1-O5-C5	3.02	116.23	112.19
5	F	1	NAG	O4-C4-C3	-3.02	103.27	110.38
5	L	4	MAN	O2-C2-C1	-3.00	102.36	109.22
6	N	1	NAG	C2-N2-C7	-2.99	118.89	122.90
3	M	1	NAG	O5-C5-C4	-2.99	103.56	110.83
6	H	1	NAG	C1-C2-N2	-2.98	105.73	110.43
6	N	4	MAN	C1-O5-C5	2.98	116.18	112.19
3	M	3	BMA	O5-C5-C6	2.98	113.46	107.66
3	G	2	NAG	C4-C3-C2	2.96	115.35	111.02
6	N	1	NAG	C4-C3-C2	-2.96	106.68	111.02
2	C	2	NAG	O7-C7-C8	-2.95	116.80	122.05
6	N	7	MAN	C1-C2-C3	-2.93	105.38	109.64
3	D	3	BMA	O5-C5-C6	2.93	113.36	107.66
7	I	2	NAG	C1-O5-C5	2.92	116.11	112.19
7	I	3	BMA	O4-C4-C5	-2.92	102.13	109.32
3	D	2	NAG	C4-C3-C2	-2.90	106.77	111.02
3	D	2	NAG	O6-C6-C5	-2.89	101.49	111.33
6	H	2	NAG	C1-C2-N2	-2.89	105.89	110.43
6	N	4	MAN	O2-C2-C3	-2.88	104.18	110.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	1	NAG	C4-C3-C2	-2.88	106.79	111.02
9	O	2	NAG	C1-O5-C5	-2.88	108.32	112.19
7	I	7	MAN	C1-C2-C3	2.88	113.83	109.64
8	J	2	NAG	C2-N2-C7	-2.86	119.07	122.90
10	P	5	MAN	O2-C2-C3	-2.86	104.23	110.15
3	D	1	NAG	O7-C7-C8	-2.85	116.97	122.05
10	P	4	MAN	O3-C3-C2	-2.85	104.23	110.05
6	N	2	NAG	C6-C5-C4	2.85	120.02	113.02
5	L	8	MAN	C1-C2-C3	-2.85	105.49	109.64
10	P	1	NAG	O6-C6-C5	-2.85	101.63	111.33
10	P	1	NAG	O3-C3-C2	-2.85	103.48	109.40
7	I	4	MAN	O5-C5-C6	-2.84	102.14	107.66
6	N	1	NAG	O4-C4-C5	-2.83	102.35	109.32
5	L	5	MAN	O2-C2-C3	-2.83	104.29	110.15
10	P	7	MAN	O5-C5-C6	2.82	113.15	107.66
5	F	6	MAN	O5-C5-C6	2.81	113.13	107.66
5	L	8	MAN	O2-C2-C1	-2.80	102.80	109.22
9	O	6	MAN	O2-C2-C1	-2.80	102.81	109.22
6	N	2	NAG	C1-O5-C5	-2.79	108.44	112.19
5	L	9	MAN	O5-C5-C4	-2.79	104.05	110.83
3	M	1	NAG	C1-C2-N2	-2.78	106.06	110.43
2	C	6	MAN	C3-C4-C5	2.77	115.26	110.23
3	G	1	NAG	O4-C4-C3	-2.77	103.84	110.38
10	P	3	BMA	C1-O5-C5	2.77	115.90	112.19
6	H	2	NAG	C2-N2-C7	-2.77	119.19	122.90
6	N	2	NAG	O4-C4-C3	-2.76	103.88	110.38
6	N	2	NAG	O6-C6-C5	-2.75	101.97	111.33
6	H	2	NAG	O7-C7-N2	-2.75	117.12	121.98
6	N	7	MAN	C1-O5-C5	-2.74	108.51	112.19
3	K	2	NAG	O6-C6-C5	-2.73	102.04	111.33
5	L	2	NAG	C1-C2-N2	-2.72	106.15	110.43
6	N	2	NAG	C1-C2-N2	-2.71	106.16	110.43
6	H	4	MAN	O5-C1-C2	2.71	117.25	110.79
6	H	5	MAN	C1-C2-C3	2.70	113.58	109.64
6	H	5	MAN	O6-C6-C5	-2.70	102.13	111.33
9	O	2	NAG	O4-C4-C5	-2.70	102.68	109.32
3	G	2	NAG	C6-C5-C4	-2.69	106.41	113.02
5	L	7	MAN	C6-C5-C4	-2.69	106.41	113.02
3	G	3	BMA	O2-C2-C1	2.69	115.38	109.22
6	N	1	NAG	O3-C3-C2	-2.69	103.82	109.40
5	L	5	MAN	O2-C2-C1	-2.68	103.09	109.22
3	M	3	BMA	C3-C4-C5	2.67	115.08	110.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	I	2	NAG	O7-C7-N2	-2.67	117.27	121.98
8	J	7	MAN	O3-C3-C2	2.66	115.49	110.05
6	N	2	NAG	C3-C4-C5	-2.66	105.41	110.23
10	P	1	NAG	O7-C7-N2	2.65	126.67	121.98
5	F	1	NAG	C2-N2-C7	-2.64	119.36	122.90
5	F	2	NAG	O4-C4-C3	-2.64	104.16	110.38
10	P	8	MAN	C1-C2-C3	-2.63	105.82	109.64
5	L	7	MAN	C2-C3-C4	-2.62	106.25	110.86
9	O	2	NAG	C4-C3-C2	-2.62	107.17	111.02
5	L	1	NAG	O4-C4-C5	-2.61	102.91	109.32
5	L	10	MAN	O6-C6-C5	-2.60	102.48	111.33
3	M	2	NAG	O7-C7-C8	-2.59	117.44	122.05
7	I	5	MAN	C3-C4-C5	-2.59	105.54	110.23
6	N	6	MAN	O3-C3-C2	-2.58	104.78	110.05
10	P	8	MAN	O2-C2-C1	2.58	115.14	109.22
3	G	1	NAG	O3-C3-C2	-2.58	104.04	109.40
9	O	3	BMA	O3-C3-C2	2.57	115.30	110.05
8	J	2	NAG	O5-C5-C4	-2.56	104.59	110.83
6	N	5	MAN	C2-C3-C4	-2.56	106.35	110.86
6	N	6	MAN	C2-C3-C4	-2.56	106.36	110.86
3	G	2	NAG	C2-N2-C7	-2.56	119.47	122.90
3	K	3	BMA	C6-C5-C4	-2.55	106.76	113.02
6	H	1	NAG	C8-C7-N2	2.54	120.33	116.12
3	D	1	NAG	C4-C3-C2	-2.54	107.30	111.02
8	J	7	MAN	C2-C3-C4	-2.54	106.40	110.86
5	F	10	MAN	C1-C2-C3	2.53	113.33	109.64
6	H	1	NAG	O3-C3-C4	-2.53	104.42	110.38
5	L	9	MAN	O5-C5-C6	-2.53	102.75	107.66
8	J	4	MAN	O2-C2-C1	-2.52	103.45	109.22
2	C	4	MAN	C1-O5-C5	-2.52	108.81	112.19
3	D	2	NAG	O3-C3-C2	-2.52	104.17	109.40
7	I	2	NAG	O7-C7-C8	2.52	126.54	122.05
9	O	1	NAG	O5-C5-C4	-2.52	104.70	110.83
5	L	1	NAG	O5-C1-C2	-2.52	107.40	111.29
2	C	3	BMA	C6-C5-C4	-2.51	106.86	113.02
7	I	6	MAN	C6-C5-C4	-2.50	106.88	113.02
6	H	4	MAN	O4-C4-C3	-2.49	104.50	110.38
2	C	3	BMA	O6-C6-C5	-2.49	102.84	111.33
6	H	1	NAG	O7-C7-C8	-2.49	117.62	122.05
2	C	6	MAN	O5-C1-C2	2.48	116.71	110.79
7	I	7	MAN	C1-O5-C5	2.48	115.51	112.19
3	M	1	NAG	O3-C3-C2	-2.48	104.25	109.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	N	7	MAN	O3-C3-C2	-2.47	105.01	110.05
10	P	2	NAG	C1-O5-C5	2.47	115.49	112.19
2	C	6	MAN	O4-C4-C5	-2.46	103.25	109.32
4	E	2	NAG	C1-C2-N2	2.46	114.30	110.43
6	H	7	MAN	O4-C4-C3	-2.45	104.60	110.38
6	H	7	MAN	C1-O5-C5	-2.45	108.90	112.19
5	L	8	MAN	O3-C3-C4	-2.45	104.60	110.38
6	N	4	MAN	O6-C6-C5	-2.45	103.00	111.33
7	I	1	NAG	O7-C7-C8	-2.44	117.70	122.05
10	P	4	MAN	O4-C4-C3	-2.44	104.62	110.38
4	E	2	NAG	C8-C7-N2	-2.44	112.07	116.12
6	H	4	MAN	O6-C6-C5	-2.44	103.03	111.33
5	F	4	MAN	O6-C6-C5	-2.43	103.05	111.33
2	C	4	MAN	C6-C5-C4	2.43	118.98	113.02
6	N	5	MAN	O6-C6-C5	-2.42	103.08	111.33
5	F	5	MAN	C6-C5-C4	-2.42	107.08	113.02
6	H	7	MAN	O2-C2-C3	-2.41	105.15	110.15
5	L	9	MAN	C2-C3-C4	-2.41	106.62	110.86
2	C	3	BMA	O5-C5-C4	-2.40	104.98	110.83
10	P	7	MAN	C1-C2-C3	2.40	113.14	109.64
3	D	3	BMA	O3-C3-C4	2.40	116.02	110.38
5	F	10	MAN	C2-C3-C4	2.38	115.05	110.86
6	H	2	NAG	O5-C1-C2	-2.38	107.61	111.29
5	F	10	MAN	O5-C1-C2	2.38	116.47	110.79
2	C	6	MAN	O3-C3-C4	2.36	115.95	110.38
8	J	1	NAG	C1-O5-C5	-2.36	109.02	112.19
5	L	3	BMA	C3-C4-C5	-2.36	105.95	110.23
5	F	7	MAN	O6-C6-C5	-2.36	103.29	111.33
3	K	2	NAG	O7-C7-C8	-2.36	117.86	122.05
8	J	5	MAN	C6-C5-C4	2.36	118.81	113.02
10	P	2	NAG	O4-C4-C5	-2.35	103.53	109.32
8	J	3	BMA	O2-C2-C1	2.35	114.60	109.22
5	F	1	NAG	O5-C5-C4	-2.35	105.11	110.83
10	P	1	NAG	O4-C4-C3	-2.34	104.86	110.38
5	L	6	MAN	C1-O5-C5	2.34	115.32	112.19
7	I	5	MAN	C2-C3-C4	-2.33	106.76	110.86
7	I	2	NAG	O5-C5-C4	-2.33	105.16	110.83
8	J	6	MAN	C6-C5-C4	-2.33	107.31	113.02
8	J	1	NAG	C1-C2-N2	-2.33	106.77	110.43
5	L	2	NAG	O4-C4-C3	-2.32	104.90	110.38
5	F	10	MAN	O3-C3-C4	-2.32	104.90	110.38
2	C	1	NAG	C1-O5-C5	-2.32	109.07	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	I	2	NAG	C6-C5-C4	-2.31	107.34	113.02
5	L	9	MAN	C6-C5-C4	-2.31	107.34	113.02
9	O	3	BMA	C2-C3-C4	-2.31	106.79	110.86
8	J	4	MAN	C1-C2-C3	2.29	112.98	109.64
8	J	1	NAG	C2-N2-C7	-2.29	119.83	122.90
5	F	3	BMA	C1-C2-C3	2.29	112.98	109.64
3	K	2	NAG	O7-C7-N2	2.29	126.02	121.98
5	F	2	NAG	C1-C2-N2	-2.29	106.83	110.43
6	N	3	BMA	C1-C2-C3	-2.29	106.32	109.64
2	C	1	NAG	O7-C7-C8	-2.28	118.00	122.05
3	G	3	BMA	C2-C3-C4	-2.28	106.86	110.86
9	O	1	NAG	O7-C7-N2	2.27	126.00	121.98
8	J	5	MAN	O2-C2-C3	-2.27	105.44	110.15
5	F	10	MAN	C6-C5-C4	-2.27	107.45	113.02
5	F	5	MAN	O2-C2-C3	-2.26	105.47	110.15
4	E	1	NAG	C3-C4-C5	2.26	114.33	110.23
10	P	1	NAG	C8-C7-N2	-2.26	112.37	116.12
5	L	6	MAN	O2-C2-C1	-2.26	104.05	109.22
10	P	1	NAG	C4-C3-C2	-2.26	107.71	111.02
6	H	5	MAN	O2-C2-C1	-2.26	104.05	109.22
8	J	4	MAN	O3-C3-C2	-2.25	105.45	110.05
3	G	2	NAG	O5-C5-C6	2.25	112.05	107.66
5	F	3	BMA	O6-C6-C5	-2.25	103.67	111.33
5	L	7	MAN	O3-C3-C4	-2.25	105.07	110.38
5	F	8	MAN	O2-C2-C3	-2.24	105.51	110.15
8	J	1	NAG	O4-C4-C5	-2.24	103.81	109.32
5	F	2	NAG	O5-C1-C2	-2.24	107.83	111.29
8	J	2	NAG	O4-C4-C3	-2.23	105.12	110.38
7	I	1	NAG	C4-C3-C2	-2.22	107.76	111.02
10	P	4	MAN	C1-C2-C3	2.22	112.88	109.64
3	D	1	NAG	C8-C7-N2	2.22	119.80	116.12
3	G	3	BMA	C6-C5-C4	-2.21	107.59	113.02
6	N	7	MAN	O4-C4-C3	-2.20	105.18	110.38
4	E	2	NAG	O3-C3-C2	-2.20	104.82	109.40
8	J	1	NAG	C8-C7-N2	-2.20	112.47	116.12
8	J	3	BMA	O5-C5-C4	-2.20	105.48	110.83
7	I	5	MAN	O3-C3-C2	2.19	114.53	110.05
8	J	7	MAN	O4-C4-C3	-2.19	105.22	110.38
2	C	2	NAG	C2-N2-C7	-2.18	119.97	122.90
5	L	3	BMA	O3-C3-C4	-2.18	105.23	110.38
6	N	6	MAN	C1-O5-C5	2.17	115.10	112.19
2	C	5	MAN	O4-C4-C3	-2.16	105.27	110.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	J	6	MAN	C3-C4-C5	-2.16	106.31	110.23
8	J	4	MAN	O2-C2-C3	-2.16	105.68	110.15
8	J	1	NAG	O3-C3-C2	-2.16	104.92	109.40
2	C	1	NAG	C1-C2-N2	-2.15	107.04	110.43
6	N	6	MAN	O2-C2-C1	-2.15	104.30	109.22
8	J	5	MAN	O2-C2-C1	-2.15	104.30	109.22
4	E	1	NAG	C8-C7-N2	2.15	119.68	116.12
8	J	1	NAG	O7-C7-N2	2.14	125.76	121.98
6	H	2	NAG	O6-C6-C5	-2.14	104.05	111.33
10	P	2	NAG	O3-C3-C4	-2.13	105.34	110.38
9	O	5	MAN	O5-C1-C2	2.13	115.86	110.79
3	M	3	BMA	C1-O5-C5	2.12	115.03	112.19
8	J	6	MAN	C1-C2-C3	2.11	112.72	109.64
8	J	5	MAN	C1-O5-C5	-2.11	109.36	112.19
2	C	5	MAN	O3-C3-C2	2.11	114.36	110.05
8	J	2	NAG	C1-O5-C5	-2.10	109.37	112.19
2	C	4	MAN	O2-C2-C1	2.09	114.01	109.22
6	N	5	MAN	O4-C4-C3	-2.08	105.48	110.38
8	J	1	NAG	O5-C5-C4	-2.08	105.77	110.83
10	P	8	MAN	O2-C2-C3	2.08	114.45	110.15
7	I	6	MAN	O5-C5-C6	-2.07	103.63	107.66
10	P	6	MAN	C6-C5-C4	-2.07	107.93	113.02
5	F	7	MAN	O5-C1-C2	-2.07	105.85	110.79
5	L	10	MAN	O3-C3-C2	-2.07	105.84	110.05
8	J	1	NAG	O4-C4-C3	-2.06	105.52	110.38
6	H	6	MAN	O3-C3-C4	-2.06	105.52	110.38
10	P	6	MAN	C1-C2-C3	-2.06	106.65	109.64
9	O	2	NAG	O4-C4-C3	-2.05	105.54	110.38
4	E	1	NAG	O5-C5-C6	2.05	111.66	107.66
10	P	3	BMA	O4-C4-C3	2.05	115.21	110.38
5	F	5	MAN	C1-C2-C3	-2.05	106.66	109.64
2	C	2	NAG	C4-C3-C2	-2.05	108.02	111.02
10	P	2	NAG	C3-C4-C5	-2.04	106.53	110.23
6	N	2	NAG	O7-C7-C8	2.04	125.69	122.05
10	P	8	MAN	O6-C6-C5	-2.04	104.39	111.33
3	M	1	NAG	C8-C7-N2	-2.03	112.75	116.12
9	O	6	MAN	O5-C5-C6	2.03	111.61	107.66
6	N	1	NAG	O4-C4-C3	-2.03	105.59	110.38
6	H	4	MAN	C6-C5-C4	2.03	118.00	113.02
3	K	3	BMA	O3-C3-C4	-2.03	105.60	110.38
10	P	1	NAG	O4-C4-C5	-2.02	104.34	109.32
8	J	2	NAG	O3-C3-C2	-2.02	105.21	109.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	3	BMA	O5-C5-C4	-2.01	105.93	110.83
9	O	4	MAN	O4-C4-C5	-2.01	104.37	109.32
3	D	1	NAG	C2-N2-C7	-2.01	120.20	122.90
5	L	5	MAN	O4-C4-C3	-2.01	105.64	110.38
10	P	4	MAN	C1-O5-C5	-2.01	109.50	112.19
10	P	6	MAN	O4-C4-C3	-2.00	105.65	110.38

There are no chirality outliers.

All (31) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
8	J	5	MAN	C4-C5-C6-O6
8	J	6	MAN	O5-C5-C6-O6
8	J	6	MAN	C4-C5-C6-O6
3	K	3	BMA	O5-C5-C6-O6
8	J	5	MAN	O5-C5-C6-O6
2	C	4	MAN	C4-C5-C6-O6
7	I	6	MAN	O5-C5-C6-O6
2	C	4	MAN	O5-C5-C6-O6
7	I	6	MAN	C4-C5-C6-O6
4	E	2	NAG	C8-C7-N2-C2
4	E	2	NAG	O7-C7-N2-C2
10	P	6	MAN	O5-C5-C6-O6
3	K	3	BMA	C4-C5-C6-O6
10	P	6	MAN	C4-C5-C6-O6
6	H	7	MAN	C4-C5-C6-O6
6	N	5	MAN	O5-C5-C6-O6
10	P	5	MAN	C4-C5-C6-O6
3	G	2	NAG	C4-C5-C6-O6
10	P	8	MAN	O5-C5-C6-O6
6	N	5	MAN	C4-C5-C6-O6
6	N	7	MAN	C4-C5-C6-O6
3	G	2	NAG	O5-C5-C6-O6
10	P	1	NAG	C4-C5-C6-O6
3	K	2	NAG	C3-C2-N2-C7
4	E	2	NAG	C3-C2-N2-C7
9	O	2	NAG	C4-C5-C6-O6
9	O	5	MAN	C4-C5-C6-O6
3	K	2	NAG	C1-C2-N2-C7
3	M	2	NAG	C1-C2-N2-C7
2	C	5	MAN	C4-C5-C6-O6
10	P	5	MAN	O5-C5-C6-O6



There are no ring outliers.



13 monomers are involved in 20 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	O	1	NAG	1	0
8	J	5	MAN	2	0
3	D	2	NAG	1	0
6	H	3	BMA	1	0
4	E	2	NAG	3	0
5	F	6	MAN	3	0
8	J	6	MAN	2	0
2	C	3	BMA	5	0
6	H	1	NAG	1	0
3	D	1	NAG	1	0
2	C	4	MAN	6	0
6	N	3	BMA	1	0
5	F	5	MAN	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.
































5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 2 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
13	MRD	B	949	-	7,7,7	1.11	1 (14%)	9,10,10	1.56	1 (11%)
11	NAG	B	946	1	14,14,15	0.83	0	17,19,21	1.58	2 (11%)
13	MRD	B	947	-	7,7,7	1.30	1 (14%)	9,10,10	0.81	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
15	ACY	B	951	-	3,3,3	1.60	1 (33%)	3,3,3	1.08	0
13	MRD	A	942	-	7,7,7	1.71	2 (28%)	9,10,10	1.45	1 (11%)
11	NAG	A	907	1	14,14,15	0.93	1 (7%)	17,19,21	1.79	3 (17%)
12	MPD	A	941	-	7,7,7	0.96	0	9,10,10	1.39	1 (11%)
13	MRD	B	948	-	7,7,7	1.89	3 (42%)	9,10,10	1.33	0
11	NAG	B	908	1	14,14,15	1.18	2 (14%)	17,19,21	3.32	9 (52%)
11	NAG	A	940	1	14,14,15	0.86	1 (7%)	17,19,21	1.96	6 (35%)
15	ACY	A	945	-	3,3,3	1.22	0	3,3,3	1.01	0
13	MRD	A	943	-	7,7,7	1.49	1 (14%)	9,10,10	0.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
13	MRD	B	949	-	-	5/5/5/5	-
11	NAG	B	946	1	-	0/6/23/26	0/1/1/1
13	MRD	B	947	-	-	0/5/5/5	-
13	MRD	A	942	-	-	3/5/5/5	-
11	NAG	A	907	1	-	0/6/23/26	0/1/1/1
12	MPD	A	941	-	-	0/5/5/5	-
13	MRD	B	948	-	-	3/5/5/5	-
11	NAG	B	908	1	-	4/6/23/26	0/1/1/1
11	NAG	A	940	1	-	0/6/23/26	0/1/1/1
13	MRD	A	943	-	-	0/5/5/5	-

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	B	948	MRD	C3-C2	-3.32	1.44	1.54
13	B	948	MRD	CM-C2	2.84	1.60	1.52
13	A	942	MRD	C3-C2	-2.68	1.46	1.54
13	B	947	MRD	C1-C2	2.64	1.60	1.52
11	A	907	NAG	O5-C1	-2.63	1.39	1.43
13	A	943	MRD	C3-C2	2.54	1.61	1.54
13	A	942	MRD	CM-C2	2.40	1.59	1.52
11	B	908	NAG	O5-C1	-2.15	1.40	1.43
13	B	948	MRD	C1-C2	-2.12	1.46	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B	908	NAG	C2-N2	-2.11	1.42	1.46
15	B	951	ACY	CH3-C	2.11	1.57	1.49
11	A	940	NAG	C1-C2	-2.08	1.49	1.52
13	B	949	MRD	O2-C2	-2.02	1.39	1.44

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B	908	NAG	C4-C3-C2	-7.51	100.01	111.02
11	B	908	NAG	O5-C1-C2	-7.21	100.14	111.29
11	A	940	NAG	O5-C1-C2	5.18	119.31	111.29
11	A	907	NAG	O5-C1-C2	-4.79	103.88	111.29
12	A	941	MPD	CM-C2-C1	-3.88	101.94	110.63
11	B	908	NAG	C2-N2-C7	3.73	127.90	122.90
11	B	908	NAG	C6-C5-C4	-3.66	104.03	113.02
11	B	908	NAG	C1-C2-N2	3.58	116.08	110.43
11	B	946	NAG	C1-O5-C5	-3.50	107.49	112.19
13	B	949	MRD	CM-C2-C1	3.32	118.05	110.63
11	B	908	NAG	O7-C7-N2	-3.22	116.30	121.98
11	B	946	NAG	O6-C6-C5	-2.99	101.16	111.33
11	B	908	NAG	O5-C5-C4	2.80	117.64	110.83
11	A	907	NAG	C2-N2-C7	-2.79	119.16	122.90
11	A	940	NAG	C1-C2-N2	-2.64	106.27	110.43
11	A	940	NAG	O7-C7-C8	-2.63	117.38	122.05
13	A	942	MRD	O4-C4-C3	-2.62	100.94	111.35
11	A	940	NAG	C2-N2-C7	-2.53	119.51	122.90
11	B	908	NAG	C8-C7-N2	2.38	120.07	116.12
11	A	940	NAG	C8-C7-N2	2.32	119.96	116.12
11	A	940	NAG	O6-C6-C5	-2.19	103.89	111.33
11	B	908	NAG	O3-C3-C4	2.08	115.29	110.38
11	A	907	NAG	O4-C4-C3	-2.05	105.56	110.38

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
13	A	942	MRD	C1-C2-C3-C4
13	B	948	MRD	C2-C3-C4-C5
13	B	949	MRD	C2-C3-C4-O4
13	B	949	MRD	C2-C3-C4-C5
11	B	908	NAG	C8-C7-N2-C2
11	B	908	NAG	O7-C7-N2-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
11	B	908	NAG	C1-C2-N2-C7
13	B	948	MRD	C1-C2-C3-C4
13	A	942	MRD	C2-C3-C4-C5
11	B	908	NAG	C3-C2-N2-C7
13	B	949	MRD	O2-C2-C3-C4
13	A	942	MRD	CM-C2-C3-C4
13	B	948	MRD	CM-C2-C3-C4
13	B	949	MRD	C1-C2-C3-C4
13	B	949	MRD	CM-C2-C3-C4

There are no ring outliers.

3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
13	B	949	MRD	1	0
13	A	942	MRD	2	0
13	B	948	MRD	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	834/841 (99%)	-0.85	4 (0%) 87 88	5, 12, 23, 55	0
1	B	832/841 (98%)	-0.99	2 (0%) 91 91	5, 9, 20, 51	0
All	All	1666/1682 (99%)	-0.92	6 (0%) 88 89	5, 10, 22, 55	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	669	ALA	4.4
1	B	860	GLN	2.8
1	B	791	ASN	2.3
1	A	860	GLN	2.2
1	A	699	GLY	2.2
1	A	675	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	BMA	K	3	11/12	0.61	0.21	53,62,81,82	0
10	MAN	P	8	11/12	0.69	0.16	48,58,65,69	0
6	MAN	H	7	11/12	0.70	0.16	52,55,61,62	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	MAN	C	4	11/12	0.70	0.20	28,45,54,60	0
6	MAN	N	7	11/12	0.72	0.15	54,63,69,71	0
7	MAN	I	6	11/12	0.76	0.16	38,49,56,67	0
10	MAN	P	6	11/12	0.79	0.14	41,49,56,61	0
3	BMA	G	3	11/12	0.80	0.14	30,40,51,58	0
9	MAN	O	6	11/12	0.80	0.13	33,37,44,45	0
3	BMA	D	3	11/12	0.81	0.13	31,37,46,57	0
3	NAG	G	2	14/15	0.82	0.14	26,32,39,39	0
3	BMA	M	3	11/12	0.84	0.13	33,40,48,56	0
10	MAN	P	7	11/12	0.87	0.12	26,34,37,45	0
9	MAN	O	4	11/12	0.87	0.10	32,36,43,44	0
2	MAN	C	6	11/12	0.88	0.11	26,33,39,41	0
9	MAN	O	5	11/12	0.88	0.12	34,36,43,47	0
3	NAG	M	2	14/15	0.89	0.12	20,26,42,44	0
7	MAN	I	7	11/12	0.90	0.10	25,28,34,34	0
9	BMA	O	3	11/12	0.90	0.09	24,27,31,31	0
5	MAN	F	10	11/12	0.90	0.12	31,36,46,51	0
2	MAN	C	5	11/12	0.90	0.12	25,27,32,32	0
8	MAN	J	7	11/12	0.91	0.09	22,26,29,36	0
7	BMA	I	3	11/12	0.91	0.10	20,25,30,34	0
7	MAN	I	5	11/12	0.93	0.08	16,21,24,26	0
10	BMA	P	3	11/12	0.93	0.08	20,26,29,33	0
10	MAN	P	5	11/12	0.93	0.07	18,20,25,28	0
3	NAG	K	2	14/15	0.93	0.08	13,17,26,34	0
2	BMA	C	3	11/12	0.93	0.08	19,24,27,30	0
8	MAN	J	5	11/12	0.93	0.09	20,29,40,58	0
5	MAN	L	10	11/12	0.94	0.07	19,25,30,32	0
6	BMA	H	3	11/12	0.94	0.07	15,18,25,30	0
6	MAN	H	4	11/12	0.94	0.08	18,23,30,30	0
10	NAG	P	2	14/15	0.94	0.08	18,22,24,29	0
8	MAN	J	4	11/12	0.94	0.08	20,27,33,36	0
10	MAN	P	4	11/12	0.94	0.08	16,20,25,28	0
5	MAN	F	6	11/12	0.94	0.07	22,25,32,35	0
8	MAN	J	6	11/12	0.94	0.08	18,21,29,35	0
4	NAG	E	2	14/15	0.94	0.07	12,22,31,38	0
5	MAN	L	5	11/12	0.94	0.07	11,13,17,24	0
3	NAG	D	2	14/15	0.95	0.07	17,23,26,29	0
7	MAN	I	4	11/12	0.95	0.07	15,20,24,25	0
6	MAN	N	4	11/12	0.95	0.07	17,19,28,35	0
5	MAN	F	5	11/12	0.95	0.06	12,17,19,31	0
7	NAG	I	2	14/15	0.95	0.07	15,20,23,25	0
6	MAN	N	5	11/12	0.96	0.07	16,19,28,34	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
9	NAG	O	2	14/15	0.96	0.06	11,16,25,27	0
6	MAN	N	6	11/12	0.96	0.07	15,18,27,30	0
3	NAG	G	1	14/15	0.96	0.07	14,18,26,26	0
6	NAG	H	2	14/15	0.96	0.06	13,16,25,27	0
5	MAN	F	8	11/12	0.96	0.06	13,15,16,16	0
5	NAG	F	1	14/15	0.96	0.06	13,15,20,22	0
6	MAN	H	5	11/12	0.96	0.07	15,16,26,34	0
6	MAN	H	6	11/12	0.96	0.07	12,16,25,33	0
3	NAG	M	1	14/15	0.96	0.06	12,14,23,28	0
6	NAG	N	2	14/15	0.96	0.06	12,19,25,28	0
6	BMA	N	3	11/12	0.96	0.06	16,18,27,28	0
5	MAN	L	6	11/12	0.96	0.07	18,21,27,32	0
9	NAG	O	1	14/15	0.97	0.05	10,13,16,16	0
8	BMA	J	3	11/12	0.97	0.05	12,14,19,19	0
2	NAG	C	2	14/15	0.97	0.06	13,18,28,33	0
5	MAN	F	9	11/12	0.97	0.05	17,18,22,25	0
3	NAG	D	1	14/15	0.97	0.05	11,15,16,18	0
6	NAG	N	1	14/15	0.97	0.06	10,13,33,33	0
10	NAG	P	1	14/15	0.97	0.05	11,13,17,18	0
7	NAG	I	1	14/15	0.98	0.05	11,13,16,18	0
5	NAG	L	1	14/15	0.98	0.04	9,10,15,15	0
5	NAG	L	2	14/15	0.98	0.04	8,10,11,11	0
5	BMA	L	3	11/12	0.98	0.04	9,10,12,12	0
4	NAG	E	1	14/15	0.98	0.05	11,14,16,16	0
5	MAN	F	7	11/12	0.98	0.04	11,13,15,16	0
5	MAN	L	8	11/12	0.98	0.04	11,13,14,15	0
8	NAG	J	1	14/15	0.98	0.03	7,9,11,11	0
8	NAG	J	2	14/15	0.98	0.04	9,11,15,22	0
5	MAN	L	9	11/12	0.98	0.04	12,14,17,18	0
5	NAG	F	2	14/15	0.98	0.04	12,13,14,15	0
6	NAG	H	1	14/15	0.98	0.06	11,13,38,40	0
5	BMA	F	3	11/12	0.98	0.04	13,15,17,18	0
2	NAG	C	1	14/15	0.98	0.05	11,13,15,15	0
5	MAN	F	4	11/12	0.99	0.03	11,12,14,15	0
3	NAG	K	1	14/15	0.99	0.03	9,10,12,13	0
5	MAN	L	7	11/12	0.99	0.04	8,9,11,12	0
5	MAN	L	4	11/12	0.99	0.03	9,9,12,12	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain D:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain K:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain M:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain L:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain N:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:


$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain O:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
11	NAG	A	907	14/15	0.81	0.14	37,48,55,57	0
11	NAG	B	908	14/15	0.82	0.14	30,40,47,51	0
13	MRD	B	949	8/8	0.82	0.15	28,39,42,42	0
13	MRD	A	943	8/8	0.91	0.10	19,23,27,28	0
13	MRD	A	942	8/8	0.91	0.11	13,16,31,33	0
13	MRD	B	948	8/8	0.93	0.10	13,19,32,35	0
11	NAG	A	940	14/15	0.94	0.08	21,28,36,39	0
13	MRD	B	947	8/8	0.94	0.10	17,21,24,24	0
15	ACY	A	945	4/4	0.94	0.09	18,18,20,21	0
11	NAG	B	946	14/15	0.96	0.06	19,23,28,32	0
12	MPD	A	941	8/8	0.96	0.07	16,18,20,22	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
15	ACY	B	951	4/4	0.96	0.08	13,16,16,18	0
14	NA	B	950	1/1	0.97	0.08	20,20,20,20	0
14	NA	A	944	1/1	0.99	0.08	16,16,16,16	0

6.5 Other polymers [i](#)

There are no such residues in this entry.