



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 10:04 AM UTC

PDB ID : 2IJ5 / pdb_00002ij5
Title : Crystal structure of cytochrome P450 CYP121, P212121 space group
Authors : Roujeinikova, A.; Leys, D.
Deposited on : 2006-09-29
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4673 (1.60-1.60)
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)
RSRZ outliers	180081	4672 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	396	5% 94% • •
1	B	396	7% 91% 6% • •
1	C	396	3% 94% 5% • •
1	D	396	3% 92% 6% • •
1	E	396	% 91% 6% • •

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	396	3% 89% 7% • •

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 20721 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome P450 121.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	392	Total	C	N	O	S	0	2	0
			2974	1893	525	546	10			
1	B	390	Total	C	N	O	S	0	4	0
			2947	1877	521	539	10			
1	C	394	Total	C	N	O	S	0	4	0
			3008	1912	531	555	10			
1	D	391	Total	C	N	O	S	0	0	0
			2972	1891	524	547	10			
1	E	387	Total	C	N	O	S	0	8	0
			2974	1895	516	551	12			
1	F	384	Total	C	N	O	S	0	3	0
			2924	1864	510	540	10			

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total 5	O 4	S 1	0	0
2	B	1	Total 5	O 4	S 1	0	0
2	C	1	Total 5	O 4	S 1	0	0
2	D	1	Total 5	O 4	S 1	0	0
2	E	1	Total 5	O 4	S 1	0	0
2	F	1	Total 5	O 4	S 1	0	0

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	E	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
3	F	1	Total 43	C 34	Fe 1	N 4	O 4	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	404	Total 404	O 404	0	0
4	B	389	Total 389	O 389	0	0
4	C	420	Total 420	O 420	0	0
4	D	454	Total 454	O 454	0	0
4	E	537	Total 537	O 537	0	0
4	F	430	Total 430	O 430	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Cytochrome P450 121




• Molecule 1: Cytochrome P450 121



• Molecule 1: Cytochrome P450 121





• Molecule 1: Cytochrome P450 121







● Molecule 1: Cytochrome P450 121



● Molecule 1: Cytochrome P450 121



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	60.63Å 129.76Å 323.76Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.60 20.00 – 1.60	Depositor EDS
% Data completeness (in resolution range)	93.2 (20.00-1.60) 98.4 (20.00-1.60)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.37 (at 1.60Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.165 , 0.210 0.179 , 0.221	Depositor DCC
R_{free} test set	16700 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	21.6	Xtriage
Anisotropy	0.081	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 50.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	20721	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.85	0/3045	0.88	2/4152 (0.0%)
1	B	0.91	0/3020	0.94	4/4119 (0.1%)
1	C	0.91	1/3083 (0.0%)	0.92	0/4200
1	D	0.91	0/3035	0.92	2/4136 (0.0%)
1	E	0.95	0/3062	0.91	0/4170
1	F	0.91	0/2993	0.92	2/4076 (0.0%)
All	All	0.90	1/18238 (0.0%)	0.91	10/24853 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	266	ILE	CA-CB	5.84	1.57	1.53

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	86	MET	CG-SD-CE	6.53	115.27	100.90
1	B	134	ARG	NE-CZ-NH1	-5.55	115.94	121.50
1	A	353	ARG	NE-CZ-NH2	5.36	124.03	119.20
1	D	26	ARG	NE-CZ-NH2	5.23	123.91	119.20
1	A	134	ARG	NE-CZ-NH2	5.22	123.90	119.20
1	F	244	THR	CB-CA-C	5.10	120.79	110.38
1	F	134	ARG	NE-CZ-NH1	-5.10	116.40	121.50
1	B	134	ARG	NE-CZ-NH2	5.04	123.74	119.20
1	B	118	ASN	N-CA-C	5.04	117.66	111.82
1	B	83	VAL	N-CA-C	5.02	117.33	111.05

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2974	0	2991	9	1
1	B	2947	0	2945	16	0
1	C	3008	0	3026	12	0
1	D	2972	0	2993	17	0
1	E	2974	0	2982	23	1
1	F	2924	0	2936	18	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
2	C	5	0	0	0	0
2	D	5	0	0	0	0
2	E	5	0	0	0	0
2	F	5	0	0	0	0
3	A	43	0	30	4	0
3	B	43	0	30	1	0
3	C	43	0	30	0	0
3	D	43	0	30	1	0
3	E	43	0	30	2	0
3	F	43	0	30	1	0
4	A	404	0	0	0	0
4	B	389	0	0	5	0
4	C	420	0	0	5	0
4	D	454	0	0	7	1
4	E	537	0	0	11	2
4	F	430	0	0	5	1
All	All	20721	0	18053	104	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:86[B]:MET:SD	4:E:3047:HOH:O	2.15	1.03
1:E:109:LEU:N	4:E:3243:HOH:O	1.92	1.01
1:E:86[A]:MET:HE1	1:E:386:ARG:HH12	1.37	0.89

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:91:ASP:HB3	4:D:3110:HOH:O	1.74	0.86
3:B:462:HEM:HMC1	3:B:462:HEM:HBC2	1.60	0.84
1:C:353:ARG:HH21	1:C:356:GLN:HE21	1.29	0.79
1:D:72:ARG:HD3	1:D:74:ASN:O	1.82	0.78
1:E:353:ARG:HH11	1:E:356:GLN:HE21	1.27	0.78
1:A:353:ARG:HH11	1:A:356:GLN:HE21	1.28	0.78
1:C:8:GLU:HB3	4:C:2906:HOH:O	1.83	0.77
1:E:99[A]:MET:HE2	4:E:3030:HOH:O	1.83	0.77
1:D:353:ARG:HH11	1:D:356:GLN:HE21	1.33	0.77
1:B:122:ASP:O	1:B:126:THR:HG23	1.86	0.76
1:E:86[A]:MET:CE	1:E:386:ARG:HH12	2.00	0.74
1:B:353:ARG:HH11	1:B:356:GLN:HE21	1.35	0.72
1:D:251:GLN:OE1	4:D:3038:HOH:O	2.09	0.71
1:F:56[A]:GLU:HG2	4:F:3024:HOH:O	1.91	0.70
1:D:100:LYS:O	1:D:103:THR:HG22	1.94	0.66
1:D:72:ARG:NH2	4:D:3104:HOH:O	2.11	0.66
1:F:353:ARG:HH11	1:F:356:GLN:HE21	1.42	0.66
1:E:221:GLU:O	1:E:225[A]:THR:HG23	1.96	0.65
1:B:144:ALA:HA	1:B:154:GLN:HE22	1.60	0.65
1:C:123:ASN:OD1	4:C:3040:HOH:O	2.15	0.65
1:D:91:ASP:OD2	4:D:3237:HOH:O	2.14	0.65
1:B:330:PRO:O	4:B:3205:HOH:O	2.14	0.65
1:F:95:ARG:O	1:F:99:MET:HG2	1.99	0.63
1:A:155:GLU:H	1:A:155:GLU:CD	2.07	0.62
1:C:74:ASN:HD22	1:C:74:ASN:C	2.08	0.61
1:D:91:ASP:CG	4:D:3237:HOH:O	2.44	0.61
1:F:7:LEU:HG	1:F:11:PHE:CE2	2.35	0.60
1:E:95:ARG:NE	4:E:3277:HOH:O	2.34	0.59
1:D:181:ASN:OD1	1:D:184:ARG:NH2	2.30	0.59
3:E:462:HEM:HMC1	3:E:462:HEM:HBC2	1.86	0.58
1:D:111:GLN:HG3	4:D:3069:HOH:O	2.04	0.57
1:E:99[A]:MET:CE	4:E:3030:HOH:O	2.47	0.57
1:C:144:ALA:HA	1:C:154:GLN:HE22	1.70	0.57
1:A:353:ARG:HH11	1:A:356:GLN:NE2	2.02	0.56
1:B:330:PRO:O	1:B:332:PRO:HD3	2.05	0.56
1:B:7:LEU:HD12	4:B:3085:HOH:O	2.05	0.56
1:C:353:ARG:HH21	1:C:356:GLN:NE2	2.01	0.56
1:B:74:ASN:C	1:B:74:ASN:HD22	2.15	0.55
1:F:159:LYS:C	4:F:3150:HOH:O	2.50	0.55
1:E:144:ALA:HA	1:E:154:GLN:HE22	1.72	0.55
1:E:353:ARG:NH1	1:E:356:GLN:HE21	2.01	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:74:ASN:C	1:A:74:ASN:HD22	2.17	0.53
1:C:56:GLU:OE1	4:C:3001:HOH:O	2.17	0.53
1:D:353:ARG:HH11	1:D:356:GLN:NE2	2.04	0.52
1:D:74:ASN:HD22	1:D:74:ASN:C	2.19	0.51
1:A:144:ALA:HA	1:A:154:GLN:HE22	1.76	0.51
3:A:462:HEM:HMC1	3:A:462:HEM:HBC2	1.91	0.51
1:C:32:ARG:NH1	4:C:3018:HOH:O	2.43	0.51
1:F:144:ALA:HA	1:F:154:GLN:HE22	1.76	0.50
1:E:14:ARG:NH2	4:E:3174:HOH:O	2.43	0.49
1:F:28:ARG:CD	1:F:28:ARG:CZ	2.90	0.49
1:F:95:ARG:HD3	4:F:3084:HOH:O	2.12	0.49
1:F:14:ARG:NH2	4:F:3016:HOH:O	2.46	0.48
1:E:74:ASN:C	1:E:74:ASN:HD22	2.22	0.48
1:F:25:LEU:HD11	1:F:32:ARG:HG2	1.95	0.47
1:F:218:VAL:HG13	1:F:222:LEU:HD23	1.95	0.47
1:B:298:LEU:O	1:B:300:ARG:NH2	2.45	0.47
1:E:375:ILE:HD13	4:E:3351:HOH:O	2.14	0.47
1:F:37:ILE:HD11	1:F:383:ARG:CZ	2.44	0.47
1:B:151:GLY:HA2	4:B:3014:HOH:O	2.13	0.47
1:D:95:ARG:O	1:D:99:MET:HG2	2.15	0.46
1:C:156:ASP:HA	1:C:159:LYS:HE2	1.98	0.46
1:B:218:VAL:CG1	1:B:222:LEU:HD23	2.45	0.46
1:F:74:ASN:C	1:F:74:ASN:HD22	2.23	0.46
1:B:218:VAL:HG13	1:B:222:LEU:HD23	1.97	0.46
1:F:33:LYS:HD2	1:F:41:GLU:HB3	1.97	0.46
1:E:340:ARG:HD3	4:E:2895:HOH:O	2.17	0.45
3:E:462:HEM:HBC2	3:E:462:HEM:CMC	2.46	0.45
3:A:462:HEM:HBC2	3:A:462:HEM:CMC	2.48	0.44
3:D:462:HEM:HMC1	3:D:462:HEM:HBC2	1.99	0.44
1:E:32:ARG:HD3	1:E:33:LYS:O	2.18	0.44
1:A:33:LYS:HE3	1:A:41:GLU:OE1	2.17	0.44
1:F:218:VAL:CG1	1:F:223:PHE:CE1	3.01	0.43
1:B:14:ARG:NH2	4:B:2981:HOH:O	2.51	0.43
3:A:462:HEM:HMB2	3:A:462:HEM:HBB2	2.00	0.43
1:A:395:LEU:HD12	1:A:395:LEU:C	2.44	0.43
1:E:330:PRO:O	1:E:331:ASN:C	2.61	0.43
1:E:86[B]:MET:HB2	4:E:2935:HOH:O	2.19	0.43
1:B:342:GLN:HG3	4:B:3209:HOH:O	2.18	0.42
1:D:113:LEU:HD13	1:D:357:ILE:HD12	2.01	0.42
1:E:353:ARG:HA	1:E:353:ARG:HE	1.84	0.42
1:F:375[A]:ILE:HD13	4:F:3052:HOH:O	2.18	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:7:LEU:HG	1:F:11:PHE:HE2	1.78	0.42
1:A:225:THR:O	1:A:229:THR:HG23	2.19	0.42
1:D:124:LEU:HD21	1:D:136:ASP:HB3	2.00	0.42
1:B:249:LEU:HD21	1:B:259:LEU:HD12	2.01	0.42
1:D:32:ARG:HD3	1:D:33:LYS:O	2.19	0.41
1:E:86[B]:MET:HE2	4:E:3017:HOH:O	2.19	0.41
3:A:462:HEM:HBB2	3:A:462:HEM:CMB	2.50	0.41
1:C:353:ARG:HD2	1:C:356:GLN:NE2	2.35	0.41
1:F:100:LYS:O	1:F:103:THR:HG22	2.20	0.41
3:F:462:HEM:HMC1	3:F:462:HEM:HBC2	2.01	0.41
1:D:14:ARG:NH2	4:D:3003:HOH:O	2.54	0.41
1:B:353:ARG:HH11	1:B:356:GLN:NE2	2.09	0.41
1:E:353:ARG:HH11	1:E:356:GLN:NE2	2.07	0.41
1:A:103[B]:THR:HG22	1:A:105:LYS:H	1.86	0.41
1:B:25:LEU:HD11	1:B:32:ARG:HG2	2.03	0.41
1:C:275:ARG:O	1:C:313:ASN:HB3	2.20	0.40
1:C:99:MET:HE3	4:C:3047:HOH:O	2.21	0.40
1:E:371:LEU:HD11	4:E:3351:HOH:O	2.21	0.40
1:E:222:LEU:HD13	1:E:222:LEU:C	2.46	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:105:LYS:NZ	4:F:3252:HOH:O[4_456]	1.93	0.27
1:E:4:THR:N	4:E:3334:HOH:O[1_655]	2.07	0.13
4:D:2958:HOH:O	4:E:3263:HOH:O[1_655]	2.11	0.09

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	392/396 (99%)	388 (99%)	4 (1%)	0	100	100
1	B	390/396 (98%)	385 (99%)	4 (1%)	1 (0%)	36	20
1	C	396/396 (100%)	393 (99%)	3 (1%)	0	100	100
1	D	389/396 (98%)	385 (99%)	4 (1%)	0	100	100
1	E	391/396 (99%)	387 (99%)	4 (1%)	0	100	100
1	F	381/396 (96%)	379 (100%)	2 (0%)	0	100	100
All	All	2339/2376 (98%)	2317 (99%)	21 (1%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	330	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	313/326 (96%)	306 (98%)	7 (2%)	45	22
1	B	305/326 (94%)	297 (97%)	8 (3%)	40	17
1	C	316/326 (97%)	307 (97%)	9 (3%)	38	15
1	D	313/326 (96%)	304 (97%)	9 (3%)	37	14
1	E	316/326 (97%)	310 (98%)	6 (2%)	50	27
1	F	308/326 (94%)	302 (98%)	6 (2%)	50	27
All	All	1871/1956 (96%)	1826 (98%)	45 (2%)	43	19

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	LEU
1	A	33	LYS
1	A	74	ASN
1	A	96	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	99	MET
1	A	155	GLU
1	A	277	ASN
1	B	6	LEU
1	B	17	ARG
1	B	32	ARG
1	B	74	ASN
1	B	110	GLU
1	B	126	THR
1	B	220	ASP
1	B	277	ASN
1	C	6	LEU
1	C	17	ARG
1	C	32	ARG
1	C	74	ASN
1	C	109	LEU
1	C	159	LYS
1	C	162	ARG
1	C	277	ASN
1	C	340	ARG
1	D	6	LEU
1	D	7	LEU
1	D	32	ARG
1	D	72	ARG
1	D	74	ASN
1	D	86	MET
1	D	109	LEU
1	D	148	LYS
1	D	277	ASN
1	E	7	LEU
1	E	32	ARG
1	E	74	ASN
1	E	211	LYS
1	E	277	ASN
1	E	340	ARG
1	F	6	LEU
1	F	32	ARG
1	F	37	ILE
1	F	74	ASN
1	F	109	LEU
1	F	277	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (34)

such sidechains are listed below:

Mol	Chain	Res	Type
1	A	74	ASN
1	A	111	GLN
1	A	154	GLN
1	A	254	GLN
1	A	356	GLN
1	B	74	ASN
1	B	84	ASN
1	B	111	GLN
1	B	154	GLN
1	B	356	GLN
1	B	377	GLN
1	C	74	ASN
1	C	111	GLN
1	C	154	GLN
1	C	251	GLN
1	C	356	GLN
1	D	74	ASN
1	D	154	GLN
1	D	251	GLN
1	D	342	GLN
1	D	356	GLN
1	E	74	ASN
1	E	88	ASN
1	E	111	GLN
1	E	154	GLN
1	E	321	ASN
1	E	342	GLN
1	E	356	GLN
1	F	74	ASN
1	F	154	GLN
1	F	251	GLN
1	F	331	ASN
1	F	342	GLN
1	F	356	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	HEM	E	462	4,1	50,50,50	1.52	8 (16%)	67,82,82	1.18	4 (5%)
2	SO4	D	2823	-	4,4,4	0.49	0	6,6,6	0.56	0
3	HEM	A	462	4,1	50,50,50	1.59	9 (18%)	67,82,82	1.26	9 (13%)
3	HEM	F	462	4,1	50,50,50	1.71	9 (18%)	67,82,82	1.31	7 (10%)
3	HEM	C	462	4,1	50,50,50	1.69	9 (18%)	67,82,82	1.39	8 (11%)
2	SO4	B	2821	-	4,4,4	0.21	0	6,6,6	0.36	0
2	SO4	F	2825	-	4,4,4	0.54	0	6,6,6	1.16	0
3	HEM	B	462	4,1	50,50,50	1.75	7 (14%)	67,82,82	1.44	9 (13%)
2	SO4	E	2824	-	4,4,4	0.43	0	6,6,6	0.67	0
2	SO4	C	2822	-	4,4,4	0.66	0	6,6,6	0.56	0
3	HEM	D	462	4,1	50,50,50	1.71	9 (18%)	67,82,82	1.16	3 (4%)
2	SO4	A	2820	-	4,4,4	0.39	0	6,6,6	0.85	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	E	462	4,1	-	0/14/54/54	-
3	HEM	A	462	4,1	-	1/14/54/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	F	462	4,1	-	1/14/54/54	-
3	HEM	B	462	4,1	-	2/14/54/54	-
3	HEM	D	462	4,1	-	0/14/54/54	-
3	HEM	C	462	4,1	-	2/14/54/54	-

All (51) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	462	HEM	C3D-C2D	6.70	1.51	1.36
3	B	462	HEM	C3D-C2D	6.68	1.51	1.36
3	C	462	HEM	C3D-C2D	6.30	1.50	1.36
3	A	462	HEM	C3D-C2D	6.28	1.50	1.36
3	F	462	HEM	C3D-C2D	5.85	1.49	1.36
3	E	462	HEM	C3D-C2D	5.07	1.47	1.36
3	B	462	HEM	FE-ND	4.68	2.09	1.94
3	B	462	HEM	FE-NB	4.15	2.07	1.94
3	F	462	HEM	FE-NB	3.91	2.06	1.94
3	C	462	HEM	FE-NA	3.78	2.07	1.95
3	F	462	HEM	FE-NC	3.71	2.07	1.95
3	D	462	HEM	FE-NC	3.71	2.07	1.95
3	D	462	HEM	FE-ND	3.54	2.05	1.94
3	D	462	HEM	FE-NB	3.38	2.05	1.94
3	C	462	HEM	FE-NC	3.38	2.06	1.95
3	E	462	HEM	FE-NA	3.36	2.06	1.95
3	A	462	HEM	FE-NB	3.34	2.05	1.94
3	B	462	HEM	CAC-C3C	3.10	1.55	1.47
3	E	462	HEM	FE-NC	3.02	2.05	1.95
3	F	462	HEM	FE-ND	2.94	2.03	1.94
3	E	462	HEM	FE-ND	2.90	2.03	1.94
3	A	462	HEM	CAB-C3B	2.85	1.55	1.47
3	C	462	HEM	FE-ND	2.85	2.03	1.94
3	F	462	HEM	FE-NA	2.84	2.04	1.95
3	A	462	HEM	FE-ND	2.84	2.03	1.94
3	F	462	HEM	CMA-C3A	2.82	1.56	1.50
3	F	462	HEM	CAB-C3B	2.78	1.54	1.47
3	C	462	HEM	CAC-C3C	2.77	1.54	1.47
3	A	462	HEM	CAC-C3C	2.76	1.54	1.47
3	E	462	HEM	CAC-C3C	2.74	1.54	1.47
3	E	462	HEM	FE-NB	2.67	2.03	1.94
3	C	462	HEM	FE-NB	2.65	2.03	1.94
3	C	462	HEM	CMC-C2C	2.64	1.56	1.50
3	C	462	HEM	CMB-C2B	2.63	1.56	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	462	HEM	CMC-C2C	2.61	1.56	1.50
3	C	462	HEM	C2A-C3A	-2.53	1.32	1.38
3	B	462	HEM	CMC-C2C	2.53	1.56	1.50
3	F	462	HEM	CMC-C2C	2.52	1.55	1.50
3	D	462	HEM	CAC-C3C	2.44	1.53	1.47
3	D	462	HEM	CMA-C3A	2.41	1.55	1.50
3	B	462	HEM	CAB-C3B	2.33	1.53	1.47
3	B	462	HEM	CMB-C2B	2.33	1.55	1.50
3	D	462	HEM	CAB-C3B	2.23	1.53	1.47
3	F	462	HEM	CAC-C3C	2.21	1.53	1.47
3	D	462	HEM	FE-NA	2.18	2.02	1.95
3	E	462	HEM	C1C-NC	-2.18	1.35	1.39
3	A	462	HEM	CMD-C2D	2.16	1.55	1.50
3	A	462	HEM	CHD-C1D	-2.12	1.34	1.39
3	E	462	HEM	CAB-C3B	2.09	1.53	1.47
3	A	462	HEM	CAA-C2A	2.04	1.56	1.51
3	A	462	HEM	FE-NA	2.01	2.01	1.95

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	462	HEM	C4D-ND-C1D	6.91	113.39	105.21
3	F	462	HEM	C4D-ND-C1D	4.54	110.58	105.21
3	A	462	HEM	C4D-ND-C1D	4.36	110.37	105.21
3	D	462	HEM	C4D-ND-C1D	3.99	109.93	105.21
3	C	462	HEM	C4D-ND-C1D	3.52	109.38	105.21
3	F	462	HEM	CHD-C1D-ND	3.36	128.04	124.42
3	F	462	HEM	C4C-C3C-C2C	3.25	109.64	106.81
3	C	462	HEM	O1D-CGD-CBD	-3.17	113.03	123.09
3	E	462	HEM	CHD-C4C-NC	3.03	127.76	124.45
3	F	462	HEM	C1B-NB-C4B	3.02	108.78	105.21
3	B	462	HEM	CHA-C4D-ND	2.94	128.00	124.37
3	B	462	HEM	C4C-C3C-C2C	2.88	109.31	106.81
3	B	462	HEM	C1B-NB-C4B	2.81	108.53	105.21
3	A	462	HEM	C1D-C2D-C3D	-2.74	104.10	106.98
3	E	462	HEM	O1D-CGD-CBD	-2.73	114.43	123.09
3	C	462	HEM	CMD-C2D-C1D	2.73	129.29	125.03
3	E	462	HEM	C4D-ND-C1D	2.72	108.43	105.21
3	B	462	HEM	C3D-C4D-ND	-2.71	107.20	110.17
3	C	462	HEM	C4B-C3B-C2B	2.67	109.73	107.28
3	F	462	HEM	CAC-C3C-C4C	-2.66	118.48	124.82
3	F	462	HEM	C3B-C4B-NB	-2.60	107.60	109.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	462	HEM	CHD-C1D-ND	2.58	127.20	124.42
3	B	462	HEM	C2D-C1D-ND	-2.58	106.92	109.90
3	A	462	HEM	C1B-NB-C4B	2.56	108.24	105.21
3	C	462	HEM	C2A-C1A-NA	-2.53	107.34	110.15
3	D	462	HEM	CHD-C4C-NC	2.45	127.13	124.45
3	E	462	HEM	CMD-C2D-C1D	2.42	128.82	125.03
3	A	462	HEM	CMB-C2B-C1B	-2.41	121.26	125.03
3	B	462	HEM	CHD-C1D-ND	2.35	126.95	124.42
3	B	462	HEM	C3B-C4B-NB	-2.33	107.80	109.47
3	C	462	HEM	CAD-C3D-C4D	2.32	128.75	124.70
3	A	462	HEM	O1D-CGD-CBD	-2.29	115.84	123.09
3	C	462	HEM	O2D-CGD-CBD	2.28	121.20	114.00
3	B	462	HEM	O2D-CGD-CBD	2.19	120.93	114.00
3	C	462	HEM	C3B-C2B-C1B	-2.16	104.79	106.41
3	A	462	HEM	C4C-C3C-C2C	2.13	108.66	106.81
3	A	462	HEM	CHC-C4B-NB	2.11	126.70	124.42
3	A	462	HEM	C4A-C3A-C2A	2.10	109.23	106.82
3	A	462	HEM	CHA-C4D-ND	2.05	126.91	124.37
3	F	462	HEM	CHC-C4B-NB	2.05	126.63	124.42

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	B	462	HEM	CAD-CBD-CGD-O2D
3	A	462	HEM	CAD-CBD-CGD-O1D
3	C	462	HEM	CAD-CBD-CGD-O1D
3	B	462	HEM	CAD-CBD-CGD-O1D
3	C	462	HEM	CAD-CBD-CGD-O2D
3	F	462	HEM	CAD-CBD-CGD-O2D


There are no ring outliers.


5 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	462	HEM	2	0
3	A	462	HEM	4	0
3	F	462	HEM	1	0
3	B	462	HEM	1	0
3	D	462	HEM	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	392/396 (98%)	0.17	18 (4%)	37 39	16, 26, 47, 63	2 (0%)
1	B	390/396 (98%)	0.42	29 (7%)	20 21	11, 28, 48, 67	4 (1%)
1	C	394/396 (99%)	0.17	12 (3%)	52 55	12, 26, 39, 44	4 (1%)
1	D	391/396 (98%)	-0.06	11 (2%)	55 58	16, 24, 41, 50	0
1	E	387/396 (97%)	-0.28	2 (0%)	87 90	9, 21, 31, 40	8 (2%)
1	F	384/396 (96%)	-0.02	12 (3%)	51 54	14, 24, 42, 62	3 (0%)
All	All	2338/2376 (98%)	0.07	84 (3%)	46 48	9, 25, 42, 67	21 (0%)

All (84) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	5	VAL	5.5
1	A	215	TYR	4.4
1	A	211	LYS	4.2
1	B	214	ALA	4.1
1	F	92	ALA	4.0
1	F	83	VAL	4.0
1	F	216	SER	3.8
1	E	4	THR	3.7
1	A	214	ALA	3.6
1	B	198	ILE	3.4
1	A	209	LEU	3.2
1	B	4	THR	3.2
1	B	99	MET	3.1
1	B	109	LEU	3.0
1	A	86	MET	2.9
1	A	68	ALA	2.9
1	B	106	ALA	2.9
1	B	86	MET	2.9
1	B	209	LEU	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	5	VAL	2.9
1	A	217	HIS	2.8
1	A	213	PRO	2.8
1	F	218	VAL	2.8
1	D	208	ARG	2.7
1	C	11	PHE	2.7
1	B	218	VAL	2.7
1	A	5	VAL	2.7
1	C	5	VAL	2.7
1	C	25	LEU	2.7
1	B	216	SER	2.6
1	B	104	PRO	2.6
1	A	27	THR	2.6
1	A	220	ASP	2.6
1	F	6	LEU	2.6
1	C	330	PRO	2.6
1	F	93	GLY	2.6
1	B	330	PRO	2.6
1	B	217	HIS	2.5
1	D	217	HIS	2.5
1	A	218	VAL	2.5
1	B	107	PRO	2.5
1	D	106	ALA	2.5
1	C	327	LEU	2.5
1	F	196	PRO	2.5
1	D	198	ILE	2.5
1	B	7	LEU	2.4
1	C	92	ALA	2.4
1	B	103	THR	2.4
1	C	4	THR	2.4
1	D	216	SER	2.3
1	A	92	ALA	2.3
1	B	92	ALA	2.3
1	F	209	LEU	2.3
1	B	93	GLY	2.3
1	D	108	GLY	2.3
1	A	162	ARG	2.3
1	D	210	ARG	2.3
1	D	211	LYS	2.3
1	F	97	ALA	2.3
1	F	106	ALA	2.3
1	A	91	ASP	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	300	ARG	2.2
1	B	215	TYR	2.2
1	B	89	ILE	2.2
1	B	83	VAL	2.2
1	B	108	GLY	2.2
1	F	210	ARG	2.2
1	B	111	GLN	2.1
1	D	111	GLN	2.1
1	B	144	ALA	2.1
1	C	3	ALA	2.1
1	D	197	ASN	2.1
1	A	90	ALA	2.1
1	B	101	ALA	2.1
1	C	331	ASN	2.1
1	A	208	ARG	2.1
1	C	6	LEU	2.1
1	B	105	LYS	2.1
1	B	223	PHE	2.1
1	A	97	ALA	2.0
1	C	162	ARG	2.0
1	F	95	ARG	2.0
1	C	328	ASP	2.0
1	D	219	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SO4	B	2821	5/5	0.89	0.10	51,53,55,56	0
2	SO4	C	2822	5/5	0.94	0.11	28,34,34,35	0
2	SO4	A	2820	5/5	0.96	0.08	38,38,41,42	0
2	SO4	F	2825	5/5	0.98	0.06	26,28,28,33	0
3	HEM	B	462	43/43	0.98	0.07	18,22,31,33	0
2	SO4	D	2823	5/5	0.99	0.06	24,25,27,29	0
3	HEM	A	462	43/43	0.99	0.05	15,17,24,26	0
2	SO4	E	2824	5/5	0.99	0.04	23,23,24,25	0
3	HEM	C	462	43/43	0.99	0.05	17,20,27,29	0
3	HEM	D	462	43/43	0.99	0.05	15,18,23,25	0
3	HEM	E	462	43/43	0.99	0.05	12,15,20,24	0
3	HEM	F	462	43/43	0.99	0.04	15,18,24,28	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEM B 462:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 462:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM C 462:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM D 462:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM E 462:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.