



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 09:41 PM UTC

PDB ID : 3IK6 / pdb_00003ik6
Title : Crystal structure of the AMPA subunit GluR2 bound to the allosteric modulator, chlorothiazide
Authors : Ptak, C.P.; Ahmed, A.H.; Oswald, R.E.
Deposited on : 2009-08-05
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	258	
1	E	258	
1	H	258	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	HCZ	B	262	-	X	X	-
3	HCZ	B	800	-	X	X	-
3	HCZ	H	800	-	X	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6683 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Glutamate receptor 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	258	Total	C	N	O	S	0	0	0
			1998	1276	330	378	14			
1	E	258	Total	C	N	O	S	0	0	0
			2009	1282	334	379	14			
1	H	258	Total	C	N	O	S	0	0	0
			2005	1279	333	379	14			

There are 9 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	118	GLY	-	linker	UNP P19491
B	119	THR	-	linker	UNP P19491
B	242	SER	ASN	engineered mutation	UNP P19491
E	118	GLY	-	linker	UNP P19491
E	119	THR	-	linker	UNP P19491
E	242	SER	ASN	engineered mutation	UNP P19491
H	118	GLY	-	linker	UNP P19491
H	119	THR	-	linker	UNP P19491
H	242	SER	ASN	engineered mutation	UNP P19491

- Molecule 2 is GLUTAMIC ACID (CCD ID: GLU) (formula: C₅H₉NO₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			10	5	1	4		
2	E	1	Total	C	N	O	0	0
			10	5	1	4		
2	H	1	Total	C	N	O	0	0
			10	5	1	4		

- Molecule 3 is 6-chloro-3,4-dihydro-2H-1,2,4-benzothiadiazine-7-sulfonamide 1,1-dioxide (CCD ID: HCZ) (formula: C₇H₈ClN₃O₄S₂).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	B	1	Total 17	C 7	Cl 1	N 3	O 4	S 2	0	0
3	B	1	Total 17	C 7	Cl 1	N 3	O 4	S 2	0	0
3	H	1	Total 17	C 7	Cl 1	N 3	O 4	S 2	0	0


- Molecule 4 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total 1	Zn 1	0	0
4	E	2	Total 2	Zn 2	0	0
4	H	2	Total 2	Zn 2	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	177	Total 177	O 177	0	0
5	E	175	Total 175	O 175	0	0
5	H	233	Total 233	O 233	0	0

- Molecule 1: Glutamate receptor 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 21 21	Depositor
Cell constants a, b, c, α , β , γ	47.54Å 114.10Å 163.38Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	24.02 – 2.10 24.02 – 2.10	Depositor EDS
% Data completeness (in resolution range)	90.5 (24.02-2.10) 90.5 (24.02-2.10)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	0.12	Depositor
$\langle I/\sigma(I) \rangle$	-	Xtrriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.197 , 0.245 0.194 , 0.234	Depositor DCC
R_{free} test set	1997 reflections (4.18%)	wwPDB-VP
Wilson B-factor (Å ²)	(Not available)	Xtrriage
Anisotropy	(Not available)	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 57.8	EDS
L-test for twinning ¹	$\langle L \rangle =$ (Not available), $\langle L^2 \rangle =$ (Not available)	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6683	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *(Not available)*

¹Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, HCZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	B	0.38	0/2034	0.71	0/2738
1	E	0.40	0/2045	0.72	0/2750
1	H	0.46	1/2041 (0.0%)	0.73	0/2746
All	All	0.41	1/6120 (0.0%)	0.72	0/8234

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	H	44	ALA	C-N	-8.58	1.23	1.33

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1998	0	2015	28	0
1	E	2009	0	2041	29	0
1	H	2005	0	2030	36	0
2	B	10	0	5	0	0
2	E	10	0	5	0	0
2	H	10	0	5	0	0
3	B	34	0	16	12	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	H	17	0	8	7	0
4	B	1	0	0	0	0
4	E	2	0	0	0	0
4	H	2	0	0	0	0
5	B	177	0	0	6	0
5	E	175	0	0	5	0
5	H	233	0	0	5	0
All	All	6683	0	6125	93	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:108:SER:HB2	3:H:800:HCZ:HN01	1.30	0.94
1:H:19:MET:HE2	1:H:24:GLU:HA	1.48	0.92
1:H:239:LEU:HD23	3:H:800:HCZ:H13	1.49	0.91
1:H:108:SER:CB	3:H:800:HCZ:HN01	1.86	0.88
1:H:26:LEU:HD22	1:H:30:GLU:OE1	1.80	0.82
1:B:137:THR:HG22	1:B:191:LEU:HB2	1.65	0.78
1:B:239:LEU:HD23	3:B:800:HCZ:H13	1.64	0.77
1:E:140:SER:HB3	5:E:285:HOH:O	1.84	0.76
1:H:42:GLU:HG3	1:H:246:LEU:HD21	1.70	0.71
1:B:81:GLY:HA2	5:B:290:HOH:O	1.90	0.71
3:B:262:HCZ:O03	1:E:108:SER:HB2	1.91	0.70
1:H:108:SER:HB2	3:H:800:HCZ:O03	1.94	0.66
1:H:108:SER:HB2	3:H:800:HCZ:N01	2.05	0.66
1:E:166:GLU:HA	1:E:167:PRO:C	2.22	0.64
1:H:69:LYS:HE2	5:H:550:HOH:O	1.98	0.63
1:E:258:LYS:HD2	5:E:320:HOH:O	1.98	0.63
1:B:19:MET:HG2	1:B:23:HIS:CG	2.34	0.62
1:H:42:GLU:HG3	1:H:246:LEU:CD2	2.29	0.62
1:H:81:GLY:HA2	5:H:387:HOH:O	1.99	0.62
1:H:26:LEU:CD2	1:H:30:GLU:OE1	2.49	0.61
1:H:26:LEU:HD23	1:H:27:GLU:H	1.67	0.60
1:B:24:GLU:CD	1:B:24:GLU:H	2.09	0.59
3:B:262:HCZ:H13	1:E:239:LEU:HD23	1.83	0.59
1:B:193:GLU:HB2	1:B:196:MET:HE3	1.86	0.58
1:H:64:ARG:CZ	1:H:69:LYS:HD2	2.33	0.58
1:B:46:HIS:CE1	5:B:482:HOH:O	2.56	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:46:HIS:HE1	5:B:482:HOH:O	1.87	0.58
1:B:19:MET:HE1	5:B:297:HOH:O	2.04	0.57
1:H:137:THR:HG22	1:H:191:LEU:HB2	1.85	0.57
1:B:239:LEU:CD2	3:B:800:HCZ:HN14	2.19	0.56
1:H:239:LEU:HD23	3:H:800:HCZ:C13	2.32	0.54
1:B:88:ALA:HB1	1:B:89:PRO:HD2	1.90	0.54
1:H:125:GLU:HG2	1:H:129:LYS:HE2	1.90	0.53
1:H:100:ILE:HD12	1:H:223:ALA:HB1	1.92	0.52
1:H:239:LEU:CD2	3:H:800:HCZ:H13	2.33	0.52
1:B:125:GLU:HG2	1:B:129:LYS:HE2	1.92	0.52
1:B:154:VAL:O	1:B:158:MET:HG3	2.09	0.52
1:B:258:LYS:HE3	5:B:308:HOH:O	2.09	0.52
1:H:241:LEU:HD22	1:H:246:LEU:HD22	1.92	0.51
1:B:246:LEU:O	1:B:246:LEU:HG	2.10	0.51
1:H:183:LYS:HD2	5:H:565:HOH:O	2.10	0.51
3:B:262:HCZ:HN14	1:E:239:LEU:HD21	1.76	0.51
1:H:19:MET:HE1	1:H:31:ARG:HD2	1.93	0.50
1:E:137:THR:HG22	1:E:191:LEU:HB2	1.93	0.50
3:B:800:HCZ:C06	1:E:218:LYS:HA	2.43	0.49
1:H:64:ARG:NH2	1:H:69:LYS:HD2	2.27	0.49
1:H:166:GLU:HA	1:H:167:PRO:C	2.37	0.48
1:B:109:LEU:C	1:B:109:LEU:HD22	2.37	0.48
1:B:68:THR:O	1:B:69:LYS:HB2	2.13	0.48
1:E:22:ASN:OD1	1:E:22:ASN:N	2.46	0.48
1:E:154:VAL:HG13	1:E:155:PHE:CD1	2.49	0.48
3:B:800:HCZ:N01	1:E:108:SER:OG	2.48	0.47
1:B:115:ILE:HD11	1:B:211:VAL:HG11	1.97	0.47
1:E:109:LEU:C	1:E:109:LEU:HD22	2.40	0.47
1:H:182:ARG:HG2	1:H:207:ASP:OD2	2.14	0.47
1:H:25:MET:HG3	5:H:378:HOH:O	2.15	0.46
1:E:125:GLU:CG	1:E:129:LYS:HE2	2.45	0.46
1:E:136:GLY:HA3	1:E:169:VAL:O	2.15	0.46
1:E:205:PRO:HG2	5:E:419:HOH:O	2.16	0.45
1:E:100:ILE:HD12	1:E:223:ALA:HB1	1.99	0.45
1:E:125:GLU:HG2	1:E:129:LYS:HE2	1.97	0.44
1:B:239:LEU:HD23	3:B:800:HCZ:C13	2.41	0.44
1:E:241:LEU:HD13	1:E:246:LEU:CD2	2.48	0.44
1:B:239:LEU:CD2	3:B:800:HCZ:N14	2.79	0.44
1:E:179:ALA:O	1:E:183:LYS:HG2	2.18	0.44
1:B:119:THR:HA	1:B:120:PRO:HD3	1.78	0.43
3:B:262:HCZ:HN14	1:E:239:LEU:CD2	2.31	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:147:PHE:CZ	1:E:191:LEU:HD13	2.52	0.43
1:H:125:GLU:CG	1:H:129:LYS:HE2	2.49	0.43
1:B:241:LEU:HD22	1:B:246:LEU:HD22	2.00	0.43
1:B:151:LYS:HA	1:B:151:LYS:HD3	1.87	0.43
1:E:131:THR:HA	5:E:379:HOH:O	2.19	0.43
1:H:105:PRO:HA	1:H:220:TYR:O	2.19	0.43
1:H:25:MET:CG	5:H:378:HOH:O	2.65	0.43
1:E:81:GLY:HA2	5:E:299:HOH:O	2.17	0.42
1:B:258:LYS:O	1:B:259:GLY:C	2.62	0.42
1:H:183:LYS:HB3	1:H:183:LYS:HE2	1.84	0.42
1:B:218:LYS:HA	3:B:262:HCZ:C06	2.49	0.42
1:B:105:PRO:HA	1:B:220:TYR:O	2.20	0.42
1:E:42:GLU:O	1:E:43:ILE:C	2.61	0.42
1:H:237:ALA:O	1:H:241:LEU:HG	2.20	0.41
1:H:258:LYS:O	1:H:259:GLY:C	2.62	0.41
3:B:262:HCZ:N14	1:E:239:LEU:CD2	2.83	0.41
1:E:193:GLU:HB2	1:E:196:MET:HE3	2.02	0.41
1:E:125:GLU:O	1:E:129:LYS:HG3	2.21	0.41
1:E:119:THR:HA	1:E:120:PRO:HD3	1.76	0.41
1:H:246:LEU:O	1:H:246:LEU:HG	2.20	0.41
1:B:168:SER:HA	5:B:390:HOH:O	2.20	0.41
1:H:68:THR:O	1:H:69:LYS:HB2	2.21	0.41
1:H:119:THR:HA	1:H:120:PRO:HD3	1.84	0.40
1:E:105:PRO:HA	1:E:220:TYR:O	2.22	0.40
1:H:149:ARG:HA	1:H:149:ARG:HD3	1.92	0.40
1:B:125:GLU:CG	1:B:129:LYS:HE2	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	256/258 (99%)	249 (97%)	6 (2%)	1 (0%)	30	28
1	E	256/258 (99%)	250 (98%)	6 (2%)	0	100	100
1	H	256/258 (99%)	251 (98%)	4 (2%)	1 (0%)	30	28
All	All	768/774 (99%)	750 (98%)	16 (2%)	2 (0%)	36	36

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	259	GLY
1	B	259	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	212/217 (98%)	207 (98%)	5 (2%)	43	49
1	E	215/217 (99%)	212 (99%)	3 (1%)	59	67
1	H	214/217 (99%)	211 (99%)	3 (1%)	59	67
All	All	641/651 (98%)	630 (98%)	11 (2%)	53	62

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	19	MET
1	B	64	ARG
1	B	109	LEU
1	B	131	THR
1	B	246	LEU
1	E	19	MET
1	E	109	LEU
1	E	131	THR
1	H	25	MET
1	H	26	LEU
1	H	109	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	22	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 5 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	HCZ	B	800	-	18,18,18	10.64	17 (94%)	29,29,29	7.22	17 (58%)
2	GLU	E	400	-	8,9,9	1.09	1 (12%)	8,11,11	1.05	1 (12%)
3	HCZ	B	262	-	18,18,18	10.76	17 (94%)	29,29,29	6.97	15 (51%)
2	GLU	H	400	-	8,9,9	1.11	1 (12%)	8,11,11	1.10	1 (12%)
3	HCZ	H	800	-	18,18,18	10.62	17 (94%)	29,29,29	7.42	17 (58%)
2	GLU	B	400	-	8,9,9	1.11	1 (12%)	8,11,11	1.06	1 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HCZ	B	800	-	-	4/6/19/19	0/2/2/2
2	GLU	E	400	-	-	2/9/9/9	-
3	HCZ	B	262	-	-	3/6/19/19	0/2/2/2
2	GLU	H	400	-	-	1/9/9/9	-
3	HCZ	H	800	-	-	4/6/19/19	0/2/2/2
2	GLU	B	400	-	-	1/9/9/9	-

All (54) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	262	HCZ	O17-S15	20.43	1.67	1.43
3	B	262	HCZ	O16-S15	20.41	1.67	1.43
3	B	800	HCZ	O16-S15	20.22	1.66	1.43
3	H	800	HCZ	O16-S15	20.13	1.66	1.43
3	H	800	HCZ	O17-S15	20.01	1.66	1.43
3	B	800	HCZ	O17-S15	20.00	1.66	1.43
3	B	800	HCZ	C09-C08	15.19	1.63	1.39
3	B	262	HCZ	C09-C08	15.03	1.63	1.39
3	H	800	HCZ	C09-C08	14.73	1.62	1.39
3	H	800	HCZ	C10-C05	13.76	1.58	1.40
3	B	262	HCZ	C10-C05	13.64	1.58	1.40
3	B	800	HCZ	C10-C05	13.45	1.57	1.40
3	B	800	HCZ	O04-S02	13.33	1.67	1.43
3	B	262	HCZ	O04-S02	13.32	1.67	1.43
3	H	800	HCZ	O04-S02	13.11	1.66	1.43
3	B	262	HCZ	C06-C07	11.81	1.58	1.39
3	B	800	HCZ	C06-C07	11.74	1.58	1.39
3	H	800	HCZ	C06-C07	11.71	1.58	1.39
3	B	262	HCZ	S15-N14	11.62	1.78	1.63
3	H	800	HCZ	S15-N14	11.43	1.77	1.63
3	B	800	HCZ	S15-N14	11.18	1.77	1.63
3	H	800	HCZ	C06-C05	10.79	1.56	1.39
3	B	800	HCZ	C06-C05	10.68	1.56	1.39
3	B	262	HCZ	C06-C05	10.62	1.56	1.39
3	B	262	HCZ	C09-C10	9.64	1.54	1.38
3	B	800	HCZ	C09-C10	9.51	1.54	1.38
3	H	800	HCZ	C09-C10	9.31	1.53	1.38
3	H	800	HCZ	C08-C07	7.03	1.51	1.40
3	B	800	HCZ	C08-C07	7.02	1.51	1.40
3	B	262	HCZ	C08-C07	6.98	1.51	1.40
3	B	262	HCZ	S02-N01	6.11	1.72	1.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	800	HCZ	S02-N01	6.07	1.72	1.60
3	B	800	HCZ	S02-N01	6.04	1.72	1.60
3	B	262	HCZ	C08-N12	4.89	1.47	1.37
3	B	800	HCZ	C08-N12	4.87	1.47	1.37
3	B	800	HCZ	C13-N12	4.48	1.50	1.45
3	H	800	HCZ	C08-N12	4.46	1.46	1.37
3	H	800	HCZ	C13-N12	4.42	1.50	1.45
3	B	262	HCZ	C05-S02	4.29	1.83	1.77
3	B	262	HCZ	C13-N12	4.28	1.50	1.45
3	H	800	HCZ	C07-S15	-4.04	1.72	1.75
3	B	262	HCZ	C07-S15	-3.96	1.72	1.75
3	H	800	HCZ	C05-S02	3.67	1.82	1.77
3	B	800	HCZ	C05-S02	3.66	1.82	1.77
3	B	800	HCZ	C07-S15	-3.60	1.72	1.75
3	H	800	HCZ	O03-S02	3.46	1.49	1.43
3	B	262	HCZ	O03-S02	3.40	1.49	1.43
3	B	800	HCZ	O03-S02	3.30	1.49	1.43
3	B	800	HCZ	C10-CL11	2.40	1.79	1.73
3	H	800	HCZ	C10-CL11	2.36	1.79	1.73
2	H	400	GLU	OXT-C	-2.35	1.23	1.30
2	B	400	GLU	OXT-C	-2.30	1.23	1.30
3	B	262	HCZ	C10-CL11	2.27	1.79	1.73
2	E	400	GLU	OXT-C	-2.15	1.23	1.30

All (52) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	800	HCZ	O04-S02-O03	-21.95	85.03	118.80
3	B	800	HCZ	O04-S02-O03	-21.11	86.33	118.80
3	B	262	HCZ	O04-S02-O03	-20.72	86.93	118.80
3	B	800	HCZ	O03-S02-N01	-15.75	84.64	107.35
3	B	262	HCZ	O03-S02-N01	-15.40	85.14	107.35
3	H	800	HCZ	C05-S02-N01	15.27	135.72	108.28
3	H	800	HCZ	O03-S02-N01	-14.67	86.20	107.35
3	B	800	HCZ	C05-S02-N01	14.47	134.28	108.28
3	B	262	HCZ	C05-S02-N01	13.87	133.21	108.28
3	H	800	HCZ	C07-C08-N12	-11.61	115.97	122.57
3	B	800	HCZ	O04-S02-N01	11.18	123.47	107.35
3	H	800	HCZ	O04-S02-N01	11.05	123.28	107.35
3	B	262	HCZ	O04-S02-N01	10.96	123.16	107.35
3	B	800	HCZ	O17-S15-O16	-10.73	107.52	118.44
3	B	800	HCZ	C07-S15-N14	9.81	110.21	102.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	262	HCZ	O17-S15-O16	-9.79	108.47	118.44
3	H	800	HCZ	O17-S15-O16	-9.65	108.62	118.44
3	B	262	HCZ	C07-S15-N14	9.54	110.00	102.40
3	B	800	HCZ	C07-C08-N12	-9.53	117.16	122.57
3	B	262	HCZ	C07-C08-N12	-9.24	117.32	122.57
3	B	800	HCZ	O03-S02-C05	-8.48	94.94	107.26
3	H	800	HCZ	O03-S02-C05	-8.32	95.16	107.26
3	H	800	HCZ	C13-N12-C08	-7.66	112.81	122.47
3	H	800	HCZ	C07-S15-N14	7.35	108.25	102.40
3	B	262	HCZ	O03-S02-C05	-6.96	97.14	107.26
3	B	800	HCZ	C13-N12-C08	-5.66	115.33	122.47
3	B	262	HCZ	O17-S15-N14	5.59	113.06	107.92
3	B	262	HCZ	C13-N12-C08	-5.50	115.53	122.47
3	H	800	HCZ	O17-S15-N14	5.40	112.89	107.92
3	H	800	HCZ	C06-C05-S02	-4.73	112.60	118.26
3	B	800	HCZ	O17-S15-N14	4.42	111.99	107.92
3	H	800	HCZ	O04-S02-C05	-4.39	100.88	107.26
3	H	800	HCZ	C06-C05-C10	3.93	122.44	118.33
3	B	800	HCZ	O04-S02-C05	-3.60	102.03	107.26
3	B	800	HCZ	C06-C05-C10	3.55	122.06	118.33
3	H	800	HCZ	C07-C06-C05	-3.48	117.35	120.89
3	B	262	HCZ	C06-C05-S02	-3.08	114.58	118.26
3	B	800	HCZ	C06-C05-S02	-2.80	114.91	118.26
3	B	262	HCZ	C06-C05-C10	2.79	121.26	118.33
3	H	800	HCZ	C09-C08-N12	2.78	122.22	120.00
3	B	262	HCZ	C09-C08-N12	2.57	122.05	120.00
3	H	800	HCZ	C09-C08-C07	2.53	121.73	118.33
3	B	262	HCZ	O04-S02-C05	-2.51	103.62	107.26
3	H	800	HCZ	O16-S15-C07	-2.43	106.26	109.30
3	B	800	HCZ	C07-C06-C05	-2.35	118.50	120.89
3	B	800	HCZ	C09-C10-C05	-2.19	119.24	121.36
2	E	400	GLU	OXT-C-O	-2.15	119.20	124.08
3	B	800	HCZ	C09-C08-C07	2.15	121.21	118.33
3	B	262	HCZ	O16-S15-C07	-2.12	106.66	109.30
2	B	400	GLU	OXT-C-O	-2.05	119.44	124.08
2	H	400	GLU	OXT-C-O	-2.04	119.45	124.08
3	B	800	HCZ	C09-C08-N12	2.02	121.61	120.00

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	800	HCZ	C06-C05-S02-O04
3	B	800	HCZ	C10-C05-S02-O04
3	B	262	HCZ	C10-C05-S02-O04
3	H	800	HCZ	C06-C05-S02-N01
3	H	800	HCZ	C10-C05-S02-N01
3	H	800	HCZ	C10-C05-S02-O04
3	B	262	HCZ	C06-C05-S02-O04
3	B	800	HCZ	C10-C05-S02-N01
3	H	800	HCZ	C06-C05-S02-O04
3	B	262	HCZ	C10-C05-S02-N01
3	B	800	HCZ	C06-C05-S02-N01
2	B	400	GLU	O-C-CA-CB
2	E	400	GLU	O-C-CA-CB
2	E	400	GLU	OXT-C-CA-CB
2	H	400	GLU	O-C-CA-CB


There are no ring outliers.

3 monomers are involved in 19 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	800	HCZ	6	0
3	B	262	HCZ	6	0
3	H	800	HCZ	7	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand HCZ B 800



Ligand HCZ B 262





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	B	258/258 (100%)	-0.02	4 (1%) 70 73	20, 31, 51, 56	0
1	E	258/258 (100%)	-0.07	4 (1%) 70 73	19, 30, 48, 63	0
1	H	258/258 (100%)	-0.18	2 (0%) 82 84	18, 26, 45, 62	0
All	All	774/774 (100%)	-0.09	10 (1%) 75 77	18, 29, 49, 63	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	66	ALA	2.9
1	B	261	CYS	2.7
1	B	24	GLU	2.6
1	H	139	ASP	2.6
1	B	256	TYR	2.4
1	E	131	THR	2.3
1	H	27	GLU	2.3
1	B	257	ASP	2.3
1	E	42	GLU	2.1
1	E	261	CYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	ZN	H	1	1/1	0.48	0.25	31,31,31,31	0
3	HCZ	B	262	17/17	0.52	0.19	32,49,66,71	0
3	HCZ	H	800	17/17	0.58	0.20	26,46,67,76	0
3	HCZ	B	800	17/17	0.60	0.18	33,48,70,70	0
4	ZN	H	2	1/1	0.75	0.13	42,42,42,42	0
4	ZN	E	3	1/1	0.87	0.10	42,42,42,42	0
4	ZN	E	262	1/1	0.88	0.09	46,46,46,46	0
4	ZN	B	2	1/1	0.93	0.26	43,43,43,43	0
2	GLU	E	400	10/10	0.94	0.06	23,24,28,29	0
2	GLU	B	400	10/10	0.95	0.07	20,24,27,28	0
2	GLU	H	400	10/10	0.96	0.05	18,21,26,26	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HCZ B 262:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HCZ H 800:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.