



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 03:35 AM UTC

PDB ID : 1ILH / pdb_00001ilh
Title : Crystal Structure of Human Pregnane X Receptor Ligand Binding Domain Bound to SR12813
Authors : Watkins, R.E.; Redinbo, M.R.
Deposited on : 2001-05-08
Resolution : 2.76 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.76 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1009 (2.76-2.76)
Clashscore	190562	1044 (2.76-2.76)
Ramachandran outliers	187476	1024 (2.76-2.76)
Sidechain outliers	187428	1024 (2.76-2.76)
RSRZ outliers	180081	1009 (2.76-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	316	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SRL	A	1[C]	-	-	X	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2406 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ORPHAN NUCLEAR RECEPTOR PXR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	270	2141	1383	364	377	17	0	0	0

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	119	MET	-	expression tag	UNP O75469
A	120	LYS	-	expression tag	UNP O75469
A	121	LYS	-	expression tag	UNP O75469
A	122	GLY	-	expression tag	UNP O75469
A	123	HIS	-	expression tag	UNP O75469
A	124	HIS	-	expression tag	UNP O75469
A	125	HIS	-	expression tag	UNP O75469
A	126	HIS	-	expression tag	UNP O75469
A	127	HIS	-	expression tag	UNP O75469
A	128	HIS	-	expression tag	UNP O75469
A	129	GLY	-	expression tag	UNP O75469

- Molecule 2 is [2-(3,5-DI-TERT-BUTYL-4-HYDROXY-PHENYL)-1-(DIETHOXY-PHOSPHORYL)-VINYL]-PHOSPHONIC ACID DIETHYL ESTER (CCD ID: SRL) (formula: C₂₄H₄₂O₇P₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	P	0	1
			99	72	21	6		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	166	Total	O	0	0
			166	166		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ORPHAN NUCLEAR RECEPTOR PXR



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	91.34Å 91.34Å 85.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.86 – 2.76 19.86 – 2.76	Depositor EDS
% Data completeness (in resolution range)	99.2 (19.86-2.76) 99.0 (19.86-2.76)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.93 (at 2.75Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.222 , 0.282 0.232 , 0.291	Depositor DCC
R_{free} test set	997 reflections (10.33%)	wwPDB-VP
Wilson B-factor (Å ²)	48.3	Xtriage
Anisotropy	0.312	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 47.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	2406	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.39% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SRL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.47	0/2189	1.01	15/2954 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	358	GLN	OE1-CD-NE2	-9.77	112.83	122.60
1	A	236	ILE	N-CA-C	-9.48	101.83	111.88
1	A	232	GLY	N-CA-C	-7.41	95.63	113.18
1	A	383	GLN	CA-C-N	6.74	127.29	119.47
1	A	383	GLN	C-N-CA	6.74	127.29	119.47
1	A	358	GLN	CG-CD-NE2	6.63	126.34	116.40
1	A	263	TYR	N-CA-C	-6.53	104.21	111.71
1	A	209	LEU	N-CA-C	-6.49	101.66	110.68
1	A	407	HIS	N-CA-C	6.49	118.44	111.36
1	A	200	SER	N-CA-C	-6.37	104.77	113.30
1	A	317	GLN	N-CA-C	-6.36	106.11	114.31
1	A	344	GLN	N-CA-C	-5.99	105.05	112.90
1	A	212	SER	N-CA-C	-5.93	101.75	110.52
1	A	383	GLN	N-CA-C	5.22	117.29	110.08
1	A	203	ARG	N-CA-C	-5.01	106.86	112.87

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	407	HIS	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2141	0	2109	187	1
2	A	99	0	123	50	0
3	A	166	0	0	11	1
All	All	2406	0	2232	192	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 43.

All (192) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:323:MET:CG	2:A:1[C]:SRL:H161	1.72	1.18
1:A:323:MET:HG2	2:A:1[C]:SRL:C16	1.77	1.14
1:A:281:PHE:HD1	2:A:1[A]:SRL:H153	1.17	1.08
1:A:243:MET:HB3	2:A:1[C]:SRL:H263	1.07	1.04
1:A:243:MET:SD	2:A:1[A]:SRL:H303	2.02	0.99
1:A:159:MET:HE3	1:A:160:LYS:HG3	1.45	0.98
1:A:243:MET:CB	2:A:1[C]:SRL:H263	1.93	0.96
1:A:288:PHE:CD1	2:A:1[C]:SRL:H332	2.01	0.96
1:A:431:ILE:H	1:A:431:ILE:HD12	1.31	0.95
1:A:158:GLN:HG3	1:A:341:VAL:HG22	1.49	0.95
1:A:211:VAL:HG21	2:A:1[A]:SRL:H263	1.50	0.92
1:A:281:PHE:CD1	2:A:1[A]:SRL:H153	2.05	0.92
1:A:407:HIS:NE2	2:A:1[C]:SRL:H143	1.87	0.88
1:A:278:GLY:HA3	1:A:353:ARG:HD3	1.56	0.86
1:A:206:LEU:H	1:A:206:LEU:HD12	1.38	0.85
1:A:154:LEU:HB3	1:A:341:VAL:CG1	2.08	0.84
1:A:269:ILE:H	1:A:269:ILE:HD12	1.47	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:243:MET:HB3	2:A:1[C]:SRL:C26	2.03	0.78
1:A:246:MET:HE2	1:A:250:MET:HG2	1.65	0.78
1:A:407:HIS:CE1	2:A:1[C]:SRL:O11	2.39	0.76
1:A:205:ASP:HB3	1:A:410:ARG:HD3	1.67	0.76
1:A:210:LYS:HE3	1:A:210:LYS:HA	1.68	0.76
1:A:144:THR:H	1:A:147:GLN:NE2	1.84	0.75
1:A:285:GLN:HE22	2:A:1[C]:SRL:H321	1.52	0.75
1:A:282:GLU:HG2	1:A:400:LEU:HG	1.69	0.74
1:A:154:LEU:HB3	1:A:341:VAL:HG11	1.69	0.74
2:A:1[B]:SRL:H292	2:A:1[B]:SRL:O20	1.89	0.73
1:A:406:GLN:HE22	1:A:410:ARG:HH21	1.37	0.72
1:A:243:MET:SD	2:A:1[A]:SRL:H261	2.30	0.71
1:A:230:ASP:C	1:A:232:GLY:H	1.95	0.71
1:A:257:PHE:O	1:A:260:VAL:HG12	1.90	0.71
1:A:214:GLN:HE21	1:A:216:ARG:HH11	1.39	0.71
1:A:250:MET:HG3	1:A:288:PHE:CE1	2.25	0.71
1:A:154:LEU:HB3	1:A:341:VAL:HG12	1.73	0.70
1:A:254:ILE:HD11	1:A:287:ARG:HD2	1.72	0.70
1:A:431:ILE:HD12	1:A:431:ILE:N	2.03	0.70
1:A:210:LYS:HB3	1:A:309:GLU:HB2	1.74	0.69
1:A:318:LEU:O	1:A:318:LEU:HD23	1.92	0.69
1:A:242:HIS:HD2	1:A:243:MET:HE2	1.57	0.69
1:A:353:ARG:O	1:A:356:VAL:HG23	1.92	0.69
1:A:155:MET:SD	1:A:341:VAL:HG21	2.34	0.68
1:A:285:GLN:HE22	2:A:1[C]:SRL:C32	2.06	0.67
1:A:144:THR:OG1	1:A:146:GLU:HG2	1.95	0.67
1:A:323:MET:HB3	2:A:1[C]:SRL:H151	1.76	0.66
1:A:357:LEU:HD23	1:A:357:LEU:N	2.10	0.66
1:A:288:PHE:HB3	2:A:1[A]:SRL:C33	2.26	0.66
1:A:261:ILE:HG22	1:A:262:SER:N	2.11	0.65
1:A:246:MET:HE1	1:A:249:TYR:HD2	1.63	0.64
1:A:343:MET:HB2	1:A:397:LEU:HD11	1.78	0.63
1:A:323:MET:HG2	2:A:1[C]:SRL:H161	0.80	0.63
1:A:239:LEU:O	1:A:243:MET:HG2	1.98	0.62
1:A:264:PHE:HB3	3:A:1597:HOH:O	1.99	0.62
1:A:333:LEU:HD11	1:A:396:MET:HE3	1.82	0.61
1:A:407:HIS:HE1	2:A:1[C]:SRL:O11	1.84	0.61
1:A:285:GLN:HA	2:A:1[C]:SRL:H333	1.83	0.61
1:A:254:ILE:CD1	1:A:287:ARG:HD2	2.29	0.61
2:A:1[B]:SRL:H233	2:A:1[B]:SRL:H142	1.82	0.61
1:A:144:THR:O	1:A:148:ARG:HG3	2.01	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:288:PHE:HB3	2:A:1[A]:SRL:H331	1.82	0.60
1:A:285:GLN:NE2	2:A:1[C]:SRL:H321	2.17	0.59
1:A:230:ASP:C	1:A:232:GLY:N	2.54	0.59
1:A:401:ARG:NH2	3:A:1464:HOH:O	2.35	0.58
1:A:250:MET:HE2	1:A:288:PHE:CD1	2.39	0.58
1:A:202:VAL:C	1:A:204:LYS:H	2.12	0.58
1:A:321:GLU:HB3	1:A:324:LEU:HD23	1.86	0.57
1:A:243:MET:HE1	1:A:306:TYR:CE2	2.39	0.57
1:A:296:THR:O	1:A:298:THR:HG23	2.04	0.57
1:A:406:GLN:NE2	1:A:410:ARG:HH21	2.01	0.57
1:A:417:ILE:HD12	1:A:418:HIS:N	2.20	0.56
1:A:359:HIS:HA	1:A:362:VAL:HG12	1.87	0.56
1:A:383:GLN:CD	1:A:383:GLN:H	2.13	0.56
1:A:298:THR:HG22	1:A:307:CYS:HA	1.87	0.56
1:A:410:ARG:HD2	2:A:1[C]:SRL:H183	1.88	0.56
1:A:406:GLN:HE22	1:A:410:ARG:NH2	2.02	0.56
1:A:202:VAL:HG22	1:A:413:ARG:NH1	2.21	0.55
1:A:299:TRP:CE2	2:A:1[A]:SRL:H332	2.42	0.55
1:A:261:ILE:O	1:A:262:SER:HB3	2.06	0.54
1:A:293:ASN:C	1:A:293:ASN:HD22	2.15	0.54
1:A:334:GLN:HA	3:A:1471:HOH:O	2.06	0.54
1:A:361:VAL:HG23	3:A:1433:HOH:O	2.06	0.54
1:A:202:VAL:C	1:A:204:LYS:N	2.65	0.54
1:A:300:GLU:HG3	3:A:1525:HOH:O	2.07	0.54
1:A:230:ASP:O	1:A:232:GLY:N	2.42	0.53
1:A:243:MET:SD	2:A:1[A]:SRL:C30	2.87	0.53
1:A:293:ASN:ND2	1:A:295:GLU:H	2.06	0.53
1:A:382:PRO:HD2	1:A:383:GLN:HE22	1.74	0.53
1:A:146:GLU:H	1:A:146:GLU:CD	2.15	0.53
1:A:242:HIS:CD2	1:A:243:MET:HE2	2.41	0.53
1:A:250:MET:HE2	1:A:288:PHE:CE1	2.44	0.53
1:A:337:GLU:O	1:A:341:VAL:HG23	2.09	0.52
1:A:357:LEU:N	1:A:357:LEU:CD2	2.72	0.52
1:A:284:CYS:SG	2:A:1[A]:SRL:C16	2.97	0.52
2:A:1[B]:SRL:H322	2:A:1[B]:SRL:HC4	1.90	0.52
1:A:323:MET:HB2	2:A:1[C]:SRL:H141	1.90	0.52
1:A:144:THR:H	1:A:147:GLN:HE21	1.53	0.51
2:A:1[C]:SRL:H251	2:A:1[C]:SRL:C7	2.41	0.51
1:A:285:GLN:NE2	2:A:1[C]:SRL:C32	2.73	0.51
1:A:261:ILE:HG22	1:A:262:SER:H	1.76	0.51
1:A:323:MET:HE3	1:A:323:MET:HA	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:381:ARG:HA	1:A:383:GLN:NE2	2.26	0.50
1:A:355:GLY:O	1:A:357:LEU:HD23	2.11	0.50
1:A:243:MET:C	2:A:1[C]:SRL:H262	2.37	0.50
1:A:324:LEU:HD21	2:A:1[B]:SRL:H161	1.94	0.50
1:A:417:ILE:HD12	1:A:418:HIS:HB2	1.94	0.50
1:A:260:VAL:HG22	1:A:260:VAL:O	2.13	0.49
1:A:299:TRP:CZ3	1:A:308:LEU:HD13	2.47	0.49
1:A:273:ILE:O	1:A:277:LYS:HG3	2.12	0.49
1:A:417:ILE:HD12	1:A:417:ILE:C	2.38	0.48
1:A:288:PHE:CD2	2:A:1[A]:SRL:H333	2.48	0.48
1:A:407:HIS:CD2	2:A:1[C]:SRL:H143	2.47	0.48
1:A:157:ALA:HB1	1:A:260:VAL:CG1	2.43	0.48
1:A:158:GLN:HG3	1:A:341:VAL:CG2	2.33	0.48
1:A:278:GLY:CA	1:A:353:ARG:HD3	2.38	0.48
1:A:155:MET:HE1	1:A:337:GLU:HB3	1.96	0.48
1:A:359:HIS:HA	1:A:362:VAL:CG1	2.44	0.48
1:A:336:HIS:CD2	1:A:381:ARG:HH12	2.32	0.47
1:A:383:GLN:HG2	1:A:386:HIS:ND1	2.29	0.47
1:A:246:MET:CE	1:A:249:TYR:HD2	2.28	0.47
1:A:407:HIS:CE1	2:A:1[C]:SRL:H143	2.48	0.47
1:A:342:LEU:HD13	1:A:373:LEU:HA	1.96	0.47
1:A:210:LYS:HA	1:A:210:LYS:CE	2.41	0.47
1:A:324:LEU:HD13	2:A:1[B]:SRL:H151	1.96	0.47
1:A:293:ASN:HD21	1:A:295:GLU:HB2	1.78	0.47
1:A:353:ARG:HH12	1:A:401:ARG:CD	2.28	0.47
1:A:143:LEU:HA	1:A:147:GLN:NE2	2.30	0.47
1:A:213:LEU:HB3	1:A:225:TYR:HB3	1.96	0.46
1:A:318:LEU:HA	1:A:320:LEU:CD2	2.45	0.46
1:A:157:ALA:HB1	1:A:260:VAL:HG13	1.97	0.46
1:A:318:LEU:C	1:A:320:LEU:H	2.23	0.46
1:A:285:GLN:OE1	2:A:1[C]:SRL:C33	2.63	0.46
1:A:205:ASP:C	1:A:207:CYS:H	2.23	0.46
1:A:163:ASP:HB3	1:A:249:TYR:OH	2.15	0.46
1:A:281:PHE:O	1:A:285:GLN:HB2	2.15	0.46
1:A:304:LEU:HD23	1:A:305:SER:H	1.81	0.46
1:A:284:CYS:HB3	2:A:1[A]:SRL:H161	1.98	0.46
1:A:353:ARG:HD2	3:A:1428:HOH:O	2.15	0.46
1:A:211:VAL:HA	1:A:307:CYS:O	2.16	0.45
1:A:284:CYS:SG	2:A:1[A]:SRL:H161	2.55	0.45
1:A:284:CYS:SG	2:A:1[A]:SRL:H163	2.56	0.45
1:A:319:LEU:HA	3:A:1432:HOH:O	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:392:LYS:O	1:A:396:MET:HB2	2.16	0.45
1:A:382:PRO:HD2	1:A:383:GLN:NE2	2.30	0.45
1:A:298:THR:HG22	1:A:307:CYS:SG	2.57	0.45
1:A:310:ASP:C	1:A:312:ALA:N	2.73	0.45
1:A:351:PRO:HB3	1:A:362:VAL:HG13	1.97	0.45
1:A:210:LYS:CB	1:A:309:GLU:HB2	2.45	0.45
1:A:430:GLY:O	1:A:431:ILE:C	2.60	0.45
1:A:198:LYS:C	1:A:200:SER:H	2.25	0.45
1:A:324:LEU:CD2	2:A:1[B]:SRL:H161	2.47	0.45
1:A:330:LEU:HD12	1:A:333:LEU:HD12	1.98	0.45
1:A:143:LEU:HD12	1:A:375:SER:HB3	1.98	0.44
1:A:240:LEU:HB2	1:A:241:PRO:HD3	2.00	0.44
1:A:299:TRP:CD1	2:A:1[A]:SRL:C33	3.01	0.44
1:A:250:MET:HG3	1:A:288:PHE:HE1	1.81	0.44
1:A:246:MET:O	1:A:246:MET:HE3	2.18	0.43
1:A:291:VAL:HB	1:A:300:GLU:O	2.18	0.43
1:A:292:PHE:O	1:A:331:LYS:HE2	2.18	0.43
1:A:362:VAL:HG13	1:A:363:ASP:N	2.34	0.43
1:A:213:LEU:HD23	1:A:214:GLN:N	2.34	0.43
1:A:326:PHE:CZ	1:A:400:LEU:HD13	2.54	0.43
1:A:420:PHE:CZ	2:A:1[B]:SRL:H301	2.53	0.43
1:A:315:PHE:C	1:A:317:GLN:H	2.27	0.43
1:A:399:GLU:HG2	3:A:1477:HOH:O	2.18	0.43
1:A:281:PHE:HE1	2:A:1[C]:SRL:O27	2.02	0.43
1:A:321:GLU:CG	1:A:324:LEU:HD23	2.49	0.43
1:A:408:THR:HG23	1:A:429:PHE:HD2	1.84	0.43
1:A:315:PHE:O	1:A:317:GLN:N	2.52	0.43
1:A:295:GLU:HA	1:A:295:GLU:OE1	2.19	0.42
1:A:226:LYS:HD3	1:A:227:PRO:O	2.19	0.42
1:A:243:MET:HE1	1:A:306:TYR:HE2	1.81	0.42
1:A:319:LEU:HD12	3:A:1432:HOH:O	2.20	0.42
1:A:288:PHE:CD1	2:A:1[C]:SRL:C33	2.90	0.42
1:A:293:ASN:C	1:A:293:ASN:ND2	2.78	0.42
1:A:367:GLU:O	1:A:371:ILE:HG13	2.19	0.42
1:A:282:GLU:O	1:A:286:LEU:HG	2.19	0.42
1:A:321:GLU:HG2	1:A:324:LEU:HD23	2.01	0.42
1:A:155:MET:HE1	1:A:337:GLU:CB	2.50	0.42
1:A:387:ARG:O	1:A:388:PHE:HB2	2.19	0.42
1:A:228:PRO:HB2	1:A:229:ALA:H	1.74	0.42
2:A:1[A]:SRL:O28	2:A:1[A]:SRL:H252	2.18	0.42
1:A:285:GLN:OE1	2:A:1[C]:SRL:H321	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:321:GLU:CB	1:A:324:LEU:HD23	2.48	0.41
1:A:245:ASP:HA	3:A:1455:HOH:O	2.20	0.41
1:A:143:LEU:CD1	1:A:375:SER:HB3	2.51	0.41
1:A:269:ILE:HD12	1:A:269:ILE:N	2.26	0.41
1:A:288:PHE:HB3	2:A:1[A]:SRL:H333	2.02	0.41
1:A:202:VAL:HG22	1:A:413:ARG:HH11	1.86	0.41
1:A:157:ALA:CB	1:A:260:VAL:HG13	2.50	0.41
1:A:205:ASP:HB3	1:A:410:ARG:CD	2.43	0.41
1:A:216:ARG:NH2	1:A:302:GLY:O	2.54	0.41
1:A:303:ARG:NH2	3:A:1574:HOH:O	2.53	0.41
1:A:319:LEU:HD12	1:A:319:LEU:N	2.37	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:358:GLN:OE1	3:A:1600:HOH:O[6_465]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	266/316 (84%)	232 (87%)	25 (9%)	9 (3%)	3 5

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	261	ILE
1	A	316	GLN
1	A	233	GLY
1	A	262	SER
1	A	430	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	228	PRO
1	A	231	SER
1	A	420	PHE
1	A	230	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	225/279 (81%)	210 (93%)	15 (7%)	15	28

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	146	GLU
1	A	174	LEU
1	A	206	LEU
1	A	210	LYS
1	A	211	VAL
1	A	224	ASN
1	A	269	ILE
1	A	293	ASN
1	A	304	LEU
1	A	331	LYS
1	A	332	LYS
1	A	357	LEU
1	A	391	LEU
1	A	399	GLU
1	A	431	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	147	GLN
1	A	214	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	224	ASN
1	A	272	GLN
1	A	293	ASN
1	A	366	GLN
1	A	368	GLN
1	A	383	GLN
1	A	407	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SRL	A	1[B]	-	30,33,33	2.34	11 (36%)	40,50,50	2.61	15 (37%)
2	SRL	A	1[C]	-	30,33,33	2.29	11 (36%)	40,50,50	2.76	14 (35%)
2	SRL	A	1[A]	-	30,33,33	1.92	6 (20%)	40,50,50	2.61	14 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SRL	A	1[B]	-	-	14/36/44/44	0/1/1/1
2	SRL	A	1[C]	-	-	14/36/44/44	0/1/1/1
2	SRL	A	1[A]	-	-	15/36/44/44	0/1/1/1

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1[C]	SRL	C2-C3	6.01	1.49	1.41
2	A	1[B]	SRL	C4-C3	5.17	1.46	1.39
2	A	1[A]	SRL	P9-O20	4.82	1.52	1.46
2	A	1[C]	SRL	P9-O20	4.55	1.51	1.46
2	A	1[B]	SRL	C2-C3	4.38	1.47	1.41
2	A	1[B]	SRL	P10-O27	-4.14	1.41	1.46
2	A	1[B]	SRL	C6-C1	4.12	1.45	1.39
2	A	1[C]	SRL	C13-C3	4.01	1.61	1.54
2	A	1[A]	SRL	C2-C3	3.91	1.46	1.41
2	A	1[A]	SRL	C4-C3	3.89	1.45	1.39
2	A	1[C]	SRL	C4-C3	3.78	1.44	1.39
2	A	1[B]	SRL	C2-C1	3.72	1.46	1.41
2	A	1[A]	SRL	C2-C1	3.63	1.46	1.41
2	A	1[B]	SRL	P10-O28	3.56	1.66	1.57
2	A	1[B]	SRL	P10-O31	3.41	1.65	1.57
2	A	1[C]	SRL	C5-C7	-3.21	1.41	1.46
2	A	1[C]	SRL	P10-O28	2.92	1.64	1.57
2	A	1[C]	SRL	C12-C1	-2.91	1.49	1.54
2	A	1[B]	SRL	P9-O20	2.88	1.50	1.46
2	A	1[B]	SRL	C13-C3	2.69	1.58	1.54
2	A	1[C]	SRL	O11-C2	-2.53	1.31	1.36
2	A	1[A]	SRL	C6-C1	2.27	1.42	1.39
2	A	1[C]	SRL	P9-O21	2.24	1.62	1.57
2	A	1[B]	SRL	C16-C12	2.21	1.60	1.53
2	A	1[C]	SRL	P10-O27	-2.19	1.44	1.46
2	A	1[A]	SRL	O11-C2	-2.16	1.32	1.36
2	A	1[B]	SRL	C18-C13	2.09	1.59	1.53
2	A	1[C]	SRL	C17-C13	2.05	1.59	1.53

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1[C]	SRL	C13-C3-C2	10.11	132.48	121.98

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1[B]	SRL	C13-C3-C2	8.86	131.18	121.98
2	A	1[A]	SRL	C13-C3-C2	8.84	131.15	121.98
2	A	1[C]	SRL	C4-C3-C2	-5.53	111.83	116.87
2	A	1[C]	SRL	O24-P9-O21	5.09	116.49	102.13
2	A	1[A]	SRL	O24-P9-O21	4.65	115.24	102.13
2	A	1[A]	SRL	C4-C3-C2	-4.64	112.64	116.87
2	A	1[B]	SRL	C3-C2-C1	4.56	126.81	122.61
2	A	1[C]	SRL	C12-C1-C2	4.55	126.71	121.98
2	A	1[B]	SRL	O21-P9-O20	-4.53	103.40	115.00
2	A	1[A]	SRL	O24-P9-O20	-4.45	103.61	115.00
2	A	1[A]	SRL	C3-C2-C1	4.45	126.70	122.61
2	A	1[B]	SRL	O31-P10-O27	-4.33	103.90	115.00
2	A	1[B]	SRL	C4-C3-C2	-4.30	112.96	116.87
2	A	1[C]	SRL	O21-P9-O20	-4.27	104.07	115.00
2	A	1[A]	SRL	O21-P9-O20	-4.24	104.13	115.00
2	A	1[B]	SRL	O24-P9-O21	4.23	114.07	102.13
2	A	1[A]	SRL	C12-C1-C2	4.12	126.26	121.98
2	A	1[C]	SRL	O24-P9-O20	-3.85	105.15	115.00
2	A	1[B]	SRL	O24-P9-O20	-3.77	105.35	115.00
2	A	1[C]	SRL	C3-C2-C1	3.77	126.08	122.61
2	A	1[A]	SRL	C6-C1-C2	-3.75	113.45	116.87
2	A	1[B]	SRL	C6-C1-C2	-3.65	113.55	116.87
2	A	1[C]	SRL	P10-O31-C32	-3.53	110.22	121.87
2	A	1[A]	SRL	P10-O28-C29	-3.39	110.67	121.87
2	A	1[B]	SRL	C12-C1-C2	3.36	125.47	121.98
2	A	1[C]	SRL	C18-C13-C3	3.18	116.92	110.87
2	A	1[B]	SRL	C18-C13-C3	3.07	116.72	110.87
2	A	1[B]	SRL	P10-O28-C29	-2.99	111.98	121.87
2	A	1[A]	SRL	C18-C13-C3	2.96	116.50	110.87
2	A	1[A]	SRL	P10-O31-C32	-2.94	112.16	121.87
2	A	1[C]	SRL	C6-C1-C2	-2.92	114.21	116.87
2	A	1[B]	SRL	P10-O31-C32	-2.90	112.30	121.87
2	A	1[C]	SRL	P9-O24-C25	-2.81	112.61	121.87
2	A	1[C]	SRL	P10-O28-C29	-2.74	112.83	121.87
2	A	1[C]	SRL	O31-P10-O27	-2.71	108.05	115.00
2	A	1[C]	SRL	P9-O21-C22	-2.62	113.20	121.87
2	A	1[B]	SRL	P9-O21-C22	-2.49	113.66	121.87
2	A	1[B]	SRL	P9-O24-C25	-2.43	113.83	121.87
2	A	1[A]	SRL	P9-O21-C22	-2.38	114.02	121.87
2	A	1[A]	SRL	O28-P10-O27	-2.36	108.95	115.00
2	A	1[B]	SRL	C16-C12-C1	2.14	114.94	110.87
2	A	1[A]	SRL	C16-C12-C1	2.08	114.83	110.87

There are no chirality outliers.

All (43) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1[A]	SRL	C4-C5-C7-C8
2	A	1[A]	SRL	C6-C5-C7-C8
2	A	1[A]	SRL	C5-C7-C8-P9
2	A	1[A]	SRL	C5-C7-C8-P10
2	A	1[A]	SRL	C7-C8-P9-O21
2	A	1[B]	SRL	C5-C7-C8-P9
2	A	1[B]	SRL	C5-C7-C8-P10
2	A	1[B]	SRL	C7-C8-P9-O21
2	A	1[B]	SRL	C25-O24-P9-C8
2	A	1[C]	SRL	C5-C7-C8-P9
2	A	1[C]	SRL	C5-C7-C8-P10
2	A	1[C]	SRL	C7-C8-P9-O21
2	A	1[C]	SRL	C25-O24-P9-C8
2	A	1[C]	SRL	C18-C13-C3-C2
2	A	1[A]	SRL	C18-C13-C3-C2
2	A	1[B]	SRL	C18-C13-C3-C2
2	A	1[A]	SRL	C19-C13-C3-C2
2	A	1[B]	SRL	C19-C13-C3-C2
2	A	1[C]	SRL	C17-C13-C3-C2
2	A	1[A]	SRL	C17-C13-C3-C2
2	A	1[C]	SRL	C19-C13-C3-C2
2	A	1[B]	SRL	C17-C13-C3-C2
2	A	1[B]	SRL	C22-O21-P9-O20
2	A	1[A]	SRL	C18-C13-C3-C4
2	A	1[C]	SRL	C18-C13-C3-C4
2	A	1[B]	SRL	C29-O28-P10-O27
2	A	1[B]	SRL	C18-C13-C3-C4
2	A	1[A]	SRL	C22-O21-P9-O20
2	A	1[C]	SRL	C25-O24-P9-O20
2	A	1[B]	SRL	C29-O28-P10-O31
2	A	1[C]	SRL	C4-C5-C7-C8
2	A	1[C]	SRL	C6-C5-C7-C8
2	A	1[B]	SRL	C22-O21-P9-O24
2	A	1[A]	SRL	C25-O24-P9-C8
2	A	1[C]	SRL	C19-C13-C3-C4
2	A	1[A]	SRL	C17-C13-C3-C4
2	A	1[B]	SRL	C17-C13-C3-C4
2	A	1[C]	SRL	C17-C13-C3-C4
2	A	1[A]	SRL	C19-C13-C3-C4
2	A	1[B]	SRL	C19-C13-C3-C4

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	1[A]	SRL	C22-O21-P9-O24
2	A	1[C]	SRL	C7-C8-P9-O24
2	A	1[A]	SRL	C29-O28-P10-O31

There are no ring outliers.


3 monomers are involved in 50 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1[B]	SRL	7	0
2	A	1[C]	SRL	26	0
2	A	1[A]	SRL	17	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand SRL A 1 (C)





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	270/316 (85%)	0.03	12 (4%) 39 38	26, 43, 84, 94	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	233	GLY	5.0
1	A	231	SER	4.3
1	A	311	THR	3.3
1	A	358	GLN	3.0
1	A	310	ASP	2.9
1	A	208	SER	2.7
1	A	209	LEU	2.6
1	A	230	ASP	2.6
1	A	312	ALA	2.6
1	A	199	TRP	2.5
1	A	315	PHE	2.3
1	A	202	VAL	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,




median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SRL	A	1[A]	33/33	0.86	0.26	50,58,63,64	33
2	SRL	A	1[B]	33/33	0.86	0.26	53,56,57,58	33
2	SRL	A	1[C]	33/33	0.86	0.26	46,48,51,51	33

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around SRL A 1 (A):

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SRL A 1 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around SRL A 1 (C):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.