



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:59 PM UTC

PDB ID : 2IND / pdb\_00002ind  
Title : Mn(II) Reconstituted Toluene/o-xylene Monooxygenase Hydroxylase X-ray  
Crystal Structure  
Authors : McCormick, M.S.; Sazinsky, M.H.; Condon, K.L.; Lippard, S.J.  
Deposited on : 2006-10-06  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 2.0  
EDS : 3.0  
Buster-report : wwPDB partial adaption of 1.1.7 (2018)  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	491	
2	B	323	
3	C	83	

## 2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 7508 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Toluene, o-xylene monooxygenase oxygenase subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	491	4019	2565	674	754	26	0	0	0

- Molecule 2 is a protein called Toluene, o-xylene monooxygenase oxygenase subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	323	2650	1680	468	492	10	0	0	0

- Molecule 3 is a protein called TouB protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	83	677	425	120	127	5	0	0	0

- Molecule 4 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Mn	0	0
			2	2		

- Molecule 5 is HEXAETHYLENE GLYCOL (CCD ID: P6G) (formula: C<sub>12</sub>H<sub>26</sub>O<sub>7</sub>).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	C O	0	0
			19	12 7		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	70	Total	O	0	0
			70	70		
6	B	67	Total	O	0	0
			67	67		
6	C	4	Total	O	0	0
			4	4		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Toluene, o-xylene monooxygenase oxygenase subunit




- Molecule 2: Toluene, o-xylene monooxygenase oxygenase subunit



- Molecule 3: TouB protein





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	182.52Å 182.52Å 67.79Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.00 – 2.20 30.00 – 2.20	Depositor EDS
% Data completeness (in resolution range)	89.0 (30.00-2.20) 88.9 (30.00-2.20)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.87 (at 2.20Å)	Xtrriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.217 , 0.246 0.231 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	35.9	Xtrriage
Anisotropy	0.878	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 41.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.027 for -h,-k,l	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	7508	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	50.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.54% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: P6G, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.42	0/4143	0.92	21/5629 (0.4%)
2	B	0.46	0/2722	0.93	7/3699 (0.2%)
3	C	0.36	0/691	0.89	2/934 (0.2%)
All	All	0.43	0/7556	0.92	30/10262 (0.3%)

There are no bond length outliers.

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	142	LEU	N-CA-C	-8.65	102.65	113.55
2	B	33	THR	N-CA-C	7.61	122.25	109.76
1	A	158	ALA	N-CA-C	-7.26	103.36	111.71
1	A	135	ASN	N-CA-C	-6.65	104.11	111.36
1	A	100	ILE	N-CA-C	6.21	122.25	109.34
3	C	82	ILE	N-CA-C	6.16	118.34	108.85
1	A	237	GLN	N-CA-C	6.15	119.63	111.75
1	A	179	MET	N-CA-C	6.13	118.04	111.36
3	C	41	ARG	N-CA-C	-6.04	104.89	112.93
1	A	167	TRP	N-CA-C	5.95	118.53	111.33
2	B	310	GLY	N-CA-C	5.87	119.75	112.64
1	A	166	GLU	N-CA-C	-5.87	101.72	110.23
1	A	160	LYS	N-CA-C	5.81	118.84	111.69
1	A	201	THR	N-CA-C	5.81	118.39	111.71
2	B	55	GLN	N-CA-C	-5.74	104.94	111.14
1	A	120	ALA	CA-C-N	5.66	125.77	119.32
1	A	120	ALA	C-N-CA	5.66	125.77	119.32
2	B	63	PHE	N-CA-C	5.63	117.42	111.28
2	B	104	LEU	N-CA-C	-5.41	105.42	112.23
2	B	234	LEU	N-CA-C	5.39	118.32	111.69
1	A	180	MET	N-CA-C	5.34	121.34	114.56

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	317	TRP	N-CA-C	5.30	117.74	111.33
2	B	68	LYS	N-CA-C	5.28	118.19	109.85
1	A	15	THR	N-CA-C	-5.26	102.29	109.71
1	A	438	GLN	N-CA-C	5.25	117.00	111.28
1	A	479	GLY	N-CA-C	5.25	118.91	112.14
1	A	5	LYS	N-CA-C	-5.15	102.07	110.20
1	A	390	PRO	N-CA-C	5.09	119.05	111.41
1	A	326	GLU	N-CA-C	5.01	118.81	111.34
1	A	103	GLU	N-CA-C	-5.00	105.93	112.23

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4019	0	3773	106	0
2	B	2650	0	2548	78	0
3	C	677	0	667	35	0
4	A	2	0	0	0	0
5	A	19	0	26	2	0
6	A	70	0	0	3	0
6	B	67	0	0	0	0
6	C	4	0	0	1	0
All	All	7508	0	7014	194	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (194) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:233:ARG:O	1:A:236:GLN:HG2	1.69	0.93
2:B:111:GLN:NE2	2:B:111:GLN:H	1.70	0.89
1:A:131:MET:HE1	2:B:140:VAL:HG23	1.55	0.85

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:398:ASN:HD22	1:A:427:HIS:H	1.25	0.84
1:A:317:TRP:O	1:A:321:MET:HG2	1.78	0.84
2:B:111:GLN:H	2:B:111:GLN:HE21	1.27	0.82
1:A:2:SER:N	2:B:105:ASN:HD22	1.77	0.82
2:B:287:LYS:HB2	2:B:287:LYS:NZ	1.96	0.80
1:A:153:ARG:CZ	2:B:12:LEU:HD21	2.13	0.79
1:A:9:TRP:HB3	2:B:174:ARG:HG3	1.62	0.79
3:C:66:MET:HE3	3:C:71:ALA:HB2	1.64	0.77
3:C:13:ASP:OD1	3:C:42:ARG:HD2	1.86	0.76
2:B:272:VAL:HG21	2:B:328:MET:HE3	1.72	0.72
1:A:139:GLN:HE22	2:B:83:TYR:H	1.37	0.71
1:A:464:LEU:HD22	1:A:464:LEU:H	1.55	0.71
2:B:21:ASN:HD22	2:B:23:ARG:HH12	1.39	0.70
3:C:62:PHE:CD1	3:C:66:MET:HE1	2.26	0.70
2:B:287:LYS:HB2	2:B:287:LYS:HZ3	1.56	0.70
2:B:322:ARG:O	2:B:326:GLN:HG3	1.92	0.70
1:A:7:GLU:H	1:A:7:GLU:CD	1.99	0.70
1:A:289:SER:OG	1:A:292:GLU:HG3	1.92	0.69
1:A:288:GLN:NE2	1:A:293:PHE:HA	2.08	0.69
2:B:327:MET:HA	2:B:327:MET:HE3	1.75	0.68
2:B:43:GLU:H	2:B:43:GLU:CD	2.00	0.68
1:A:413:ASN:OD1	1:A:415:LYS:HE2	1.94	0.67
1:A:418:GLN:HE22	3:C:78:THR:H	1.43	0.66
2:B:168:HIS:HD2	2:B:257:GLN:HE21	1.44	0.66
1:A:203:MET:HG2	1:A:297:TRP:HB3	1.76	0.65
1:A:39:ILE:HB	1:A:44:TRP:NE1	2.10	0.65
1:A:131:MET:CE	2:B:140:VAL:HG23	2.27	0.65
1:A:301:GLN:O	1:A:305:GLN:HG2	1.96	0.65
2:B:224:LEU:HD22	2:B:328:MET:HE1	1.76	0.65
1:A:338:TRP:CD1	1:A:390:PRO:HG3	2.31	0.64
1:A:366:ASN:HA	1:A:370:GLY:HA3	1.80	0.63
2:B:272:VAL:HG21	2:B:328:MET:CE	2.29	0.62
1:A:304:ARG:HH21	1:A:307:LEU:HD23	1.64	0.62
1:A:314:PRO:HD2	1:A:317:TRP:CE3	2.34	0.62
1:A:68:GLY:O	1:A:72:ILE:HG12	2.01	0.61
1:A:304:ARG:NH2	1:A:307:LEU:HD23	2.15	0.61
1:A:398:ASN:ND2	1:A:427:HIS:H	1.98	0.61
1:A:131:MET:HE2	2:B:143:HIS:ND1	2.16	0.61
1:A:464:LEU:HD22	1:A:464:LEU:N	2.16	0.60
3:C:62:PHE:HB3	3:C:66:MET:HE2	1.83	0.60
1:A:113:ARG:HH11	2:B:144:GLN:HE21	1.49	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:204:GLN:HE22	5:A:503:P6G:H121	1.66	0.60
1:A:140:ILE:HG21	1:A:227:ILE:HD11	1.82	0.60
2:B:297:ASP:O	2:B:301:GLU:HG3	2.02	0.60
3:C:12:ARG:HG3	3:C:12:ARG:HH11	1.66	0.60
2:B:54:MET:HE3	2:B:54:MET:HA	1.83	0.59
1:A:193:THR:HA	1:A:197:GLU:OE1	2.03	0.59
1:A:47:TYR:CE1	1:A:240:PRO:HB2	2.38	0.58
1:A:3:MET:SD	2:B:102:ASP:HB2	2.44	0.57
2:B:329:GLY:O	2:B:330:LEU:HB2	2.03	0.57
1:A:131:MET:HE1	2:B:140:VAL:CG2	2.32	0.57
1:A:384:LYS:N	1:A:385:PRO:HD3	2.20	0.57
1:A:367:ASP:CG	1:A:410:ASN:HD22	2.13	0.57
1:A:339:ARG:HG2	1:A:340:PRO:HD3	1.86	0.56
1:A:464:LEU:H	1:A:464:LEU:CD2	2.18	0.56
2:B:172:ARG:NH2	2:B:249:LEU:HD13	2.21	0.56
1:A:39:ILE:HB	1:A:44:TRP:HE1	1.71	0.56
1:A:166:GLU:HA	1:A:471:MET:HB3	1.88	0.56
2:B:201:GLY:HA3	2:B:299:ALA:HA	1.88	0.56
1:A:170:ILE:HD13	1:A:173:ARG:NH2	2.22	0.55
1:A:460:GLN:HA	1:A:461:PRO:C	2.32	0.55
3:C:56:HIS:HD2	3:C:80:ASP:OD1	1.88	0.55
1:A:187:ALA:HB2	1:A:257:MET:HE1	1.88	0.55
1:A:2:SER:N	2:B:105:ASN:ND2	2.52	0.55
1:A:208:LEU:HD13	5:A:503:P6G:H51	1.88	0.55
3:C:52:ARG:HH11	3:C:52:ARG:HG3	1.72	0.55
1:A:337:TYR:O	1:A:390:PRO:HD3	2.06	0.55
2:B:21:ASN:HD22	2:B:23:ARG:NH1	2.03	0.55
3:C:50:ILE:HD12	3:C:50:ILE:N	2.22	0.55
1:A:33:MET:SD	2:B:54:MET:HE1	2.47	0.54
2:B:143:HIS:CD2	2:B:143:HIS:C	2.85	0.54
2:B:172:ARG:HE	2:B:249:LEU:HD22	1.73	0.54
1:A:351:SER:O	1:A:355:ARG:HG3	2.08	0.54
2:B:224:LEU:CD2	2:B:328:MET:HE1	2.37	0.53
3:C:73:LEU:HD22	3:C:77:GLU:HG2	1.91	0.53
1:A:24:THR:OG1	1:A:27:GLU:HG3	2.08	0.53
1:A:37:ARG:NH2	1:A:257:MET:HE1	2.24	0.52
2:B:305:SER:HB3	2:B:314:ILE:HD11	1.92	0.52
2:B:282:ARG:O	2:B:286:GLN:HG3	2.10	0.52
3:C:10:PHE:CE1	3:C:81:ILE:HG21	2.44	0.52
3:C:54:ARG:HB2	3:C:60:THR:O	2.08	0.52
2:B:111:GLN:NE2	2:B:111:GLN:N	2.51	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:168:HIS:CD2	2:B:257:GLN:HE21	2.26	0.51
2:B:249:LEU:C	2:B:249:LEU:HD23	2.35	0.51
1:A:233:ARG:O	1:A:236:GLN:CG	2.53	0.51
1:A:344:TRP:O	1:A:346:PRO:HD3	2.10	0.51
1:A:197:GLU:HA	1:A:201:THR:OG1	2.11	0.50
1:A:417:TYR:HB3	1:A:434:ARG:CZ	2.42	0.50
2:B:14:THR:HG23	2:B:15:TRP:O	2.11	0.50
1:A:416:ASP:OD2	1:A:427:HIS:HD2	1.94	0.50
2:B:107:ARG:HG3	2:B:107:ARG:HH21	1.75	0.50
1:A:377:THR:O	1:A:381:VAL:HG23	2.12	0.50
2:B:59:LYS:HA	2:B:63:PHE:HD2	1.76	0.50
1:A:383:GLY:C	1:A:385:PRO:HD3	2.37	0.50
3:C:74:ARG:O	3:C:77:GLU:HB2	2.12	0.49
3:C:81:ILE:HD12	3:C:81:ILE:N	2.27	0.49
3:C:39:ILE:O	3:C:40:ASN:HB2	2.12	0.49
2:B:154:CYS:HB3	2:B:267:TRP:CE2	2.47	0.49
3:C:27:MET:HE3	3:C:66:MET:CE	2.43	0.49
3:C:63:PRO:HD2	3:C:66:MET:SD	2.53	0.49
3:C:6:ILE:C	3:C:6:ILE:HD12	2.38	0.49
2:B:90:GLN:HA	2:B:90:GLN:OE1	2.13	0.48
2:B:34:ASN:HD22	2:B:34:ASN:N	2.11	0.48
3:C:50:ILE:HG21	3:C:64:ARG:NH1	2.29	0.48
1:A:131:MET:HE2	2:B:143:HIS:CE1	2.49	0.48
1:A:253:GLU:O	1:A:257:MET:HG3	2.13	0.48
1:A:95:LEU:HD13	1:A:344:TRP:CZ3	2.49	0.48
3:C:3:THR:N	6:C:132:HOH:O	2.47	0.48
1:A:76:LEU:O	1:A:79:ASP:HB3	2.14	0.47
2:B:140:VAL:O	2:B:143:HIS:HB3	2.13	0.47
3:C:67:ILE:HG12	3:C:70:ASP:OD2	2.13	0.47
2:B:161:ASP:O	2:B:164:ARG:HB3	2.13	0.47
1:A:137:HIS:CD2	1:A:227:ILE:HD12	2.49	0.47
1:A:367:ASP:OD1	1:A:410:ASN:ND2	2.47	0.47
1:A:33:MET:CE	2:B:54:MET:HE1	2.44	0.47
1:A:116:ARG:HB2	2:B:140:VAL:HG13	1.97	0.47
1:A:114:MET:HA	1:A:185:SER:OG	2.15	0.47
1:A:258:VAL:O	1:A:262:ILE:HG13	2.15	0.47
3:C:28:ASP:OD2	3:C:64:ARG:HB3	2.14	0.47
3:C:62:PHE:HB3	3:C:66:MET:CE	2.44	0.47
1:A:19:THR:O	2:B:203:ARG:NH2	2.48	0.47
1:A:288:GLN:HE22	1:A:293:PHE:HA	1.80	0.47
1:A:33:MET:HE1	2:B:54:MET:HE1	1.97	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:99:ALA:O	1:A:100:ILE:HD12	2.16	0.46
1:A:175:PHE:CE1	1:A:179:MET:HG3	2.50	0.46
3:C:75:PRO:C	3:C:76:THR:HG23	2.41	0.46
1:A:55:TYR:N	1:A:56:PRO:HD2	2.31	0.45
1:A:294:MET:O	1:A:299:VAL:HG23	2.16	0.45
3:C:11:GLU:O	3:C:12:ARG:HB2	2.17	0.45
1:A:338:TRP:C	1:A:340:PRO:HD2	2.41	0.45
1:A:345:ASP:HB3	1:A:482:ALA:HA	1.98	0.45
2:B:108:GLY:O	2:B:112:MET:HE3	2.16	0.45
1:A:100:ILE:HG23	1:A:104:GLU:HG2	1.99	0.45
1:A:336:TRP:CH2	1:A:339:ARG:NH2	2.84	0.45
1:A:281:THR:HG23	6:A:506:HOH:O	2.17	0.45
2:B:204:GLU:CD	2:B:298:LYS:HZ1	2.24	0.45
1:A:103:GLU:OE1	1:A:103:GLU:HA	2.18	0.44
1:A:109:THR:HG23	2:B:144:GLN:HB2	2.00	0.44
1:A:137:HIS:CE1	1:A:227:ILE:HG23	2.53	0.44
2:B:272:VAL:CG2	2:B:328:MET:HE3	2.46	0.44
3:C:51:LEU:HD21	3:C:83:PHE:CE1	2.52	0.44
2:B:12:LEU:N	2:B:12:LEU:HD22	2.32	0.44
2:B:33:THR:HB	2:B:34:ASN:HD22	1.83	0.44
1:A:58:TYR:CZ	1:A:62:GLN:HG3	2.53	0.43
1:A:416:ASP:H	3:C:56:HIS:CE1	2.36	0.43
1:A:416:ASP:HB2	3:C:16:ILE:CD1	2.48	0.43
2:B:27:GLU:O	2:B:31:VAL:HG22	2.17	0.43
3:C:50:ILE:HD13	3:C:85:ASP:HA	2.01	0.43
1:A:318:ASP:N	6:A:549:HOH:O	2.52	0.43
1:A:339:ARG:N	1:A:340:PRO:HD2	2.34	0.43
1:A:197:GLU:HA	1:A:201:THR:HG1	1.83	0.42
3:C:24:GLU:OE2	3:C:24:GLU:HA	2.19	0.42
2:B:36:HIS:HE1	2:B:152:THR:OG1	2.03	0.42
1:A:162:ILE:O	1:A:162:ILE:HG22	2.19	0.42
2:B:133:HIS:O	2:B:136:GLN:HB3	2.18	0.42
2:B:204:GLU:CD	2:B:298:LYS:NZ	2.78	0.42
1:A:17:ASN:CG	1:A:121:PRO:HG3	2.45	0.42
1:A:19:THR:HA	1:A:20:PRO:HD2	1.93	0.42
2:B:104:LEU:HD23	2:B:104:LEU:HA	1.77	0.42
2:B:227:LYS:O	2:B:231:GLU:HG3	2.20	0.42
1:A:353:GLU:H	1:A:353:GLU:CD	2.28	0.42
1:A:265:SER:O	1:A:269:PHE:HB2	2.20	0.42
1:A:274:GLY:HA2	1:A:290:PHE:CG	2.54	0.42
1:A:178:ASP:HA	2:B:48:LEU:HD11	2.02	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:145:ILE:HG13	2:B:145:ILE:O	2.20	0.41
3:C:27:MET:HE3	3:C:66:MET:HE3	2.02	0.41
2:B:94:GLU:OE1	2:B:94:GLU:HA	2.21	0.41
1:A:131:MET:CE	2:B:140:VAL:CG2	2.93	0.41
3:C:12:ARG:HG3	3:C:12:ARG:NH1	2.34	0.41
1:A:422:GLU:OE1	1:A:445:LYS:HD2	2.20	0.41
2:B:204:GLU:OE1	2:B:298:LYS:NZ	2.41	0.41
3:C:21:VAL:HG11	3:C:30:VAL:HG13	2.02	0.41
2:B:58:TYR:O	2:B:62:CYS:HB3	2.21	0.41
1:A:39:ILE:HG22	1:A:43:ALA:HB3	2.02	0.41
1:A:189:SER:O	1:A:193:THR:OG1	2.35	0.41
1:A:228:GLN:HE21	1:A:228:GLN:HB3	1.70	0.41
1:A:288:GLN:NE2	1:A:293:PHE:CA	2.81	0.41
2:B:110:ASP:CG	2:B:172:ARG:HH22	2.29	0.41
2:B:111:GLN:HE21	2:B:111:GLN:N	2.05	0.41
3:C:46:GLN:OE1	3:C:49:LYS:HD2	2.21	0.41
1:A:113:ARG:HD3	2:B:144:GLN:NE2	2.36	0.41
1:A:339:ARG:NH2	1:A:388:THR:O	2.54	0.41
2:B:21:ASN:ND2	2:B:23:ARG:HH12	2.12	0.41
2:B:162:HIS:HE1	2:B:227:LYS:NZ	2.19	0.41
2:B:287:LYS:HB2	2:B:287:LYS:HZ2	1.81	0.40
2:B:330:LEU:N	2:B:330:LEU:HD12	2.36	0.40
1:A:116:ARG:HB2	2:B:140:VAL:CG1	2.52	0.40
2:B:139:SER:OG	2:B:162:HIS:HD2	2.04	0.40
3:C:49:LYS:C	3:C:50:ILE:HD12	2.47	0.40
1:A:318:ASP:O	1:A:322:GLN:HG3	2.22	0.40
1:A:203:MET:HB2	6:A:535:HOH:O	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	489/491 (100%)	459 (94%)	28 (6%)	2 (0%)	30	34
2	B	321/323 (99%)	312 (97%)	9 (3%)	0	100	100
3	C	81/83 (98%)	71 (88%)	9 (11%)	1 (1%)	10	8
All	All	891/897 (99%)	842 (94%)	46 (5%)	3 (0%)	36	42

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	73	LEU
1	A	408	PRO
1	A	327	THR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	417/417 (100%)	409 (98%)	8 (2%)	50	66
2	B	275/275 (100%)	266 (97%)	9 (3%)	33	45
3	C	77/77 (100%)	76 (99%)	1 (1%)	61	76
All	All	769/769 (100%)	751 (98%)	18 (2%)	44	59

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	GLU
1	A	100	ILE
1	A	206	LEU
1	A	236	GLN
1	A	280	TYR
1	A	283	LEU
1	A	408	PRO
1	A	492	GLN
2	B	34	ASN
2	B	43	GLU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	B	89	LEU
2	B	111	GLN
2	B	166	LEU
2	B	174	ARG
2	B	258	LYS
2	B	287	LYS
2	B	327	MET
3	C	17	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (33) such sidechains are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	139	GLN
1	A	228	GLN
1	A	248	ASN
1	A	287	ASN
1	A	288	GLN
1	A	322	GLN
1	A	379	ASN
1	A	398	ASN
1	A	410	ASN
1	A	418	GLN
1	A	483	HIS
1	A	492	GLN
2	B	17	HIS
2	B	21	ASN
2	B	34	ASN
2	B	36	HIS
2	B	41	ASN
2	B	73	ASN
2	B	87	ASN
2	B	93	GLN
2	B	98	GLN
2	B	111	GLN
2	B	144	GLN
2	B	153	ASN
2	B	162	HIS
2	B	168	HIS
2	B	223	ASN
2	B	237	GLN
2	B	286	GLN
2	B	326	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	C	17	GLN
3	C	40	ASN
3	C	56	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	P6G	A	503	-	18,18,18	0.65	0	17,17,17	0.72	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	P6G	A	503	-	-	6/16/16/16	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	A	503	P6G	O10-C11-C12-O13
5	A	503	P6G	O4-C5-C6-O7
5	A	503	P6G	O1-C2-C3-O4
5	A	503	P6G	O16-C17-C18-O19
5	A	503	P6G	O13-C14-C15-O16
5	A	503	P6G	O7-C8-C9-O10

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	503	P6G	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	491/491 (100%)	0.67	22 (4%) 38 35	30, 49, 69, 91	0
2	B	323/323 (100%)	0.43	10 (3%) 51 48	32, 43, 64, 91	0
3	C	83/83 (100%)	1.54	19 (22%) 2 1	49, 70, 87, 99	0
All	All	897/897 (100%)	0.67	51 (5%) 29 26	30, 48, 74, 99	0

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	8	ALA	4.1
1	A	51	TYR	4.1
3	C	61	LEU	3.6
3	C	66	MET	3.6
3	C	59	GLY	3.5
3	C	67	ILE	3.1
2	B	111	GLN	3.1
2	B	41	ASN	3.1
2	B	24	ARG	2.9
3	C	63	PRO	2.8
1	A	389	VAL	2.8
3	C	43	VAL	2.8
3	C	32	GLU	2.8
3	C	3	THR	2.7
3	C	40	ASN	2.7
1	A	78	ARG	2.7
1	A	304	ARG	2.7
3	C	82	ILE	2.7
2	B	23	ARG	2.7
1	A	281	THR	2.6
2	B	22	ARG	2.5
3	C	47	PRO	2.5
1	A	409	GLY	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	375	VAL	2.5
3	C	72	GLY	2.5
1	A	82	VAL	2.4
3	C	81	ILE	2.4
1	A	326	GLU	2.4
3	C	48	GLU	2.4
1	A	413	ASN	2.3
2	B	112	MET	2.3
3	C	68	VAL	2.3
1	A	353	GLU	2.3
1	A	358	LEU	2.3
1	A	380	LEU	2.3
2	B	244	SER	2.3
1	A	322	GLN	2.3
1	A	442	GLU	2.2
3	C	62	PHE	2.2
1	A	64	GLU	2.1
1	A	74	ALA	2.1
1	A	276	ILE	2.1
2	B	9	LEU	2.1
1	A	423	GLY	2.1
1	A	432	ALA	2.1
3	C	16	ILE	2.1
2	B	308	PRO	2.1
1	A	408	PRO	2.1
3	C	51	LEU	2.0
1	A	491	TYR	2.0
3	C	73	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	P6G	A	503	19/19	0.80	0.24	75,80,83,84	0
4	MN	A	502	1/1	0.99	0.02	38,38,38,38	0
4	MN	A	501	1/1	0.99	0.03	40,40,40,40	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.