



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 11:06 AM UTC

PDB ID : 3INV / pdb_00003inv
Title : Trypanosoma cruzi Dihydrofolate Reductase-Thymidylate Synthase COM-
PLEXED WITH NADPH, dUMP AND C-448 ANTIFOLATE
Authors : Chitnumsub, P.; Yuvaniyama, J.; Yuthavong, Y.
Deposited on : 2009-08-13
Resolution : 2.37 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.37 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7164 (2.40-2.36)
Clashscore	190562	7722 (2.40-2.36)
Ramachandran outliers	187476	7626 (2.40-2.36)
Sidechain outliers	187428	7627 (2.40-2.36)
RSRZ outliers	180081	7170 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	521	
1	B	521	

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 8707 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bifunctional dihydrofolate reductase-thymidylate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	514	Total	C	N	O	S	0	0	0
			4093	2597	724	754	18			
1	B	513	Total	C	N	O	S	0	0	0
			4087	2594	723	752	18			


- Molecule 2 is 1-[3-(2,3-dichlorophenoxy)propoxy]-6,6-dimethyl-1,6-dihydro-1,3,5-triazine-2,4-diamine (CCD ID: C50) (formula: $C_{14}H_{19}Cl_2N_5O_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Cl	N	O	0	0
			23	14	2	5	2		
2	B	1	Total	C	Cl	N	O	0	0
			23	14	2	5	2		

- Molecule 3 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NDP) (formula: $C_{21}H_{30}N_7O_{17}P_3$).

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	188	Total	O	0	0
			188	188		
6	B	127	Total	O	0	0
			127	127		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bifunctional dihydrofolate reductase-thymidylate synthase



- Molecule 1: Bifunctional dihydrofolate reductase-thymidylate synthase





4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	93.88Å 136.90Å 167.82Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.94 – 2.37 46.94 – 2.37	Depositor EDS
% Data completeness (in resolution range)	91.5 (46.94-2.37) 91.5 (46.94-2.37)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.49 (at 2.37Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, R_{free}	0.189 , 0.243 0.194 , 0.245	Depositor DCC
R_{free} test set	2036 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	26.7	Xtriage
Anisotropy	0.454	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 35.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8707	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, C50, UMP, NDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.41	0/4193	0.95	21/5690 (0.4%)
1	B	0.39	0/4187	0.97	25/5682 (0.4%)
All	All	0.40	0/8380	0.96	46/11372 (0.4%)

There are no bond length outliers.

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	359	ALA	N-CA-C	-10.09	95.97	110.59
1	B	404	HIS	N-CA-C	-8.16	95.27	108.41
1	B	209	GLU	N-CA-C	-8.11	102.98	113.12
1	B	4	PHE	N-CA-C	-7.90	103.20	112.92
1	A	41	ILE	CA-C-N	7.73	127.45	119.56
1	A	41	ILE	C-N-CA	7.73	127.45	119.56
1	A	155	GLY	N-CA-C	6.96	123.95	111.01
1	A	168	CYS	N-CA-C	6.95	118.86	111.28
1	B	168	CYS	N-CA-C	6.80	118.69	111.28
1	A	404	HIS	N-CA-C	-6.51	97.93	108.41
1	A	257	ARG	N-CA-C	-6.41	104.38	111.82
1	B	141	SER	CA-C-N	6.41	126.63	119.32
1	B	141	SER	C-N-CA	6.41	126.63	119.32
1	B	389	ALA	N-CA-C	-6.20	104.99	113.30
1	B	264	SER	N-CA-C	6.16	118.44	109.07
1	A	263	LEU	N-CA-C	-6.15	98.88	108.90
1	B	91	LEU	CA-C-N	6.09	126.06	119.78
1	B	91	LEU	C-N-CA	6.09	126.06	119.78
1	B	439	ALA	N-CA-C	-5.95	104.70	111.07
1	A	259	GLY	N-CA-C	-5.91	106.61	114.95
1	B	464	HIS	N-CA-C	5.90	118.15	109.24
1	A	169	VAL	CB-CA-C	-5.88	103.05	112.16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	156	GLY	N-CA-C	-5.88	99.25	113.18
1	A	439	ALA	N-CA-C	-5.83	105.00	111.36
1	B	425	CYS	N-CA-C	5.82	118.38	108.02
1	A	425	CYS	N-CA-C	5.73	117.72	107.80
1	B	399	ALA	N-CA-C	-5.72	104.41	111.33
1	B	13	ALA	N-CA-C	5.66	119.36	112.23
1	A	335	GLU	N-CA-C	-5.65	103.07	110.53
1	A	154	ILE	N-CA-C	5.65	117.64	111.77
1	B	116	GLU	N-CA-C	-5.51	106.87	113.21
1	B	213	GLU	N-CA-C	-5.46	102.82	110.35
1	B	156	GLY	N-CA-C	-5.41	100.35	113.18
1	A	431	VAL	CB-CA-C	-5.37	108.60	113.70
1	A	153	CYS	N-CA-C	-5.37	100.42	108.96
1	B	112	LEU	CA-C-N	5.36	126.54	119.84
1	B	112	LEU	C-N-CA	5.36	126.54	119.84
1	A	464	HIS	N-CA-C	5.36	117.33	109.24
1	B	58	LYS	N-CA-C	5.25	117.84	110.23
1	A	213	GLU	N-CA-C	-5.21	103.52	110.55
1	A	16	THR	N-CA-C	-5.21	105.60	112.94
1	B	263	LEU	N-CA-C	-5.20	100.42	108.90
1	B	40	SER	N-CA-C	5.19	116.18	108.60
1	B	154	ILE	N-CA-C	5.12	117.10	112.29
1	A	389	ALA	N-CA-C	-5.04	107.16	113.72
1	A	190	PHE	N-CA-C	5.00	116.89	109.69

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4093	0	4046	102	0
1	B	4087	0	4041	120	0
2	A	23	0	19	0	0
2	B	23	0	19	0	0
3	A	48	0	26	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	48	0	26	4	0
4	A	20	0	11	1	0
4	B	20	0	11	0	0
5	A	12	0	16	2	0
5	B	18	0	24	2	0
6	A	188	0	0	5	0
6	B	127	0	0	6	0
All	All	8707	0	8239	215	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (215) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:257:ARG:H	1:B:257:ARG:HD3	1.28	0.96
1:A:239:GLN:HE22	1:A:271:ARG:H	1.12	0.93
1:A:257:ARG:HH11	1:A:257:ARG:HB2	1.35	0.90
1:A:434:ASN:HD21	4:A:603:UMP:HN3	1.22	0.83
1:B:471:GLU:HB3	1:B:472:PRO:HD3	1.63	0.80
1:B:198:THR:HG22	1:B:200:ALA:H	1.46	0.79
1:B:395:LEU:HD11	1:B:401:PRO:HB3	1.64	0.79
1:B:208:ARG:NH1	1:B:211:ILE:HD12	2.00	0.76
1:A:376:LEU:HD13	1:A:385:MET:SD	2.25	0.76
1:A:266:PHE:O	1:B:271:ARG:NH2	2.19	0.74
1:B:457:VAL:HG13	6:B:1031:HOH:O	1.87	0.73
1:B:117:LYS:HG2	1:B:121:HIS:NE2	2.04	0.72
1:B:257:ARG:HD3	1:B:257:ARG:N	2.05	0.72
1:B:376:LEU:HD13	1:B:385:MET:SD	2.30	0.71
1:B:374:GLU:HG2	6:B:1159:HOH:O	1.91	0.71
1:B:395:LEU:CD1	1:B:401:PRO:HB3	2.23	0.68
1:B:53:ARG:HH22	1:B:91:LEU:HD22	1.60	0.66
1:A:164:LEU:HA	1:A:169:VAL:HG13	1.79	0.65
1:B:45:VAL:HG21	1:B:180:ILE:HD12	1.77	0.65
1:A:219:ASN:ND2	1:A:221:ASN:H	1.95	0.65
1:A:165:ARG:C	1:A:169:VAL:HG22	2.23	0.63
1:B:3:LEU:HG	1:B:4:PHE:CD1	2.33	0.63
1:B:257:ARG:H	1:B:257:ARG:CD	2.10	0.63
1:A:295:GLU:OE2	5:A:705:GOL:H32	1.99	0.63
1:A:20:LEU:HB2	1:A:171:LEU:HD21	1.81	0.63
1:B:117:LYS:HE2	1:B:121:HIS:NE2	2.13	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:404:HIS:HB2	1:A:420:LEU:HD11	1.80	0.62
1:B:295:GLU:OE2	5:B:704:GOL:H2	1.99	0.62
1:B:9:PRO:O	1:B:12:VAL:HG22	2.00	0.61
1:B:117:LYS:HG2	1:B:121:HIS:CD2	2.35	0.61
1:B:515:ILE:HD13	1:B:515:ILE:C	2.25	0.61
1:B:90:PRO:HB3	1:B:125:ILE:HD11	1.82	0.60
1:A:233:ARG:CZ	1:A:235:ARG:NH1	2.64	0.60
1:A:421:TYR:CE1	1:B:419:MET:HE3	2.37	0.59
1:B:164:LEU:C	1:B:169:VAL:HG13	2.28	0.59
1:B:35:ILE:O	3:B:602:NDP:H2N	2.03	0.59
1:B:104:THR:HG22	1:B:105:THR:N	2.16	0.59
1:A:155:GLY:HA3	3:A:602:NDP:H5N	1.84	0.58
1:A:239:GLN:NE2	1:A:271:ARG:H	1.94	0.58
1:A:360:ASN:HD21	1:A:362:ASP:CG	2.11	0.58
1:A:155:GLY:HA2	1:A:160:TYR:CZ	2.38	0.58
1:A:424:SER:OG	1:B:383:ARG:HD3	2.04	0.58
1:B:53:ARG:NH2	1:B:91:LEU:HD22	2.17	0.58
1:B:219:ASN:ND2	1:B:221:ASN:H	2.01	0.58
1:B:404:HIS:HB2	1:B:420:LEU:HD11	1.85	0.58
1:B:153:CYS:SG	1:B:159:VAL:HG12	2.44	0.57
1:B:257:ARG:H	1:B:257:ARG:HH11	1.51	0.57
1:A:115:GLU:HA	1:A:118:ARG:NH1	2.20	0.57
1:B:335:GLU:OE1	1:B:357:HIS:HE1	1.87	0.57
1:B:208:ARG:NH1	1:B:228:GLU:OE1	2.38	0.57
1:A:59:LEU:HD21	1:A:71:ARG:HA	1.86	0.56
1:A:404:HIS:NE2	5:A:705:GOL:H12	2.19	0.56
1:B:74:VAL:HG11	1:B:154:ILE:HD13	1.86	0.56
1:A:360:ASN:ND2	1:A:362:ASP:H	2.04	0.56
1:A:216:THR:OG1	1:A:224:LYS:HE2	2.06	0.56
1:A:254:LYS:NZ	6:A:1016:HOH:O	2.39	0.56
1:A:60:ARG:NH2	6:A:1121:HOH:O	2.38	0.56
1:B:257:ARG:N	1:B:257:ARG:HH11	2.03	0.56
1:B:395:LEU:HD11	1:B:401:PRO:CB	2.36	0.55
1:A:164:LEU:C	1:A:169:VAL:HG13	2.30	0.55
1:B:271:ARG:HG3	5:B:702:GOL:H2	1.88	0.55
1:B:419:MET:HA	1:B:457:VAL:O	2.07	0.55
1:B:155:GLY:HA2	1:B:160:TYR:CZ	2.41	0.55
1:B:164:LEU:HA	1:B:169:VAL:CG1	2.37	0.54
1:B:104:THR:CG2	1:B:105:THR:N	2.69	0.54
1:A:296:LEU:HD13	1:A:296:LEU:C	2.33	0.54
1:A:14:GLU:CD	1:A:17:ARG:HH12	2.16	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:115:GLU:HG2	1:A:119:ASN:HD22	1.72	0.54
1:A:42:PRO:HG2	1:A:43:TRP:CE3	2.42	0.54
1:A:400:LEU:HD23	1:A:400:LEU:N	2.22	0.54
1:B:405:LEU:HD12	1:B:406:LEU:HB2	1.90	0.54
1:B:208:ARG:HH12	1:B:211:ILE:HD12	1.70	0.53
1:B:115:GLU:C	1:B:117:LYS:H	2.14	0.53
1:A:402:PRO:HG3	6:A:1177:HOH:O	2.09	0.53
1:B:295:GLU:O	1:B:298:TRP:HB3	2.09	0.53
1:A:257:ARG:HH11	1:A:257:ARG:CB	2.15	0.53
1:A:360:ASN:HD22	1:A:361:TYR:N	2.07	0.53
1:B:357:HIS:HD2	1:B:358:ASP:OD2	1.91	0.53
1:B:493:ARG:HG2	1:B:498:ASP:HB2	1.89	0.52
1:B:164:LEU:HA	1:B:169:VAL:HG13	1.90	0.52
1:A:14:GLU:HG3	1:A:17:ARG:NH1	2.24	0.52
1:A:164:LEU:CA	1:A:169:VAL:HG13	2.39	0.52
1:B:208:ARG:NH1	1:B:228:GLU:CD	2.68	0.52
1:A:26:VAL:HG11	1:A:55:LEU:HD23	1.92	0.52
1:A:115:GLU:HB2	1:A:118:ARG:HH12	1.74	0.51
1:B:10:GLU:HA	1:B:10:GLU:OE1	2.10	0.51
1:B:241:LEU:HD11	1:B:481:PRO:HG3	1.91	0.51
1:A:115:GLU:CG	1:A:119:ASN:HD22	2.24	0.51
1:B:59:LEU:HD21	1:B:71:ARG:HA	1.92	0.51
1:B:104:THR:H	1:B:107:HIS:HB2	1.76	0.51
1:B:114:ASP:O	1:B:118:ARG:HG3	2.11	0.51
1:B:271:ARG:HG2	6:B:1031:HOH:O	2.11	0.51
1:A:71:ARG:HG3	1:A:71:ARG:HH11	1.75	0.51
1:A:479:ARG:HD3	1:A:512:TYR:CG	2.46	0.50
1:A:265:ILE:HD12	1:A:265:ILE:C	2.36	0.50
1:A:164:LEU:HA	1:A:169:VAL:CG1	2.41	0.50
1:B:208:ARG:HH12	1:B:228:GLU:CD	2.19	0.50
1:A:336:GLU:O	1:A:337:MET:HB2	2.12	0.50
1:B:234:ASN:O	1:B:238:GLU:HG3	2.11	0.50
1:B:420:LEU:HD22	1:B:438:TYR:CD2	2.46	0.50
1:B:201:ALA:O	1:B:202:ALA:HB3	2.12	0.50
1:A:112:LEU:HB3	1:A:113:PRO:HD2	1.94	0.49
1:A:258:THR:HB	1:A:260:VAL:HG23	1.95	0.49
1:A:219:ASN:HD22	1:A:220:GLY:N	2.11	0.49
1:A:441:LEU:O	1:A:445:ILE:HG12	2.13	0.49
1:A:233:ARG:NH1	1:A:235:ARG:NH2	2.60	0.49
1:A:360:ASN:HD22	1:A:360:ASN:C	2.20	0.49
1:A:399:ALA:HB3	1:A:400:LEU:HD23	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:195:GLU:H	1:A:195:GLU:CD	2.21	0.49
1:A:405:LEU:HD12	1:A:406:LEU:HB2	1.95	0.48
1:B:74:VAL:HG13	1:B:154:ILE:CG2	2.43	0.48
1:A:292:VAL:HA	1:A:433:PHE:CZ	2.49	0.48
1:B:60:ARG:NH2	6:B:1024:HOH:O	2.47	0.48
1:B:156:GLY:HA3	3:B:602:NDP:O1A	2.13	0.48
1:B:491:ARG:HG2	1:B:492:GLU:N	2.28	0.48
1:A:96:ASN:N	1:A:96:ASN:HD22	2.11	0.48
1:B:164:LEU:CA	1:B:169:VAL:HG13	2.43	0.48
1:A:317:TRP:HZ3	1:A:400:LEU:HD21	1.79	0.48
1:A:278:ARG:HG2	6:A:1095:HOH:O	2.13	0.48
1:B:379:ASN:ND2	1:B:382:ASP:HB2	2.29	0.47
1:A:35:ILE:O	3:A:602:NDP:H2N	2.14	0.47
1:A:264:SER:HB3	1:A:464:HIS:HB3	1.96	0.47
1:B:296:LEU:HD22	1:B:440:LEU:HG	1.95	0.47
1:B:493:ARG:HH11	1:B:503:ASP:CG	2.23	0.47
1:B:78:ARG:HB2	1:B:99:LEU:O	2.14	0.47
1:A:7:ARG:HG3	1:A:7:ARG:HH11	1.79	0.46
1:A:114:ASP:OD2	1:A:116:GLU:HB3	2.15	0.46
1:A:469:HIS:O	1:A:472:PRO:HG2	2.15	0.46
1:A:99:LEU:HD21	1:A:135:ALA:HB2	1.96	0.46
1:B:493:ARG:NH1	1:B:503:ASP:OD2	2.48	0.46
1:A:307:LYS:HA	1:A:310:SER:OG	2.16	0.46
1:A:407:ALA:HA	1:A:419:MET:O	2.15	0.46
1:A:460:LEU:CD2	1:A:460:LEU:N	2.78	0.46
1:B:336:GLU:O	1:B:337:MET:HB2	2.14	0.46
1:B:47:GLU:HG2	1:B:225:TYR:OH	2.16	0.46
1:B:133:GLU:OE1	1:B:137:ARG:NH2	2.49	0.46
1:A:295:GLU:O	1:A:298:TRP:HB3	2.16	0.46
1:B:258:THR:O	1:B:258:THR:HG22	2.15	0.46
1:A:170:HIS:C	1:A:171:LEU:HD12	2.41	0.45
1:B:208:ARG:HH11	1:B:211:ILE:HB	1.81	0.45
1:B:360:ASN:ND2	1:B:362:ASP:H	2.15	0.45
1:B:493:ARG:HG2	1:B:498:ASP:CB	2.46	0.45
1:B:106:GLN:HA	1:B:109:LEU:HD12	1.98	0.45
1:A:36:GLY:HA2	1:A:42:PRO:HD3	1.99	0.45
1:A:427:MET:SD	1:A:431:VAL:HG21	2.56	0.45
1:A:27:VAL:HG22	1:A:28:ALA:N	2.32	0.45
1:B:390:TRP:HE3	1:B:402:PRO:HG2	1.81	0.45
1:A:219:ASN:HD22	1:A:219:ASN:C	2.24	0.45
1:B:269:GLN:HG2	6:B:1031:HOH:O	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:59:LEU:HD11	1:A:66:PRO:HA	1.99	0.45
1:A:108:LEU:HD22	1:A:127:ALA:HB2	1.99	0.45
1:A:350:PHE:CD1	1:A:350:PHE:C	2.95	0.45
1:B:29:VAL:CG2	1:B:33:GLY:HA2	2.47	0.45
1:B:236:GLU:O	1:B:239:GLN:HB2	2.17	0.44
1:B:132:LEU:O	1:B:136:LEU:HG	2.17	0.44
1:A:155:GLY:HA3	3:A:602:NDP:C5N	2.46	0.44
1:A:383:ARG:O	1:B:423:ARG:NH1	2.50	0.44
1:A:404:HIS:CB	1:A:420:LEU:HD11	2.48	0.44
1:A:479:ARG:NH2	1:A:515:ILE:HA	2.32	0.44
1:B:390:TRP:CE3	1:B:402:PRO:HG2	2.52	0.44
1:A:368:GLN:OE1	1:A:387:PHE:HA	2.18	0.44
1:B:35:ILE:HB	3:B:602:NDP:N7N	2.32	0.44
1:A:420:LEU:HD13	1:A:438:TYR:CZ	2.53	0.44
1:A:164:LEU:HD11	1:A:191:PHE:CE1	2.53	0.43
1:A:25:LEU:C	1:A:25:LEU:HD23	2.43	0.43
1:A:421:TYR:HE1	1:B:419:MET:HE3	1.80	0.43
1:A:493:ARG:HG3	1:A:499:TYR:HA	2.01	0.43
1:B:271:ARG:HH11	1:B:455:GLU:CD	2.26	0.43
1:A:42:PRO:HG3	1:A:187:CYS:SG	2.58	0.43
1:B:372:ILE:O	1:B:376:LEU:HB2	2.18	0.43
1:B:219:ASN:N	1:B:219:ASN:HD22	2.17	0.43
1:B:406:LEU:HB3	1:B:421:TYR:HB3	2.01	0.43
1:A:10:GLU:HG3	6:A:1018:HOH:O	2.18	0.43
1:B:278:ARG:NH2	6:B:1292:HOH:O	2.51	0.43
1:B:395:LEU:CB	1:B:396:PRO:HD3	2.48	0.43
1:A:26:VAL:CG1	1:A:55:LEU:HD23	2.49	0.43
1:B:264:SER:HB3	1:B:464:HIS:HB3	2.01	0.43
1:B:469:HIS:C	1:B:472:PRO:HD2	2.44	0.43
1:B:219:ASN:HD22	1:B:219:ASN:C	2.26	0.43
1:B:271:ARG:NH1	1:B:455:GLU:OE1	2.51	0.43
1:B:23:PHE:CE1	1:B:172:LEU:HD13	2.54	0.42
1:B:247:ILE:HG12	1:B:265:ILE:HG12	2.02	0.42
1:B:53:ARG:HE	1:B:53:ARG:HA	1.85	0.42
1:B:297:LEU:HB3	1:B:301:ARG:HH21	1.84	0.42
1:B:19:ALA:CB	1:B:20:LEU:HD12	2.49	0.42
1:B:74:VAL:HG13	1:B:154:ILE:HG12	2.02	0.42
1:B:165:ARG:C	1:B:169:VAL:HG22	2.45	0.42
1:B:297:LEU:HD12	1:B:297:LEU:HA	1.90	0.42
1:B:407:ALA:HA	1:B:419:MET:O	2.20	0.42
1:A:425:CYS:SG	1:A:460:LEU:HD13	2.60	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:267:GLY:O	1:B:271:ARG:NH2	2.53	0.41
1:B:164:LEU:C	1:B:169:VAL:CG1	2.93	0.41
1:B:360:ASN:HD21	1:B:362:ASP:HB2	1.85	0.41
1:B:30:ASP:HA	1:B:180:ILE:O	2.20	0.41
1:B:257:ARG:NH1	1:B:257:ARG:HB2	2.35	0.41
1:A:156:GLY:HA3	3:A:602:NDP:PA	2.61	0.41
1:A:296:LEU:HD13	1:A:296:LEU:O	2.19	0.41
1:A:392:PRO:HD2	1:B:350:PHE:CZ	2.55	0.41
1:B:387:PHE:CE2	1:B:407:ALA:HB3	2.55	0.41
1:A:78:ARG:HB2	1:A:100:SER:HB2	2.03	0.41
1:B:350:PHE:CD1	1:B:350:PHE:C	2.98	0.41
1:B:460:LEU:N	1:B:460:LEU:HD12	2.35	0.41
1:B:62:LYS:O	1:B:63:ASN:HB2	2.19	0.41
1:A:207:GLN:O	1:A:230:LEU:HA	2.21	0.41
1:A:406:LEU:HB3	1:A:421:TYR:HB3	2.02	0.41
1:B:155:GLY:HA3	3:B:602:NDP:H5N	2.02	0.41
1:B:209:GLU:HG2	1:B:210:THR:HG23	2.03	0.41
1:A:5:LYS:HA	1:A:497:GLU:OE1	2.21	0.40
1:A:62:LYS:O	1:A:64:VAL:HG23	2.20	0.40
1:A:402:PRO:O	1:A:423:ARG:NE	2.45	0.40
1:A:26:VAL:O	1:A:26:VAL:HG23	2.20	0.40
1:A:317:TRP:CZ3	1:A:400:LEU:HD21	2.56	0.40
1:B:276:ASN:O	1:B:277:ASN:HB2	2.21	0.40
1:A:89:ARG:HA	1:A:90:PRO:HA	1.81	0.40
1:B:342:VAL:O	1:B:343:TYR:C	2.64	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	512/521 (98%)	486 (95%)	24 (5%)	2 (0%)	30	40

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	511/521 (98%)	484 (95%)	26 (5%)	1 (0%)	43	56
All	All	1023/1042 (98%)	970 (95%)	50 (5%)	3 (0%)	36	48

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	343	TYR
1	B	343	TYR
1	A	113	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	440/446 (99%)	414 (94%)	26 (6%)	18	28
1	B	439/446 (98%)	416 (95%)	23 (5%)	21	33
All	All	879/892 (98%)	830 (94%)	49 (6%)	19	30

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	GLU
1	A	95	LEU
1	A	96	ASN
1	A	108	LEU
1	A	109	LEU
1	A	119	ASN
1	A	128	VAL
1	A	138	LEU
1	A	139	LEU
1	A	146	PRO
1	A	169	VAL
1	A	219	ASN
1	A	257	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	300	LEU
1	A	326	LEU
1	A	376	LEU
1	A	395	LEU
1	A	400	LEU
1	A	403	CYS
1	A	406	LEU
1	A	440	LEU
1	A	456	LEU
1	A	460	LEU
1	A	471	GLU
1	A	496	LEU
1	A	515	ILE
1	B	12	VAL
1	B	29	VAL
1	B	71	ARG
1	B	115	GLU
1	B	138	LEU
1	B	169	VAL
1	B	184	GLU
1	B	192	ARG
1	B	207	GLN
1	B	219	ASN
1	B	257	ARG
1	B	263	LEU
1	B	274	LEU
1	B	297	LEU
1	B	309	LEU
1	B	326	LEU
1	B	376	LEU
1	B	386	LEU
1	B	395	LEU
1	B	406	LEU
1	B	456	LEU
1	B	475	GLU
1	B	515	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	HIS
1	A	63	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	119	ASN
1	A	219	ASN
1	A	239	GLN
1	A	349	HIS
1	A	357	HIS
1	A	360	ASN
1	A	434	ASN
1	A	458	HIS
1	A	476	GLN
1	B	63	ASN
1	B	143	ASN
1	B	170	HIS
1	B	207	GLN
1	B	219	ASN
1	B	276	ASN
1	B	320	ASN
1	B	356	HIS
1	B	357	HIS
1	B	360	ASN
1	B	476	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	GOL	A	701	-	5,5,5	0.64	0	5,5,5	0.20	0
5	GOL	B	704	-	5,5,5	0.41	0	5,5,5	0.41	0
3	NDP	B	602	-	51,52,52	1.61	11 (21%)	71,80,80	1.59	16 (22%)
5	GOL	A	705	-	5,5,5	0.62	0	5,5,5	0.16	0
2	C50	A	601	-	21,24,24	2.46	5 (23%)	25,34,34	1.41	3 (12%)
4	UMP	B	603	-	21,21,21	1.61	5 (23%)	30,31,31	1.85	9 (30%)
5	GOL	B	702	-	5,5,5	0.73	0	5,5,5	0.17	0
4	UMP	A	603	-	21,21,21	1.60	5 (23%)	30,31,31	1.78	8 (26%)
2	C50	B	601	-	21,24,24	2.45	4 (19%)	25,34,34	1.30	3 (12%)
3	NDP	A	602	-	51,52,52	1.60	8 (15%)	71,80,80	1.58	17 (23%)
5	GOL	B	703	-	5,5,5	0.50	0	5,5,5	0.19	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	A	701	-	-	0/4/4/4	-
5	GOL	B	704	-	-	0/4/4/4	-
3	NDP	B	602	-	-	4/34/77/77	0/5/5/5
5	GOL	A	705	-	-	0/4/4/4	-
2	C50	A	601	-	-	1/8/27/27	0/2/2/2
4	UMP	B	603	-	-	1/10/22/22	0/2/2/2
5	GOL	B	702	-	-	0/4/4/4	-
4	UMP	A	603	-	-	0/10/22/22	0/2/2/2
2	C50	B	601	-	-	1/8/27/27	0/2/2/2
3	NDP	A	602	-	-	4/34/77/77	0/5/5/5
5	GOL	B	703	-	-	0/4/4/4	-

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	C50	C16-C15	6.48	1.49	1.39
2	A	601	C50	C16-C15	6.18	1.49	1.39
2	A	601	C50	C18-C17	6.03	1.49	1.38
2	B	601	C50	C18-C17	5.90	1.49	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	C50	C19-C14	5.21	1.50	1.39
2	B	601	C50	C19-C14	5.17	1.50	1.39
3	A	602	NDP	C4N-C3N	-4.58	1.41	1.50
3	B	602	NDP	C4N-C3N	-4.36	1.41	1.50
3	A	602	NDP	C4N-C5N	-4.16	1.38	1.49
3	B	602	NDP	C4N-C5N	-4.12	1.38	1.49
4	B	603	UMP	O4'-C1'	3.76	1.50	1.42
4	A	603	UMP	O4'-C1'	3.74	1.50	1.42
3	A	602	NDP	C2N-C3N	3.50	1.44	1.35
3	B	602	NDP	C2N-C3N	3.48	1.44	1.35
3	B	602	NDP	C3B-C2B	-3.31	1.45	1.53
3	A	602	NDP	C3B-C2B	-3.11	1.46	1.53
3	A	602	NDP	C4A-N3A	2.99	1.40	1.34
4	B	603	UMP	C2-N1	2.90	1.43	1.38
3	B	602	NDP	C8A-N9A	2.76	1.42	1.37
3	B	602	NDP	P2B-O2B	-2.72	1.54	1.59
4	A	603	UMP	C6-C5	2.60	1.41	1.35
3	B	602	NDP	C4A-N3A	2.56	1.39	1.34
4	A	603	UMP	C2-N1	2.51	1.42	1.38
2	A	601	C50	C2-N3	2.49	1.41	1.36
4	B	603	UMP	C6-C5	2.43	1.40	1.35
3	A	602	NDP	C3B-C4B	-2.41	1.46	1.53
3	B	602	NDP	C3B-C4B	-2.35	1.47	1.53
3	A	602	NDP	C8A-N9A	2.34	1.41	1.37
4	A	603	UMP	O4'-C4'	2.33	1.50	1.45
4	A	603	UMP	P-OP3	-2.33	1.46	1.54
2	B	601	C50	C2-N3	2.28	1.41	1.36
3	B	602	NDP	C2D-C1D	2.25	1.60	1.53
4	B	603	UMP	P-OP3	-2.16	1.46	1.54
3	B	602	NDP	PN-O3	2.14	1.61	1.59
4	B	603	UMP	C4-N3	2.13	1.42	1.38
2	A	601	C50	C15-CL20	2.09	1.77	1.72
3	A	602	NDP	PA-O3	-2.08	1.57	1.59
3	B	602	NDP	C6N-N1N	2.02	1.42	1.37

All (56) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	603	UMP	O4'-C1'-N1	4.83	116.44	107.86
3	B	602	NDP	C1D-N1N-C2N	-4.41	113.87	121.14
3	A	602	NDP	C1D-N1N-C2N	-4.40	113.89	121.14
3	A	602	NDP	C3N-C2N-N1N	-4.14	117.13	123.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	602	NDP	C3N-C2N-N1N	-4.11	117.18	123.20
2	A	601	C50	N3-C2-N1	-4.04	119.82	126.48
4	B	603	UMP	C1'-N1-C6	-3.99	113.69	121.53
4	B	603	UMP	O4'-C1'-N1	3.88	114.75	107.86
2	B	601	C50	N3-C2-N1	-3.62	120.51	126.48
3	B	602	NDP	O4B-C1B-N9A	3.53	114.87	108.09
4	A	603	UMP	C1'-N1-C6	-3.40	114.84	121.53
3	B	602	NDP	C3B-C2B-C1B	-3.17	96.74	102.81
4	B	603	UMP	C4'-O4'-C1'	3.09	116.85	109.51
3	A	602	NDP	C3B-C2B-C1B	-3.06	96.94	102.81
2	A	601	C50	N8-C4-N5	2.91	119.85	117.46
3	B	602	NDP	O7N-C7N-N7N	-2.91	116.38	122.89
4	A	603	UMP	O4'-C1'-C2'	-2.90	100.82	106.25
3	A	602	NDP	O4B-C1B-N9A	2.90	113.66	108.09
3	B	602	NDP	C3D-C2D-C1D	-2.90	95.98	101.46
3	A	602	NDP	O7N-C7N-N7N	-2.87	116.46	122.89
2	B	601	C50	N8-C4-N5	2.76	119.73	117.46
3	A	602	NDP	C6N-N1N-C2N	2.76	122.28	119.32
4	A	603	UMP	C4'-O4'-C1'	2.75	116.05	109.51
3	B	602	NDP	C6N-N1N-C2N	2.71	122.22	119.32
3	A	602	NDP	C3D-C2D-C1D	-2.70	96.35	101.46
4	B	603	UMP	C1'-N1-C2	2.69	122.92	117.66
3	A	602	NDP	O3B-C3B-C4B	2.67	118.74	111.08
3	A	602	NDP	O3B-C3B-C2B	2.65	118.60	111.19
4	B	603	UMP	O4'-C1'-C2'	-2.63	101.33	106.25
4	B	603	UMP	C2'-C3'-C4'	2.61	108.10	102.80
4	B	603	UMP	O4'-C4'-C3'	-2.59	99.74	105.65
3	B	602	NDP	O3B-C3B-C4B	2.53	118.34	111.08
4	A	603	UMP	C2'-C3'-C4'	2.52	107.91	102.80
3	B	602	NDP	N3A-C2A-N1A	-2.47	124.85	128.58
4	B	603	UMP	C2'-C1'-N1	2.46	119.97	113.81
4	A	603	UMP	O4'-C4'-C3'	-2.44	100.08	105.65
2	A	601	C50	N7-C2-N3	2.44	120.44	116.57
3	B	602	NDP	C2D-C3D-C4D	2.33	107.12	102.61
3	B	602	NDP	C4B-O4B-C1B	-2.32	104.33	109.47
3	B	602	NDP	O3B-C3B-C2B	2.29	117.59	111.19
3	A	602	NDP	N3A-C2A-N1A	-2.27	125.14	128.58
3	B	602	NDP	N9A-C8A-N7A	-2.22	110.78	113.94
3	A	602	NDP	C2D-C3D-C4D	2.22	106.89	102.61
3	A	602	NDP	C4B-O4B-C1B	-2.22	104.57	109.47
3	A	602	NDP	O2A-PA-O1A	2.19	122.62	112.44
4	B	603	UMP	O2-C2-N1	2.15	125.59	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	602	NDP	N9A-C8A-N7A	-2.15	110.89	113.94
3	B	602	NDP	O2A-PA-O1A	2.13	122.36	112.44
4	A	603	UMP	C1'-N1-C2	2.08	121.73	117.66
3	B	602	NDP	O2N-PN-O1N	2.08	122.12	112.44
2	B	601	C50	N7-C2-N3	2.07	119.86	116.57
3	A	602	NDP	C2B-C3B-C4B	2.07	106.44	101.99
3	A	602	NDP	C5A-N7A-C8A	2.05	106.67	103.45
3	B	602	NDP	C5A-N7A-C8A	2.03	106.64	103.45
4	A	603	UMP	O5'-P-OP1	2.02	111.91	106.44
3	A	602	NDP	O2N-PN-O1N	2.02	121.84	112.44

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	601	C50	C6-N5-O9-C10
2	A	601	C50	C6-N5-O9-C10
3	B	602	NDP	O4D-C1D-N1N-C2N
3	A	602	NDP	O4D-C1D-N1N-C2N
3	A	602	NDP	C2N-C3N-C7N-N7N
3	B	602	NDP	C2N-C3N-C7N-N7N
3	B	602	NDP	C3B-C4B-C5B-O5B
3	A	602	NDP	C2D-C1D-N1N-C2N
3	B	602	NDP	C2D-C1D-N1N-C2N
3	A	602	NDP	C3B-C4B-C5B-O5B
4	B	603	UMP	O4'-C4'-C5'-O5'


There are no ring outliers.

6 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	704	GOL	1	0
3	B	602	NDP	4	0
5	A	705	GOL	2	0
5	B	702	GOL	1	0
4	A	603	UMP	1	0
3	A	602	NDP	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will


also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






Ligand C50 A 601



Ligand UMP B 603







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	514/521 (98%)	-0.16	9 (1%) 67 66	12, 24, 51, 90	0
1	B	513/521 (98%)	0.03	14 (2%) 56 56	14, 29, 58, 90	0
All	All	1027/1042 (98%)	-0.07	23 (2%) 62 61	12, 26, 57, 90	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	3	LEU	4.4
1	A	120	LEU	3.3
1	B	63	ASN	3.2
1	A	515	ILE	3.1
1	A	118	ARG	3.1
1	B	186	SER	3.0
1	A	184	GLU	3.0
1	B	120	LEU	2.9
1	A	183	SER	2.8
1	B	184	GLU	2.8
1	B	111	GLY	2.6
1	B	113	PRO	2.6
1	A	116	GLU	2.6
1	A	117	LYS	2.5
1	A	257	ARG	2.4
1	B	112	LEU	2.3
1	B	117	LYS	2.3
1	B	515	ILE	2.2
1	B	103	LEU	2.2
1	A	121	HIS	2.1
1	B	40	SER	2.1
1	B	105	THR	2.1
1	B	107	HIS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	GOL	B	702	6/6	0.69	0.21	46,49,50,51	0
5	GOL	A	701	6/6	0.83	0.16	51,52,54,55	0
5	GOL	B	704	6/6	0.83	0.16	42,45,48,50	0
5	GOL	B	703	6/6	0.89	0.13	42,45,46,49	0
2	C50	A	601	23/23	0.90	0.11	27,36,42,46	0
5	GOL	A	705	6/6	0.91	0.11	43,46,48,49	0
4	UMP	A	603	20/20	0.92	0.10	32,37,39,39	0
2	C50	B	601	23/23	0.93	0.10	38,46,56,57	0
3	NDP	B	602	48/48	0.94	0.08	34,38,43,44	0
4	UMP	B	603	20/20	0.96	0.07	24,26,29,31	0
3	NDP	A	602	48/48	0.97	0.05	19,24,27,29	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around C50 A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UMP A 603:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around C50 B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NDP B 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UMP B 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NDP A 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.