



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 05:27 PM UTC

PDB ID : 6INT / pdb_00006int
Title : xylose isomerase from Paenibacillus sp. R4
Authors : Lee, J.H.; Lee, C.W.; Park, S.
Deposited on : 2018-10-26
Resolution : 1.94 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.94 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1452 (1.94-1.94)
Clashscore	190562	1494 (1.94-1.94)
Ramachandran outliers	187476	1479 (1.94-1.94)
Sidechain outliers	187428	1479 (1.94-1.94)
RSRZ outliers	180081	1453 (1.94-1.94)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	438	
1	B	438	
1	C	438	
1	D	438	
1	E	438	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	438	3% 87% 8% 6%
1	G	438	3% 87% 8% 6%
1	H	438	4% 86% 9% 6%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 28563 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Xylose isomerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	413	Total	C	N	O	S	0	0	0
			3269	2083	560	618	8			
1	B	412	Total	C	N	O	S	0	0	0
			3257	2074	559	616	8			
1	C	413	Total	C	N	O	S	0	0	0
			3269	2083	560	618	8			
1	D	413	Total	C	N	O	S	0	0	0
			3269	2083	560	618	8			
1	E	412	Total	C	N	O	S	0	0	0
			3257	2074	559	616	8			
1	F	413	Total	C	N	O	S	0	0	0
			3269	2083	560	618	8			
1	G	413	Total	C	N	O	S	0	0	0
			3269	2083	560	618	8			
1	H	413	Total	C	N	O	S	0	0	0
			3269	2083	560	618	8			

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total	Ca	0	0
			3	3		
2	B	3	Total	Ca	0	0
			3	3		
2	C	3	Total	Ca	0	0
			3	3		
2	D	3	Total	Ca	0	0
			3	3		
2	E	3	Total	Ca	0	0
			3	3		
2	F	3	Total	Ca	0	0
			3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	G	3	Total 3	Ca 3	0	0
2	H	3	Total 3	Ca 3	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	275	Total 275	O 275	0	0
3	B	249	Total 249	O 249	0	0
3	C	289	Total 289	O 289	0	0
3	D	309	Total 309	O 309	0	0
3	E	358	Total 358	O 358	0	0
3	F	341	Total 341	O 341	0	0
3	G	279	Total 279	O 279	0	0
3	H	311	Total 311	O 311	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Xylose isomerase



• Molecule 1: Xylose isomerase




• Molecule 1: Xylose isomerase





• Molecule 1: Xylose isomerase









• Molecule 1: Xylose isomerase





• Molecule 1: Xylose isomerase



• Molecule 1: Xylose isomerase



• Molecule 1: Xylose isomerase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	89.28Å 124.04Å 315.00Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	23.83 – 1.94 23.83 – 1.94	Depositor EDS
% Data completeness (in resolution range)	98.9 (23.83-1.94) 98.8 (23.83-1.94)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	9.23 (at 1.95Å)	Xtriage
Refinement program	PHENIX (1.14_3260: ???), REFMAC	Depositor
R, R_{free}	0.204 , 0.249 0.204 , 0.249	Depositor DCC
R_{free} test set	12854 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	16.6	Xtriage
Anisotropy	0.053	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 46.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	28563	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 54.09 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.8405e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.30	0/3339	0.49	0/4516
1	B	0.29	0/3326	0.49	0/4498
1	C	0.30	0/3339	0.50	0/4516
1	D	0.31	0/3339	0.51	0/4516
1	E	0.32	0/3326	0.52	0/4498
1	F	0.32	0/3339	0.53	0/4516
1	G	0.31	0/3339	0.49	0/4516
1	H	0.29	0/3339	0.50	0/4516
All	All	0.31	0/26686	0.50	0/36092

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3269	0	3178	16	0
1	B	3257	0	3169	23	0
1	C	3269	0	3178	14	0
1	D	3269	0	3178	17	0
1	E	3257	0	3169	20	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	3269	0	3178	25	0
1	G	3269	0	3178	24	0
1	H	3269	0	3178	27	0
2	A	3	0	0	0	0
2	B	3	0	0	0	0
2	C	3	0	0	0	0
2	D	3	0	0	0	0
2	E	3	0	0	0	0
2	F	3	0	0	0	0
2	G	3	0	0	0	0
2	H	3	0	0	0	0
3	A	275	0	0	4	1
3	B	249	0	0	1	0
3	C	289	0	0	0	0
3	D	309	0	0	3	0
3	E	358	0	0	5	0
3	F	341	0	0	1	0
3	G	279	0	0	4	0
3	H	311	0	0	3	0
All	All	28563	0	25406	147	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (147) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:170:LYS:HE2	1:H:174:HIS:CE1	1.88	1.09
1:G:259:LYS:NZ	3:G:601:HOH:O	1.93	0.93
1:D:170:LYS:HE2	1:D:174:HIS:CE1	2.05	0.91
1:G:364:ARG:HH12	1:G:438:VAL:HG22	1.34	0.89
1:B:170:LYS:HE2	1:B:174:HIS:CE1	2.09	0.88
1:A:327:GLU:OE2	3:A:601:HOH:O	1.89	0.87
1:B:303:GLY:HA3	1:D:303:GLY:HA3	1.58	0.82
1:F:303:GLY:HA3	1:H:303:GLY:HA3	1.64	0.80
1:E:437:ASN:ND2	1:H:15:LYS:O	2.16	0.78
1:A:170:LYS:HE2	1:A:174:HIS:CE1	2.20	0.77
1:A:15:LYS:O	1:D:437:ASN:ND2	2.18	0.76
1:G:342:ARG:NH1	3:G:602:HOH:O	2.19	0.76
1:B:35:LYS:HG3	1:B:39:GLU:HG3	1.68	0.74
1:D:265:LEU:HD12	1:D:281:LEU:HD23	1.70	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:170:LYS:HE2	1:H:174:HIS:NE2	2.05	0.72
1:E:385:ARG:NH2	3:E:602:HOH:O	2.21	0.72
1:F:170:LYS:HE2	1:F:174:HIS:CE1	2.25	0.71
1:E:151:GLY:HA2	1:E:189:ARG:HB2	1.72	0.70
1:B:151:GLY:HA2	1:B:189:ARG:HB2	1.75	0.69
1:G:170:LYS:HE2	1:G:174:HIS:CE1	2.28	0.69
1:F:381:VAL:HG21	1:F:427:LEU:HD21	1.76	0.68
1:C:170:LYS:HE2	1:C:174:HIS:CE1	2.28	0.68
1:H:151:GLY:HA2	1:H:189:ARG:HB2	1.75	0.67
1:A:39:GLU:OE1	3:A:602:HOH:O	2.12	0.66
1:D:141:ASN:ND2	3:D:601:HOH:O	2.28	0.65
1:D:428:ARG:NH1	3:D:602:HOH:O	2.29	0.65
1:G:437:ASN:O	1:G:438:VAL:HB	1.98	0.63
1:H:6:HIS:HD2	1:H:21:LEU:HD13	1.64	0.63
1:E:428:ARG:NH2	1:H:342:ARG:HH12	1.96	0.62
1:G:265:LEU:HD12	1:G:281:LEU:HD23	1.81	0.62
1:A:413:GLN:NE2	3:A:607:HOH:O	2.32	0.62
1:E:15:LYS:O	1:H:437:ASN:ND2	2.33	0.62
1:F:198:THR:HG22	3:F:838:HOH:O	1.98	0.62
1:B:437:ASN:ND2	1:C:15:LYS:O	2.31	0.62
1:C:151:GLY:HA2	1:C:189:ARG:HB2	1.82	0.61
1:F:194:SER:O	1:F:198:THR:HG23	2.01	0.60
1:G:151:GLY:HA2	1:G:189:ARG:HB2	1.83	0.60
1:D:170:LYS:HE2	1:D:174:HIS:NE2	2.17	0.60
1:E:428:ARG:HH22	1:H:342:ARG:HH12	1.50	0.59
1:F:15:LYS:HD2	1:G:437:ASN:HD21	1.67	0.58
1:B:170:LYS:HE2	1:B:174:HIS:NE2	2.18	0.58
1:E:131:SER:OG	1:E:133:LYS:HG2	2.03	0.58
1:E:80:ARG:NH2	3:E:601:HOH:O	2.17	0.58
1:D:151:GLY:HA2	1:D:189:ARG:HB2	1.86	0.56
1:E:219:LYS:NZ	3:E:608:HOH:O	2.35	0.55
1:F:151:GLY:HA2	1:F:189:ARG:HB2	1.87	0.55
1:B:36:THR:OG1	1:B:39:GLU:HG2	2.08	0.54
1:A:307:ASP:HB2	1:A:340:LYS:HD2	1.90	0.54
1:F:137:TRP:HB3	1:F:182:ASN:HB2	1.91	0.53
1:E:303:GLY:HA3	1:G:303:GLY:HA3	1.90	0.52
1:H:36:THR:OG1	1:H:39:GLU:HG2	2.09	0.52
1:B:15:LYS:HD3	1:C:437:ASN:ND2	2.25	0.52
1:A:15:LYS:C	1:D:437:ASN:HD21	2.18	0.52
1:G:381:VAL:HG21	1:G:427:LEU:HD21	1.91	0.52
1:E:149:VAL:HG23	1:G:343:ARG:HD3	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:219:LYS:NZ	3:H:611:HOH:O	2.44	0.51
1:G:74:MET:O	1:G:78:LYS:HG3	2.11	0.51
1:A:428:ARG:NH1	3:A:613:HOH:O	2.44	0.50
1:A:428:ARG:NH2	1:D:342:ARG:HH12	2.10	0.50
1:C:131:SER:OG	1:C:133:LYS:HG2	2.10	0.50
1:H:381:VAL:HG21	1:H:427:LEU:HD21	1.94	0.50
1:H:6:HIS:CD2	1:H:21:LEU:HD13	2.46	0.50
1:C:381:VAL:HG21	1:C:427:LEU:HD21	1.93	0.50
1:G:4:PHE:C	1:G:6:HIS:H	2.20	0.49
1:A:170:LYS:HE2	1:A:174:HIS:NE2	2.26	0.49
1:B:75:GLU:H	1:B:75:GLU:CD	2.20	0.49
1:C:22:ALA:O	1:C:24:LYS:NZ	2.43	0.49
1:G:376:ARG:NE	1:G:380:ASN:OD1	2.43	0.49
1:D:381:VAL:HG21	1:D:427:LEU:HD21	1.96	0.48
1:E:381:VAL:HG21	1:E:427:LEU:HD21	1.97	0.47
1:F:6:HIS:CD2	1:F:21:LEU:HD22	2.49	0.47
1:C:151:GLY:HA2	1:C:189:ARG:CB	2.44	0.47
1:E:342:ARG:HH22	1:H:428:ARG:NH2	2.13	0.47
1:F:6:HIS:CD2	1:F:21:LEU:HD13	2.49	0.47
1:F:170:LYS:HE2	1:F:174:HIS:NE2	2.30	0.47
1:E:267:ALA:HA	1:E:277:PHE:CD1	2.50	0.47
1:E:47:TYR:OH	1:E:81:VAL:HG22	2.15	0.47
1:H:117:LEU:HG	1:H:174:HIS:CE1	2.50	0.47
1:B:368:VAL:HG13	1:B:434:TYR:HB3	1.97	0.46
1:F:327:GLU:O	1:F:327:GLU:HG3	2.15	0.46
1:H:75:GLU:OE2	3:H:601:HOH:O	2.21	0.46
1:E:306:THR:O	1:E:340:LYS:HE2	2.15	0.46
1:A:267:ALA:HA	1:A:277:PHE:CD1	2.51	0.45
1:B:209:ARG:O	1:B:213:LEU:HG	2.16	0.45
1:C:433:GLN:HG2	1:C:437:ASN:OD1	2.16	0.45
1:B:117:LEU:HG	1:B:174:HIS:CE1	2.52	0.45
1:B:267:ALA:HA	1:B:277:PHE:CD1	2.52	0.45
1:F:385:ARG:HD2	1:F:422:GLY:HA2	1.99	0.45
1:B:327:GLU:O	1:B:327:GLU:HG3	2.17	0.45
1:B:433:GLN:O	1:B:437:ASN:HB2	2.17	0.44
1:B:434:TYR:O	1:B:438:VAL:HG13	2.17	0.44
1:A:394:GLY:HA2	1:A:397:ILE:HD12	2.00	0.44
1:F:131:SER:OG	1:F:133:LYS:HG2	2.17	0.44
1:G:224:ASP:HB3	3:G:822:HOH:O	2.16	0.44
1:B:135:LEU:HD23	1:B:180:ALA:HB2	2.00	0.44
1:H:74:MET:O	1:H:78:LYS:HG3	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:342:ARG:HH12	1:D:428:ARG:NH2	2.15	0.44
1:C:141:ASN:OD1	1:C:144:THR:HG23	2.18	0.44
1:D:229:ILE:HD12	1:D:252:LEU:HD21	1.99	0.43
1:B:307:ASP:HB2	1:B:340:LYS:HD2	2.00	0.43
1:E:78:LYS:HG2	1:E:123:LEU:HD11	1.99	0.43
3:E:748:HOH:O	1:F:405:HIS:HD2	2.01	0.43
1:F:6:HIS:HD2	1:F:21:LEU:HD22	1.83	0.43
1:G:170:LYS:HE2	1:G:174:HIS:NE2	2.32	0.43
1:B:47:TYR:OH	1:B:81:VAL:HG22	2.17	0.43
1:F:37:MET:HE3	1:F:367:GLN:HG3	2.00	0.43
1:F:342:ARG:HH12	1:G:428:ARG:NH2	2.16	0.43
1:G:433:GLN:O	1:G:437:ASN:HB2	2.18	0.43
1:C:117:LEU:HG	1:C:174:HIS:CE1	2.54	0.43
1:D:102:ASP:HB2	3:D:625:HOH:O	2.18	0.43
1:F:267:ALA:HA	1:F:277:PHE:CD1	2.54	0.43
1:F:19:ASN:O	1:F:24:LYS:NZ	2.43	0.42
1:G:258:ALA:N	3:G:601:HOH:O	2.35	0.42
1:H:131:SER:HB3	1:H:133:LYS:HG2	2.01	0.42
1:F:437:ASN:HD21	1:G:15:LYS:HB2	1.84	0.42
1:H:151:GLY:HA2	1:H:189:ARG:CB	2.45	0.42
1:H:267:ALA:HA	1:H:277:PHE:CD1	2.55	0.42
1:C:12:PHE:HA	1:C:23:PHE:HB2	2.01	0.42
1:F:342:ARG:HA	1:F:342:ARG:HD2	1.91	0.42
1:D:340:LYS:HB3	1:D:340:LYS:HE2	1.85	0.42
1:E:170:LYS:HD3	1:E:170:LYS:HA	1.84	0.42
1:F:95:TYR:OH	1:F:134:LYS:HE2	2.20	0.42
1:A:229:ILE:HD12	1:A:252:LEU:HD21	2.02	0.42
1:C:170:LYS:HE2	1:C:174:HIS:NE2	2.35	0.42
1:E:80:ARG:NH2	1:E:102:ASP:O	2.53	0.42
1:H:229:ILE:HG13	1:H:261:PHE:CD2	2.54	0.42
1:H:137:TRP:HB3	1:H:182:ASN:HB2	2.02	0.41
1:H:428:ARG:NH1	3:H:622:HOH:O	2.52	0.41
1:H:95:TYR:CZ	1:H:134:LYS:HE3	2.55	0.41
1:H:296:ASN:HA	1:H:310:PRO:HD3	2.02	0.41
1:B:144:THR:HG22	3:B:847:HOH:O	2.19	0.41
1:F:31:ILE:HD13	1:F:36:THR:HG22	2.03	0.41
1:B:424:VAL:HG11	1:C:342:ARG:HD2	2.01	0.41
1:A:151:GLY:HA2	1:A:189:ARG:HB2	2.04	0.40
1:D:89:ASN:HD22	1:D:89:ASN:HA	1.75	0.40
1:D:267:ALA:HA	1:D:277:PHE:CD1	2.56	0.40
1:G:189:ARG:NH1	1:G:236:PRO:HG3	2.36	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:371:LYS:HD2	1:G:371:LYS:HA	1.91	0.40
1:H:299:ASP:HB3	1:H:302:LEU:HD12	2.03	0.40
1:F:95:TYR:CZ	1:F:134:LYS:HE2	2.56	0.40
1:G:101:ARG:HB2	1:G:141:ASN:HB3	2.03	0.40
1:A:35:LYS:HG3	1:A:39:GLU:HB3	2.02	0.40
1:B:211:LEU:O	1:B:215:VAL:HG23	2.20	0.40
1:E:134:LYS:HG3	3:E:873:HOH:O	2.20	0.40
1:H:37:MET:HE3	1:H:367:GLN:HG3	2.03	0.40
1:B:74:MET:O	1:B:78:LYS:HG3	2.21	0.40
1:G:364:ARG:NH1	1:G:438:VAL:HG22	2.18	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:615:HOH:O	3:A:703:HOH:O[4_597]	2.17	0.03

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	409/438 (93%)	399 (98%)	8 (2%)	2 (0%)	24	15
1	B	408/438 (93%)	400 (98%)	7 (2%)	1 (0%)	43	37
1	C	409/438 (93%)	398 (97%)	10 (2%)	1 (0%)	43	37
1	D	409/438 (93%)	401 (98%)	7 (2%)	1 (0%)	43	37
1	E	408/438 (93%)	398 (98%)	9 (2%)	1 (0%)	43	37
1	F	409/438 (93%)	399 (98%)	8 (2%)	2 (0%)	24	15
1	G	409/438 (93%)	397 (97%)	9 (2%)	3 (1%)	18	9
1	H	409/438 (93%)	399 (98%)	8 (2%)	2 (0%)	24	15

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	3270/3504 (93%)	3191 (98%)	66 (2%)	13 (0%)	30	22

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	7	VAL
1	H	188	GLY
1	F	188	GLY
1	A	235	GLU
1	B	235	GLU
1	C	235	GLU
1	D	235	GLU
1	E	235	GLU
1	F	235	GLU
1	G	5	ASP
1	G	235	GLU
1	H	235	GLU
1	G	188	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	338/355 (95%)	338 (100%)	0	100	100
1	B	337/355 (95%)	337 (100%)	0	100	100
1	C	338/355 (95%)	338 (100%)	0	100	100
1	D	338/355 (95%)	338 (100%)	0	100	100
1	E	337/355 (95%)	337 (100%)	0	100	100
1	F	338/355 (95%)	338 (100%)	0	100	100
1	G	338/355 (95%)	338 (100%)	0	100	100
1	H	338/355 (95%)	338 (100%)	0	100	100
All	All	2702/2840 (95%)	2702 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	212	GLN
1	A	325	GLN
1	A	336	ASN
1	A	357	ASN
1	B	126	GLN
1	B	413	GLN
1	C	6	HIS
1	C	126	GLN
1	C	226	GLN
1	C	336	ASN
1	C	437	ASN
1	D	6	HIS
1	D	260	HIS
1	D	287	ASN
1	E	240	GLN
1	E	287	ASN
1	E	325	GLN
1	E	326	ASN
1	E	336	ASN
1	F	6	HIS
1	F	240	GLN
1	F	325	GLN
1	G	336	ASN
1	G	437	ASN
1	H	226	GLN
1	H	336	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 24 ligands modelled in this entry, 24 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	413/438 (94%)	0.36	25 (6%)	27	30	12, 19, 32, 79	0
1	B	412/438 (94%)	0.55	27 (6%)	24	27	13, 21, 33, 68	0
1	C	413/438 (94%)	0.18	17 (4%)	41	46	9, 18, 34, 77	0
1	D	413/438 (94%)	-0.01	15 (3%)	46	52	9, 15, 28, 59	0
1	E	412/438 (94%)	0.02	13 (3%)	50	56	10, 16, 28, 62	0
1	F	413/438 (94%)	0.07	15 (3%)	46	52	11, 17, 28, 54	0
1	G	413/438 (94%)	0.22	15 (3%)	46	52	11, 19, 34, 62	0
1	H	413/438 (94%)	0.13	17 (4%)	41	46	10, 18, 31, 55	0
All	All	3302/3504 (94%)	0.19	144 (4%)	39	43	9, 18, 32, 79	0

All (144) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	188	GLY	6.8
1	A	3	TYR	6.6
1	G	47	TYR	6.4
1	B	7	VAL	6.0
1	G	7	VAL	5.3
1	A	7	VAL	5.3
1	C	3	TYR	5.1
1	A	395	ALA	5.1
1	C	47	TYR	5.1
1	A	399	SER	5.0
1	F	7	VAL	5.0
1	H	187	GLY	4.9
1	C	7	VAL	4.7
1	C	437	ASN	4.5
1	C	187	GLY	4.4
1	H	7	VAL	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	3	TYR	4.3
1	B	129	HIS	4.1
1	F	3	TYR	4.1
1	E	72	SER	4.0
1	D	3	TYR	4.0
1	H	6	HIS	4.0
1	E	7	VAL	4.0
1	A	188	GLY	4.0
1	A	402	ALA	3.9
1	F	187	GLY	3.8
1	B	47	TYR	3.8
1	B	188	GLY	3.8
1	E	5	ASP	3.8
1	H	5	ASP	3.7
1	D	7	VAL	3.7
1	B	187	GLY	3.7
1	A	406	THR	3.7
1	H	3	TYR	3.6
1	B	8	GLY	3.6
1	A	5	ASP	3.6
1	D	8	GLY	3.5
1	F	131	SER	3.5
1	C	6	HIS	3.5
1	F	71	LEU	3.5
1	H	129	HIS	3.4
1	G	438	VAL	3.4
1	G	5	ASP	3.4
1	H	188	GLY	3.4
1	F	123	LEU	3.4
1	G	71	LEU	3.4
1	G	9	THR	3.4
1	C	9	THR	3.3
1	E	187	GLY	3.3
1	D	71	LEU	3.3
1	C	129	HIS	3.3
1	B	186	TRP	3.3
1	C	4	PHE	3.2
1	A	398	VAL	3.1
1	A	8	GLY	3.1
1	A	403	ASN	3.1
1	F	75	GLU	3.1
1	E	47	TYR	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	129	HIS	3.0
1	B	144	THR	3.0
1	E	6	HIS	2.9
1	G	259	LYS	2.9
1	C	144	THR	2.9
1	G	188	GLY	2.9
1	A	387	ALA	2.9
1	A	6	HIS	2.9
1	F	6	HIS	2.9
1	H	39	GLU	2.9
1	E	8	GLY	2.9
1	H	8	GLY	2.9
1	D	5	ASP	2.8
1	B	72	SER	2.8
1	D	187	GLY	2.8
1	B	132	GLY	2.8
1	B	6	HIS	2.8
1	A	392	GLY	2.7
1	B	224	ASP	2.7
1	H	46	ALA	2.7
1	D	47	TYR	2.7
1	D	9	THR	2.7
1	B	123	LEU	2.7
1	D	72	SER	2.7
1	E	129	HIS	2.7
1	H	47	TYR	2.6
1	F	16	SER	2.6
1	D	437	ASN	2.6
1	B	218	ALA	2.6
1	E	186	TRP	2.6
1	A	129	HIS	2.6
1	A	327	GLU	2.6
1	F	186	TRP	2.5
1	B	130	SER	2.5
1	A	390	THR	2.5
1	A	394	GLY	2.5
1	G	6	HIS	2.5
1	H	186	TRP	2.5
1	H	327	GLU	2.4
1	B	46	ALA	2.4
1	E	80	ARG	2.4
1	C	5	ASP	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	16	SER	2.4
1	H	71	LEU	2.4
1	D	4	PHE	2.4
1	B	214	ALA	2.4
1	F	72	SER	2.4
1	C	71	LEU	2.3
1	H	75	GLU	2.3
1	F	46	ALA	2.3
1	C	8	GLY	2.3
1	B	176	LYS	2.3
1	D	340	LYS	2.3
1	G	224	ASP	2.3
1	E	71	LEU	2.3
1	D	122	ALA	2.3
1	B	222	GLY	2.3
1	H	72	SER	2.3
1	H	80	ARG	2.3
1	B	75	GLU	2.3
1	B	9	THR	2.3
1	F	144	THR	2.3
1	G	380	ASN	2.3
1	G	187	GLY	2.3
1	D	6	HIS	2.3
1	G	186	TRP	2.2
1	B	143	PHE	2.2
1	A	437	ASN	2.2
1	E	89	ASN	2.2
1	A	405	HIS	2.2
1	C	186	TRP	2.2
1	C	21	LEU	2.1
1	A	47	TYR	2.1
1	A	410	TYR	2.1
1	B	5	ASP	2.1
1	E	46	ALA	2.1
1	B	221	ILE	2.1
1	F	224	ASP	2.1
1	A	16	SER	2.1
1	C	46	ALA	2.1
1	A	224	ASP	2.1
1	B	34	GLY	2.0
1	B	304	TRP	2.0
1	A	46	ALA	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	144	THR	2.0
1	C	27	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CA	B	501	1/1	0.98	0.05	19,19,19,19	0
2	CA	B	502	1/1	0.98	0.05	20,20,20,20	0
2	CA	A	503	1/1	0.99	0.02	17,17,17,17	0
2	CA	A	501	1/1	0.99	0.05	16,16,16,16	0
2	CA	A	502	1/1	0.99	0.03	17,17,17,17	0
2	CA	B	503	1/1	0.99	0.05	16,16,16,16	0
2	CA	C	501	1/1	0.99	0.03	17,17,17,17	0
2	CA	C	502	1/1	0.99	0.04	15,15,15,15	0
2	CA	D	501	1/1	0.99	0.03	15,15,15,15	0
2	CA	D	502	1/1	0.99	0.03	13,13,13,13	0
2	CA	D	503	1/1	0.99	0.01	14,14,14,14	0
2	CA	E	501	1/1	0.99	0.01	16,16,16,16	0
2	CA	E	502	1/1	0.99	0.02	15,15,15,15	0
2	CA	E	503	1/1	0.99	0.03	13,13,13,13	0
2	CA	F	501	1/1	0.99	0.02	18,18,18,18	0
2	CA	F	502	1/1	0.99	0.03	19,19,19,19	0
2	CA	F	503	1/1	0.99	0.06	13,13,13,13	0
2	CA	G	501	1/1	0.99	0.03	18,18,18,18	0
2	CA	G	502	1/1	0.99	0.03	16,16,16,16	0
2	CA	H	502	1/1	0.99	0.04	17,17,17,17	0
2	CA	H	503	1/1	0.99	0.02	15,15,15,15	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CA	H	501	1/1	1.00	0.03	16,16,16,16	0
2	CA	C	503	1/1	1.00	0.03	11,11,11,11	0
2	CA	G	503	1/1	1.00	0.02	14,14,14,14	0

6.5 Other polymers [i](#)

There are no such residues in this entry.