



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 06:34 PM UTC

PDB ID : 9INM / pdb_00009inm
Title : Crystal structure of MERS main protease in complex with Bofutrelvir
Authors : Wang, W.W.; Zhou, X.L.; Wang, Q.S.; Li, J.
Deposited on : 2024-07-08
Resolution : 2.34 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.34 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3031 (2.36-2.32)
Clashscore	190562	3127 (2.36-2.32)
Ramachandran outliers	187476	3095 (2.36-2.32)
Sidechain outliers	187428	3095 (2.36-2.32)
RSRZ outliers	180081	3033 (2.36-2.32)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	301	9% 84% 15%
1	B	301	10% 77% 22% .
1	C	301	9% 84% 16%
1	D	301	33% 77% 22% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	FHR	A	401	X	-	-	-

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 9444 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3C-like proteinase nsp5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	301	Total	C	N	O	S	0	0	0
			2253	1433	372	424	24			
1	B	301	Total	C	N	O	S	0	0	0
			2253	1432	371	426	24			
1	C	301	Total	C	N	O	S	0	0	0
			2248	1429	371	424	24			
1	D	299	Total	C	N	O	S	0	0	0
			2239	1424	371	420	24			

- Molecule 2 is {N}-[(2 {S})-3-cyclohexyl-1-oxidanylidene-1-[(2 {S})-1-oxidanylidene-3-[(3 {S})-2-oxidanylidene-pyrrolidin-3-yl]propan-2-yl]amino]propan-2-yl]-1 {H}-indole-2-carboxamide (CCD ID: FHR) (formula: C₂₅H₃₂N₄O₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			33	25	4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			33	25	4	4		
2	C	1	Total	C	N	O	0	0
			33	25	4	4		
2	D	1	Total	C	N	O	0	0
			33	25	4	4		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	78	Total	O	0	0
			78	78		
3	B	85	Total	O	0	0
			85	85		
3	C	91	Total	O	0	0
			91	91		
3	D	65	Total	O	0	0
			65	65		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 3C-like proteinase nsp5





- Molecule 1: 3C-like proteinase nsp5



- Molecule 1: 3C-like proteinase nsp5



- Molecule 1: 3C-like proteinase nsp5



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	93.19Å 80.67Å 100.55Å 90.00° 93.41° 90.00°	Depositor
Resolution (Å)	70.35 – 2.34 70.35 – 2.34	Depositor EDS
% Data completeness (in resolution range)	97.8 (70.35-2.34) 97.8 (70.35-2.34)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.91 (at 2.34Å)	Xtriage
Refinement program	PHENIX 1.12_2829, PHENIX 1.12_2829	Depositor
R, R_{free}	0.228 , 0.275 0.230 , 0.273	Depositor DCC
R_{free} test set	3070 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	37.0	Xtriage
Anisotropy	0.240	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 45.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	9444	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.76% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FHR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.44	0/2307	0.69	1/3148 (0.0%)
1	B	0.48	0/2307	0.74	2/3149 (0.1%)
1	C	0.46	0/2302	0.69	1/3143 (0.0%)
1	D	0.53	0/2293	0.82	2/3130 (0.1%)
All	All	0.48	0/9209	0.74	6/12570 (0.0%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	168	MET	N-CA-C	5.88	117.79	108.79
1	C	168	MET	N-CA-C	5.76	117.60	108.79
1	B	168	MET	N-CA-C	5.63	117.63	109.07
1	D	129	PHE	CA-CB-CG	5.46	119.26	113.80
1	A	174	THR	CB-CA-C	5.20	119.58	109.33
1	B	41	HIS	CB-CA-C	5.01	119.62	110.11

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2253	0	2162	30	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2253	0	2155	45	0
1	C	2248	0	2149	31	0
1	D	2239	0	2142	51	0
2	A	33	0	0	0	0
2	B	33	0	0	1	0
2	C	33	0	0	1	0
2	D	33	0	0	4	0
3	A	78	0	0	5	0
3	B	85	0	0	12	0
3	C	91	0	0	1	0
3	D	65	0	0	2	0
All	All	9444	0	8608	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:401:FHR:C31	2:D:401:FHR:O32	1.69	1.40
1:D:204:SER:H	1:D:243:THR:HG22	1.22	1.01
1:D:169:GLU:O	2:D:401:FHR:C04	2.19	0.91
1:B:7:SER:HB3	1:B:130:THR:HG23	1.56	0.88
1:B:43:MET:HB3	1:B:61:MET:HE3	1.67	0.77
1:C:54:TYR:HB3	1:C:85:MET:HE1	1.68	0.75
1:B:223:VAL:O	3:B:501:HOH:O	2.06	0.71
1:D:148:CYS:HB2	2:D:401:FHR:O32	1.91	0.71
1:D:214:ALA:HB1	1:D:219:CYS:HB3	1.73	0.70
1:C:8:HIS:ND1	3:C:503:HOH:O	2.27	0.68
1:C:88:THR:HG21	1:C:184:MET:HG3	1.74	0.67
1:D:204:SER:H	1:D:243:THR:CG2	2.02	0.67
1:B:258:THR:HG22	1:B:260:VAL:H	1.61	0.66
1:D:3:LEU:N	3:D:503:HOH:O	2.27	0.66
1:B:1:SER:O	3:B:502:HOH:O	2.13	0.66
1:D:256:VAL:HG12	1:D:257:LYS:HD3	1.79	0.64
1:C:56:ALA:O	1:C:59:ILE:HG13	1.96	0.64
1:C:215:ILE:HD13	1:C:260:VAL:HG11	1.79	0.64
1:D:234:ASN:O	1:D:238:LEU:HD12	1.97	0.63
1:B:56:ALA:O	1:B:59:ILE:HG13	2.00	0.62
1:A:153:TYR:OH	3:A:501:HOH:O	2.10	0.61
1:B:31:TRP:HZ3	1:B:70:LYS:HD2	1.65	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:107:THR:HG22	1:D:161:ASN:HD21	1.67	0.60
1:B:39:PRO:O	1:B:42:VAL:HG22	2.01	0.60
1:C:227:ARG:HB2	1:C:263:GLU:HB3	1.85	0.59
1:B:215:ILE:HG21	1:B:258:THR:HG23	1.85	0.59
1:B:252:ASP:OD1	3:B:503:HOH:O	2.17	0.58
1:C:40:ARG:HD2	1:C:85:MET:HE2	1.86	0.58
1:D:118:LEU:HD11	1:D:125:PRO:HB3	1.86	0.58
1:D:27:LEU:HG	1:D:42:VAL:HG12	1.84	0.58
1:C:212:TYR:HE1	1:C:260:VAL:HG13	1.69	0.57
1:B:161:ASN:HB3	3:B:522:HOH:O	2.04	0.57
1:D:242:PHE:CE2	1:D:269:ILE:HD11	2.40	0.57
1:D:197:GLN:OE1	1:D:197:GLN:N	2.32	0.56
1:A:81:VAL:O	3:A:502:HOH:O	2.18	0.55
1:B:57:LEU:O	1:B:61:MET:HG2	2.06	0.55
1:B:7:SER:CB	1:B:130:THR:HG23	2.34	0.55
1:D:210:TRP:CZ3	1:D:287:LEU:HA	2.42	0.55
1:D:27:LEU:CG	1:D:42:VAL:HG12	2.37	0.55
1:A:138:THR:HB	1:A:174:THR:HG23	1.88	0.55
1:A:27:LEU:HD21	1:A:42:VAL:HB	1.88	0.54
1:A:72:ILE:HD11	1:A:124:ARG:HD3	1.88	0.54
1:B:274:THR:HG22	3:B:515:HOH:O	2.07	0.54
1:C:27:LEU:HD21	1:C:42:VAL:HG13	1.88	0.54
1:A:30:LEU:HD13	1:A:151:VAL:HG21	1.89	0.54
1:C:40:ARG:HA	1:C:90:LEU:HG	1.91	0.53
1:D:252:ASP:O	1:D:256:VAL:HG23	2.08	0.53
1:D:153:TYR:OH	3:D:501:HOH:O	2.04	0.53
1:D:242:PHE:HE2	1:D:269:ILE:HD11	1.74	0.53
1:C:236:TRP:CG	1:C:270:GLN:HE21	2.27	0.53
1:A:57:LEU:O	1:A:61:MET:HG2	2.09	0.52
1:B:37:TRP:CH2	1:B:91:LYS:HG3	2.45	0.52
1:B:166:HIS:HE1	1:B:175:HIS:HB3	1.73	0.52
1:D:58:LEU:HD22	1:D:85:MET:HE2	1.92	0.51
1:C:105:THR:HG23	1:C:159:VAL:HG21	1.91	0.51
1:C:19:GLN:OE1	1:C:71:HIS:NE2	2.37	0.51
1:C:98:ASN:HB3	1:C:101:THR:OG1	2.11	0.50
1:D:46:ALA:HA	1:D:49:LEU:HG	1.93	0.50
1:D:268:ALA:O	1:D:271:GLN:HB3	2.12	0.50
1:B:295:ASP:OD1	3:B:504:HOH:O	2.18	0.49
1:A:234:ASN:O	1:A:238:LEU:HD13	2.13	0.49
1:D:39:PRO:O	1:D:42:VAL:HG13	2.12	0.49
1:D:250:SER:HA	1:D:253:MET:HE3	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:42:VAL:HG23	1:C:43:MET:H	1.78	0.49
1:B:163:CYS:O	1:B:185:TYR:OH	2.28	0.49
1:D:31:TRP:CZ2	1:D:78:LEU:HD21	2.47	0.48
1:D:236:TRP:CG	1:D:270:GLN:HE21	2.31	0.48
1:A:37:TRP:CZ3	1:A:91:LYS:HG3	2.49	0.48
1:B:12:ASP:HB3	1:B:160:ILE:HD11	1.95	0.48
1:A:40:ARG:HA	1:A:90:LEU:HG	1.96	0.48
1:B:249:GLN:N	3:B:519:HOH:O	2.45	0.48
1:D:107:THR:HB	1:D:161:ASN:OD1	2.12	0.48
1:B:95:ASP:OD1	1:B:95:ASP:N	2.29	0.48
1:B:252:ASP:O	1:B:256:VAL:HG23	2.14	0.48
1:C:191:LYS:HG3	1:C:193:VAL:HG22	1.95	0.47
1:C:42:VAL:HG23	1:C:43:MET:N	2.29	0.47
1:A:3:LEU:HD11	1:A:300:ILE:HD11	1.97	0.47
1:B:107:THR:N	3:B:522:HOH:O	2.47	0.47
1:A:121:TYR:CE1	1:A:147:SER:HB3	2.50	0.47
1:C:177:GLY:C	1:C:184:MET:HE3	2.39	0.47
1:B:248:THR:HB	3:B:519:HOH:O	2.15	0.47
1:C:44:CYS:SG	1:C:49:LEU:HD23	2.54	0.47
1:D:227:ARG:NH2	1:D:263:GLU:HG2	2.30	0.46
1:D:266:LEU:HA	1:D:269:ILE:HG22	1.97	0.46
1:A:98:ASN:HB3	1:A:101:THR:OG1	2.16	0.46
1:A:168:MET:HB2	1:A:168:MET:HE2	1.55	0.46
1:C:169:GLU:O	2:C:401:FHR:N11	2.49	0.46
1:D:134:ARG:NH2	1:D:289:ASP:OD2	2.35	0.46
1:D:138:THR:HB	1:D:174:THR:CG2	2.46	0.46
1:A:198:LEU:H	1:A:198:LEU:HD12	1.81	0.45
1:D:31:TRP:CH2	1:D:78:LEU:HD21	2.51	0.45
1:D:249:GLN:HG2	1:D:253:MET:HE2	1.98	0.45
1:A:185:TYR:O	1:A:188:PHE:HD1	1.98	0.45
1:C:21:THR:HG22	1:C:26:THR:OG1	2.17	0.45
1:D:210:TRP:CD2	1:D:288:GLU:HB3	2.50	0.45
1:B:71:HIS:HD2	1:B:122:ASN:O	1.98	0.45
1:B:6:MET:HE2	1:B:6:MET:HB2	1.83	0.45
1:D:212:TYR:HB3	1:D:254:LEU:HB3	1.98	0.45
1:A:52:PRO:HG2	1:A:54:TYR:CZ	2.52	0.45
1:A:210:TRP:CD2	1:A:288:GLU:HB3	2.52	0.45
1:D:227:ARG:HB2	1:D:263:GLU:HB3	1.98	0.45
1:B:134:ARG:NH2	1:B:201:LYS:O	2.49	0.44
1:B:227:ARG:HB3	1:B:263:GLU:HB3	1.99	0.44
1:C:184:MET:HB3	1:C:184:MET:HE2	1.78	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:203:CYS:O	1:B:207:VAL:HG23	2.16	0.44
1:A:1:SER:N	3:A:526:HOH:O	2.51	0.44
1:D:268:ALA:O	1:D:272:LEU:HD12	2.18	0.44
1:D:70:LYS:HE3	1:D:74:ALA:O	2.18	0.43
1:A:164:TYR:HA	1:A:178:SER:O	2.18	0.43
1:A:12:ASP:OD1	3:A:503:HOH:O	2.21	0.43
1:A:236:TRP:CE2	1:A:270:GLN:HG2	2.53	0.43
1:D:27:LEU:CD2	1:D:42:VAL:HG12	2.47	0.43
1:D:227:ARG:CZ	1:D:263:GLU:HG2	2.48	0.43
1:A:258:THR:HG22	1:A:260:VAL:H	1.83	0.43
1:D:138:THR:HB	1:D:174:THR:HG23	1.99	0.43
1:B:69:GLN:NE2	1:B:77:ASN:OD1	2.51	0.43
1:A:124:ARG:O	1:A:126:THR:HG23	2.19	0.43
1:A:52:PRO:HG2	1:A:54:TYR:CE2	2.53	0.43
1:B:45:PRO:HG2	1:B:48:GLN:NE2	2.33	0.43
1:D:27:LEU:HD21	1:D:42:VAL:HG12	2.00	0.43
1:D:121:TYR:CE2	1:D:147:SER:HB3	2.54	0.43
1:B:104:TYR:HA	1:B:160:ILE:O	2.18	0.42
1:A:140:LYS:NZ	3:A:515:HOH:O	2.45	0.42
1:B:169:GLU:O	2:B:401:FHR:N11	2.52	0.42
1:B:2:GLY:HA3	3:B:502:HOH:O	2.19	0.42
1:B:40:ARG:HA	1:B:90:LEU:HG	2.00	0.42
1:B:294:GLU:OE1	1:B:294:GLU:N	2.42	0.42
1:A:166:HIS:HE1	1:A:175:HIS:HB3	1.84	0.42
1:B:134:ARG:NH2	1:B:289:ASP:OD2	2.46	0.42
1:A:198:LEU:HD12	1:A:198:LEU:N	2.34	0.42
1:D:95:ASP:OD1	1:D:96:VAL:HG23	2.19	0.42
1:B:152:GLY:HA3	1:B:164:TYR:HB3	2.01	0.42
1:B:80:VAL:HG12	3:B:511:HOH:O	2.19	0.42
1:C:45:PRO:HB2	1:C:48:GLN:HG3	2.01	0.42
1:B:166:HIS:CE1	1:B:175:HIS:HB3	2.53	0.41
1:B:210:TRP:CD2	1:B:288:GLU:HB3	2.55	0.41
1:C:117:VAL:HG11	1:C:143:PHE:CZ	2.55	0.41
1:A:37:TRP:CH2	1:A:91:LYS:HD2	2.55	0.41
1:B:52:PRO:HD2	1:B:191:LYS:HG2	2.03	0.41
1:C:105:THR:HG23	1:C:159:VAL:CG2	2.51	0.41
1:D:248:THR:HG22	1:D:249:GLN:N	2.36	0.41
1:C:177:GLY:CA	1:C:184:MET:HE3	2.50	0.41
1:D:17:MET:HG3	1:D:120:CYS:SG	2.61	0.41
1:D:227:ARG:HB2	1:D:263:GLU:CB	2.50	0.41
1:C:111:PRO:HB3	1:C:135:PRO:HA	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:72:ILE:HG13	3:B:536:HOH:O	2.20	0.41
1:D:148:CYS:CB	2:D:401:FHR:O32	2.65	0.41
1:D:184:MET:HE2	1:D:184:MET:HB2	1.92	0.41
1:A:240:ASN:O	1:A:241:GLN:HB2	2.21	0.41
1:C:167:GLN:HB2	1:C:177:GLY:HA2	2.03	0.40
1:D:31:TRP:CE2	1:D:98:ASN:HB2	2.55	0.40
1:B:43:MET:HE3	1:B:43:MET:HB2	1.95	0.40
1:B:4:VAL:HG21	1:C:129:PHE:CG	2.57	0.40
1:C:44:CYS:HA	1:C:45:PRO:HD3	1.95	0.40
1:D:211:LEU:HB2	1:D:265:LEU:HD13	2.03	0.40
1:C:68:VAL:HB	1:C:78:LEU:HB2	2.03	0.40
1:D:248:THR:HB	1:D:251:VAL:HG23	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	299/301 (99%)	292 (98%)	7 (2%)	0	100	100
1	B	299/301 (99%)	288 (96%)	11 (4%)	0	100	100
1	C	299/301 (99%)	295 (99%)	4 (1%)	0	100	100
1	D	297/301 (99%)	289 (97%)	8 (3%)	0	100	100
All	All	1194/1204 (99%)	1164 (98%)	30 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	242/253 (96%)	240 (99%)	2 (1%)	73	82
1	B	242/253 (96%)	236 (98%)	6 (2%)	42	54
1	C	241/253 (95%)	238 (99%)	3 (1%)	63	75
1	D	240/253 (95%)	237 (99%)	3 (1%)	61	73
All	All	965/1012 (95%)	951 (98%)	14 (2%)	57	69

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	25	MET
1	A	174	THR
1	B	6	MET
1	B	42	VAL
1	B	194	HIS
1	B	197	GLN
1	B	300	ILE
1	B	301	MET
1	C	3	LEU
1	C	145	CYS
1	C	174	THR
1	D	107	THR
1	D	128	THR
1	D	172	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	64	HIS
1	A	69	GLN
1	A	71	HIS
1	B	69	GLN
1	C	77	ASN
1	C	161	ASN
1	C	297	ASN
1	D	69	GLN
1	D	270	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	FHR	D	401	1	35,36,36	5.55	17 (48%)	44,49,49	2.62	16 (36%)
2	FHR	A	401	1	35,36,36	5.58	13 (37%)	44,49,49	3.46	14 (31%)
2	FHR	C	401	1	35,36,36	5.25	14 (40%)	44,49,49	1.75	12 (27%)
2	FHR	B	401	1	35,36,36	5.36	12 (34%)	44,49,49	1.47	10 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FHR	D	401	1	-	5/25/44/44	0/4/4/4
2	FHR	A	401	1	1/1/7/11	10/25/44/44	0/4/4/4
2	FHR	C	401	1	-	4/25/44/44	0/4/4/4
2	FHR	B	401	1	-	8/25/44/44	0/4/4/4

All (56) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	FHR	C29-N28	24.64	1.59	1.33
2	B	401	FHR	C29-N28	24.30	1.59	1.33
2	C	401	FHR	C29-N28	23.19	1.58	1.33
2	D	401	FHR	C29-N28	22.47	1.57	1.33
2	D	401	FHR	O32-C31	13.13	1.69	1.20
2	B	401	FHR	C26-C27	12.78	1.71	1.53
2	C	401	FHR	C26-C27	12.51	1.71	1.53
2	A	401	FHR	C26-C27	12.44	1.71	1.53
2	D	401	FHR	C26-C27	11.23	1.69	1.53
2	D	401	FHR	C26-C25	-9.43	1.27	1.54
2	B	401	FHR	C26-C25	-9.33	1.28	1.54
2	C	401	FHR	C26-C25	-9.31	1.28	1.54
2	A	401	FHR	C26-C25	-9.22	1.28	1.54
2	A	401	FHR	O32-C31	8.09	1.50	1.20
2	C	401	FHR	C27-N28	-6.50	1.32	1.46
2	A	401	FHR	C27-N28	-6.49	1.32	1.46
2	B	401	FHR	C27-N28	-6.48	1.32	1.46
2	D	401	FHR	C27-N28	-6.25	1.32	1.46
2	C	401	FHR	C21-N22	5.54	1.45	1.34
2	A	401	FHR	C21-N22	5.40	1.45	1.34
2	C	401	FHR	C02-N12	5.39	1.45	1.34
2	B	401	FHR	C21-N22	5.14	1.45	1.34
2	D	401	FHR	C02-N12	5.05	1.44	1.34
2	A	401	FHR	C02-N12	4.97	1.44	1.34
2	B	401	FHR	C02-N12	4.78	1.44	1.34
2	D	401	FHR	C21-N22	4.64	1.44	1.34
2	B	401	FHR	C25-C29	4.36	1.62	1.52
2	D	401	FHR	C03-N11	-4.15	1.32	1.38
2	A	401	FHR	C25-C29	4.06	1.62	1.52
2	A	401	FHR	C03-N11	-3.88	1.32	1.38
2	D	401	FHR	C23-N22	-3.78	1.41	1.46
2	C	401	FHR	O32-C31	3.68	1.33	1.20
2	D	401	FHR	C25-C29	3.51	1.60	1.52
2	C	401	FHR	C25-C29	3.46	1.60	1.52
2	C	401	FHR	O30-C29	-3.43	1.16	1.23
2	C	401	FHR	C03-N11	-3.40	1.33	1.38
2	B	401	FHR	C03-N11	-3.28	1.33	1.38
2	A	401	FHR	C24-C25	3.27	1.61	1.53
2	A	401	FHR	O33-C21	-3.18	1.17	1.23
2	D	401	FHR	O01-C02	-2.79	1.18	1.23
2	B	401	FHR	C24-C25	2.77	1.59	1.53
2	D	401	FHR	O33-C21	-2.59	1.18	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	FHR	O01-C02	-2.56	1.18	1.23
2	B	401	FHR	O33-C21	-2.50	1.18	1.23
2	C	401	FHR	C24-C25	2.47	1.59	1.53
2	D	401	FHR	C04-C03	2.46	1.41	1.37
2	A	401	FHR	O30-C29	-2.44	1.18	1.23
2	D	401	FHR	C24-C23	-2.44	1.50	1.53
2	B	401	FHR	O01-C02	-2.34	1.19	1.23
2	D	401	FHR	O30-C29	-2.34	1.18	1.23
2	C	401	FHR	O33-C21	-2.34	1.18	1.23
2	B	401	FHR	O30-C29	-2.13	1.19	1.23
2	D	401	FHR	C10-N11	-2.12	1.34	1.38
2	C	401	FHR	O01-C02	-2.09	1.19	1.23
2	C	401	FHR	C09-C10	2.09	1.43	1.39
2	D	401	FHR	C24-C25	2.01	1.58	1.53

All (52) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	FHR	C31-C23-N22	12.85	134.29	109.50
2	A	401	FHR	C13-C21-N22	9.87	137.69	116.63
2	D	401	FHR	C31-C23-N22	8.86	126.59	109.50
2	A	401	FHR	O33-C21-N22	-8.17	108.33	122.96
2	D	401	FHR	C13-N12-C02	-6.39	111.25	122.00
2	A	401	FHR	O32-C31-C23	6.02	140.24	124.77
2	A	401	FHR	C03-C02-N12	6.00	124.87	116.86
2	D	401	FHR	C15-C14-C13	-5.92	106.56	114.52
2	D	401	FHR	C05-C04-C03	-5.71	102.30	107.41
2	C	401	FHR	C31-C23-N22	-5.25	99.37	109.50
2	A	401	FHR	C21-C13-N12	-4.65	98.54	111.11
2	C	401	FHR	C27-N28-C29	-4.07	105.15	113.79
2	C	401	FHR	C03-C02-N12	4.02	122.22	116.86
2	D	401	FHR	C27-N28-C29	-3.80	105.72	113.79
2	A	401	FHR	C27-N28-C29	-3.80	105.72	113.79
2	C	401	FHR	C13-N12-C02	-3.76	115.67	122.00
2	B	401	FHR	C27-N28-C29	-3.56	106.25	113.79
2	A	401	FHR	C14-C13-N12	-3.40	102.90	110.58
2	A	401	FHR	C24-C25-C29	-3.36	105.55	112.81
2	A	401	FHR	O01-C02-C03	-3.29	116.86	121.09
2	A	401	FHR	C15-C14-C13	3.18	118.79	114.52
2	A	401	FHR	O33-C21-C13	-3.12	113.95	120.48
2	D	401	FHR	O01-C02-N12	-2.99	117.84	123.09
2	D	401	FHR	C06-C05-C10	-2.84	116.16	119.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	401	FHR	C26-C25-C29	2.82	106.74	102.87
2	C	401	FHR	C13-C21-N22	2.80	122.60	116.63
2	A	401	FHR	O01-C02-N12	-2.78	118.20	123.09
2	D	401	FHR	C14-C15-C20	-2.65	105.54	111.71
2	D	401	FHR	C03-C02-N12	2.63	120.37	116.86
2	B	401	FHR	C13-C21-N22	2.48	121.91	116.63
2	D	401	FHR	C24-C25-C29	-2.45	107.51	112.81
2	B	401	FHR	C26-C25-C29	2.40	106.16	102.87
2	C	401	FHR	C21-C13-N12	-2.28	104.94	111.11
2	C	401	FHR	O01-C02-C03	-2.22	118.22	121.09
2	C	401	FHR	O30-C29-N28	2.18	128.82	125.76
2	B	401	FHR	C21-C13-N12	-2.18	105.20	111.11
2	B	401	FHR	C13-N12-C02	-2.18	118.33	122.00
2	B	401	FHR	C03-C02-N12	2.18	119.76	116.86
2	A	401	FHR	C13-N12-C02	-2.17	118.34	122.00
2	C	401	FHR	O32-C31-C23	2.14	130.28	124.77
2	D	401	FHR	C27-C26-C25	-2.14	102.53	105.69
2	B	401	FHR	O33-C21-N22	-2.13	119.15	122.96
2	D	401	FHR	C10-C05-C04	2.11	108.53	106.80
2	D	401	FHR	C18-C17-C16	-2.11	107.08	111.42
2	B	401	FHR	C18-C19-C20	2.09	115.72	111.42
2	D	401	FHR	C21-C13-N12	2.08	116.73	111.11
2	D	401	FHR	C24-C23-N22	2.07	113.82	110.69
2	B	401	FHR	C17-C18-C19	2.07	117.34	111.19
2	C	401	FHR	O33-C21-N22	-2.03	119.32	122.96
2	C	401	FHR	O01-C02-N12	-2.03	119.53	123.09
2	C	401	FHR	C14-C15-C16	-2.02	107.00	111.71
2	B	401	FHR	C09-C10-C05	-2.01	120.31	122.13

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	401	FHR	C23

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	FHR	O01-C02-C03-C04
2	A	401	FHR	O01-C02-C03-N11
2	A	401	FHR	N12-C02-C03-C04
2	A	401	FHR	N12-C02-C03-N11
2	A	401	FHR	C13-C14-C15-C20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	401	FHR	N22-C23-C24-C25
2	B	401	FHR	O01-C02-C03-N11
2	B	401	FHR	C13-C14-C15-C20
2	C	401	FHR	C13-C14-C15-C20
2	C	401	FHR	N12-C13-C14-C15
2	D	401	FHR	N12-C13-C14-C15
2	B	401	FHR	N12-C13-C14-C15
2	C	401	FHR	C21-C13-C14-C15
2	D	401	FHR	C21-C13-C14-C15
2	B	401	FHR	N12-C02-C03-N11
2	A	401	FHR	N12-C13-C14-C15
2	A	401	FHR	O33-C21-N22-C23
2	A	401	FHR	C13-C21-N22-C23
2	D	401	FHR	N22-C23-C24-C25
2	B	401	FHR	C21-C13-C14-C15
2	B	401	FHR	C13-C14-C15-C16
2	B	401	FHR	N12-C02-C03-C04
2	B	401	FHR	O01-C02-C03-C04
2	D	401	FHR	C23-C24-C25-C26
2	A	401	FHR	C13-C14-C15-C16
2	C	401	FHR	C13-C14-C15-C16
2	D	401	FHR	O01-C02-C03-N11


There are no ring outliers.



3 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	401	FHR	4	0
2	C	401	FHR	1	0
2	B	401	FHR	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	301/301 (100%)	0.81	26 (8%) 16 19	22, 35, 58, 72	0
1	B	301/301 (100%)	0.76	31 (10%) 12 14	21, 33, 60, 73	0
1	C	301/301 (100%)	0.74	27 (8%) 15 18	22, 36, 56, 65	0
1	D	299/301 (99%)	1.53	98 (32%) 1 1	23, 42, 77, 85	0
All	All	1202/1204 (99%)	0.96	182 (15%) 5 6	21, 37, 69, 85	0

All (182) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	231	VAL	6.2
1	D	76	ALA	6.2
1	D	266	LEU	5.9
1	D	278	GLY	5.4
1	D	228	THR	5.0
1	D	233	PHE	4.8
1	D	281	ILE	4.7
1	D	229	SER	4.6
1	D	225	PRO	4.6
1	A	278	GLY	4.5
1	D	75	PRO	4.4
1	D	230	VAL	4.3
1	D	78	LEU	4.3
1	A	301	MET	4.2
1	D	220	ALA	4.2
1	A	196	VAL	4.2
1	D	222	PHE	4.2
1	D	262	ILE	4.1
1	D	261	ALA	4.1
1	D	267	TYR	4.1
1	D	274	THR	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	236	TRP	4.1
1	D	237	ALA	4.0
1	D	286	MET	4.0
1	B	76	ALA	4.0
1	D	276	PHE	4.0
1	D	282	LEU	3.9
1	D	277	GLN	3.9
1	A	77	ASN	3.8
1	A	76	ALA	3.8
1	D	240	ASN	3.8
1	D	223	VAL	3.8
1	B	51	ASP	3.7
1	D	285	THR	3.7
1	D	300	ILE	3.7
1	B	74	ALA	3.7
1	D	238	LEU	3.6
1	D	196	VAL	3.6
1	C	171	ALA	3.6
1	A	2	GLY	3.6
1	D	260	VAL	3.6
1	B	59	ILE	3.5
1	D	287	LEU	3.5
1	C	75	PRO	3.4
1	D	258	THR	3.4
1	B	193	VAL	3.4
1	D	272	LEU	3.4
1	D	269	ILE	3.4
1	D	242	PHE	3.4
1	D	217	ASN	3.3
1	D	268	ALA	3.3
1	A	168	MET	3.3
1	D	252	ASP	3.3
1	D	275	GLY	3.3
1	B	75	PRO	3.3
1	D	224	LYS	3.3
1	D	239	ALA	3.2
1	A	51	ASP	3.2
1	D	219	CYS	3.2
1	B	66	PHE	3.2
1	C	81	VAL	3.2
1	B	47	ASP	3.2
1	D	280	GLN	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	198	LEU	3.2
1	B	301	MET	3.2
1	D	279	LYS	3.1
1	B	196	VAL	3.1
1	C	77	ASN	3.1
1	A	277	GLN	3.1
1	D	211	LEU	3.1
1	B	44	CYS	3.1
1	D	207	VAL	3.1
1	D	221	TRP	3.1
1	D	226	ASN	3.1
1	D	227	ARG	3.1
1	D	255	ALA	3.0
1	D	248	THR	3.0
1	D	77	ASN	3.0
1	D	210	TRP	3.0
1	A	198	LEU	3.0
1	B	194	HIS	3.0
1	A	59	ILE	3.0
1	D	47	ASP	3.0
1	D	256	VAL	2.9
1	D	265	LEU	2.9
1	C	193	VAL	2.9
1	C	34	ASN	2.9
1	D	213	ALA	2.9
1	B	42	VAL	2.9
1	D	254	LEU	2.8
1	D	232	SER	2.8
1	D	197	GLN	2.8
1	D	96	VAL	2.8
1	C	76	ALA	2.8
1	D	243	THR	2.7
1	D	270	GLN	2.7
1	D	214	ALA	2.7
1	C	173	GLY	2.7
1	C	192	GLN	2.6
1	D	171	ALA	2.6
1	C	273	TYR	2.6
1	D	218	GLY	2.6
1	A	75	PRO	2.6
1	D	284	SER	2.6
1	C	74	ALA	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	280	GLN	2.6
1	A	193	VAL	2.6
1	B	49	LEU	2.5
1	D	200	ASP	2.5
1	C	59	ILE	2.5
1	D	72	ILE	2.5
1	D	271	GLN	2.5
1	C	170	LEU	2.5
1	A	68	VAL	2.5
1	D	246	VAL	2.5
1	B	77	ASN	2.5
1	D	289	ASP	2.5
1	A	46	ALA	2.5
1	A	48	GLN	2.5
1	B	1	SER	2.4
1	D	208	VAL	2.4
1	C	61	MET	2.4
1	D	25	MET	2.4
1	C	161	ASN	2.4
1	C	2	GLY	2.4
1	D	203	CYS	2.4
1	B	25	MET	2.4
1	D	170	LEU	2.4
1	D	215	ILE	2.4
1	D	301	MET	2.4
1	D	198	LEU	2.4
1	A	71	HIS	2.4
1	B	124	ARG	2.4
1	B	60	SER	2.3
1	C	80	VAL	2.3
1	A	194	HIS	2.3
1	D	3	LEU	2.3
1	C	78	LEU	2.3
1	A	273	TYR	2.3
1	D	273	TYR	2.3
1	D	259	GLY	2.3
1	A	1	SER	2.3
1	D	42	VAL	2.3
1	D	173	GLY	2.2
1	B	48	GLN	2.2
1	C	174	THR	2.2
1	D	202	TYR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	241	GLN	2.2
1	A	132	VAL	2.2
1	B	80	VAL	2.2
1	C	85	MET	2.2
1	B	73	GLY	2.2
1	D	74	ALA	2.2
1	D	199	THR	2.2
1	C	300	ILE	2.2
1	B	45	PRO	2.2
1	D	249	GLN	2.2
1	C	56	ALA	2.2
1	A	49	LEU	2.2
1	A	72	ILE	2.2
1	A	47	ASP	2.2
1	D	264	GLN	2.2
1	B	22	CYS	2.2
1	B	62	THR	2.2
1	D	253	MET	2.1
1	A	195	GLN	2.1
1	D	50	SER	2.1
1	D	205	VAL	2.1
1	B	69	GLN	2.1
1	B	218	GLY	2.1
1	B	93	THR	2.1
1	B	57	LEU	2.1
1	D	296	VAL	2.1
1	C	158	SER	2.1
1	D	216	LEU	2.1
1	B	23	GLY	2.1
1	D	257	LYS	2.0
1	C	52	PRO	2.0
1	C	196	VAL	2.0
1	C	1	SER	2.0
1	D	95	ASP	2.0
1	B	72	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	FHR	D	401	33/33	0.86	0.16	28,44,58,60	0
2	FHR	A	401	33/33	0.87	0.15	35,47,60,62	0
2	FHR	C	401	33/33	0.91	0.13	26,41,59,63	0
2	FHR	B	401	33/33	0.91	0.13	35,42,58,63	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FHR D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FHR A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FHR C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FHR B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.