



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 04:39 PM UTC

PDB ID : 3IO5 / pdb_00003io5
Title : Crystal Structure of a dimeric form of the uvsX Recombinase core domain from Enterobacteria Phage T4
Authors : Gajewski, S.
Deposited on : 2009-08-13
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	333	
1	B	333	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4287 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Recombination and repair protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	271	Total	C	N	O	S	0	0	0
			2102	1349	353	385	15			
1	B	272	Total	C	N	O	S	0	0	0
			2120	1361	354	391	14			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	26	GLY	-	expression tag	UNP P04529
A	27	SER	-	expression tag	UNP P04529
A	28	HIS	-	expression tag	UNP P04529
A	29	MET	-	expression tag	UNP P04529
B	26	GLY	-	expression tag	UNP P04529
B	27	SER	-	expression tag	UNP P04529
B	28	HIS	-	expression tag	UNP P04529
B	29	MET	-	expression tag	UNP P04529

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	27	Total	O	0	0
			27	27		
3	B	28	Total	O	0	0
			28	28		

4 Data and refinement statistics

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, α , β , γ	95.97 Å 95.97 Å 131.27 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	41.56 – 2.40 41.56 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.2 (41.56-2.40) 99.2 (41.56-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.62 (at 2.34 Å)	Xtriage
Refinement program	REFMAC 5.5.0035	Depositor
R, R_{free}	0.210 , 0.248 0.243 , 0.272	Depositor DCC
R_{free} test set	1408 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	43.4	Xtriage
Anisotropy	0.481	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 24.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.057 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4287	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.10	2/2145 (0.1%)	1.12	3/2898 (0.1%)
1	B	1.02	3/2164 (0.1%)	1.13	5/2924 (0.2%)
All	All	1.06	5/4309 (0.1%)	1.13	8/5822 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	2
All	All	0	4

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	247	SER	C-O	-6.20	1.16	1.23
1	B	68	ASN	CA-C	-5.35	1.45	1.52
1	B	126	VAL	CA-CB	5.07	1.60	1.54
1	A	86	CYS	CA-C	-5.06	1.46	1.52
1	B	113	THR	CA-CB	5.01	1.60	1.53

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	144	SER	N-CA-C	12.77	129.65	109.86
1	A	239	GLN	N-CA-C	5.76	118.63	109.24
1	B	259	ASP	N-CA-C	5.59	118.85	109.95
1	A	82	PRO	CA-C-N	5.51	128.68	120.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	82	PRO	C-N-CA	5.51	128.68	120.31
1	B	82	PRO	CA-C-N	5.42	127.98	120.29
1	B	82	PRO	C-N-CA	5.42	127.98	120.29
1	B	144	SER	N-CA-CB	-5.15	102.21	110.39

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	143	ASP	Mainchain,Peptide
1	B	143	ASP	Mainchain,Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2102	0	2077	41	0
1	B	2120	0	2092	60	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
3	A	27	0	0	1	0
3	B	28	0	0	2	0
All	All	4287	0	4169	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:69:PHE:CE2	1:B:73:MET:HE2	2.02	0.95
1:B:316:CYS:SG	1:B:318:THR:HG23	2.06	0.94
1:A:316:CYS:SG	1:A:318:THR:HG23	2.10	0.91
1:B:66:LYS:HZ1	1:B:195:HIS:HD2	1.24	0.84
1:B:66:LYS:NZ	1:B:195:HIS:HD2	1.78	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:75:SER:OG	1:A:79:ARG:NH2	2.17	0.77
1:B:177:ARG:NH1	3:B:365:HOH:O	2.17	0.76
1:A:312:LYS:HD3	1:A:312:LYS:H	1.52	0.74
1:A:306:GLU:H	1:A:306:GLU:CD	1.97	0.72
1:B:68:ASN:ND2	1:B:99:TYR:OH	2.22	0.72
1:B:52:GLN:HE22	1:B:249:THR:HG21	1.53	0.72
1:B:312:LYS:HD3	1:B:312:LYS:H	1.54	0.72
1:B:227:ARG:CB	1:B:239:GLN:HE21	2.05	0.70
1:A:147:ASN:HD22	1:A:147:ASN:H	1.41	0.68
1:B:69:PHE:CE2	1:B:73:MET:CE	2.77	0.67
1:B:293:GLU:OE2	1:B:304:ARG:HG2	1.94	0.67
1:B:306:GLU:H	1:B:306:GLU:CD	2.04	0.66
1:A:242:LEU:C	1:A:242:LEU:HD12	2.23	0.64
1:B:69:PHE:CD2	1:B:73:MET:HE2	2.34	0.63
1:A:39:MET:HE1	1:A:69:PHE:HB3	1.81	0.63
1:B:40:ASN:HB3	1:B:49:GLY:O	1.99	0.62
1:B:66:LYS:NZ	1:B:195:HIS:CD2	2.65	0.62
1:A:257:PHE:O	1:A:258:ILE:HD13	1.99	0.62
1:A:102:SER:O	1:B:264:GLY:HA3	2.00	0.62
1:B:266:ILE:HD12	1:B:266:ILE:H	1.65	0.60
1:B:295:LEU:H	1:B:326:HIS:CE1	2.20	0.60
1:B:316:CYS:HG	1:B:318:THR:HG23	1.66	0.60
1:B:81:TYR:C	1:B:83:ASP:H	2.11	0.58
1:B:101:ARG:NH1	1:B:107:PRO:HG2	2.18	0.58
1:A:46:GLU:OE2	1:A:48:THR:HG23	2.04	0.58
1:A:81:TYR:CE2	1:A:137:LYS:HE2	2.40	0.57
1:B:81:TYR:C	1:B:83:ASP:N	2.62	0.57
1:B:227:ARG:CB	1:B:239:GLN:NE2	2.67	0.57
1:A:52:GLN:HE22	1:A:249:THR:HG21	1.68	0.56
1:A:66:LYS:NZ	1:A:195:HIS:HD2	2.04	0.56
1:B:90:ASP:OD2	1:B:112:HIS:HE1	1.89	0.55
1:A:52:GLN:NE2	1:A:249:THR:HG21	2.21	0.55
1:B:295:LEU:H	1:B:326:HIS:HE1	1.55	0.55
1:A:147:ASN:HD22	1:A:147:ASN:N	2.05	0.54
1:B:41:ILE:HD11	1:B:47:ILE:CD1	2.37	0.54
1:A:223:ILE:HG13	1:A:245:GLU:HG2	1.90	0.54
1:B:173:LYS:HE2	3:B:360:HOH:O	2.08	0.54
1:B:69:PHE:HE2	1:B:73:MET:CE	2.19	0.52
1:B:312:LYS:HD3	1:B:312:LYS:N	2.23	0.52
1:A:90:ASP:OD2	1:A:112:HIS:HE1	1.92	0.52
1:B:266:ILE:H	1:B:266:ILE:CD1	2.23	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:51:MET:HE1	1:A:191:ILE:HD11	1.92	0.51
1:B:129:LEU:HA	1:B:132:ILE:HD12	1.94	0.49
1:A:284:LYS:HD3	1:A:290:TYR:CE2	2.48	0.49
1:B:144:SER:HB2	1:B:193:ILE:O	2.13	0.49
1:B:269:TYR:CD1	1:B:315:ASN:HB3	2.48	0.48
1:B:244:VAL:HG11	1:B:250:VAL:HG22	1.95	0.48
1:B:308:SER:C	1:B:309:TRP:CD1	2.92	0.48
1:A:148:LEU:O	1:A:168:ARG:HD3	2.13	0.47
1:A:293:GLU:OE2	1:A:304:ARG:HG2	2.14	0.47
1:A:58:LEU:HD12	1:A:222:PHE:HB2	1.95	0.47
1:B:52:GLN:HE22	1:B:249:THR:CG2	2.23	0.47
1:B:173:LYS:HE3	1:B:212:THR:O	2.14	0.47
1:A:274:ASP:O	1:A:277:LEU:HB2	2.14	0.47
1:A:223:ILE:HG13	1:A:245:GLU:CG	2.45	0.46
1:B:243:ASN:OD1	1:B:255:LYS:HD3	2.16	0.45
1:A:66:LYS:HZ1	1:A:195:HIS:HD2	1.65	0.45
1:A:295:LEU:H	1:A:326:HIS:CE1	2.35	0.45
1:B:147:ASN:HD22	1:B:147:ASN:H	1.63	0.45
1:B:53:SER:HB3	1:B:187:ASN:ND2	2.31	0.44
1:A:68:ASN:ND2	3:A:368:HOH:O	2.49	0.44
1:B:81:TYR:O	1:B:83:ASP:N	2.51	0.44
1:B:267:ASP:HA	1:B:268:PRO:HD3	1.85	0.43
1:A:84:ALA:O	1:A:109:ARG:HD2	2.18	0.43
1:B:180:THR:N	1:B:181:PRO:CD	2.81	0.43
1:B:41:ILE:HD11	1:B:47:ILE:HD13	2.00	0.43
1:B:312:LYS:H	1:B:312:LYS:CD	2.20	0.43
1:A:38:MET:HE3	1:A:271:GLY:C	2.43	0.43
1:A:102:SER:HA	1:B:65:PHE:HE2	1.83	0.43
1:A:312:LYS:HD3	1:A:312:LYS:N	2.25	0.43
1:A:121:LEU:HD23	1:A:175:LEU:HD11	2.01	0.42
1:B:59:ALA:CB	1:B:215:MET:HE1	2.49	0.42
1:B:75:SER:OG	1:B:79:ARG:NH2	2.40	0.42
1:B:252:GLU:O	1:B:253:LYS:HB2	2.20	0.42
1:B:47:ILE:HD12	1:B:47:ILE:HA	1.88	0.42
1:B:66:LYS:HZ1	1:B:195:HIS:CD2	2.16	0.42
1:B:69:PHE:CD2	1:B:69:PHE:C	2.98	0.42
1:A:35:LYS:O	1:A:37:PRO:HD3	2.20	0.41
1:A:124:ASP:O	1:A:128:GLN:HG2	2.21	0.41
1:B:51:MET:H	1:B:51:MET:HG2	1.66	0.41
1:B:175:LEU:C	1:B:175:LEU:HD23	2.45	0.41
1:B:70:GLY:HA2	1:B:73:MET:HE3	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:44:SER:OG	1:A:49:GLY:HA3	2.20	0.41
1:B:296:ASP:OD2	1:B:296:ASP:C	2.64	0.41
1:A:175:LEU:HD23	1:A:175:LEU:O	2.20	0.41
1:A:295:LEU:H	1:A:326:HIS:HE1	1.68	0.41
1:A:52:GLN:H	1:A:52:GLN:HG2	1.70	0.41
1:A:313:ASP:HB3	1:B:318:THR:HG22	2.03	0.41
1:B:277:LEU:HD23	1:B:282:VAL:O	2.21	0.41
1:B:38:MET:HE3	1:B:271:GLY:C	2.46	0.41
1:B:58:LEU:HD21	1:B:69:PHE:HD2	1.86	0.40
1:A:145:LEU:HD11	1:A:192:ALA:HB1	2.03	0.40
1:A:219:ASP:HB3	1:A:248:ARG:HD2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	263/333 (79%)	257 (98%)	6 (2%)	0	100	100
1	B	264/333 (79%)	257 (97%)	6 (2%)	1 (0%)	30	43
All	All	527/666 (79%)	514 (98%)	12 (2%)	1 (0%)	43	58

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	32	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	225/290 (78%)	208 (92%)	17 (8%)	12	21
1	B	227/290 (78%)	202 (89%)	25 (11%)	6	9
All	All	452/580 (78%)	410 (91%)	42 (9%)	8	14

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	52	GLN
1	A	58	LEU
1	A	64	SER
1	A	80	GLN
1	A	134	ARG
1	A	147	ASN
1	A	175	LEU
1	A	212	THR
1	A	242	LEU
1	A	266	ILE
1	A	304	ARG
1	A	306	GLU
1	A	308	SER
1	A	312	LYS
1	A	317	THR
1	A	318	THR
1	A	334	LYS
1	B	32	VAL
1	B	33	ARG
1	B	39	MET
1	B	52	GLN
1	B	57	ILE
1	B	58	LEU
1	B	79	ARG
1	B	80	GLN
1	B	111	ILE
1	B	127	ASN
1	B	133	GLU
1	B	134	ARG
1	B	147	ASN
1	B	223	ILE
1	B	250	VAL
1	B	259	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	266	ILE
1	B	297	GLU
1	B	303	ILE
1	B	304	ARG
1	B	306	GLU
1	B	312	LYS
1	B	318	THR
1	B	323	LEU
1	B	342	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	52	GLN
1	A	112	HIS
1	A	127	ASN
1	A	147	ASN
1	A	187	ASN
1	A	195	HIS
1	A	326	HIS
1	B	52	GLN
1	B	68	ASN
1	B	112	HIS
1	B	116	GLN
1	B	127	ASN
1	B	147	ASN
1	B	187	ASN
1	B	195	HIS
1	B	239	GLN
1	B	326	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PO4	A	1	-	4,4,4	1.81	1 (25%)	6,6,6	1.23	0
2	PO4	B	2	-	4,4,4	1.31	0	6,6,6	1.14	0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1	PO4	P-O3	-2.18	1.48	1.54

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	271/333 (81%)	0.19	10 (3%) 45 41	5, 17, 30, 42	0
1	B	272/333 (81%)	0.07	11 (4%) 42 38	6, 17, 30, 41	0
All	All	543/666 (81%)	0.13	21 (3%) 43 39	5, 17, 30, 42	0

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	288	GLY	3.8
1	B	167	THR	3.8
1	A	213	GLY	3.8
1	B	262	PHE	3.1
1	B	287	ASN	2.8
1	B	342	ILE	2.5
1	A	294	PHE	2.5
1	A	212	THR	2.3
1	B	266	ILE	2.3
1	B	83	ASP	2.3
1	A	298	GLU	2.2
1	A	295	LEU	2.2
1	A	340	GLY	2.2
1	B	31	VAL	2.1
1	B	318	THR	2.1
1	A	322	PRO	2.1
1	B	289	TRP	2.1
1	A	261	LYS	2.1
1	B	51	MET	2.1
1	B	135	GLY	2.0
1	A	299	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	PO4	B	2	5/5	0.98	0.07	26,27,28,28	0
2	PO4	A	1	5/5	0.99	0.12	27,28,28,29	0

6.5 Other polymers [i](#)

There are no such residues in this entry.