



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 02:01 AM UTC

PDB ID : 1IQD / pdb_00001iqd
Title : Human Factor VIII C2 Domain complexed to human monoclonal BO2C11 Fab.
Authors : Spiegel Jr., P.C.; Jacquemin, M.; Saint-Remy, J.M.; Stoddard, B.L.; Pratt, K.P.
Deposited on : 2001-07-21
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	211	% 73% 24% ..
2	B	215	2% 66% 26% • 7%
3	C	156	% 76% 21% •

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4812 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HUMAN MONOCLONAL BO2C11 FAB LIGHT CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	208	Total	C	N	O	S	0	0	0
			1595	1000	270	321	4			

- Molecule 2 is a protein called HUMAN MONOCLONAL BO2C11 FAB HEAVY CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	200	Total	C	N	O	S	0	0	0
			1494	944	243	300	7			

- Molecule 3 is a protein called HUMAN FACTOR VIII.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	156	Total	C	N	O	S	0	0	0
			1246	793	217	227	9			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	2296	CYS	SER	engineered mutation	UNP P00451


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	164	Total	O	0	0
			164	164		
4	B	176	Total	O	0	0
			176	176		
4	C	137	Total	O	0	0
			137	137		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: HUMAN MONOCLONAL BO2C11 FAB LIGHT CHAIN



• Molecule 2: HUMAN MONOCLONAL BO2C11 FAB HEAVY CHAIN



• Molecule 3: HUMAN FACTOR VIII



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	64.53Å 73.70Å 112.39Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.58 – 2.00 19.58 – 2.00	Depositor EDS
% Data completeness (in resolution range)	97.3 (19.58-2.00) 97.3 (19.58-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.69 (at 2.01Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.203 , 0.253 0.203 , 0.253	Depositor DCC
R_{free} test set	3660 reflections (9.99%)	wwPDB-VP
Wilson B-factor (Å ²)	21.8	Xtriage
Anisotropy	0.194	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 51.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4812	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/1628	0.85	2/2206 (0.1%)
2	B	0.36	0/1528	0.88	5/2085 (0.2%)
3	C	0.37	0/1278	0.86	3/1732 (0.2%)
All	All	0.36	0/4434	0.86	10/6023 (0.2%)

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	2184	ALA	N-CA-C	-7.49	103.24	112.38
2	B	99	ASP	N-CA-C	7.19	122.96	114.04
3	C	2320	ARG	N-CA-C	-6.26	98.19	108.76
2	B	145	ASP	N-CA-C	6.07	119.47	111.28
1	A	115	SER	N-CA-C	-5.84	99.67	108.96
2	B	121	SER	N-CA-C	-5.74	100.35	109.59
1	A	100	GLY	N-CA-C	-5.73	103.62	112.85
2	B	65	GLN	N-CA-C	5.29	117.46	111.11
3	C	2321	MET	N-CA-C	5.14	115.83	108.74
2	B	105	GLY	N-CA-C	-5.01	104.54	112.66

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1595	0	1552	46	0
2	B	1494	0	1453	51	0
3	C	1246	0	1231	38	0
4	A	164	0	0	4	0
4	B	176	0	0	4	0
4	C	137	0	0	3	0
All	All	4812	0	4236	122	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:2297:LEU:HD13	3:C:2301:LEU:HD21	1.45	0.97
3:C:2218:ALA:CB	3:C:2248:VAL:HG21	2.03	0.89
2:B:23:LYS:HG2	2:B:78:ILE:HG12	1.55	0.88
2:B:120:PRO:HB3	2:B:146:TYR:HB3	1.59	0.84
2:B:4:LEU:HD22	2:B:24:VAL:HG12	1.58	0.84
2:B:95:VAL:HG22	2:B:103:ILE:CG2	2.12	0.79
3:C:2218:ALA:HB2	3:C:2248:VAL:HG21	1.68	0.75
2:B:23:LYS:HE2	2:B:78:ILE:HD11	1.73	0.70
2:B:125:LEU:HD21	2:B:142:LEU:HB2	1.76	0.67
2:B:29:LEU:HD22	2:B:53:PRO:HG3	1.77	0.67
1:A:62:ARG:HD2	1:A:78:ARG:O	1.95	0.66
1:A:21:LEU:HD22	1:A:103:THR:HG21	1.78	0.66
3:C:2222:GLN:HG3	4:C:3287:HOH:O	1.95	0.66
2:B:161:THR:O	2:B:164:VAL:HG22	1.96	0.66
2:B:2:VAL:HG21	3:C:2251:LEU:HD22	1.79	0.65
2:B:59:ILE:O	2:B:59:ILE:HG13	1.99	0.62
1:A:146:LYS:HG3	1:A:198:THR:HB	1.82	0.62
2:B:59:ILE:HD11	3:C:2199:MET:CE	2.30	0.61
2:B:138:ALA:O	2:B:139:LEU:HD22	1.99	0.61
2:B:37:VAL:HG12	2:B:47:TRP:HA	1.82	0.61
1:A:97:ILE:HD12	1:A:98:THR:N	2.15	0.61
2:B:95:VAL:HG22	2:B:103:ILE:HG23	1.82	0.61
2:B:23:LYS:NZ	2:B:23:LYS:HB3	2.15	0.60
3:C:2223:VAL:HG22	4:C:3289:HOH:O	2.02	0.60
1:A:90:GLN:NE2	4:A:3008:HOH:O	2.35	0.59
1:A:125:GLN:HG2	1:A:130:THR:O	2.02	0.59
3:C:2266:GLN:HE21	3:C:2266:GLN:HA	1.66	0.59
1:A:55:ARG:HD3	1:A:63:PHE:O	2.02	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:98:PRO:HD3	3:C:2253:THR:HG21	1.85	0.59
1:A:38:GLN:HB2	1:A:48:LEU:HD11	1.83	0.59
2:B:124:PRO:HD3	2:B:210:LYS:HE2	1.84	0.59
1:A:37:TYR:CE1	1:A:90:GLN:HG2	2.38	0.58
3:C:2301:LEU:N	3:C:2301:LEU:HD23	2.18	0.58
2:B:138:ALA:C	2:B:139:LEU:HD22	2.30	0.57
1:A:123:ASP:O	1:A:127:LYS:HD3	2.05	0.57
1:A:18:ARG:HD3	1:A:77:SER:HA	1.87	0.56
2:B:64:PHE:O	2:B:68:VAL:HG12	2.04	0.56
2:B:59:ILE:HD11	3:C:2199:MET:SD	2.45	0.56
1:A:37:TYR:HE1	1:A:90:GLN:HG2	1.71	0.55
2:B:83:LEU:HD22	2:B:83(C):LEU:HD23	1.89	0.54
2:B:37:VAL:HG11	2:B:101:PHE:HE2	1.73	0.54
2:B:103:ILE:HD11	4:B:3309:HOH:O	2.07	0.54
1:A:114:PRO:HB3	1:A:140:PHE:HB3	1.90	0.53
1:A:90:GLN:OE1	1:A:97:ILE:HD13	2.09	0.53
3:C:2250:SER:OG	3:C:2253:THR:HG23	2.08	0.53
3:C:2266:GLN:HE22	3:C:2303:THR:HA	1.74	0.53
1:A:90:GLN:CD	4:A:3008:HOH:O	2.53	0.52
4:B:3383:HOH:O	3:C:2250:SER:HB2	2.11	0.51
1:A:139:ASN:HD21	2:B:165:HIS:HE1	1.58	0.51
3:C:2176:MET:HG2	3:C:2325:GLY:O	2.10	0.51
2:B:97:ASP:OD2	3:C:2253:THR:HG22	2.11	0.50
1:A:19:ALA:HB2	1:A:79:LEU:HD11	1.92	0.50
3:C:2182:SER:O	3:C:2183:LYS:HB2	2.11	0.50
3:C:2198:ASN:ND2	3:C:2199:MET:H	2.10	0.50
3:C:2174:CYS:SG	3:C:2239:LYS:HD3	2.51	0.50
1:A:11:LEU:HD23	1:A:105:LEU:HD13	1.94	0.49
1:A:176:LEU:C	1:A:176:LEU:HD23	2.38	0.49
3:C:2236:LYS:HE3	3:C:2238:MET:SD	2.53	0.49
1:A:197:VAL:HB	1:A:206:VAL:HG13	1.94	0.48
2:B:37:VAL:HG23	2:B:92:TYR:HB2	1.95	0.48
2:B:156:ASN:ND2	2:B:196:THR:H	2.12	0.48
2:B:160:LEU:HD21	2:B:183:VAL:HG21	1.96	0.48
1:A:150:LYS:HG2	1:A:155:LEU:HD23	1.96	0.47
2:B:51:PHE:HD2	2:B:58:SER:HG	1.62	0.47
3:C:2297:LEU:CD1	3:C:2301:LEU:HD21	2.32	0.47
1:A:146:LYS:CG	1:A:198:THR:HB	2.45	0.47
2:B:23:LYS:HB3	2:B:23:LYS:HZ2	1.78	0.47
1:A:185:ALA:O	1:A:189:LYS:HG3	2.14	0.46
2:B:52:ASP:OD1	2:B:54:GLU:HB3	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:150:LYS:HE2	1:A:153:ASN:HA	1.96	0.46
3:C:2261:LEU:HB2	3:C:2309:HIS:HB2	1.97	0.46
1:A:37:TYR:HE1	1:A:90:GLN:CG	2.28	0.46
2:B:200:ASP:OD1	2:B:202:LYS:HG3	2.15	0.46
3:C:2202:THR:O	3:C:2202:THR:HG23	2.16	0.45
2:B:30:THR:HG23	2:B:54:GLU:HA	1.97	0.45
1:A:47:LEU:HD12	1:A:56:ALA:HB2	1.99	0.45
1:A:113:ALA:HB2	1:A:201:GLY:O	2.16	0.45
2:B:33:PRO:HB3	3:C:2200:PHE:HD1	1.80	0.45
3:C:2266:GLN:HA	3:C:2266:GLN:NE2	2.32	0.45
1:A:24:ARG:HH11	1:A:24:ARG:HG2	1.81	0.45
2:B:125:LEU:HD21	2:B:142:LEU:CB	2.46	0.45
2:B:84:ARG:O	2:B:87:ASP:HB2	2.16	0.45
3:C:2203:TRP:CD2	3:C:2220:ARG:HD3	2.53	0.44
3:C:2247:GLY:C	3:C:2248:VAL:CG2	2.90	0.44
2:B:63:GLU:HG3	4:B:3401:HOH:O	2.17	0.44
1:A:60:PRO:HG2	1:A:63:PHE:CD1	2.52	0.44
3:C:2198:ASN:HD22	3:C:2199:MET:H	1.66	0.44
1:A:97:ILE:HG23	2:B:47:TRP:CD2	2.53	0.44
3:C:2223:VAL:HG23	3:C:2225:ASN:HD22	1.83	0.44
1:A:81:PRO:HG2	4:A:3102:HOH:O	2.17	0.43
3:C:2247:GLY:O	3:C:2248:VAL:HG22	2.18	0.43
3:C:2288:ASP:C	3:C:2288:ASP:OD2	2.61	0.43
1:A:139:ASN:HD21	2:B:165:HIS:CE1	2.36	0.43
3:C:2218:ALA:HB2	3:C:2248:VAL:CG2	2.43	0.43
1:A:161:GLN:HG3	2:B:170:VAL:HG21	2.00	0.43
2:B:29:LEU:CD2	2:B:53:PRO:HG3	2.46	0.43
2:B:36:TRP:CE2	2:B:81:MET:HB2	2.53	0.43
2:B:95:VAL:CG2	2:B:103:ILE:CG2	2.91	0.42
2:B:97:ASP:CG	3:C:2253:THR:HG22	2.43	0.42
1:A:60:PRO:C	1:A:62:ARG:N	2.78	0.42
1:A:176:LEU:HD23	1:A:177:SER:N	2.34	0.42
2:B:36:TRP:CZ2	2:B:81:MET:HB2	2.55	0.42
3:C:2225:ASN:HB2	3:C:2226:PRO:HD2	2.01	0.42
1:A:97:ILE:HG23	2:B:47:TRP:CE2	2.55	0.42
1:A:108:LYS:HE3	4:A:3352:HOH:O	2.20	0.42
1:A:185:ALA:C	1:A:189:LYS:HZ2	2.28	0.42
1:A:34:LEU:HD13	1:A:35:ALA:N	2.34	0.42
1:A:37:TYR:CZ	1:A:47:LEU:HD23	2.55	0.41
1:A:34:LEU:HD13	1:A:34:LEU:C	2.46	0.41
1:A:202:LEU:HD13	1:A:206:VAL:HG12	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:4:LEU:CD2	2:B:24:VAL:HG12	2.39	0.41
3:C:2249:LYS:HE3	4:C:3348:HOH:O	2.20	0.41
2:B:18:VAL:HG12	2:B:83(C):LEU:HD11	2.02	0.41
1:A:24:ARG:HD3	1:A:24:ARG:N	2.35	0.41
2:B:37:VAL:CG1	2:B:101:PHE:HE2	2.33	0.41
2:B:97:ASP:OD1	3:C:2252:LEU:HB2	2.21	0.41
1:A:60:PRO:C	1:A:62:ARG:H	2.29	0.40
1:A:8:PRO:O	1:A:103:THR:HG23	2.21	0.40
2:B:109:MET:HE1	4:B:3372:HOH:O	2.22	0.40
1:A:197:VAL:HB	1:A:206:VAL:CG1	2.52	0.40
3:C:2179:GLY:HA3	3:C:2184:ALA:HB3	2.02	0.40
3:C:2183:LYS:C	3:C:2185:ILE:N	2.75	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	204/211 (97%)	199 (98%)	5 (2%)	0	100	100
2	B	194/215 (90%)	188 (97%)	5 (3%)	1 (0%)	24	21
3	C	154/156 (99%)	147 (96%)	7 (4%)	0	100	100
All	All	552/582 (95%)	534 (97%)	17 (3%)	1 (0%)	43	42

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	41	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	177/180 (98%)	173 (98%)	4 (2%)	44	49
2	B	169/183 (92%)	163 (96%)	6 (4%)	31	31
3	C	140/140 (100%)	136 (97%)	4 (3%)	37	40
All	All	486/503 (97%)	472 (97%)	14 (3%)	37	40

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	97	ILE
1	A	106	GLU
1	A	146	LYS
1	A	148	GLN
2	B	1	GLN
2	B	29	LEU
2	B	41	PRO
2	B	98	PRO
2	B	180	SER
2	B	210	LYS
3	C	2222	GLN
3	C	2248	VAL
3	C	2253	THR
3	C	2301	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	27	GLN
1	A	39	GLN
1	A	139	ASN
1	A	148	GLN
1	A	153	ASN
1	A	161	GLN
2	B	3	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	39	GLN
2	B	156	ASN
2	B	205	ASN
3	C	2198	ASN
3	C	2222	GLN
3	C	2266	GLN
3	C	2269	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	208/211 (98%)	0.13	2 (0%) 79 79	13, 24, 37, 43	0
2	B	200/215 (93%)	0.24	5 (2%) 58 58	14, 23, 39, 49	0
3	C	156/156 (100%)	-0.15	2 (1%) 75 74	7, 19, 32, 45	1 (0%)
All	All	564/582 (96%)	0.09	9 (1%) 70 70	7, 22, 36, 49	1 (0%)

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	C	2272	THR	4.6
2	B	126	ALA	2.9
2	B	30	THR	2.8
2	B	194	THR	2.1
2	B	83(B)	SER	2.1
2	B	139	LEU	2.1
1	A	78	ARG	2.1
3	C	2301	LEU	2.0
1	A	8	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.