



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:48 AM UTC

PDB ID : 2ITY / pdb_00002ity
Title : Crystal structure of EGFR kinase domain in complex with Iressa
Authors : Yun, C.-H.; Boggon, T.J.; Li, Y.; Woo, S.; Greulich, H.; Meyerson, M.; Eck, M.J.
Deposited on : 2006-05-25
Resolution : 3.42 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.42 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1210 (3.48-3.36)
Clashscore	190562	1234 (3.48-3.36)
Ramachandran outliers	187476	1222 (3.48-3.36)
Sidechain outliers	187428	1222 (3.48-3.36)
RSRZ outliers	180081	1210 (3.48-3.36)


The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	327	<p>49% 33% 8% 8%</p>

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: EPIDERMAL GROWTH FACTOR RECEPTOR



4 Data and refinement statistics i

Property	Value	Source
Space group	I 2 3	Depositor
Cell constants a, b, c, α , β , γ	145.14Å 145.14Å 145.14Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	24.89 – 3.42 24.89 – 3.42	Depositor EDS
% Data completeness (in resolution range)	99.7 (24.89-3.42) 99.2 (24.89-3.42)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.57 (at 3.46Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.211 , 0.260 0.189 , 0.231	Depositor DCC
R_{free} test set	689 reflections (9.89%)	wwPDB-VP
Wilson B-factor (Å ²)	67.0	Xtrriage
Anisotropy	0.000	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 51.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	0.052 for -l,-k,-h	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	2446	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.11% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: IRE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.20	8/2445 (0.3%)	1.22	15/3311 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	986	ARG	CZ-NH1	7.37	1.43	1.32
1	A	831	ARG	NE-CZ	6.84	1.40	1.33
1	A	889	ARG	CZ-NH1	6.28	1.41	1.32
1	A	946	ILE	CA-CB	-6.23	1.47	1.54
1	A	831	ARG	CZ-NH1	-6.17	1.24	1.32
1	A	986	ARG	NE-CZ	5.63	1.39	1.33
1	A	914	PRO	N-CD	5.51	1.55	1.47
1	A	865	GLU	CD-OE2	5.12	1.35	1.25

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	831	ARG	NE-CZ-NH1	11.90	133.40	121.50
1	A	831	ARG	NH1-CZ-NH2	-8.01	108.89	119.30
1	A	698	ALA	CA-C-N	6.57	126.49	119.85
1	A	698	ALA	C-N-CA	6.57	126.49	119.85
1	A	966	ILE	N-CA-C	5.99	116.46	110.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1004	GLU	CB-CG-CD	-5.81	102.72	112.60
1	A	849	GLN	CA-C-N	-5.78	113.80	122.47
1	A	849	GLN	C-N-CA	-5.78	113.80	122.47
1	A	965	ILE	N-CA-C	-5.76	104.89	110.42
1	A	760	LEU	N-CA-C	-5.70	105.82	112.89
1	A	939	CYS	N-CA-C	5.50	117.66	109.25
1	A	824	GLY	N-CA-C	-5.35	106.30	112.50
1	A	904	VAL	N-CA-C	-5.14	105.38	110.62
1	A	936	PRO	CA-C-N	5.10	126.22	119.84
1	A	936	PRO	C-N-CA	5.10	126.22	119.84

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	831	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2396	0	2427	126	0
2	A	31	0	24	8	0
3	A	19	0	0	1	0
All	All	2446	0	2451	128	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 26.

All (128) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:2020:IRE:CAK	2:A:2020:IRE:CAJ	1.76	1.62
1:A:714:LYS:HD3	1:A:727:TYR:CD2	1.57	1.37
1:A:724:GLY:HA2	1:A:748:ARG:H	1.17	1.09

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:714:LYS:CD	1:A:727:TYR:CD2	2.38	1.05
1:A:854:THR:HG23	1:A:855:ASP:N	1.71	1.02
1:A:793:MET:H	2:A:2020:IRE:H3	1.07	0.96
1:A:854:THR:HG23	1:A:855:ASP:H	1.36	0.87
1:A:714:LYS:O	1:A:715:ILE:HG12	1.74	0.86
1:A:887:LEU:HB2	1:A:888:HIS:ND1	1.91	0.85
1:A:1006:ASP:O	1:A:1007:MET:HE2	1.79	0.83
1:A:854:THR:CG2	1:A:855:ASP:N	2.39	0.82
1:A:909:THR:HG22	1:A:936:PRO:HB3	1.60	0.82
1:A:723:PHE:O	1:A:748:ARG:HB2	1.79	0.82
1:A:714:LYS:HD3	1:A:727:TYR:CG	2.17	0.78
1:A:955:ALA:HA	1:A:958:ARG:HD3	1.64	0.78
1:A:759:ILE:HG12	1:A:788:LEU:HD13	1.64	0.78
1:A:882:ALA:HB1	1:A:884:GLU:OE2	1.83	0.77
1:A:853:ILE:HG22	1:A:854:THR:N	2.00	0.77
1:A:746:GLU:HB2	1:A:787:GLN:HG2	1.65	0.77
1:A:887:LEU:HB2	1:A:888:HIS:CE1	2.20	0.77
1:A:714:LYS:C	1:A:715:ILE:HG12	2.13	0.74
1:A:700:ASN:C	1:A:700:ASN:HD22	1.98	0.72
1:A:756:ASN:O	1:A:760:LEU:HD12	1.93	0.68
1:A:715:ILE:O	1:A:716:LYS:CB	2.41	0.68
1:A:877:PRO:O	1:A:881:MET:HG3	1.94	0.68
1:A:982:GLN:H	1:A:982:GLN:CD	2.01	0.67
1:A:1004:GLU:HB2	1:A:1005:GLU:OE2	1.95	0.66
1:A:700:ASN:ND2	1:A:702:ALA:H	1.93	0.66
1:A:888:HIS:ND1	1:A:888:HIS:N	2.45	0.64
1:A:714:LYS:HD3	1:A:727:TYR:HD2	1.49	0.64
1:A:707:LEU:O	1:A:781:CYS:SG	2.49	0.63
1:A:955:ALA:HA	1:A:958:ARG:CD	2.28	0.63
1:A:888:HIS:O	1:A:890:ILE:N	2.33	0.62
1:A:737:LYS:O	1:A:737:LYS:CG	2.48	0.62
1:A:724:GLY:HA3	1:A:747:LEU:HA	1.82	0.61
1:A:853:ILE:CG2	1:A:854:THR:N	2.64	0.60
1:A:931:GLU:O	1:A:932:ARG:NE	2.34	0.60
1:A:825:MET:SD	1:A:853:ILE:HD13	2.42	0.60
1:A:766:MET:HB3	1:A:777:LEU:HB2	1.84	0.60
1:A:724:GLY:HA2	1:A:748:ARG:N	2.02	0.59
2:A:2020:IRE:CAK	2:A:2020:IRE:CAN	2.76	0.59
1:A:759:ILE:CG1	1:A:788:LEU:HD13	2.31	0.59
1:A:746:GLU:O	1:A:746:GLU:HG2	2.02	0.59
1:A:887:LEU:CB	1:A:888:HIS:ND1	2.66	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:932:ARG:NH1	1:A:951:TRP:O	2.37	0.58
1:A:790:THR:CG2	2:A:2020:IRE:CL	2.89	0.58
1:A:781:CYS:HB3	1:A:787:GLN:HE21	1.69	0.57
1:A:834:VAL:HG12	1:A:836:ARG:HG3	1.87	0.57
1:A:938:ILE:HG21	1:A:981:ILE:HG12	1.86	0.57
1:A:740:ILE:O	1:A:742:VAL:HG13	2.05	0.57
1:A:751:THR:HG22	1:A:751:THR:O	2.05	0.56
1:A:700:ASN:HD22	1:A:702:ALA:H	1.53	0.56
1:A:914:PRO:O	1:A:915:TYR:C	2.50	0.55
1:A:888:HIS:O	1:A:889:ARG:C	2.47	0.55
1:A:700:ASN:C	1:A:700:ASN:ND2	2.62	0.55
1:A:714:LYS:CD	1:A:727:TYR:HD2	2.06	0.55
1:A:887:LEU:CB	1:A:888:HIS:CE1	2.88	0.55
1:A:747:LEU:O	1:A:748:ARG:C	2.49	0.55
1:A:766:MET:HE1	2:A:2020:IRE:FAB	1.97	0.54
1:A:808:ASN:ND2	1:A:988:HIS:O	2.40	0.54
1:A:925:SER:O	1:A:926:ILE:C	2.50	0.54
1:A:735:GLY:O	1:A:736:GLU:HG2	2.08	0.54
1:A:853:ILE:HG22	1:A:854:THR:H	1.71	0.54
1:A:790:THR:HG22	2:A:2020:IRE:CL	2.45	0.54
1:A:938:ILE:HG22	1:A:980:VAL:O	2.08	0.53
1:A:915:TYR:CD2	1:A:915:TYR:N	2.78	0.52
1:A:790:THR:HG21	2:A:2020:IRE:CL	2.47	0.52
1:A:725:THR:O	1:A:727:TYR:HD1	1.93	0.52
1:A:917:GLY:O	1:A:918:ILE:C	2.51	0.52
1:A:1004:GLU:O	1:A:1007:MET:HE3	2.10	0.51
1:A:737:LYS:O	1:A:737:LYS:HG2	2.10	0.51
1:A:771:ASN:HB2	1:A:827:TYR:CD1	2.46	0.51
1:A:715:ILE:O	1:A:716:LYS:HB2	2.11	0.50
1:A:778:LEU:HD12	1:A:790:THR:HA	1.93	0.50
1:A:793:MET:N	2:A:2020:IRE:H3	1.92	0.50
1:A:853:ILE:CG2	1:A:854:THR:H	2.23	0.50
1:A:750:ALA:HB3	3:A:2006:HOH:O	2.11	0.50
1:A:985:GLU:H	1:A:985:GLU:CD	2.20	0.49
1:A:857:GLY:O	1:A:858:LEU:HD23	2.12	0.49
1:A:749:GLU:O	1:A:750:ALA:C	2.56	0.48
1:A:732:ILE:O	1:A:734:GLU:N	2.47	0.48
1:A:789:ILE:HD12	1:A:789:ILE:N	2.30	0.47
1:A:715:ILE:O	1:A:716:LYS:HB3	2.12	0.47
1:A:887:LEU:C	1:A:888:HIS:ND1	2.73	0.47
1:A:836:ARG:HG2	1:A:891:TYR:CD1	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:790:THR:O	1:A:791:GLN:C	2.57	0.46
1:A:850:HIS:CD2	1:A:850:HIS:C	2.93	0.46
1:A:825:MET:SD	1:A:853:ILE:CD1	3.03	0.46
1:A:768:SER:O	1:A:831:ARG:NH1	2.36	0.46
1:A:1006:ASP:OD2	1:A:1006:ASP:C	2.59	0.46
1:A:725:THR:HB	1:A:727:TYR:HE1	1.81	0.46
1:A:952:MET:O	1:A:958:ARG:HD2	2.16	0.46
1:A:856:PHE:C	1:A:858:LEU:H	2.23	0.45
1:A:720:SER:HA	1:A:725:THR:HA	1.98	0.45
1:A:982:GLN:CD	1:A:982:GLN:N	2.73	0.45
1:A:838:LEU:HD12	1:A:839:ALA:H	1.81	0.45
1:A:709:GLU:C	1:A:711:GLU:H	2.23	0.45
1:A:955:ALA:HA	1:A:958:ARG:NH1	2.31	0.45
1:A:747:LEU:O	1:A:748:ARG:O	2.35	0.45
1:A:716:LYS:HG2	1:A:717:VAL:O	2.18	0.44
1:A:1006:ASP:C	1:A:1007:MET:HG2	2.42	0.44
1:A:914:PRO:HB2	1:A:915:TYR:CD2	2.53	0.44
1:A:971:MET:HG2	1:A:978:TYR:CG	2.53	0.44
1:A:856:PHE:C	1:A:858:LEU:N	2.76	0.43
1:A:714:LYS:CD	1:A:727:TYR:CE2	2.97	0.43
1:A:763:ALA:HB2	1:A:788:LEU:HD11	2.01	0.43
1:A:712:PHE:HB3	1:A:731:TRP:HA	1.99	0.43
1:A:723:PHE:HD2	1:A:747:LEU:HD22	1.84	0.43
1:A:935:GLN:HA	1:A:944:TYR:CD2	2.54	0.43
1:A:704:LEU:HD11	1:A:780:ILE:HG12	2.00	0.42
1:A:746:GLU:HG3	1:A:785:THR:HG23	2.00	0.42
1:A:936:PRO:O	1:A:939:CYS:HB2	2.20	0.42
1:A:933:LEU:O	1:A:944:TYR:OH	2.29	0.42
1:A:725:THR:O	1:A:727:TYR:CD1	2.72	0.42
1:A:717:VAL:CG1	1:A:718:LEU:N	2.82	0.41
1:A:893:HIS:O	1:A:896:ASP:HB2	2.19	0.41
1:A:759:ILE:HG12	1:A:788:LEU:CD1	2.43	0.41
1:A:724:GLY:HA3	1:A:747:LEU:HD23	2.02	0.41
1:A:856:PHE:O	1:A:858:LEU:N	2.53	0.41
1:A:714:LYS:HD2	1:A:727:TYR:CD2	2.46	0.41
1:A:724:GLY:CA	1:A:747:LEU:HA	2.50	0.41
1:A:878:ILE:HG13	1:A:920:ALA:HB1	2.02	0.41
1:A:946:ILE:O	1:A:947:MET:C	2.63	0.41
1:A:700:ASN:HD21	1:A:702:ALA:HB2	1.85	0.41
1:A:805:HIS:O	1:A:806:LYS:C	2.63	0.41
1:A:838:LEU:HD12	1:A:839:ALA:N	2.36	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:730:LEU:HA	1:A:730:LEU:HD23	1.84	0.40
1:A:804:GLU:O	1:A:804:GLU:HG3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	294/327 (90%)	239 (81%)	41 (14%)	14 (5%)	2 11

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	716	LYS
1	A	748	ARG
1	A	889	ARG
1	A	722	ALA
1	A	857	GLY
1	A	1004	GLU
1	A	855	ASP
1	A	720	SER
1	A	750	ALA
1	A	784	SER
1	A	733	PRO
1	A	912	SER
1	A	715	ILE
1	A	926	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	264/287 (92%)	229 (87%)	35 (13%)	4 15

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	713	LYS
1	A	715	ILE
1	A	717	VAL
1	A	725	THR
1	A	728	LYS
1	A	734	GLU
1	A	738	VAL
1	A	757	LYS
1	A	788	LEU
1	A	804	GLU
1	A	808	ASN
1	A	845	VAL
1	A	849	GLN
1	A	854	THR
1	A	855	ASP
1	A	884	GLU
1	A	888	HIS
1	A	889	ARG
1	A	890	ILE
1	A	892	THR
1	A	913	LYS
1	A	918	ILE
1	A	921	SER
1	A	925	SER
1	A	928	GLU
1	A	932	ARG
1	A	941	ILE
1	A	949	LYS
1	A	958	ARG
1	A	960	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	976	GLN
1	A	985	GLU
1	A	987	MET
1	A	1003	ASP
1	A	1018	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	700	ASN
1	A	787	GLN
1	A	808	ASN
1	A	893	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	IRE	A	2020	-	34,34,34	1.78	5 (14%)	46,46,46	1.99	13 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	IRE	A	2020	-	-	3/13/21/21	0/4/4/4

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2020	IRE	CAJ-CAK	6.24	1.76	1.51
2	A	2020	IRE	OAV-CAK	3.04	1.54	1.43
2	A	2020	IRE	C6-C5	-2.90	1.41	1.44
2	A	2020	IRE	CAJ-CAN	2.76	1.62	1.51
2	A	2020	IRE	CAY-NAS	-2.56	1.35	1.40

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2020	IRE	C2-N1-C6	5.44	120.82	116.60
2	A	2020	IRE	N3-C2-N1	-4.97	121.93	128.67
2	A	2020	IRE	C2-N3-C4	4.56	120.62	115.43
2	A	2020	IRE	C6-C5-C4	4.14	118.30	115.86
2	A	2020	IRE	C5-C6-N1	-3.58	118.70	121.35
2	A	2020	IRE	CAI-C5-C6	-3.22	122.22	124.84
2	A	2020	IRE	CAM-CAP-NBE	3.12	114.86	110.12
2	A	2020	IRE	C5-C4-N3	-3.01	119.63	122.82
2	A	2020	IRE	OAT-CAZ-CAH	-2.66	121.79	125.16
2	A	2020	IRE	CAP-NBE-CAO	2.58	114.40	108.84
2	A	2020	IRE	CAA-OAT-CAZ	-2.51	113.83	117.51
2	A	2020	IRE	NAS-C6-N1	2.46	121.48	118.71
2	A	2020	IRE	CAH-C4-N3	2.12	120.45	118.01

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	2020	IRE	CAK-CAJ-CAN-NBE

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	2020	IRE	CBA-CAZ-OAT-CAA
2	A	2020	IRE	CAH-CAZ-OAT-CAA

There are no ring outliers.

1 monomer is involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	2020	IRE	8	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	300/327 (91%)	-0.32	3 (1%) 79 67	18, 45, 91, 109	2 (0%)

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	986	ARG	5.4
1	A	750	ALA	2.2
1	A	747	LEU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	IRE	A	2020	31/31	0.88	0.17	95,99,123,123	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different

orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.