



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 06:07 AM UTC

PDB ID : 6ITT / pdb_00006itt
Title : Crystal structure of unactivated c-KIT in complex with compound
Authors : Wu, T.S.; Wu, S.Y.
Deposited on : 2018-11-26
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	331	4% 77% 13% 9%
1	B	331	3% 78% 12% 10%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 5066 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Mast/stem cell growth factor receptor Kit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	301	Total	C	N	O	S	0	0	0
			2390	1537	397	438	18			
1	B	297	Total	C	N	O	S	0	1	0
			2367	1525	392	430	20			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	752	THR	-	linker	UNP P10721
A	753	SER	-	linker	UNP P10721
B	752	THR	-	linker	UNP P10721
B	753	SER	-	linker	UNP P10721

- Molecule 2 is N-(5-ethyl-1,2-oxazol-3-yl)-N'-[4-(2-{[6-(4-ethylpyrazin-1(4H)-yl)pyrimidin-4-yl]amino}-1,3-thiazol-5-yl)phenyl]urea (CCD ID: AWO) (formula: C₂₅H₂₅N₉O₂S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			37	25	9	2	1		
2	B	1	Total	C	N	O	S	0	0
			37	25	9	2	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	126	Total	O	0	0
			126	126		
3	B	109	Total	O	0	0
			109	109		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Mast/stem cell growth factor receptor Kit



- Molecule 1: Mast/stem cell growth factor receptor Kit



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	62.63Å 63.09Å 196.81Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	28.43 – 2.10 28.43 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.3 (28.43-2.10) 94.8 (28.43-2.10)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.13 (at 2.10Å)	Xtriage
Refinement program	PHENIX dev_2621	Depositor
R, R_{free}	0.186 , 0.235 0.188 , 0.234	Depositor DCC
R_{free} test set	2011 reflections (4.38%)	wwPDB-VP
Wilson B-factor (Å ²)	34.6	Xtriage
Anisotropy	0.227	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 60.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.028 for k,h,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5066	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: AWO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.36	0/2446	0.55	0/3308
1	B	0.34	1/2426 (0.0%)	0.53	1/3280 (0.0%)
All	All	0.35	1/4872 (0.0%)	0.54	1/6588 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	903	MET	SD-CE	-5.83	1.65	1.79

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	903	MET	CB-CG-SD	-5.60	95.90	112.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2390	0	2384	34	0
1	B	2367	0	2369	27	0
2	A	37	0	0	0	0
2	B	37	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	126	0	0	1	0
3	B	109	0	0	2	0
All	All	5066	0	4753	61	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (61) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:567:ASN:HD22	1:B:787:ASN:HD21	1.31	0.79
1:B:784:ALA:HB3	3:B:1103:HOH:O	1.89	0.71
1:A:573:PRO:HB2	1:A:639:SER:HB3	1.73	0.70
1:A:775:GLN:HE22	1:A:805:ILE:HA	1.56	0.69
1:A:930:GLU:OE1	1:A:930:GLU:N	2.28	0.67
1:B:638:MET:HG3	1:B:642:LYS:HE3	1.76	0.66
1:B:781:ALA:HA	3:B:1103:HOH:O	1.95	0.66
1:A:899:MET:HE1	1:A:924:ILE:HG12	1.79	0.65
1:B:880:TYR:O	1:B:884:LYS:HG2	1.96	0.64
1:B:594:THR:HA	1:B:604:VAL:HG12	1.81	0.63
1:B:860:TRP:HA	1:B:903:MET:CE	2.29	0.63
1:A:603:VAL:HG22	1:A:623:LYS:HG3	1.80	0.62
1:A:926:LYS:O	1:A:930:GLU:OE1	2.18	0.60
1:B:631:LEU:O	1:B:635:GLU:HG3	2.01	0.60
1:A:899:MET:HE2	1:A:927:GLN:CD	2.27	0.60
1:A:770:LEU:CD2	1:A:899:MET:HE3	2.33	0.58
1:B:860:TRP:CA	1:B:903:MET:HE2	2.34	0.58
1:A:882:MET:HG2	1:A:887:PHE:HB2	1.84	0.58
1:A:657:LEU:HB2	1:A:669:ILE:HG22	1.86	0.57
1:A:579:ASP:OD2	1:A:580:HIS:N	2.38	0.57
1:A:873:MET:SD	1:A:882:MET:HE1	2.46	0.56
1:A:638:MET:O	1:A:642:LYS:HG2	2.07	0.54
1:B:860:TRP:HA	1:B:903:MET:HE2	1.90	0.53
1:B:891:SER:HB2	1:B:900:TYR:CD2	2.44	0.53
1:B:611:LEU:HD23	1:B:618:MET:HE3	1.93	0.51
1:B:878:LYS:HG2	1:B:882:MET:HE2	1.93	0.50
1:A:584:PHE:HE2	1:A:589:LEU:HG	1.76	0.50
1:B:887:PHE:O	1:B:888:ARG:HD3	2.11	0.50
1:A:899:MET:HE2	1:A:927:GLN:OE1	2.12	0.49
1:A:583:GLU:OE1	1:A:661:THR:OG1	2.25	0.48
1:A:826:LYS:HE2	1:A:841:ILE:HG23	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:656:LEU:HA	1:A:670:THR:HG22	1.96	0.47
1:B:631:LEU:HA	1:B:634:ARG:HD3	1.96	0.47
1:A:574:THR:OG1	1:A:575:GLN:N	2.48	0.47
1:B:570:TYR:HE2	1:B:572:ASP:HB3	1.82	0.45
1:A:853:TRP:CE3	1:A:907:TRP:HA	2.51	0.45
1:B:610:GLY:HA2	1:B:614:SER:HA	1.98	0.45
1:B:682:LEU:O	1:B:685:LYS:HG3	2.17	0.45
1:A:775:GLN:NE2	1:A:806:THR:H	2.15	0.45
1:A:579:ASP:OD2	1:A:581:LYS:HG3	2.17	0.45
1:B:594:THR:HG22	1:B:604:VAL:HG12	1.99	0.44
1:B:891:SER:HB2	1:B:900:TYR:CG	2.51	0.44
1:A:658:GLY:O	1:A:669:ILE:HB	2.17	0.44
1:B:572:ASP:OD1	1:B:575:GLN:HG3	2.18	0.44
1:B:876:ASP:OD1	1:B:878:LYS:N	2.51	0.44
1:B:786:LYS:HA	1:B:786:LYS:HD2	1.88	0.44
1:B:757:MET:HE2	1:B:762:LEU:HD23	1.98	0.44
1:A:579:ASP:CG	1:A:581:LYS:HG3	2.43	0.43
1:B:824:VAL:HG21	1:B:875:VAL:HG11	2.01	0.43
1:A:843:ASN:ND2	3:A:1103:HOH:O	2.42	0.43
1:A:882:MET:CG	1:A:887:PHE:HB2	2.48	0.43
1:A:873:MET:SD	1:A:882:MET:CE	3.06	0.43
1:A:571:ILE:HD11	1:A:576:LEU:HD13	2.01	0.42
1:A:652:ASN:ND2	1:A:775:GLN:HE21	2.18	0.42
1:B:584:PHE:CZ	1:B:588:ARG:HB2	2.55	0.41
1:A:839:GLU:HG2	1:A:840:SER:N	2.35	0.41
1:A:899:MET:HE1	1:A:924:ILE:CG1	2.50	0.41
1:A:652:ASN:HD21	1:A:775:GLN:HE21	1.68	0.41
1:A:573:PRO:HB3	1:A:643:VAL:HG23	2.03	0.41
1:B:873:MET:HE3	1:B:882:MET:HE3	2.02	0.41
1:A:658:GLY:C	1:A:669:ILE:HB	2.45	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	297/331 (90%)	290 (98%)	6 (2%)	1 (0%)	36	36
1	B	294/331 (89%)	287 (98%)	7 (2%)	0	100	100
All	All	591/662 (89%)	577 (98%)	13 (2%)	1 (0%)	43	44

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	577	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	260/289 (90%)	258 (99%)	2 (1%)	73	81
1	B	258/289 (89%)	257 (100%)	1 (0%)	84	89
All	All	518/578 (90%)	515 (99%)	3 (1%)	78	86

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	569	VAL
1	A	581	LYS
1	B	861	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	566	ASN
1	A	630	HIS
1	A	775	GLN
1	A	787	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	802	HIS
1	A	843	ASN
1	B	649	ASN
1	B	652	ASN
1	B	787	ASN
1	B	828	ASN
1	B	922	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	AWO	B	1001	-	41,41,41	1.99	13 (31%)	54,56,56	2.99	26 (48%)
2	AWO	A	1001	-	41,41,41	2.01	14 (34%)	54,56,56	2.92	29 (53%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AWO	B	1001	-	-	2/24/24/24	0/5/5/5
2	AWO	A	1001	-	-	4/24/24/24	0/5/5/5

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1001	AWO	O32-N31	-5.79	1.31	1.42
2	A	1001	AWO	O32-N31	-5.75	1.31	1.42
2	B	1001	AWO	C3-N6	4.67	1.43	1.36
2	A	1001	AWO	C3-N6	4.21	1.43	1.36
2	B	1001	AWO	C34-C33	3.72	1.40	1.34
2	A	1001	AWO	C34-C33	3.53	1.40	1.34
2	A	1001	AWO	O32-C33	-3.20	1.30	1.35
2	B	1001	AWO	C30-N29	3.13	1.44	1.39
2	A	1001	AWO	C30-N29	3.10	1.44	1.39
2	B	1001	AWO	O32-C33	-2.90	1.30	1.35
2	B	1001	AWO	C28-N27	2.84	1.43	1.37
2	A	1001	AWO	C18-C17	2.81	1.39	1.33
2	A	1001	AWO	C14-C15	2.81	1.39	1.33
2	A	1001	AWO	C28-N27	2.73	1.43	1.37
2	A	1001	AWO	C21-C5	2.67	1.52	1.47
2	B	1001	AWO	C18-C17	2.65	1.39	1.33
2	A	1001	AWO	C1-C5	2.52	1.41	1.36
2	A	1001	AWO	C18-N13	-2.51	1.32	1.37
2	B	1001	AWO	C21-C5	2.49	1.52	1.47
2	B	1001	AWO	C28-N29	2.43	1.45	1.39
2	B	1001	AWO	C14-C15	2.38	1.38	1.33
2	A	1001	AWO	C28-N29	2.38	1.44	1.39
2	B	1001	AWO	C14-N13	-2.32	1.33	1.37
2	B	1001	AWO	C1-C5	2.10	1.40	1.36
2	B	1001	AWO	O37-C28	-2.08	1.18	1.23
2	A	1001	AWO	C14-N13	-2.04	1.33	1.37
2	A	1001	AWO	C7-N6	2.02	1.45	1.40

All (55) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1001	AWO	C9-N10-C11	8.62	122.18	114.95
2	A	1001	AWO	C9-N10-C11	7.21	121.00	114.95
2	B	1001	AWO	O32-C33-C35	6.52	126.29	116.00
2	A	1001	AWO	O32-C33-C35	6.27	125.90	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1001	AWO	S4-C3-N2	-6.04	108.96	115.58
2	A	1001	AWO	S4-C3-N2	-5.78	109.25	115.58
2	B	1001	AWO	C24-N27-C28	-5.60	115.18	126.61
2	A	1001	AWO	C24-N27-C28	-5.26	115.88	126.61
2	B	1001	AWO	N10-C9-N8	-5.22	120.68	128.58
2	B	1001	AWO	C21-C5-C1	-5.20	122.92	128.66
2	A	1001	AWO	N10-C11-N13	5.15	121.83	114.75
2	A	1001	AWO	O32-N31-C30	4.95	110.02	104.57
2	B	1001	AWO	O32-N31-C30	4.93	109.99	104.57
2	B	1001	AWO	C1-N2-C3	4.90	115.28	109.66
2	A	1001	AWO	C1-N2-C3	4.74	115.10	109.66
2	A	1001	AWO	C21-C5-C1	-4.46	123.74	128.66
2	B	1001	AWO	N10-C11-N13	4.28	120.62	114.75
2	A	1001	AWO	C3-S4-C5	4.22	94.64	89.20
2	A	1001	AWO	N10-C9-N8	-4.09	122.39	128.58
2	B	1001	AWO	C3-S4-C5	4.03	94.40	89.20
2	B	1001	AWO	C33-O32-N31	4.03	111.33	108.30
2	A	1001	AWO	C33-O32-N31	3.71	111.09	108.30
2	B	1001	AWO	C21-C5-S4	3.57	130.13	121.02
2	A	1001	AWO	C34-C30-N31	-3.49	106.52	112.20
2	B	1001	AWO	C34-C30-N31	-3.45	106.58	112.20
2	B	1001	AWO	C35-C33-C34	-3.35	125.89	134.00
2	A	1001	AWO	C35-C33-C34	-3.34	125.94	134.00
2	A	1001	AWO	C7-C12-C11	3.30	119.28	116.64
2	A	1001	AWO	C21-C5-S4	3.26	129.32	121.02
2	B	1001	AWO	O37-C28-N27	-3.23	117.89	123.64
2	A	1001	AWO	C5-C1-N2	-3.15	114.21	116.82
2	A	1001	AWO	C12-C11-N10	-3.02	117.79	122.82
2	A	1001	AWO	O37-C28-N27	-2.95	118.40	123.64
2	A	1001	AWO	C26-C21-C22	2.91	122.27	118.57
2	A	1001	AWO	N6-C7-N8	2.81	123.31	114.87
2	B	1001	AWO	C5-C1-N2	-2.81	114.49	116.82
2	B	1001	AWO	N27-C28-N29	2.75	120.17	114.22
2	A	1001	AWO	C25-C26-C21	-2.52	118.11	120.80
2	A	1001	AWO	N27-C28-N29	2.49	119.62	114.22
2	A	1001	AWO	C1-C5-S4	-2.47	106.79	108.49
2	B	1001	AWO	C12-C11-N10	-2.44	118.76	122.82
2	B	1001	AWO	C26-C21-C22	2.40	121.62	118.57
2	B	1001	AWO	C1-C5-S4	-2.39	106.84	108.49
2	A	1001	AWO	C28-N29-C30	-2.36	117.22	126.15
2	B	1001	AWO	N6-C7-N8	2.36	121.95	114.87
2	A	1001	AWO	C7-N6-C3	-2.32	123.78	126.67

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1001	AWO	C7-N6-C3	-2.27	123.84	126.67
2	A	1001	AWO	C12-C7-N6	-2.25	116.49	122.53
2	A	1001	AWO	C36-C35-C33	-2.19	107.89	113.69
2	B	1001	AWO	C18-N13-C14	2.13	121.13	118.91
2	A	1001	AWO	C25-C24-C23	2.11	121.85	119.04
2	A	1001	AWO	C12-C7-N8	-2.08	120.19	122.92
2	B	1001	AWO	O32-C33-C34	-2.07	107.81	109.73
2	B	1001	AWO	C12-C7-N6	-2.05	117.05	122.53
2	B	1001	AWO	S4-C3-N6	2.00	129.75	122.19

There are no chirality outliers.


All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1001	AWO	C20-C19-N16-C15
2	A	1001	AWO	C20-C19-N16-C17
2	A	1001	AWO	C23-C24-N27-C28
2	A	1001	AWO	C25-C24-N27-C28
2	B	1001	AWO	C25-C24-N27-C28
2	B	1001	AWO	C23-C24-N27-C28

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	301/331 (90%)	0.21	13 (4%) 40 41	27, 54, 99, 145	0
1	B	297/331 (89%)	0.29	11 (3%) 45 47	31, 56, 90, 146	1 (0%)
All	All	598/662 (90%)	0.25	24 (4%) 42 44	27, 55, 96, 146	1 (0%)

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	688	SER	3.5
1	B	598	GLY	3.4
1	A	563	ILE	3.4
1	A	565	GLY	3.1
1	A	648	GLY	3.1
1	A	574	THR	3.0
1	B	580	HIS	3.0
1	A	564	ASN	2.9
1	A	616	ALA	2.7
1	B	607	THR	2.4
1	A	567	ASN	2.3
1	A	930	GLU	2.3
1	A	575	GLN	2.3
1	B	574	THR	2.2
1	B	932	THR	2.2
1	B	757	MET	2.2
1	B	599	ALA	2.2
1	A	609	TYR	2.2
1	B	631	LEU	2.1
1	B	685	LYS	2.1
1	B	918	LYS	2.1
1	A	568	TYR	2.1
1	A	608	ALA	2.1
1	B	684	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	AWO	A	1001	37/37	0.94	0.09	28,43,61,69	0
2	AWO	B	1001	37/37	0.95	0.10	31,44,68,69	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around AWO A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around AWO B 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.