



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 12:47 PM UTC

PDB ID : 1IUD / pdb_00001iud
Title : MALTODEXTRIN-BINDING PROTEIN INSERTION/DELETION MUTANT WITH AN INSERTED B-CELL EPITOPE FROM THE PRES2 REGION OF HEPATITIS B VIRUS
Authors : Saul, F.A.; Vulliez-Le Normand, B.; Lema, F.; Bentley, G.A.
Deposited on : 1996-05-29
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	380	
2	B	2	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GLC	B	1	X	-	-	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2901 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MALTODEXTRIN-BINDING PROTEIN MALE-B133.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	368	Total	C	N	O	S	0	0	0
			2870	1846	470	548	6			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	130I	ASP	-	insertion	UNP P02928
A	131I	PRO	ALA	conflict	UNP P02928
A	132E	GLN	LEU	conflict	UNP P02928
A	134E	PRO	-	insertion	UNP P02928
A	135E	ARG	-	insertion	UNP P02928
A	136E	VAL	-	insertion	UNP P02928
A	137E	ARG	LYS	conflict	UNP P02928
A	138E	GLY	GLU	conflict	UNP P02928
A	140E	TYR	-	insertion	UNP P02928
A	135	PHE	-	insertion	UNP P02928
A	136	PRO	LYS	conflict	UNP P02928
A	138	GLY	-	insertion	UNP P02928
A	139	GLY	-	insertion	UNP P02928
A	140	LEU	-	insertion	UNP P02928
A	141	ASP	-	insertion	UNP P02928
A	142	PRO	LYS	conflict	UNP P02928

- Molecule 2 is an oligosaccharide called alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	B	2	Total	C	O	0	0	0
			23	12	11			

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	8	Total	O	0	0
			8	8		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: MALTODEXTRIN-BINDING PROTEIN MALE-B133



• Molecule 2: alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	61.10Å 97.40Å 137.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	6.00 – 2.70	Depositor
% Data completeness (in resolution range)	89.0 (6.00-2.70)	Depositor
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.178 , 0.281	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2901	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.72	1/2941 (0.0%)	1.16	23/3994 (0.6%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	321	MET	SD-CE	-5.24	1.66	1.79

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	56	GLY	CA-C-N	8.52	129.17	120.14
1	A	56	GLY	C-N-CA	8.52	129.17	120.14
1	A	238	SER	N-CA-C	-8.41	101.86	114.64
1	A	281	GLU	N-CA-C	7.44	119.17	111.14
1	A	330	MET	N-CA-C	7.27	118.95	109.93
1	A	124	ASN	CA-C-N	7.19	124.84	119.66
1	A	124	ASN	C-N-CA	7.19	124.84	119.66
1	A	333	ILE	CA-C-N	6.84	126.64	119.05
1	A	333	ILE	C-N-CA	6.84	126.64	119.05
1	A	273	LYS	N-CA-C	6.15	118.77	111.33
1	A	131(I)	PRO	N-CA-C	6.14	121.53	113.86
1	A	297	LYS	CA-C-N	5.85	127.15	119.84
1	A	297	LYS	C-N-CA	5.85	127.15	119.84
1	A	336	MET	N-CA-C	-5.81	104.86	111.14
1	A	140(E)	TYR	CA-C-O	5.79	130.64	120.80
1	A	121	LEU	N-CA-C	-5.65	107.03	114.04
1	A	271	PRO	N-CA-C	-5.41	108.49	114.92
1	A	294	ASN	N-CA-C	5.39	117.86	111.33
1	A	129	TRP	N-CA-C	-5.26	105.62	111.36
1	A	206	ALA	N-CA-C	5.26	117.76	111.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	296	ASP	N-CA-C	-5.23	105.27	110.97
1	A	258	PHE	N-CA-C	-5.12	99.06	108.02
1	A	166	GLY	N-CA-C	-5.08	105.81	112.82

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2870	0	2829	114	0
2	B	23	0	20	0	0
3	A	8	0	0	0	1
All	All	2901	0	2849	114	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:121:LEU:HB3	1:A:139(E):LEU:HD11	1.67	0.76
1:A:68:GLY:HA3	1:A:332:ASN:O	1.86	0.75
1:A:79:ILE:HG23	1:A:81:PRO:HD3	1.78	0.66
1:A:79:ILE:HD11	1:A:266:ILE:HD12	1.76	0.65
1:A:214:GLU:HG2	1:A:218:ASN:ND2	2.12	0.64
1:A:362:LYS:O	1:A:362:LYS:HD3	1.98	0.64
1:A:92:PHE:CZ	1:A:110:VAL:HG21	2.36	0.61
1:A:26:LYS:HA	1:A:29:LYS:HG2	1.84	0.60
1:A:246:VAL:HA	1:A:323:ASN:HD21	1.65	0.60
1:A:175:LYS:NZ	1:A:175:LYS:HB2	2.17	0.60
1:A:201:ASN:OD1	1:A:203:HIS:HE1	1.86	0.59
1:A:26:LYS:HE3	1:A:283:TYR:HD2	1.66	0.59
1:A:40:PRO:HB3	1:A:46:LYS:HE2	1.85	0.59
1:A:132(E):GLN:HA	1:A:132(E):GLN:OE1	2.03	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:129:TRP:HA	1:A:132:ILE:HD12	1.84	0.58
1:A:7:LEU:HD12	1:A:35:VAL:HG22	1.86	0.58
1:A:161:ILE:HD11	1:A:192:LEU:HD13	1.85	0.58
1:A:121:LEU:CD2	1:A:144:LYS:HE2	2.34	0.58
1:A:228:GLY:HA3	1:A:230:TRP:CZ3	2.41	0.56
1:A:39:HIS:O	1:A:39:HIS:ND1	2.38	0.56
1:A:6:LYS:HE3	1:A:34:LYS:HG2	1.87	0.55
1:A:10:TRP:HB3	1:A:43:LEU:HD22	1.87	0.55
1:A:145:SER:O	1:A:222:THR:HA	2.07	0.55
1:A:58:ASP:OD1	1:A:272:ASN:HB2	2.06	0.55
1:A:47:PHE:HB3	1:A:48:PRO:HD3	1.90	0.54
1:A:133(E):ASP:O	1:A:136(E):VAL:HG22	2.06	0.54
1:A:92:PHE:HZ	1:A:110:VAL:HG21	1.72	0.53
1:A:147:LEU:HD12	1:A:148:MET:N	2.24	0.52
1:A:291:GLU:O	1:A:291:GLU:HG2	2.09	0.52
1:A:48:PRO:HA	1:A:75:LEU:CD1	2.38	0.52
1:A:121:LEU:HD21	1:A:144:LYS:HE2	1.90	0.51
1:A:184:ASP:O	1:A:184:ASP:CG	2.54	0.51
1:A:71:ALA:O	1:A:74:GLY:N	2.43	0.50
1:A:197:ASP:O	1:A:201:ASN:HB2	2.12	0.50
1:A:348:ILE:HG22	1:A:349:ASN:N	2.26	0.50
1:A:71:ALA:HB2	1:A:104:ILE:HD12	1.92	0.49
1:A:255:SER:O	1:A:257:PRO:HD3	2.12	0.49
1:A:270:SER:O	1:A:273:LYS:HE3	2.12	0.49
1:A:122:LEU:HD13	1:A:139(E):LEU:HD22	1.95	0.49
1:A:136(E):VAL:O	1:A:139(E):LEU:HB3	2.12	0.49
1:A:172:GLU:N	1:A:175:LYS:O	2.44	0.49
1:A:256:LYS:HB3	1:A:327:GLY:HA2	1.95	0.49
1:A:43:LEU:C	1:A:43:LEU:HD12	2.38	0.48
1:A:48:PRO:O	1:A:52:ALA:HB2	2.14	0.48
1:A:249:THR:HB	1:A:253:GLN:O	2.13	0.48
1:A:336:MET:O	1:A:339:PHE:HB3	2.13	0.48
1:A:346:ALA:HB2	1:A:364:ALA:HB2	1.96	0.48
1:A:98:ARG:HG3	1:A:98:ARG:HH11	1.78	0.47
1:A:147:LEU:HA	1:A:224:MET:O	2.14	0.47
1:A:246:VAL:HA	1:A:323:ASN:ND2	2.29	0.47
1:A:65:ASP:HB3	1:A:330:MET:HG3	1.97	0.47
1:A:198:LEU:O	1:A:203:HIS:HB2	2.15	0.47
1:A:238:SER:OG	1:A:240:VAL:HG23	2.14	0.47
1:A:214:GLU:HG2	1:A:218:ASN:HD21	1.80	0.46
1:A:279:PHE:O	1:A:283:TYR:HB2	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:19:GLY:O	1:A:23:VAL:HG23	2.16	0.46
1:A:176:TYR:CZ	1:A:331:PRO:HG3	2.50	0.46
1:A:198:LEU:HD12	1:A:198:LEU:HA	1.75	0.46
1:A:267:ASN:O	1:A:270:SER:HB3	2.16	0.46
1:A:310:GLU:HA	1:A:313:LYS:NZ	2.30	0.46
1:A:201:ASN:HB3	1:A:203:HIS:ND1	2.30	0.46
1:A:288:GLU:CD	1:A:288:GLU:H	2.24	0.46
1:A:313:LYS:HD3	1:A:313:LYS:H	1.79	0.46
1:A:90:TYR:CE1	1:A:305:LYS:HG2	2.51	0.46
1:A:94:TRP:CZ3	1:A:107:PRO:HD3	2.51	0.46
1:A:291:GLU:O	1:A:295:LYS:HG3	2.16	0.46
1:A:139(E):LEU:HD23	1:A:140(E):TYR:CD1	2.51	0.46
1:A:167:TYR:HE1	1:A:180:ASP:O	1.97	0.46
1:A:62:TRP:HB3	1:A:67:PHE:HE1	1.81	0.46
1:A:8:VAL:O	1:A:58:ASP:N	2.49	0.45
1:A:175:LYS:HB2	1:A:175:LYS:HZ2	1.80	0.45
1:A:355:GLN:HA	1:A:359:GLU:OE2	2.17	0.45
1:A:79:ILE:HG12	1:A:106:TYR:CE2	2.51	0.45
1:A:341:TYR:OH	1:A:367:ARG:NH1	2.50	0.45
1:A:308:GLU:O	1:A:312:ALA:HB2	2.17	0.44
1:A:197:ASP:O	1:A:198:LEU:C	2.60	0.44
1:A:356:THR:H	1:A:359:GLU:CD	2.26	0.44
1:A:259:VAL:HB	1:A:329:ILE:HA	1.99	0.44
1:A:92:PHE:O	1:A:95:ASP:HB2	2.18	0.44
1:A:170:LYS:O	1:A:176:TYR:HA	2.18	0.43
1:A:85:PHE:HZ	1:A:285:LEU:HD13	1.82	0.43
1:A:277:LYS:O	1:A:281:GLU:HB2	2.17	0.43
1:A:42:LYS:HD2	1:A:44:GLU:OE2	2.18	0.43
1:A:19:GLY:HA3	1:A:293:VAL:HA	2.00	0.43
1:A:45:GLU:O	1:A:48:PRO:HD2	2.17	0.43
1:A:28:GLU:C	1:A:30:ASP:N	2.77	0.43
1:A:70:TYR:N	1:A:70:TYR:CD1	2.84	0.43
1:A:305:LYS:O	1:A:309:GLU:HG3	2.19	0.43
1:A:356:THR:H	1:A:359:GLU:HG2	1.84	0.43
1:A:181:VAL:HB	1:A:365:GLN:NE2	2.34	0.43
1:A:121:LEU:HD22	1:A:144:LYS:HE2	2.00	0.42
1:A:147:LEU:HD12	1:A:148:MET:H	1.82	0.42
1:A:109:ALA:CB	1:A:302:VAL:HA	2.50	0.42
1:A:176:TYR:CE1	1:A:331:PRO:HG3	2.54	0.42
1:A:272:ASN:HD22	1:A:272:ASN:N	2.18	0.42
1:A:314:ASP:HA	1:A:315:PRO:HD2	1.86	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:321:MET:O	1:A:325:GLN:HB2	2.20	0.42
1:A:139(E):LEU:HD23	1:A:140(E):TYR:CE1	2.55	0.41
1:A:297:LYS:HA	1:A:298:PRO:HD3	1.88	0.41
1:A:257:PRO:HG2	1:A:323:ASN:HB3	2.02	0.41
1:A:51:ALA:HA	1:A:55:ASP:O	2.21	0.41
1:A:330:MET:HA	1:A:331:PRO:HD3	1.89	0.41
1:A:99:TYR:HB3	1:A:104:ILE:HD13	2.02	0.41
1:A:341:TYR:CD1	1:A:341:TYR:C	2.97	0.41
1:A:245:THR:OG1	1:A:246:VAL:N	2.54	0.41
1:A:307:TYR:CZ	1:A:311:LEU:HD21	2.55	0.41
1:A:334:PRO:HD2	1:A:335:GLN:OE1	2.20	0.41
1:A:307:TYR:CE2	1:A:311:LEU:HD21	2.56	0.41
1:A:99:TYR:CB	1:A:104:ILE:HD13	2.51	0.41
1:A:258:PHE:CD1	1:A:330:MET:HB3	2.56	0.41
1:A:271:PRO:HG2	1:A:272:ASN:ND2	2.35	0.41
1:A:356:THR:N	1:A:359:GLU:HG2	2.35	0.41
1:A:53:THR:O	1:A:55:ASP:N	2.54	0.40
1:A:185:ASN:OD1	1:A:185:ASN:C	2.63	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:504:HOH:O	3:A:504:HOH:O[3_555]	1.73	0.47

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	364/380 (96%)	330 (91%)	27 (7%)	7 (2%)	6 17

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	40	PRO
1	A	64	HIS
1	A	163	ALA
1	A	168	ALA
1	A	173	ASN
1	A	54	GLY
1	A	178	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	297/305 (97%)	261 (88%)	36 (12%)	5 12

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	LEU
1	A	36	THR
1	A	41	ASP
1	A	42	LYS
1	A	43	LEU
1	A	45	GLU
1	A	60	ILE
1	A	72	GLN
1	A	75	LEU
1	A	79	ILE
1	A	102	LYS
1	A	116	ILE
1	A	122	LEU
1	A	128	THR
1	A	139(E)	LEU
1	A	160	LEU
1	A	173	ASN
1	A	175	LYS
1	A	184	ASP
1	A	195	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	198	LEU
1	A	211	SER
1	A	238	SER
1	A	253	GLN
1	A	258	PHE
1	A	272	ASN
1	A	291	GLU
1	A	304	LEU
1	A	311	LEU
1	A	316	ARG
1	A	325	GLN
1	A	335	GLN
1	A	341	TYR
1	A	348	ILE
1	A	357	VAL
1	A	362	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	72	GLN
1	A	201	ASN
1	A	203	HIS
1	A	218	ASN
1	A	234	ASN
1	A	272	ASN
1	A	282	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	GLC	B	1	2	12,12,12	1.58	4 (33%)	17,17,17	2.75	7 (41%)
2	GLC	B	2	2	11,11,12	1.13	1 (9%)	15,15,17	3.04	9 (60%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	B	1	2	1/1/5/5	2/2/22/22	0/1/1/1
2	GLC	B	2	2	-	0/2/19/22	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1	GLC	O4-C4	-3.33	1.34	1.43
2	B	2	GLC	O5-C5	-3.26	1.37	1.43
2	B	1	GLC	C1-C2	-2.49	1.46	1.52
2	B	1	GLC	O1-C1	-2.06	1.33	1.39
2	B	1	GLC	O5-C5	2.05	1.49	1.44

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1	GLC	O4-C4-C3	-6.24	95.66	110.38
2	B	2	GLC	C1-O5-C5	5.93	120.14	112.19
2	B	2	GLC	C1-C2-C3	-5.01	102.35	109.64
2	B	1	GLC	C4-C3-C2	-4.73	102.53	110.83
2	B	1	GLC	C1-O5-C5	-4.44	105.07	113.65
2	B	2	GLC	O2-C2-C3	-4.14	101.57	110.15
2	B	2	GLC	O5-C1-C2	3.88	120.04	110.79
2	B	2	GLC	O3-C3-C4	3.52	118.68	110.38
2	B	1	GLC	C1-C2-C3	-3.23	103.77	110.36
2	B	1	GLC	O1-C1-O5	3.08	119.55	110.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2	GLC	O2-C2-C1	3.07	116.25	109.22
2	B	2	GLC	C2-C3-C4	-3.02	105.55	110.86
2	B	1	GLC	O5-C5-C6	2.73	113.21	106.44
2	B	1	GLC	O3-C3-C2	2.65	116.61	110.38
2	B	2	GLC	O4-C4-C5	2.35	115.10	109.32
2	B	2	GLC	O5-C5-C6	-2.03	103.72	107.66

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	B	1	GLC	C1


All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1	GLC	O5-C5-C6-O6
2	B	1	GLC	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.