



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:24 PM UTC

PDB ID : 5IUJ / pdb_00005iuj
Title : Crystal structure of the DesK-DesR complex in the phosphotransfer state with low Mg²⁺ (20 mM)
Authors : Trajtenberg, F.; Imelio, J.A.; Larrieux, N.; Buschiazso, A.
Deposited on : 2016-03-18
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1466 (3.20-3.20)
Clashscore	190562	1573 (3.20-3.20)
Ramachandran outliers	187476	1548 (3.20-3.20)
Sidechain outliers	187428	1547 (3.20-3.20)
RSRZ outliers	180081	1466 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	218	
1	B	218	
1	D	218	
1	E	218	
2	C	139	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	139	76% 17% .. .

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 9014 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sensor histidine kinase DesK.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	211	Total	C	N	O	S	0	0	0
			1694	1055	300	332	7			
1	B	215	Total	C	N	O	S	0	0	0
			1726	1073	309	337	7			
1	D	213	Total	C	N	O	S	0	0	0
			1709	1062	305	335	7			
1	E	215	Total	C	N	O	S	0	0	0
			1722	1071	308	336	7			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	153	GLY	-	expression tag	UNP O34757
A	188	GLU	HIS	engineered mutation	UNP O34757
B	153	GLY	-	expression tag	UNP O34757
B	188	GLU	HIS	engineered mutation	UNP O34757
D	153	GLY	-	expression tag	UNP O34757
D	188	GLU	HIS	engineered mutation	UNP O34757
E	153	GLY	-	expression tag	UNP O34757
E	188	GLU	HIS	engineered mutation	UNP O34757


- Molecule 2 is a protein called Transcriptional regulatory protein DesR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	131	Total	C	N	O	S	0	0	0
			1000	632	164	195	9			
2	F	133	Total	C	N	O	S	0	0	0
			1018	644	166	199	9			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-3	GLY	-	expression tag	UNP O34723
C	-2	SER	-	expression tag	UNP O34723
C	-1	GLY	-	expression tag	UNP O34723
C	0	SER	-	expression tag	UNP O34723
F	-3	GLY	-	expression tag	UNP O34723
F	-2	SER	-	expression tag	UNP O34723
F	-1	GLY	-	expression tag	UNP O34723
F	0	SER	-	expression tag	UNP O34723

- Molecule 3 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (CCD ID: ACP) (formula: $C_{11}H_{18}N_5O_{12}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			31	11	5	12	3		
3	B	1	Total	C	N	O	P	0	0
			31	11	5	12	3		
3	D	1	Total	C	N	O	P	0	0
			31	11	5	12	3		
3	E	1	Total	C	N	O	P	0	0
			31	11	5	12	3		

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total 1	Mg 1	0	0
4	D	1	Total 1	Mg 1	0	0
4	E	1	Total 1	Mg 1	0	0

- Molecule 5 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	1	Total 1	K 1	0	0
5	F	1	Total 1	K 1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	4	Total 4	O 4	0	0
6	B	2	Total 2	O 2	0	0
6	C	3	Total 3	O 3	0	0
6	D	3	Total 3	O 3	0	0
6	E	1	Total 1	O 1	0	0
6	F	2	Total 2	O 2	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Sensor histidine kinase Desk




• Molecule 1: Sensor histidine kinase Desk



• Molecule 1: Sensor histidine kinase Desk



• Molecule 1: Sensor histidine kinase Desk





● Molecule 2: Transcriptional regulatory protein DesR



● Molecule 2: Transcriptional regulatory protein DesR



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	87.82Å 114.62Å 91.60Å 90.00° 116.44° 90.00°	Depositor
Resolution (Å)	66.70 – 3.20 66.70 – 3.20	Depositor EDS
% Data completeness (in resolution range)	97.3 (66.70-3.20) 97.3 (66.70-3.20)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.89 (at 3.19Å)	Xtriage
Refinement program	BUSTER-TNT 2.10.2	Depositor
R, R_{free}	0.187 , 0.240 0.207 , 0.267	Depositor DCC
R_{free} test set	1324 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å ²)	77.9	Xtriage
Anisotropy	0.545	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 88.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	0.047 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9014	wwPDB-VP
Average B, all atoms (Å ²)	93.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: K, ACP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.87	1/1708 (0.1%)	1.41	12/2289 (0.5%)
1	B	0.84	0/1741	1.45	12/2333 (0.5%)
1	D	0.81	0/1723	1.40	13/2310 (0.6%)
1	E	0.85	0/1737	1.45	22/2327 (0.9%)
2	C	0.93	1/1011 (0.1%)	1.43	7/1358 (0.5%)
2	F	0.90	0/1030	1.42	10/1384 (0.7%)
All	All	0.86	2/8950 (0.0%)	1.43	76/12001 (0.6%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	129	GLU	CA-C	7.11	1.62	1.52
1	A	243	GLY	C-N	6.25	1.40	1.33

All (76) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	244	ILE	N-CA-CB	9.44	121.29	110.82
1	D	244	ILE	N-CA-CB	8.45	120.50	111.46
2	F	130	ASP	CA-CB-CG	8.22	120.82	112.60
1	E	155	LYS	N-CA-C	-6.99	103.59	111.14
1	E	336	GLY	N-CA-C	6.88	120.97	112.64
1	E	237	ILE	N-CA-C	-6.80	102.76	112.35
1	B	336	GLY	N-CA-C	6.78	120.84	112.64
1	E	298	SER	N-CA-C	6.59	118.55	111.36
1	E	170	ARG	CA-C-N	6.53	129.69	120.42
1	E	170	ARG	C-N-CA	6.53	129.69	120.42
1	E	190	THR	CA-C-N	6.42	130.46	120.82
1	E	190	THR	C-N-CA	6.42	130.46	120.82
1	D	336	GLY	N-CA-C	6.36	120.34	112.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	187	LEU	CA-C-N	6.28	129.02	120.54
1	B	187	LEU	C-N-CA	6.28	129.02	120.54
1	B	298	SER	N-CA-C	6.23	118.16	111.36
1	E	239	SER	CA-C-N	6.21	128.90	120.38
1	E	239	SER	C-N-CA	6.21	128.90	120.38
2	F	9	ASP	CA-CB-CG	6.21	118.81	112.60
2	C	9	ASP	CA-CB-CG	6.09	118.69	112.60
1	D	281	ASN	CA-CB-CG	5.99	118.59	112.60
2	F	10	GLN	CB-CG-CD	5.98	122.77	112.60
1	B	273	GLU	N-CA-C	-5.96	99.67	109.80
1	A	335	HIS	CA-C-N	5.95	126.71	119.99
1	A	335	HIS	C-N-CA	5.95	126.71	119.99
1	A	162	GLU	N-CA-C	-5.92	104.52	110.97
1	D	298	SER	N-CA-C	5.90	117.79	111.36
1	A	336	GLY	N-CA-C	5.89	119.76	112.64
1	E	238	VAL	CB-CA-C	5.84	117.54	111.23
1	E	274	ASN	CA-C-N	5.84	129.78	121.96
1	E	274	ASN	C-N-CA	5.84	129.78	121.96
2	C	69	LEU	CA-C-N	5.81	128.34	120.38
2	C	69	LEU	C-N-CA	5.81	128.34	120.38
1	D	335	HIS	CA-C-N	5.80	126.55	119.99
1	D	335	HIS	C-N-CA	5.80	126.55	119.99
1	D	203	ASP	CA-CB-CG	5.79	118.39	112.60
2	F	125	PRO	CA-C-N	5.72	127.88	120.44
2	F	125	PRO	C-N-CA	5.72	127.88	120.44
1	A	298	SER	N-CA-C	5.68	117.55	111.36
1	E	173	GLU	CB-CG-CD	5.65	122.21	112.60
2	F	53	MET	N-CA-C	5.65	118.31	108.76
1	E	175	VAL	CA-C-N	5.57	128.21	120.29
1	E	175	VAL	C-N-CA	5.57	128.21	120.29
1	B	155	LYS	N-CA-C	-5.53	106.41	112.72
2	C	53	MET	N-CA-C	5.50	118.06	108.76
1	A	346	PHE	CA-CB-CG	5.49	119.29	113.80
2	F	69	LEU	CA-C-N	5.44	127.83	120.38
2	F	69	LEU	C-N-CA	5.44	127.83	120.38
1	D	169	GLU	CA-C-N	5.42	128.09	120.28
1	D	169	GLU	C-N-CA	5.42	128.09	120.28
1	A	203	ASP	CA-CB-CG	5.41	118.01	112.60
1	A	236	LYS	CA-C-N	5.40	127.57	120.60
1	A	236	LYS	C-N-CA	5.40	127.57	120.60
1	E	155	LYS	CA-C-N	5.40	127.52	120.28
1	E	155	LYS	C-N-CA	5.40	127.52	120.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	174	LEU	CA-C-N	5.39	127.45	120.56
1	D	174	LEU	C-N-CA	5.39	127.45	120.56
1	B	161	GLU	CA-C-N	5.36	127.73	120.65
1	B	161	GLU	C-N-CA	5.36	127.73	120.65
1	D	346	PHE	CA-CB-CG	5.35	119.15	113.80
1	A	172	ALA	CA-C-N	5.31	128.13	120.38
1	A	172	ALA	C-N-CA	5.31	128.13	120.38
2	C	130	ASP	CA-CB-CG	5.30	117.90	112.60
1	B	367	ASN	CA-C-N	5.27	131.18	121.70
1	B	367	ASN	C-N-CA	5.27	131.18	121.70
1	E	335	HIS	CA-C-N	5.19	125.85	119.99
1	E	335	HIS	C-N-CA	5.19	125.85	119.99
1	D	162	GLU	CB-CG-CD	5.12	121.30	112.60
1	E	180	ARG	CA-C-N	5.10	127.37	120.38
1	E	180	ARG	C-N-CA	5.10	127.37	120.38
2	F	14	LEU	CA-C-N	5.09	125.49	119.94
2	F	14	LEU	C-N-CA	5.09	125.49	119.94
1	B	335	HIS	CA-C-N	5.06	125.70	119.99
1	B	335	HIS	C-N-CA	5.06	125.70	119.99
2	C	129	GLU	CA-C-N	5.05	132.22	122.07
2	C	129	GLU	C-N-CA	5.05	132.22	122.07

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1694	0	1741	19	0
1	B	1726	0	1777	26	0
1	D	1709	0	1749	22	0
1	E	1722	0	1774	28	0
2	C	1000	0	1028	20	0
2	F	1018	0	1042	15	0
3	A	31	0	14	2	0
3	B	31	0	14	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	31	0	14	0	0
3	E	31	0	14	1	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
5	C	1	0	0	0	0
5	F	1	0	0	0	0
6	A	4	0	0	0	0
6	B	2	0	0	0	0
6	C	3	0	0	0	0
6	D	3	0	0	0	0
6	E	1	0	0	0	0
6	F	2	0	0	0	0
All	All	9014	0	9167	111	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (111) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:220:LEU:HD21	1:B:220:LEU:HD21	1.45	0.98
1:D:241:MET:HE1	1:E:187:LEU:HD12	1.49	0.94
1:D:175:VAL:HG11	1:E:175:VAL:HG23	1.52	0.92
1:D:237:ILE:HG22	1:D:241:MET:HE2	1.52	0.91
1:D:220:LEU:HD21	1:E:220:LEU:HD21	1.71	0.72
1:A:175:VAL:HG21	1:B:175:VAL:HG23	1.72	0.71
1:B:272:PRO:HD2	1:B:307:ILE:HG22	1.73	0.71
1:B:250:LEU:HB2	1:B:271:TRP:CH2	2.29	0.67
2:C:64:GLU:HG3	2:C:90:ARG:HH22	1.60	0.66
2:F:99:TYR:CD1	2:F:127:LEU:HD13	2.31	0.65
2:F:64:GLU:HG3	2:F:90:ARG:HH22	1.62	0.65
1:D:183:ILE:HG21	1:E:183:ILE:HG21	1.78	0.65
1:A:224:GLN:HE22	1:B:206:ARG:HH21	1.43	0.65
2:C:7:ALA:HB3	2:C:53:MET:HG2	1.79	0.64
1:D:190:THR:HG22	1:D:191:LEU:HG	1.80	0.64
2:C:88:PHE:CE1	2:C:123:TYR:HD2	2.16	0.63
2:F:7:ALA:HB3	2:F:53:MET:HG2	1.79	0.63
2:C:83:ALA:HB2	2:C:127:LEU:HD23	1.79	0.63
2:C:124:ALA:HB3	2:C:127:LEU:HD12	1.80	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:245:ARG:HG2	1:E:281:ASN:OD1	1.99	0.63
1:B:272:PRO:CD	1:B:307:ILE:HG22	2.29	0.62
2:C:88:PHE:HE1	2:C:123:TYR:HD2	1.47	0.62
1:A:183:ILE:HG21	1:B:183:ILE:HG21	1.84	0.59
2:C:96:VAL:HG12	2:C:98:GLY:O	2.03	0.59
1:B:187:LEU:HD22	1:B:191:LEU:HD12	1.85	0.58
1:D:270:LYS:HE2	1:D:308:GLN:OE1	2.03	0.58
1:D:176:LYS:HB3	1:D:180:ARG:HH21	1.68	0.58
2:C:78:ILE:HG12	2:C:96:VAL:HG11	1.86	0.57
1:D:220:LEU:CD2	1:E:220:LEU:HD21	2.33	0.57
2:F:99:TYR:CE1	2:F:127:LEU:HD13	2.39	0.57
1:D:166:ASP:O	1:D:170:ARG:HG3	2.04	0.57
1:B:197:LEU:HD11	2:C:12:MET:HB3	1.88	0.56
2:F:99:TYR:HE1	2:F:127:LEU:HD22	1.70	0.56
2:C:88:PHE:CE1	2:C:123:TYR:CD2	2.94	0.56
1:E:250:LEU:HD13	1:E:271:TRP:CZ2	2.41	0.55
1:A:263:MET:HE2	1:A:301:LYS:O	2.06	0.55
1:D:154:ARG:HH12	1:D:155:LYS:HZ2	1.55	0.54
1:E:264:PHE:CE2	1:E:266:TYR:CD1	2.96	0.54
1:B:323:THR:O	3:B:401:ACP:H2	2.08	0.54
2:C:64:GLU:HG3	2:C:90:ARG:NH2	2.23	0.54
1:E:173:GLU:O	1:E:177:LEU:HG	2.08	0.54
2:C:88:PHE:HE1	2:C:123:TYR:CD2	2.26	0.53
1:D:220:LEU:HD21	1:E:220:LEU:CD2	2.38	0.53
1:E:271:TRP:CZ3	1:E:307:ILE:HD12	2.44	0.53
1:A:220:LEU:HD12	1:B:209:ILE:HD11	1.90	0.53
2:F:99:TYR:CE1	2:F:127:LEU:HB3	2.44	0.53
1:B:250:LEU:HD13	1:B:271:TRP:CZ2	2.44	0.53
1:B:197:LEU:HD12	2:C:13:LEU:HD13	1.91	0.53
1:A:156:GLU:H	1:A:156:GLU:CD	2.16	0.52
1:B:272:PRO:HD2	1:B:307:ILE:CG2	2.39	0.52
1:E:272:PRO:CD	1:E:307:ILE:HG22	2.40	0.52
2:F:64:GLU:HG3	2:F:90:ARG:NH2	2.25	0.50
1:E:272:PRO:HD2	1:E:307:ILE:HG22	1.93	0.50
2:C:63:LEU:HD13	2:C:90:ARG:HD3	1.94	0.49
1:A:166:ASP:O	1:A:170:ARG:HG3	2.12	0.49
1:B:201:LYS:HE3	1:B:222:SER:HB3	1.93	0.49
1:E:250:LEU:HB2	1:E:271:TRP:CH2	2.48	0.49
1:E:323:THR:O	3:E:401:ACP:H2	2.12	0.49
1:B:159:ARG:HH12	1:B:163:LYS:HE3	1.78	0.48
2:F:63:LEU:HD13	2:F:90:ARG:HD3	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:335:HIS:CD2	3:A:401:ACP:H3B1	2.49	0.47
1:B:271:TRP:CH2	1:B:307:ILE:HD12	2.51	0.46
1:A:265:ILE:HG22	1:A:304:ARG:HH11	1.79	0.46
1:E:208:LEU:HD22	1:E:211:LYS:HD2	1.98	0.46
2:F:124:ALA:HB3	2:F:127:LEU:HD12	1.96	0.46
1:A:286:CYS:HB3	1:A:340:MET:HE3	1.97	0.46
1:B:250:LEU:HD21	1:B:268:GLU:HG3	1.96	0.46
1:B:324:PHE:HA	3:B:401:ACP:C2	2.46	0.46
1:D:165:GLU:O	1:D:169:GLU:HG2	2.15	0.46
1:A:275:ILE:HA	1:A:367:ASN:OD1	2.16	0.46
1:A:346:PHE:CD1	1:B:171:ILE:HG23	2.51	0.45
1:B:250:LEU:HD11	1:B:266:TYR:CD2	2.51	0.45
2:C:96:VAL:CG1	2:C:98:GLY:O	2.64	0.45
2:C:80:THR:CG2	2:C:99:TYR:HE1	2.29	0.45
1:D:265:ILE:HG22	1:D:304:ARG:HH11	1.81	0.45
1:E:271:TRP:CH2	1:E:307:ILE:HD12	2.51	0.45
1:E:272:PRO:HB3	1:E:309:GLN:HB2	1.99	0.45
2:F:83:ALA:HB2	2:F:127:LEU:HA	1.99	0.45
1:B:265:ILE:HG22	1:B:304:ARG:HH11	1.81	0.44
2:F:89:GLN:HG3	2:F:93:LYS:HD2	1.98	0.44
1:D:224:GLN:HE22	1:E:206:ARG:HH11	1.64	0.44
1:B:179:GLU:HA	1:B:179:GLU:OE1	2.18	0.44
1:D:241:MET:HB3	1:E:184:ALA:HB2	1.98	0.44
1:E:208:LEU:O	1:E:209:ILE:C	2.60	0.44
1:D:251:ILE:HD13	2:F:133:SER:HB2	2.00	0.43
1:A:270:LYS:HE2	1:A:308:GLN:OE1	2.17	0.43
2:C:84:ARG:HB2	2:C:87:TYR:CZ	2.54	0.43
1:B:351:LEU:C	1:B:351:LEU:HD23	2.43	0.43
1:A:351:LEU:C	1:A:351:LEU:HD23	2.44	0.43
2:F:99:TYR:HE1	2:F:127:LEU:HB3	1.83	0.43
1:E:197:LEU:HD11	2:F:12:MET:HB3	2.01	0.42
1:A:242:LYS:HA	1:B:181:GLN:HE21	1.84	0.42
1:A:322:GLY:O	1:A:358:GLY:HA2	2.19	0.42
2:C:100:LEU:HD11	2:C:112:ALA:CB	2.49	0.42
1:D:351:LEU:C	1:D:351:LEU:HD23	2.45	0.42
1:E:351:LEU:C	1:E:351:LEU:HD23	2.44	0.42
1:D:190:THR:HG21	1:D:237:ILE:HD11	2.00	0.42
1:B:322:GLY:O	1:B:358:GLY:HA2	2.20	0.42
1:D:322:GLY:O	1:D:358:GLY:HA2	2.20	0.42
1:E:153:GLY:N	1:E:156:GLU:HB3	2.35	0.42
2:F:80:THR:HG23	2:F:127:LEU:HD21	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:275:ILE:HA	1:D:367:ASN:OD1	2.20	0.41
2:C:91:ALA:O	2:C:96:VAL:HG23	2.21	0.41
1:A:337:LEU:HD13	3:A:401:ACP:PA	2.61	0.41
1:E:225:GLN:O	1:E:229:THR:HG23	2.21	0.41
1:E:268:GLU:HA	1:E:271:TRP:CD1	2.55	0.41
1:A:340:MET:HE2	1:A:351:LEU:HD12	2.01	0.41
1:E:322:GLY:O	1:E:358:GLY:HA2	2.20	0.41
2:C:20:LEU:HD23	2:C:20:LEU:HA	1.93	0.40
1:D:167:ALA:O	1:D:171:ILE:HG13	2.20	0.40
1:E:250:LEU:HB2	1:E:271:TRP:CZ3	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	207/218 (95%)	204 (99%)	3 (1%)	0	100	100
1	B	213/218 (98%)	201 (94%)	11 (5%)	1 (0%)	24	59
1	D	209/218 (96%)	202 (97%)	7 (3%)	0	100	100
1	E	213/218 (98%)	206 (97%)	6 (3%)	1 (0%)	24	59
2	C	129/139 (93%)	126 (98%)	2 (2%)	1 (1%)	16	50
2	F	131/139 (94%)	127 (97%)	4 (3%)	0	100	100
All	All	1102/1150 (96%)	1066 (97%)	33 (3%)	3 (0%)	36	68

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	C	129	GLU
1	B	190	THR
1	E	239	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	189/194 (97%)	180 (95%)	9 (5%)	23	56
1	B	192/194 (99%)	185 (96%)	7 (4%)	31	63
1	D	190/194 (98%)	178 (94%)	12 (6%)	16	48
1	E	191/194 (98%)	176 (92%)	15 (8%)	11	40
2	C	108/113 (96%)	97 (90%)	11 (10%)	7	29
2	F	110/113 (97%)	100 (91%)	10 (9%)	9	34
All	All	980/1002 (98%)	916 (94%)	64 (6%)	15	47

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	156	GLU
1	A	175	VAL
1	A	188	GLU
1	A	189	ASP
1	A	209	ILE
1	A	228	ARG
1	A	232	ASN
1	A	346	PHE
1	A	363	MET
1	B	157	ARG
1	B	177	LEU
1	B	181	GLN
1	B	209	ILE
1	B	222	SER
1	B	242	LYS
1	B	323	THR
2	C	1	MET
2	C	9	ASP
2	C	10	GLN
2	C	11	GLN
2	C	13	LEU
2	C	23	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C	53	MET
2	C	79	LEU
2	C	128	MET
2	C	129	GLU
2	C	130	ASP
1	D	155	LYS
1	D	182	ARG
1	D	188	GLU
1	D	194	LYS
1	D	196	SER
1	D	209	ILE
1	D	232	ASN
1	D	233	GLU
1	D	242	LYS
1	D	263	MET
1	D	277	LEU
1	D	346	PHE
1	E	156	GLU
1	E	164	LEU
1	E	171	ILE
1	E	173	GLU
1	E	176	LYS
1	E	183	ILE
1	E	193	GLN
1	E	196	SER
1	E	232	ASN
1	E	238	VAL
1	E	242	LYS
1	E	274	ASN
1	E	304	ARG
1	E	328	GLU
1	E	329	ASN
2	F	1	MET
2	F	9	ASP
2	F	11	GLN
2	F	13	LEU
2	F	23	LEU
2	F	53	MET
2	F	100	LEU
2	F	121	ARG
2	F	130	ASP
2	F	131	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	168	ASN
1	A	224	GLN
1	A	274	ASN
1	B	181	GLN
1	B	279	ASN
1	B	309	GLN
1	B	367	ASN
1	D	168	ASN
1	D	368	ASN
1	E	181	GLN
1	E	193	GLN
1	E	224	GLN
1	E	309	GLN
1	E	329	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 6 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ACP	B	401	4	31,33,33	1.06	4 (12%)	47,52,52	0.81	2 (4%)
3	ACP	D	401	4	31,33,33	0.81	3 (9%)	47,52,52	0.90	3 (6%)
3	ACP	E	401	4	31,33,33	0.90	3 (9%)	47,52,52	0.68	1 (2%)
3	ACP	A	401	4	31,33,33	0.81	3 (9%)	47,52,52	0.83	3 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ACP	B	401	4	-	3/19/38/38	0/3/3/3
3	ACP	D	401	4	-	2/19/38/38	0/3/3/3
3	ACP	E	401	4	-	3/19/38/38	0/3/3/3
3	ACP	A	401	4	-	3/19/38/38	0/3/3/3

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	401	ACP	PB-O2B	-2.92	1.49	1.56
3	E	401	ACP	PB-O2B	-2.58	1.50	1.56
3	E	401	ACP	PG-O1G	2.49	1.55	1.50
3	B	401	ACP	PG-O1G	2.39	1.55	1.50
3	A	401	ACP	PB-O3A	2.36	1.61	1.58
3	D	401	ACP	PB-O3A	2.34	1.61	1.58
3	D	401	ACP	PG-O1G	2.30	1.54	1.50
3	B	401	ACP	PG-O3G	-2.26	1.49	1.55
3	A	401	ACP	PG-O1G	2.26	1.54	1.50
3	A	401	ACP	PG-O3G	-2.22	1.50	1.55
3	E	401	ACP	PG-O3G	-2.19	1.50	1.55
3	D	401	ACP	PG-O3G	-2.17	1.50	1.55
3	B	401	ACP	PB-O1B	2.07	1.56	1.51

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	401	ACP	O1B-PB-C3B	3.76	118.96	109.05
3	A	401	ACP	O1B-PB-C3B	3.12	117.28	109.05
3	E	401	ACP	O2B-PB-C3B	2.59	117.47	106.73
3	D	401	ACP	O3G-PG-C3B	2.59	112.67	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	401	ACP	O1G-PG-C3B	-2.56	105.79	111.37
3	B	401	ACP	O3G-PG-C3B	2.50	112.45	106.40
3	A	401	ACP	O3G-PG-O2G	2.04	113.77	107.96
3	A	401	ACP	O2G-PG-O1G	-2.02	107.17	112.39
3	B	401	ACP	O2B-PB-C3B	2.01	115.04	106.73

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	401	ACP	PB-C3B-PG-O1G
3	A	401	ACP	PB-C3B-PG-O3G
3	B	401	ACP	PB-C3B-PG-O1G
3	B	401	ACP	PB-C3B-PG-O2G
3	B	401	ACP	PB-C3B-PG-O3G
3	D	401	ACP	PG-C3B-PB-O1B
3	E	401	ACP	PB-C3B-PG-O1G
3	E	401	ACP	PB-C3B-PG-O3G
3	A	401	ACP	PB-C3B-PG-O2G
3	D	401	ACP	PG-C3B-PB-O2B
3	E	401	ACP	PB-C3B-PG-O2G


There are no ring outliers.

3 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	401	ACP	2	0
3	E	401	ACP	1	0
3	A	401	ACP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand ACP B 401




Ligand ACP D 401



Ligand ACP E 401





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	211/218 (96%)	0.01	0 100 100	43, 86, 146, 169	0
1	B	215/218 (98%)	0.09	1 (0%) 87 76	53, 94, 136, 180	0
1	D	213/218 (97%)	0.03	1 (0%) 87 76	48, 85, 148, 178	0
1	E	215/218 (98%)	0.00	0 100 100	50, 87, 127, 183	0
2	C	131/139 (94%)	0.17	2 (1%) 72 52	47, 83, 114, 136	0
2	F	133/139 (95%)	0.18	0 100 100	56, 88, 124, 140	0
All	All	1118/1150 (97%)	0.07	4 (0%) 88 79	43, 87, 138, 183	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	131	LEU	3.5
2	C	129	GLU	2.6
1	B	331	PHE	2.4
1	D	332	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	ACP	A	401	31/31	0.87	0.09	113,123,132,132	0
3	ACP	D	401	31/31	0.87	0.09	120,133,152,154	0
4	MG	D	402	1/1	0.94	0.07	212,212,212,212	1
5	K	F	201	1/1	0.94	0.08	97,97,97,97	0
3	ACP	B	401	31/31	0.95	0.08	92,116,126,130	0
3	ACP	E	401	31/31	0.96	0.07	84,97,107,112	0
5	K	C	201	1/1	0.97	0.04	91,91,91,91	0
4	MG	E	402	1/1	0.97	0.04	95,95,95,95	0
4	MG	A	402	1/1	0.98	0.05	145,145,145,145	1
4	MG	B	402	1/1	0.98	0.06	93,93,93,93	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around ACP D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ACP B 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.