



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 11:02 AM UTC

PDB ID : 6IUV / pdb_00006iuv
Title : Crystal structure of influenza A virus H5 hemagglutinin globular head in complex with the Fab of antibody 3C11
Authors : Wang, P.; Zuo, Y.; Sun, J.; Zhang, L.; Wang, X.
Deposited on : 2018-11-30
Resolution : 2.33 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.33 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3031 (2.36-2.32)
Clashscore	190562	3127 (2.36-2.32)
Ramachandran outliers	187476	3095 (2.36-2.32)
Sidechain outliers	187428	3095 (2.36-2.32)
RSRZ outliers	180081	3033 (2.36-2.32)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	224	7% 80% 15% 5%
1	B	224	12% 74% 21% 5%
2	D	218	30% 74% 24% .
2	L	218	90% 8% .
3	C	229	50% 63% 34% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	H	229	 2% 87% 12%
4	E	3	 100%
4	F	3	 67% 33%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 10833 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemagglutinin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	213	Total	C	N	O	S	0	0	0
			1712	1095	292	319	6			
1	B	212	Total	C	N	O	S	0	0	0
			1704	1091	291	316	6			


- Molecule 2 is a protein called 3C11 Light Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	L	215	Total	C	N	O	S	0	0	0
			1656	1038	280	332	6			
2	D	215	Total	C	N	O	S	0	0	0
			1656	1038	280	332	6			

- Molecule 3 is a protein called 3C11 Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	H	228	Total	C	N	O	S	0	0	0
			1723	1084	286	344	9			
3	C	224	Total	C	N	O	S	0	0	0
			1695	1067	281	339	8			

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	E	3	Total	C	N	O	0	0	0
			38	22	2	14			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	F	3	Total	C	N	O	0	0	0
			38	22	2	14			


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	147	Total	O	0	0
			147	147		
5	L	172	Total	O	0	0
			172	172		
5	H	167	Total	O	0	0
			167	167		
5	B	34	Total	O	0	0
			34	34		
5	D	57	Total	O	0	0
			57	57		
5	C	34	Total	O	0	0
			34	34		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Hemagglutinin




• Molecule 1: Hemagglutinin




• Molecule 2: 3C11 Light Chain




• Molecule 2: 3C11 Light Chain








• Molecule 3: 3C11 Heavy Chain



• Molecule 3: 3C11 Heavy Chain



• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	126.78Å 62.24Å 127.83Å 90.00° 117.21° 90.00°	Depositor
Resolution (Å)	43.24 – 2.33 43.24 – 2.33	Depositor EDS
% Data completeness (in resolution range)	99.4 (43.24-2.33) 99.4 (43.24-2.33)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.94 (at 2.34Å)	Xtriage
Refinement program	PHENIX (1.11.1_2575: ???)	Depositor
R, R_{free}	0.207 , 0.246 0.212 , 0.249	Depositor DCC
R_{free} test set	3637 reflections (4.78%)	wwPDB-VP
Wilson B-factor (Å ²)	32.1	Xtriage
Anisotropy	0.564	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 39.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.013 for l,-k,h	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	10833	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FUC, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.40	0/1761	0.60	0/2397
1	B	0.38	0/1753	0.58	0/2386
2	D	0.37	0/1693	0.63	0/2301
2	L	0.42	0/1693	0.64	0/2301
3	C	0.40	0/1739	0.74	1/2370 (0.0%)
3	H	0.46	1/1768 (0.1%)	0.63	0/2409
All	All	0.41	1/10407 (0.0%)	0.64	1/14164 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	C	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	98	ARG	C-O	-5.39	1.17	1.24

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	136	PRO	N-CA-C	-5.16	103.09	111.19

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	C	161	GLU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1712	0	1659	21	0
1	B	1704	0	1655	39	0
2	D	1656	0	1614	82	0
2	L	1656	0	1614	18	0
3	C	1695	0	1626	96	0
3	H	1723	0	1656	19	0
4	E	38	0	34	0	0
4	F	38	0	34	0	0
5	A	147	0	0	2	3
5	B	34	0	0	4	0
5	C	34	0	0	4	0
5	D	57	0	0	10	0
5	H	167	0	0	7	2
5	L	172	0	0	9	1
All	All	10833	0	9892	240	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (240) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:128:GLN:HG3	3:C:135:PHE:CZ	1.13	1.63
2:D:128:GLN:HG3	3:C:135:PHE:CE1	1.37	1.56
2:D:128:GLN:CG	3:C:135:PHE:CZ	1.96	1.46
2:D:128:GLN:HG3	3:C:135:PHE:CE2	1.68	1.29
2:D:128:GLN:CG	3:C:135:PHE:CE1	2.13	1.21
2:D:129:LEU:O	2:D:187:LYS:HE2	1.48	1.13
1:B:178:ILE:HD13	1:B:198:ILE:HD12	1.31	1.11
3:C:130:LYS:HE3	3:C:159:PHE:H	0.93	1.06
2:D:132:GLY:CA	2:D:187:LYS:HZ1	1.69	1.04

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:128:GLN:CB	3:C:135:PHE:CE1	2.45	0.99
3:C:130:LYS:HE3	3:C:159:PHE:N	1.78	0.99
2:L:193:HIS:ND1	5:L:301:HOH:O	1.96	0.98
3:H:229:CYS:SG	5:H:451:HOH:O	2.20	0.97
2:D:132:GLY:C	2:D:187:LYS:HZ1	1.75	0.94
3:C:130:LYS:CE	3:C:159:PHE:H	1.81	0.94
2:D:128:GLN:HG3	3:C:135:PHE:CD1	2.02	0.94
2:D:132:GLY:CA	2:D:187:LYS:NZ	2.31	0.94
3:H:36:TRP:HB3	3:H:48:MET:HE3	1.49	0.92
1:B:210:VAL:HA	5:B:401:HOH:O	1.69	0.91
3:C:158:TYR:O	3:C:189:TYR:N	2.07	0.88
3:C:36:TRP:HB3	3:C:48:MET:HE3	1.55	0.88
1:B:196:THR:O	5:B:401:HOH:O	1.92	0.87
2:D:128:GLN:HB2	3:C:135:PHE:CD1	2.09	0.87
2:L:24:ARG:HH11	2:L:75:ASP:HB2	1.38	0.87
2:D:132:GLY:N	2:D:187:LYS:HZ1	1.71	0.86
1:B:178:ILE:CD1	1:B:198:ILE:HD12	2.05	0.86
3:C:116:TRP:O	5:C:301:HOH:O	1.92	0.86
2:D:128:GLN:HG2	3:C:135:PHE:CZ	2.10	0.86
2:D:128:GLN:CG	3:C:135:PHE:CE2	2.41	0.83
2:D:132:GLY:H	2:D:187:LYS:NZ	1.77	0.82
3:C:47:TRP:HZ2	3:C:50:ARG:HG2	1.45	0.81
2:L:203:GLN:OE1	5:L:302:HOH:O	1.97	0.81
2:L:24:ARG:NH1	2:L:75:ASP:HB2	1.97	0.79
2:D:132:GLY:C	2:D:187:LYS:NZ	2.42	0.78
3:H:43:ASN:OD1	3:H:44:GLY:N	2.14	0.77
3:H:202:LEU:O	5:H:301:HOH:O	2.01	0.77
3:C:153:CYS:SG	3:C:224:VAL:HG21	2.25	0.77
2:D:132:GLY:N	2:D:187:LYS:NZ	2.31	0.76
3:H:43:ASN:ND2	5:H:303:HOH:O	2.19	0.76
1:B:216:ARG:HD3	1:B:225:ARG:HD3	1.66	0.76
3:C:130:LYS:HE2	3:C:158:TYR:HB2	1.67	0.75
1:B:109:ASN:HB3	1:B:259:LYS:HB2	1.69	0.75
2:D:136:VAL:O	2:D:183:LEU:N	2.19	0.74
1:B:53:ARG:HD3	1:B:53:ARG:N	2.03	0.72
2:D:128:GLN:CG	3:C:135:PHE:CD1	2.69	0.72
2:D:128:GLN:HG3	3:C:135:PHE:CD2	2.24	0.72
2:D:193:HIS:O	2:D:215:ARG:NE	2.21	0.71
3:C:84:ARG:HD2	3:C:84:ARG:O	1.89	0.71
2:D:129:LEU:O	2:D:187:LYS:CE	2.35	0.71
1:A:99:GLU:OE2	5:A:401:HOH:O	2.09	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:128:GLN:CD	3:C:135:PHE:CE2	2.69	0.70
2:D:128:GLN:CB	3:C:135:PHE:CD1	2.73	0.70
3:C:130:LYS:NZ	3:C:159:PHE:C	2.50	0.69
1:B:197:TYR:HA	5:B:401:HOH:O	1.92	0.69
2:D:167:VAL:HG22	2:D:179:LEU:HD12	1.74	0.68
2:D:128:GLN:HB2	3:C:135:PHE:CE1	2.26	0.68
1:A:109:ASN:HD22	1:A:259:LYS:HA	1.57	0.68
2:D:125:SER:HB2	3:C:136:PRO:CD	2.24	0.67
2:D:124:PRO:HD3	2:D:136:VAL:HG22	1.76	0.67
3:H:212:ASN:OD1	5:H:302:HOH:O	2.13	0.66
2:D:3:VAL:HG22	2:D:26:SER:HB3	1.78	0.66
3:C:135:PHE:HB3	3:C:136:PRO:HD2	1.79	0.64
3:C:125:SER:OG	5:C:302:HOH:O	2.15	0.64
2:D:215:ARG:O	5:D:301:HOH:O	2.15	0.64
3:H:48:MET:HE1	3:H:94:TYR:HD2	1.62	0.63
3:C:100:ALA:O	3:C:102:TYR:HD1	1.81	0.63
1:B:178:ILE:CD1	1:B:198:ILE:CD1	2.76	0.62
2:D:165:GLU:HB2	5:D:307:HOH:O	1.99	0.62
3:C:130:LYS:HZ2	3:C:159:PHE:C	2.07	0.62
1:B:52:LEU:HD11	1:B:79:ILE:HD11	1.82	0.62
1:B:169:GLN:OE1	1:B:169:GLN:N	2.28	0.62
3:C:125:SER:HG	3:C:159:PHE:HE2	1.50	0.60
1:B:224:GLY:O	1:B:225:ARG:HD2	2.01	0.60
2:D:128:GLN:NE2	3:C:135:PHE:CE2	2.70	0.60
2:L:86:GLU:OE1	5:L:304:HOH:O	2.16	0.60
3:C:93:MET:HE3	3:C:119:GLY:C	2.27	0.59
3:C:51:ILE:HD11	3:C:56:SER:HA	1.84	0.59
2:L:24:ARG:HH11	2:L:75:ASP:CB	2.11	0.59
2:D:122:PHE:O	2:D:136:VAL:HG13	2.03	0.59
2:D:125:SER:HB2	3:C:136:PRO:CG	2.32	0.58
1:B:171:ASP:OD1	1:B:234:LYS:HD3	2.04	0.58
2:D:84:GLU:OE1	5:D:302:HOH:O	2.17	0.57
2:D:128:GLN:HG3	3:C:135:PHE:CG	2.39	0.57
3:C:47:TRP:CZ2	3:C:50:ARG:HG2	2.32	0.57
2:D:213:PHE:HE1	3:C:140:SER:OG	1.87	0.57
2:L:201:THR:HG22	2:L:208:PRO:HG3	1.87	0.57
2:L:107:ARG:NH2	5:L:307:HOH:O	2.27	0.57
2:L:24:ARG:HD2	2:L:75:ASP:HA	1.86	0.56
1:B:110:HIS:HB3	1:B:257:VAL:HG22	1.86	0.56
2:D:128:GLN:CD	3:C:135:PHE:CD2	2.84	0.56
1:B:145:ARG:NE	5:B:402:HOH:O	2.14	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:210:ASN:HD22	3:C:221:ASP:HB3	1.71	0.55
2:D:29:LEU:HD12	2:D:76:PHE:CE2	2.41	0.55
2:D:132:GLY:HA2	2:D:187:LYS:NZ	2.17	0.55
3:H:47:TRP:HZ2	3:H:50:ARG:HG2	1.72	0.55
3:C:123:THR:HG21	3:C:160:PRO:HB3	1.89	0.54
2:D:128:GLN:CA	3:C:135:PHE:CE1	2.90	0.54
1:A:170:GLU:HG2	1:A:257:VAL:HG22	1.88	0.54
1:A:52:LEU:HD11	1:A:79:ILE:HD11	1.89	0.54
2:L:168:THR:HG22	2:L:178:SER:H	1.73	0.54
3:C:12:LYS:O	3:C:124:VAL:HA	2.08	0.53
2:D:75:ASP:OD1	5:D:303:HOH:O	2.19	0.53
1:A:235:PRO:O	5:A:402:HOH:O	2.17	0.53
1:B:54:ASP:OD1	1:B:54:ASP:N	2.27	0.53
1:A:50:LEU:HB2	1:A:76:TRP:CE3	2.44	0.52
2:L:168:THR:HG23	2:L:169:GLU:O	2.09	0.52
1:B:54:ASP:OD2	1:B:68:ASP:N	2.30	0.52
3:H:214:LYS:HE3	5:H:437:HOH:O	2.08	0.52
2:D:166:SER:OG	3:C:180:PRO:O	2.25	0.52
3:C:132:PRO:HD2	3:C:218:THR:HG21	1.90	0.52
3:C:98:ARG:O	3:C:113:PHE:HA	2.09	0.52
2:D:86:GLU:OE2	5:D:302:HOH:O	2.18	0.52
2:D:125:SER:HB2	3:C:136:PRO:HD2	1.91	0.52
1:A:224:GLY:O	1:A:225:ARG:HD2	2.10	0.52
2:D:205:LEU:HD13	2:D:209:VAL:HG12	1.91	0.51
2:L:146:ARG:NH2	5:L:313:HOH:O	2.38	0.51
1:B:51:ILE:O	1:B:53:ARG:NE	2.42	0.51
2:D:128:GLN:HA	3:C:135:PHE:CE1	2.46	0.51
1:A:58:ALA:HB2	1:A:98:TYR:CE1	2.45	0.51
2:D:133:THR:N	2:D:187:LYS:HZ1	2.07	0.51
2:D:88:VAL:O	5:D:304:HOH:O	2.19	0.51
3:C:40:MET:HE2	3:C:92:ALA:HB2	1.92	0.51
3:C:130:LYS:NZ	3:C:159:PHE:O	2.42	0.51
3:C:25:SER:OG	3:C:26:GLY:N	2.44	0.50
3:C:61:ARG:HD3	3:C:62:PRO:HD2	1.93	0.50
3:H:37:VAL:C	3:H:48:MET:HE2	2.36	0.50
2:D:42:LEU:HB2	2:D:52:LEU:HD11	1.94	0.50
1:A:258:LYS:NZ	1:A:259:LYS:O	2.45	0.50
3:C:43:ASN:CG	3:C:44:GLY:H	2.20	0.50
1:A:108:ILE:HD12	1:A:256:ILE:HB	1.94	0.49
3:H:130:LYS:NZ	5:H:307:HOH:O	2.42	0.49
1:B:50:LEU:HD11	1:B:70:PHE:CE2	2.47	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:101:THR:HA	3:C:110:PHE:O	2.13	0.49
1:B:50:LEU:HB2	1:B:76:TRP:CE3	2.48	0.49
3:C:125:SER:OG	3:C:159:PHE:HE2	1.96	0.49
2:L:201:THR:HG23	5:L:344:HOH:O	2.12	0.49
3:C:29:PHE:O	5:C:304:HOH:O	2.20	0.49
3:H:28:ASN:N	5:H:304:HOH:O	2.21	0.48
3:C:23:LYS:HD3	3:C:78:THR:OG1	2.14	0.48
1:A:178:ILE:HD12	1:A:198:ILE:HD12	1.95	0.48
2:D:32:SER:OG	5:D:305:HOH:O	2.20	0.48
2:D:100:PRO:HD2	3:C:47:TRP:CE2	2.49	0.48
3:C:24:VAL:HG11	3:C:28:ASN:ND2	2.28	0.48
1:A:160:ILE:O	1:A:242:GLU:HA	2.12	0.48
2:D:158:LEU:HD12	2:D:158:LEU:H	1.78	0.48
3:C:24:VAL:HG11	3:C:28:ASN:HD22	1.78	0.48
3:C:213:HIS:CD2	3:C:215:PRO:HD2	2.48	0.48
2:L:153:LYS:HE3	5:L:305:HOH:O	2.13	0.47
1:A:138:LEU:HD12	2:D:15:PRO:HB3	1.96	0.47
2:D:147:GLU:OE2	2:D:147:GLU:N	2.48	0.47
3:C:134:VAL:HA	3:C:154:LEU:O	2.14	0.47
2:D:154:VAL:HG22	2:D:196:TYR:CD1	2.50	0.47
1:A:57:VAL:HG23	1:A:81:GLU:HB3	1.97	0.47
3:C:44:GLY:HA3	5:C:318:HOH:O	2.13	0.47
2:L:165:GLU:HB3	5:L:384:HOH:O	2.14	0.47
1:B:160:ILE:O	1:B:242:GLU:HA	2.14	0.47
2:D:125:SER:OG	2:D:127:GLU:OE2	2.32	0.47
3:C:40:MET:CE	3:C:92:ALA:HB2	2.45	0.47
3:H:11:VAL:HA	3:H:123:THR:O	2.14	0.47
3:C:222:LYS:HZ3	3:C:224:VAL:HG22	1.79	0.47
2:D:180:SER:C	5:D:307:HOH:O	2.57	0.47
2:D:125:SER:O	2:D:129:LEU:HG	2.15	0.46
2:D:164:GLN:HB3	3:C:182:VAL:HG11	1.98	0.46
1:B:170:GLU:HG2	1:B:257:VAL:CG1	2.45	0.46
2:L:15:PRO:HB3	1:B:138:LEU:HD12	1.97	0.46
2:D:153:LYS:HG2	2:D:158:LEU:HA	1.97	0.46
5:L:334:HOH:O	3:H:156:LYS:HE2	2.16	0.46
1:B:58:ALA:HB2	1:B:98:TYR:CE1	2.51	0.46
2:D:132:GLY:H	2:D:187:LYS:HZ3	1.59	0.46
2:L:149:LYS:HB3	2:L:201:THR:OG1	2.15	0.46
2:D:128:GLN:CG	3:C:135:PHE:CD2	2.92	0.46
3:C:12:LYS:HE3	3:C:18:LEU:HD13	1.98	0.46
1:B:82:LYS:HG3	1:B:83:ALA:H	1.81	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:50:LEU:HD13	1:B:76:TRP:CH2	2.51	0.46
2:D:128:GLN:HA	3:C:135:PHE:HE1	1.79	0.46
3:C:51:ILE:HD11	3:C:56:SER:CA	2.47	0.45
1:A:93:GLY:HA3	1:A:226:MET:O	2.16	0.45
2:D:151:GLN:NE2	2:D:158:LEU:HD23	2.32	0.45
3:C:43:ASN:CG	3:C:44:GLY:N	2.74	0.45
2:D:136:VAL:HB	2:D:183:LEU:HB3	1.99	0.45
2:D:126:ASP:HA	2:D:129:LEU:HD12	1.98	0.45
1:B:70:PHE:HB2	1:B:76:TRP:HZ2	1.82	0.44
2:D:40:TRP:CE2	2:D:78:LEU:HB2	2.52	0.44
2:D:185:LEU:HD13	2:D:190:TYR:HA	1.98	0.44
3:C:130:LYS:CD	3:C:130:LYS:N	2.81	0.44
2:D:164:GLN:CB	3:C:182:VAL:HG11	2.47	0.44
1:B:81:GLU:HG2	1:B:82:LYS:H	1.83	0.44
3:C:222:LYS:NZ	3:C:224:VAL:HG22	2.32	0.44
1:A:69:GLU:H	1:A:69:GLU:HG2	1.55	0.44
3:C:48:MET:HE1	3:C:94:TYR:HD1	1.83	0.44
3:C:61:ARG:HD3	3:C:62:PRO:N	2.33	0.44
2:D:156:ASN:O	2:D:156:ASN:CG	2.60	0.44
3:C:210:ASN:HA	3:C:221:ASP:HA	1.99	0.43
1:A:116:ILE:O	3:H:107:GLY:HA2	2.18	0.43
1:B:216:ARG:HB2	1:B:223:SER:O	2.17	0.43
1:B:52:LEU:C	1:B:53:ARG:HD3	2.44	0.43
1:B:57:VAL:HG22	1:B:79:ILE:HG12	2.00	0.43
3:C:61:ARG:HD3	3:C:62:PRO:CD	2.48	0.43
3:C:212:ASN:OD1	3:C:219:LYS:HB2	2.19	0.43
1:A:126:ASP:HB3	1:A:151:ILE:HB	2.00	0.43
1:B:178:ILE:HD12	1:B:198:ILE:CD1	2.48	0.43
3:C:13:GLU:N	3:C:16:GLU:OE2	2.50	0.42
1:A:171:ASP:OD1	1:A:234:LYS:HD2	2.18	0.42
1:B:78:TYR:HB3	1:B:108:ILE:O	2.19	0.42
1:A:140:ARG:HG3	2:D:15:PRO:HD2	2.01	0.42
2:D:187:LYS:H	2:D:187:LYS:CD	2.32	0.42
2:D:187:LYS:H	2:D:187:LYS:HD2	1.84	0.42
3:C:130:LYS:CE	3:C:159:PHE:N	2.59	0.42
3:C:137:LEU:HD12	3:C:152:GLY:HA3	2.01	0.42
2:D:100:PRO:HD2	3:C:47:TRP:CD2	2.55	0.42
3:C:53:PRO:O	3:C:74:LYS:HG2	2.19	0.42
3:C:4:LEU:HD22	3:C:24:VAL:HG22	2.02	0.42
2:D:94:MET:SD	2:D:100:PRO:HB3	2.60	0.42
1:B:109:ASN:OD1	1:B:257:VAL:HG23	2.19	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:160:PRO:HA	3:C:189:TYR:HE2	1.84	0.41
2:D:140:LEU:HD22	2:D:179:LEU:HD22	2.02	0.41
3:C:179:PHE:HE1	3:C:194:VAL:HG22	1.84	0.41
2:D:4:MET:HA	2:D:24:ARG:O	2.20	0.41
3:C:84:ARG:HD2	3:C:84:ARG:C	2.45	0.41
3:H:132:PRO:HD2	3:H:218:THR:HG21	2.03	0.41
3:C:38:ARG:NE	3:C:40:MET:HE3	2.35	0.41
3:H:11:VAL:HB	3:H:160:PRO:HG3	2.02	0.41
3:C:143:SER:HB3	3:C:199:SER:HB3	2.02	0.41
3:C:206:THR:HG23	3:C:223:LYS:HE3	2.02	0.41
3:C:213:HIS:HB3	3:C:218:THR:HG22	2.03	0.41
2:L:99:THR:HA	2:L:100:PRO:HD3	1.94	0.41
1:B:179:HIS:HA	1:B:226:MET:HG2	2.03	0.41
2:D:42:LEU:O	2:D:50:GLN:HG2	2.21	0.41
1:A:50:LEU:HB2	1:A:76:TRP:CD2	2.56	0.41
3:H:157:ASP:HB3	3:H:188:LEU:HD13	2.02	0.41
1:B:62:LEU:O	1:B:144:PHE:HB3	2.21	0.41
1:B:126:ASP:HB3	1:B:151:ILE:HB	2.03	0.41
2:D:84:GLU:HG3	5:D:302:HOH:O	2.21	0.41
2:D:43:GLN:OE1	5:D:306:HOH:O	2.22	0.41
3:C:76:THR:O	3:C:77:SER:OG	2.36	0.41
3:H:40:MET:HE3	3:H:40:MET:HB3	1.93	0.40
1:B:179:HIS:HB2	1:B:226:MET:HE2	2.03	0.40
3:C:151:LEU:HB2	3:C:195:VAL:HG12	2.02	0.40
1:B:191:TYR:O	1:B:193:ASN:N	2.51	0.40
3:C:140:SER:O	3:C:142:LYS:NZ	2.39	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:544:HOH:O	5:A:545:HOH:O[2_9410]	1.91	0.29
5:A:487:HOH:O	5:H:376:HOH:O[2_9510]	2.04	0.16
5:A:441:HOH:O	5:A:473:HOH:O[2_9510]	2.06	0.14
5:L:363:HOH:O	5:H:424:HOH:O[2_10410]	2.19	0.01

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	211/224 (94%)	201 (95%)	10 (5%)	0	100	100
1	B	210/224 (94%)	201 (96%)	9 (4%)	0	100	100
2	D	213/218 (98%)	208 (98%)	5 (2%)	0	100	100
2	L	213/218 (98%)	207 (97%)	6 (3%)	0	100	100
3	C	222/229 (97%)	212 (96%)	7 (3%)	3 (1%)	9	6
3	H	226/229 (99%)	217 (96%)	7 (3%)	2 (1%)	14	13
All	All	1295/1342 (96%)	1246 (96%)	44 (3%)	5 (0%)	30	32

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	H	144	THR
3	C	162	PRO
3	H	145	SER
3	C	85	SER
3	C	101	THR

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	190/200 (95%)	190 (100%)	0	100	100
1	B	189/200 (94%)	189 (100%)	0	100	100
2	D	189/191 (99%)	189 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	L	189/191 (99%)	188 (100%)	1 (0%)	81	88
3	C	191/196 (97%)	190 (100%)	1 (0%)	81	88
3	H	195/196 (100%)	194 (100%)	1 (0%)	81	88
All	All	1143/1174 (97%)	1140 (100%)	3 (0%)	86	91

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	L	168	THR
3	H	199	SER
3	C	136	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	109	ASN
1	A	154	ASN
2	L	43	GLN
2	L	58	HIS
2	L	203	GLN
3	H	39	GLN
1	B	115	GLN
1	B	193	ASN
2	D	43	GLN
2	D	151	GLN
3	C	28	ASN
3	C	39	GLN
3	C	213	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

6 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	E	1	1,4	14,14,15	0.79	1 (7%)	17,19,21	0.65	0
4	NAG	E	2	4	14,14,15	0.98	1 (7%)	17,19,21	0.76	1 (5%)
4	FUC	E	3	4	10,10,11	0.84	0	14,14,16	1.38	2 (14%)
4	NAG	F	1	1,4	14,14,15	0.28	0	17,19,21	0.59	0
4	NAG	F	2	4	14,14,15	0.42	0	17,19,21	0.36	0
4	FUC	F	3	4	10,10,11	1.02	1 (10%)	14,14,16	0.95	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	E	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	E	2	4	-	2/6/23/26	0/1/1/1
4	FUC	E	3	4	-	-	0/1/1/1
4	NAG	F	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	F	2	4	-	4/6/23/26	0/1/1/1
4	FUC	F	3	4	-	-	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	E	2	NAG	O5-C1	-3.55	1.37	1.43
4	E	1	NAG	O5-C1	-2.89	1.38	1.43
4	F	3	FUC	C1-C2	2.44	1.58	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
4	E	3	FUC	C1-O5-C5	3.17	120.44	112.97
4	E	3	FUC	O5-C5-C4	3.01	114.97	109.55
4	E	2	NAG	C1-O5-C5	2.45	115.47	112.19

There are no chirality outliers.


All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	E	2	NAG	O5-C5-C6-O6
4	F	2	NAG	C4-C5-C6-O6
4	F	2	NAG	O5-C5-C6-O6
4	F	2	NAG	C8-C7-N2-C2
4	F	2	NAG	O7-C7-N2-C2
4	E	2	NAG	C4-C5-C6-O6
4	E	1	NAG	C4-C5-C6-O6
4	E	1	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	213/224 (95%)	0.04	15 (7%) 22 26	18, 27, 65, 112	0
1	B	212/224 (94%)	0.85	27 (12%) 8 9	29, 46, 78, 101	0
2	D	215/218 (98%)	1.46	65 (30%) 1 1	28, 45, 107, 116	0
2	L	215/218 (98%)	-0.19	0 100 100	18, 27, 36, 44	0
3	C	224/229 (97%)	2.54	114 (50%) 0 0	30, 65, 107, 114	0
3	H	228/229 (99%)	-0.16	4 (1%) 67 72	17, 25, 43, 69	0
All	All	1307/1342 (97%)	0.76	225 (17%) 4 4	17, 36, 96, 116	0

All (225) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	C	220	VAL	7.9
3	C	158	TYR	7.8
2	D	196	TYR	7.4
3	C	155	VAL	7.4
2	D	190	TYR	7.2
3	C	223	LYS	7.0
3	C	222	LYS	7.0
2	D	136	VAL	6.9
2	D	185	LEU	6.7
3	C	224	VAL	6.7
3	C	136	PRO	6.6
2	D	159	GLN	6.6
2	D	160	SER	6.6
3	C	160	PRO	6.2
3	C	137	LEU	6.1
2	D	186	SER	6.0
3	C	159	PHE	5.9
2	D	151	GLN	5.7
3	C	221	ASP	5.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	197	ALA	5.7
3	C	154	LEU	5.7
2	D	183	LEU	5.5
3	C	135	PHE	5.4
2	D	154	VAL	5.4
3	C	131	GLY	5.3
3	C	127	ALA	5.3
3	C	134	VAL	5.2
2	D	152	TRP	5.2
3	C	132	PRO	5.2
3	C	130	LYS	5.1
2	D	158	LEU	5.1
3	C	189	TYR	5.0
3	C	215	PRO	5.0
3	C	138	ALA	5.0
1	B	83	ALA	5.0
2	D	129	LEU	4.9
3	C	157	ASP	4.9
3	C	211	VAL	4.9
3	C	202	LEU	4.8
3	C	156	LYS	4.8
2	D	133	THR	4.8
2	D	188	ALA	4.8
3	C	146	GLY	4.8
3	C	139	PRO	4.8
3	C	187	GLY	4.8
3	C	186	SER	4.7
2	D	195	VAL	4.7
2	D	161	GLY	4.7
3	C	128	SER	4.7
3	C	133	SER	4.6
3	C	225	GLU	4.6
2	D	182	THR	4.5
2	D	184	THR	4.5
3	C	208	ILE	4.5
2	D	213	PHE	4.5
3	C	125	SER	4.5
1	B	51	ILE	4.4
3	C	182	VAL	4.4
3	C	183	LEU	4.4
2	D	162	ASN	4.4
3	C	150	ALA	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	151	LEU	4.3
3	C	207	TYR	4.3
3	C	195	VAL	4.2
3	C	218	THR	4.2
2	D	135	SER	4.2
3	C	126	SER	4.2
3	C	162	PRO	4.2
3	C	204	THR	4.2
1	A	49	PRO	4.1
2	D	163	SER	4.1
3	C	206	THR	4.1
3	C	163	VAL	4.1
2	D	122	PHE	4.1
1	B	260	GLY	4.1
2	D	138	CYS	4.1
3	C	214	LYS	4.0
2	D	132	GLY	4.0
3	C	190	SER	4.0
2	D	134	ALA	4.0
3	C	149	ALA	4.0
1	B	71	ILE	4.0
2	D	124	PRO	3.9
3	C	216	SER	3.9
3	C	191	LEU	3.9
3	C	141	SER	3.9
1	B	80	VAL	3.9
3	C	171	ALA	3.9
1	A	78	TYR	3.9
3	C	172	LEU	3.9
3	C	185	SER	3.8
2	D	131	SER	3.8
3	C	143	SER	3.8
3	C	168	ASN	3.8
3	C	209	CYS	3.8
2	D	121	ILE	3.8
1	A	261	ASP	3.8
3	C	140	SER	3.8
2	D	198	CYS	3.7
3	C	152	GLY	3.7
3	C	213	HIS	3.7
1	B	99	GLU	3.7
3	C	153	CYS	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	184	GLN	3.7
3	C	144	THR	3.6
2	D	123	PRO	3.6
3	C	164	THR	3.6
2	D	130	LYS	3.6
3	C	129	THR	3.6
1	A	73	VAL	3.6
2	D	148	ALA	3.6
3	C	142	LYS	3.5
2	D	157	ALA	3.5
2	D	214	ASN	3.5
3	C	161	GLU	3.5
1	A	260	GLY	3.5
3	C	82	GLN	3.4
2	D	137	VAL	3.4
1	B	79	ILE	3.4
1	B	70	PHE	3.4
2	D	127	GLU	3.4
2	D	194	LYS	3.4
1	B	49	PRO	3.3
3	C	188	LEU	3.3
2	D	128	GLN	3.3
2	D	215	ARG	3.3
3	C	15	GLY	3.2
2	D	125	SER	3.2
3	C	200	SER	3.2
3	C	181	ALA	3.2
3	C	212	ASN	3.2
3	C	219	LYS	3.2
1	B	69	GLU	3.2
2	D	164	GLN	3.2
3	C	84	ARG	3.1
1	B	50	LEU	3.1
1	B	72	ASN	3.1
1	A	69	GLU	3.1
3	C	145	SER	3.1
3	H	144	THR	3.0
3	C	167	TRP	3.0
3	C	71	SER	3.0
1	B	82	LYS	3.0
2	D	189	ASP	3.0
3	C	147	GLY	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	126	ASP	3.0
3	C	14	THR	3.0
1	A	84	SER	3.0
1	B	52	LEU	2.9
2	D	153	LYS	2.9
2	D	120	PHE	2.9
1	B	73	VAL	2.9
2	D	193	HIS	2.9
2	D	181	SER	2.9
1	A	79	ILE	2.9
2	D	187	LYS	2.8
3	C	170	GLY	2.8
2	D	139	LEU	2.8
3	C	18	LEU	2.8
3	C	210	ASN	2.7
1	B	76	TRP	2.7
3	C	54	SER	2.7
3	H	229	CYS	2.7
3	C	86	LEU	2.7
2	D	207	SER	2.7
1	A	72	ASN	2.7
2	D	119	VAL	2.7
3	C	28	ASN	2.7
2	D	140	LEU	2.7
2	D	200	VAL	2.6
3	C	165	VAL	2.6
3	H	146	GLY	2.6
3	C	201	SER	2.6
3	H	143	SER	2.6
3	C	2	VAL	2.6
1	B	258	LYS	2.6
1	B	259	LYS	2.6
3	C	121	MET	2.6
2	D	167	VAL	2.6
2	D	179	LEU	2.5
1	B	182	ASN	2.5
3	C	198	PRO	2.5
3	C	194	VAL	2.5
1	A	68	ASP	2.5
2	D	209	VAL	2.5
3	C	166	SER	2.5
2	D	201	THR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	197	VAL	2.4
3	C	53	PRO	2.4
2	D	118	SER	2.4
1	B	78	TYR	2.4
3	C	13	GLU	2.4
2	D	192	LYS	2.4
3	C	179	PHE	2.3
1	B	53	ARG	2.3
3	C	196	THR	2.3
1	A	80	VAL	2.3
3	C	124	VAL	2.3
3	C	66	GLY	2.3
2	D	150	VAL	2.3
3	C	176	VAL	2.3
3	C	199	SER	2.3
3	C	51	ILE	2.3
1	B	68	ASP	2.2
2	D	212	SER	2.2
2	D	155	ASP	2.2
1	B	214	ALA	2.2
3	C	58	THR	2.2
1	A	51	ILE	2.2
3	C	68	VAL	2.2
3	C	100	ALA	2.2
1	A	50	LEU	2.1
1	B	84	SER	2.1
1	A	107	ARG	2.1
1	B	212	GLU	2.1
3	C	217	ASN	2.1
3	C	205	GLN	2.1
1	A	53	ARG	2.1
3	C	123	THR	2.1
3	C	192	SER	2.1
1	B	77	SER	2.1
3	C	72	ALA	2.1
1	B	209	LEU	2.1
3	C	90	ASP	2.0
3	C	5	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ


There are no non-standard protein/DNA/RNA residues in this entry.


6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NAG	E	1	14/15	-	-	34,51,62,67	0
4	NAG	E	2	14/15	-	-	62,75,80,86	0
4	FUC	E	3	10/11	-	-	52,62,74,74	0
4	NAG	F	1	14/15	-	-	45,58,66,70	0
4	NAG	F	2	14/15	-	-	68,75,83,89	0
4	FUC	F	3	10/11	-	-	54,63,68,74	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.





6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.