



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:16 AM UTC

PDB ID : 1IVW / pdb_00001ivw
Title : Crystal structure of copper amine oxidase from *Arthrobacter globiformis*: Late intermediate in topaquinone biogenesis
Authors : Kim, M.; Okajima, T.; Kishishita, S.; Yoshimura, M.; Kawamori, A.; Tanizawa, K.; Yamaguchi, H.
Deposited on : 2002-03-29
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	638	 % 74% 21% . .
1	B	638	 % 77% 18% . .

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 11046 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called amine oxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	620	Total	C	N	O	S	0	0	0
			4868	3074	855	930	9			
1	B	620	Total	C	N	O	S	0	0	0
			4868	3074	855	930	9			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	382	TPQ	TYR	modified residue	UNP P46881
B	382	TPQ	TYR	modified residue	UNP P46881

- Molecule 2 is COPPER (II) ION (CCD ID: CU) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Cu	0	0
			1	1		
2	B	1	Total	Cu	0	0
			1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	631	Total	O	0	0
			631	631		
3	B	677	Total	O	0	0
			677	677		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: amine oxidase



• Molecule 1: amine oxidase



GLY
SER
HIS
CYS
HIS
GLY

4 Data and refinement statistics

Property	Value	Source
Space group	I 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	157.01Å 62.90Å 182.83Å 90.00° 111.82° 90.00°	Depositor
Resolution (Å)	7.00 – 1.80 7.00 – 1.80	Depositor EDS
% Data completeness (in resolution range)	(Not available) (7.00-1.80) 95.5 (7.00-1.80)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.15 (at 1.80Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.210 , 0.262 0.193 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	16.8	Xtriage
Anisotropy	0.799	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.55 , 112.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	11046	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 38.73 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.5305e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CU, TPQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.61	0/4975	1.04	25/6774 (0.4%)
1	B	0.60	0/4975	1.02	19/6774 (0.3%)
All	All	0.60	0/9950	1.03	44/13548 (0.3%)

There are no bond length outliers.

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	224	GLN	CA-C-N	6.75	127.31	119.47
1	B	224	GLN	C-N-CA	6.75	127.31	119.47
1	A	268	LEU	N-CA-C	-6.57	96.96	108.20
1	A	297	PHE	N-CA-C	-6.44	96.14	107.73
1	A	408	THR	N-CA-C	6.38	119.53	110.14
1	A	224	GLN	CA-C-N	6.26	126.46	119.32
1	A	224	GLN	C-N-CA	6.26	126.46	119.32
1	B	446	PHE	N-CA-C	6.11	120.74	113.28
1	B	277	ILE	N-CA-C	-6.02	98.54	107.51
1	A	446	PHE	N-CA-C	6.01	120.45	113.18
1	A	253	GLU	N-CA-C	6.00	119.80	112.23
1	B	92	THR	N-CA-C	5.94	118.54	111.71
1	B	297	PHE	N-CA-C	-5.90	97.56	108.24
1	A	277	ILE	N-CA-C	-5.88	97.95	106.88
1	A	199	ALA	N-CA-C	5.81	119.55	112.23
1	A	170	HIS	N-CA-C	5.79	119.13	108.94
1	B	199	ALA	N-CA-C	5.77	120.46	112.90
1	A	324	LEU	N-CA-C	-5.73	100.07	109.40
1	A	593	PHE	N-CA-C	-5.58	95.71	108.27
1	B	477	LEU	N-CA-C	-5.57	99.45	108.41
1	A	374	SER	N-CA-C	5.54	117.40	109.14
1	A	227	GLY	CA-C-N	5.54	125.51	120.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	227	GLY	C-N-CA	5.54	125.51	120.03
1	B	359	TRP	N-CA-C	5.53	117.30	111.28
1	A	108	VAL	N-CA-C	5.52	115.72	110.42
1	B	95	THR	N-CA-C	5.45	119.92	113.16
1	B	310	SER	N-CA-C	-5.41	100.36	108.96
1	A	607	VAL	CB-CA-C	-5.40	100.77	110.48
1	B	282	VAL	CA-C-N	5.33	125.75	119.99
1	B	282	VAL	C-N-CA	5.33	125.75	119.99
1	B	593	PHE	N-CA-C	-5.33	96.28	108.27
1	A	562	SER	N-CA-C	5.31	118.86	112.38
1	B	161	ASP	N-CA-C	5.29	117.95	111.82
1	B	602	MET	N-CA-C	5.25	117.22	109.50
1	A	604	VAL	N-CA-C	5.24	116.16	109.30
1	B	582	ILE	N-CA-C	5.20	117.11	108.99
1	A	180	ASP	N-CA-C	-5.19	100.05	108.41
1	B	52	GLY	N-CA-C	-5.08	101.15	113.18
1	A	455	VAL	N-CA-C	-5.05	102.34	109.21
1	A	490	ARG	CD-NE-CZ	-5.04	117.34	124.40
1	A	214	ARG	CD-NE-CZ	-5.03	117.36	124.40
1	A	410	ALA	N-CA-C	-5.03	103.04	110.48
1	A	567	LEU	N-CA-C	5.03	120.92	109.81
1	B	267	ARG	N-CA-C	5.02	117.16	109.07

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4868	0	4686	110	0
1	B	4868	0	4686	90	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	631	0	0	20	0
3	B	677	0	0	22	0
All	All	11046	0	9372	186	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (186) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:170:HIS:HE1	3:A:1246:HOH:O	1.38	1.07
1:A:247:VAL:HG21	1:A:344:MET:CE	1.99	0.91
1:A:170:HIS:HD2	1:A:198:PRO:O	1.55	0.89
1:A:45:LEU:HD11	1:A:61:ARG:HB2	1.56	0.85
1:B:263:ARG:HD2	1:B:268:LEU:HD13	1.61	0.83
1:B:56:GLU:HB2	3:B:1500:HOH:O	1.82	0.79
1:A:489:ALA:H	1:A:490:ARG:HH21	1.33	0.77
1:A:458:GLN:HE22	1:B:418:ASN:HD21	1.31	0.77
1:B:382:TPQ:HA	1:B:382:TPQ:O2	1.90	0.72
1:A:590:LEU:HG	1:A:607:VAL:HG22	1.72	0.71
1:B:166:SER:H	1:B:203:ASN:HD21	1.37	0.71
1:A:403:THR:HG21	1:B:353:ALA:HA	1.74	0.70
1:A:490:ARG:NH1	3:A:1399:HOH:O	2.23	0.70
1:A:382:TPQ:O2	1:A:382:TPQ:HA	1.94	0.66
1:A:102:GLU:O	1:A:106:GLU:HG3	1.97	0.65
1:A:460:MET:HE1	1:B:528:SER:HA	1.79	0.63
1:B:205:THR:HB	3:B:1175:HOH:O	1.98	0.63
1:A:201:HIS:HE1	1:A:209:LEU:HB2	1.64	0.62
1:B:376:PHE:HB2	3:B:1644:HOH:O	1.99	0.62
1:A:98:LEU:HB2	1:A:151:ARG:HH21	1.65	0.62
1:B:280:MET:HE1	1:B:384:TYR:CD2	2.35	0.61
1:A:45:LEU:CD1	1:A:61:ARG:HB2	2.29	0.61
1:A:187:THR:O	1:A:188:ARG:HG3	2.01	0.60
1:B:146:GLU:O	1:B:150:ARG:HD3	2.01	0.60
1:B:280:MET:HE1	1:B:384:TYR:CE2	2.38	0.59
1:A:128:ASP:HB3	1:A:131:LYS:HD2	1.85	0.58
1:B:170:HIS:NE2	3:B:1062:HOH:O	2.32	0.58
1:B:263:ARG:HD2	1:B:268:LEU:CD1	2.33	0.58
1:B:201:HIS:HB3	3:B:1498:HOH:O	2.01	0.58
1:A:624:ASP:CG	1:B:214:ARG:HD2	2.29	0.58
1:A:201:HIS:HB3	3:A:1557:HOH:O	2.04	0.58
1:B:63:PHE:HB3	1:B:98:LEU:HD13	1.85	0.57
1:B:443:ILE:H	1:B:448:ASN:HD21	1.52	0.57
1:A:78:SER:HB2	1:A:85:ILE:HD11	1.88	0.56
1:A:170:HIS:CD2	1:A:198:PRO:O	2.48	0.56
1:A:182:VAL:HG21	3:A:1336:HOH:O	2.05	0.56
1:B:187:THR:HG21	3:B:1308:HOH:O	2.04	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:50:GLY:HA3	1:B:53:SER:OG	2.06	0.55
1:B:586:HIS:HE1	3:B:1010:HOH:O	1.90	0.55
1:A:146:GLU:HG3	3:A:1470:HOH:O	2.07	0.55
1:A:545:ARG:HD2	1:A:581:ASP:O	2.07	0.55
1:A:397:GLU:HG3	1:A:610:LYS:HB3	1.89	0.54
1:A:178:TYR:HD2	1:A:188:ARG:HD2	1.71	0.54
1:A:443:ILE:H	1:A:448:ASN:HD21	1.56	0.54
1:A:484:VAL:HG12	1:A:539:LYS:HG3	1.88	0.54
1:B:401:LYS:HG2	1:B:606:THR:HG22	1.89	0.54
1:B:9:ALA:HB3	3:B:1470:HOH:O	2.07	0.54
1:A:247:VAL:HG21	1:A:344:MET:HE1	1.84	0.54
1:A:246:ASP:HB2	1:A:258:HIS:HB2	1.90	0.53
1:B:532:ARG:HH22	1:B:562:SER:HB2	1.73	0.53
1:A:590:LEU:HG	1:A:607:VAL:CG2	2.38	0.53
1:A:403:THR:CG2	1:B:353:ALA:HA	2.37	0.53
1:B:201:HIS:HE1	1:B:209:LEU:HB2	1.73	0.53
1:B:242:LYS:O	1:B:263:ARG:HD3	2.09	0.53
1:A:489:ALA:H	1:A:490:ARG:NH2	2.05	0.53
1:B:237:HIS:HD2	1:B:246:ASP:OD1	1.91	0.53
1:A:465:GLU:H	1:A:465:GLU:CD	2.15	0.52
1:B:387:TYR:CE1	1:B:401:LYS:HD2	2.43	0.52
1:A:24:GLN:HE22	1:A:334:ASN:ND2	2.07	0.52
1:B:411:PHE:CZ	1:B:415:GLY:HA2	2.45	0.52
1:B:154:ARG:HD2	1:B:293:TRP:CD2	2.45	0.52
1:B:180:ASP:HB2	3:B:1308:HOH:O	2.10	0.52
1:A:201:HIS:CE1	1:A:209:LEU:HB2	2.44	0.51
1:A:214:ARG:HB2	1:B:626:PRO:HD3	1.92	0.51
1:B:490:ARG:NE	3:B:1122:HOH:O	2.42	0.51
1:A:182:VAL:HG22	3:A:1173:HOH:O	2.10	0.51
1:A:23:VAL:HG13	3:A:1571:HOH:O	2.10	0.51
1:B:599:TRP:CD2	1:B:600:PRO:HA	2.46	0.51
1:A:19:GLU:OE2	1:A:58:ARG:HG2	2.11	0.51
1:A:468:ASN:HD22	1:A:468:ASN:H	1.59	0.51
1:A:421:GLN:HG2	1:B:506:LEU:HD13	1.91	0.51
1:A:436:SER:HB2	1:A:536:PHE:CE2	2.46	0.51
1:A:230:PHE:HB3	1:A:240:TRP:HB2	1.93	0.50
1:B:345:HIS:HE1	3:B:1293:HOH:O	1.95	0.50
1:A:237:HIS:HD2	1:A:246:ASP:OD1	1.94	0.50
1:B:479:ARG:O	1:B:482:GLU:HG2	2.11	0.50
1:A:599:TRP:CD2	1:A:600:PRO:HA	2.47	0.50
1:B:166:SER:H	1:B:203:ASN:ND2	2.07	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:615:GLY:HA3	3:A:1397:HOH:O	2.12	0.49
1:B:230:PHE:HB3	1:B:240:TRP:HB2	1.92	0.49
1:B:133:ARG:NE	1:B:133:ARG:HA	2.27	0.49
1:A:368:ASN:ND2	1:A:369:ARG:H	2.11	0.49
1:A:490:ARG:HD2	3:A:1475:HOH:O	2.12	0.49
1:B:206:ASP:OD2	1:B:208:GLU:HB3	2.13	0.49
1:A:163:PRO:O	1:B:360:SER:HA	2.13	0.49
1:A:506:LEU:HD13	1:B:421:GLN:HG2	1.95	0.48
1:B:540:ASP:O	1:B:586:HIS:HD2	1.96	0.48
1:A:77:VAL:HG13	3:A:1541:HOH:O	2.13	0.48
1:B:109:GLU:HG3	1:B:134:VAL:HG23	1.95	0.48
1:B:484:VAL:HG12	1:B:539:LYS:HG3	1.95	0.48
1:B:146:GLU:HG2	3:B:1635:HOH:O	2.13	0.48
1:A:111:LEU:HD13	3:A:1539:HOH:O	2.14	0.47
1:A:133:ARG:NE	1:A:133:ARG:HA	2.29	0.47
1:B:324:LEU:HB2	1:B:342:ILE:HB	1.95	0.47
1:A:143:GLU:CD	1:A:143:GLU:H	2.23	0.47
1:A:134:VAL:O	1:A:136:PRO:HD3	2.15	0.47
1:B:152:ILE:HD11	3:B:1308:HOH:O	2.14	0.47
1:A:490:ARG:NE	1:A:490:ARG:H	2.14	0.46
1:B:468:ASN:HD22	1:B:468:ASN:H	1.63	0.46
1:A:162:PHE:HB2	1:A:163:PRO:CD	2.45	0.46
1:A:201:HIS:ND1	1:A:201:HIS:C	2.73	0.46
1:B:233:THR:HB	3:B:1131:HOH:O	2.16	0.46
1:B:20:ILE:HD12	1:B:327:VAL:HG12	1.98	0.46
1:B:436:SER:HB2	1:B:536:PHE:CE2	2.50	0.46
1:B:201:HIS:ND1	1:B:201:HIS:C	2.73	0.46
1:B:513:LYS:O	1:B:611:LEU:HA	2.15	0.45
1:A:247:VAL:HG21	1:A:344:MET:HE3	1.90	0.45
1:A:460:MET:HE2	1:A:466:ARG:C	2.42	0.45
1:A:164:GLU:HB3	1:B:362:ILE:HD11	1.97	0.45
1:A:178:TYR:CD2	1:A:188:ARG:HD2	2.50	0.45
1:A:590:LEU:HD21	1:A:606:THR:O	2.17	0.45
1:A:170:HIS:CE1	3:A:1246:HOH:O	2.29	0.45
1:A:347:GLU:OE2	1:A:370:ARG:HD3	2.17	0.45
1:A:403:THR:HG21	1:B:354:LYS:H	1.82	0.45
1:B:350:GLY:HA2	1:B:367:ARG:NH2	2.31	0.44
1:A:22:GLU:O	1:A:26:ILE:HG13	2.17	0.44
1:A:368:ASN:HD22	1:A:369:ARG:H	1.65	0.44
1:A:61:ARG:HH22	1:A:556:ASP:CG	2.25	0.44
1:A:522:LEU:HD11	3:A:1505:HOH:O	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:26:ILE:HD11	1:A:82:GLY:HA2	1.99	0.44
1:A:142:PHE:HD2	1:A:154:ARG:HH12	1.66	0.44
1:B:134:VAL:O	1:B:136:PRO:HD3	2.17	0.44
1:A:421:GLN:NE2	1:A:425:GLY:H	2.16	0.43
1:B:402:ALA:HB1	3:B:1486:HOH:O	2.17	0.43
3:A:1354:HOH:O	1:B:626:PRO:HG3	2.18	0.43
1:B:345:HIS:HD2	3:B:1368:HOH:O	2.01	0.43
1:A:231:THR:OG1	1:A:239:GLU:HB2	2.17	0.43
1:A:20:ILE:HB	1:A:335:PRO:HB3	1.99	0.43
1:B:472:ARG:HD3	3:B:1120:HOH:O	2.18	0.43
1:A:345:HIS:HD2	3:A:1090:HOH:O	2.01	0.43
1:B:246:ASP:HB2	1:B:258:HIS:HB2	2.01	0.43
1:A:382:TPQ:O2	1:A:403:THR:O	2.36	0.43
1:B:515:HIS:HE1	3:B:1078:HOH:O	2.01	0.43
1:A:62:VAL:HG21	3:A:1571:HOH:O	2.19	0.42
1:A:104:GLU:OE1	1:A:151:ARG:NH1	2.52	0.42
1:B:443:ILE:H	1:B:448:ASN:ND2	2.16	0.42
1:B:468:ASN:ND2	3:B:1021:HOH:O	2.52	0.42
1:A:324:LEU:HB2	1:A:342:ILE:HB	2.00	0.42
1:A:373:ILE:HD12	3:A:1551:HOH:O	2.18	0.42
1:B:58:ARG:O	1:B:79:VAL:HG12	2.19	0.42
1:A:286:ASP:HB2	1:A:429:PRO:HB3	2.02	0.42
1:A:490:ARG:HB3	3:B:1464:HOH:O	2.19	0.42
1:B:411:PHE:CE2	1:B:415:GLY:HA2	2.54	0.42
1:A:59:ARG:NE	1:A:85:ILE:HD13	2.34	0.42
3:A:1181:HOH:O	1:B:596:VAL:HG23	2.19	0.42
1:A:279:GLU:HA	1:A:299:THR:HB	2.02	0.42
1:A:620:SER:HA	1:A:621:PRO:HD3	1.83	0.42
1:A:381:ASN:O	1:B:355:HIS:CE1	2.73	0.41
1:A:484:VAL:CG1	1:A:539:LYS:HG3	2.50	0.41
1:B:576:ASP:O	1:B:580:GLN:HG3	2.19	0.41
1:A:156:LEU:HD23	1:A:156:LEU:HA	1.89	0.41
1:A:553:PRO:HA	1:A:567:LEU:HG	2.02	0.41
1:A:626:PRO:HA	1:B:213:LEU:HD13	2.02	0.41
1:B:120:LYS:HB2	1:B:120:LYS:HE2	1.75	0.41
1:B:133:ARG:HA	1:B:133:ARG:HE	1.86	0.41
1:B:375:PHE:CE1	1:B:386:PHE:HB2	2.55	0.41
1:A:73:GLN:HG2	1:A:89:GLU:HA	2.01	0.41
1:A:152:ILE:HG22	1:A:153:LEU:N	2.36	0.41
1:A:403:THR:OG1	1:A:604:VAL:HG22	2.21	0.41
1:B:233:THR:HG22	1:B:237:HIS:HB3	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:323:TYR:CE1	1:B:343:CYS:SG	3.14	0.41
1:A:402:ALA:HB1	3:A:1005:HOH:O	2.19	0.41
1:A:458:GLN:NE2	1:B:418:ASN:HD21	2.07	0.41
1:B:242:LYS:C	1:B:263:ARG:HH11	2.28	0.41
1:A:112:LEU:HD21	1:A:177:ALA:HB1	2.03	0.41
1:A:480:GLU:HB2	1:A:574:ASP:HA	2.03	0.41
1:A:515:HIS:HE1	3:A:1046:HOH:O	2.04	0.41
1:B:228:PRO:HB2	1:B:230:PHE:CE1	2.55	0.41
1:A:120:LYS:HB2	1:A:120:LYS:HE3	1.75	0.41
1:A:243:TRP:CZ2	1:A:394:GLY:HA2	2.56	0.41
1:A:355:HIS:CD2	1:A:357:ASP:HB2	2.55	0.41
1:B:382:TPQ:O2	1:B:403:THR:O	2.38	0.41
1:A:536:PHE:HB2	1:A:567:LEU:HD12	2.02	0.41
1:A:567:LEU:HD23	1:A:567:LEU:HA	1.90	0.41
1:B:103:GLU:HG3	3:B:1531:HOH:O	2.20	0.41
1:A:354:LYS:HA	1:A:364:TYR:O	2.21	0.40
1:A:436:SER:HB2	1:A:536:PHE:CD2	2.56	0.40
1:B:45:LEU:HD21	1:B:61:ARG:HB2	2.03	0.40
1:A:513:LYS:O	1:A:611:LEU:HA	2.21	0.40
1:B:521:THR:HB	1:B:537:ALA:O	2.20	0.40
1:B:532:ARG:NH2	3:B:1602:HOH:O	2.54	0.40
1:B:627:ALA:O	1:B:628:ASN:HB2	2.22	0.40
1:A:468:ASN:H	1:A:468:ASN:ND2	2.20	0.40
1:B:188:ARG:HB2	1:B:188:ARG:HH11	1.86	0.40
1:B:280:MET:HE1	1:B:384:TYR:CG	2.56	0.40
1:A:162:PHE:HB2	1:A:163:PRO:HD2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	617/638 (97%)	588 (95%)	29 (5%)	0	100	100
1	B	617/638 (97%)	585 (95%)	31 (5%)	1 (0%)	43	31
All	All	1234/1276 (97%)	1173 (95%)	60 (5%)	1 (0%)	48	34

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	55	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	513/529 (97%)	497 (97%)	16 (3%)	35	23
1	B	513/529 (97%)	501 (98%)	12 (2%)	44	33
All	All	1026/1058 (97%)	998 (97%)	28 (3%)	39	27

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	45	LEU
1	A	79	VAL
1	A	107	VAL
1	A	198	PRO
1	A	201	HIS
1	A	208	GLU
1	A	213	LEU
1	A	266	ASP
1	A	376	PHE
1	A	403	THR
1	A	465	GLU
1	A	468	ASN
1	A	490	ARG
1	A	541	LEU
1	A	607	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	628	ASN
1	B	73	GLN
1	B	164	GLU
1	B	201	HIS
1	B	208	GLU
1	B	214	ARG
1	B	233	THR
1	B	263	ARG
1	B	339	ARG
1	B	376	PHE
1	B	468	ASN
1	B	519	GLN
1	B	541	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	170	HIS
1	A	237	HIS
1	A	273	ASN
1	A	306	GLN
1	A	309	ASN
1	A	334	ASN
1	A	345	HIS
1	A	368	ASN
1	A	418	ASN
1	A	421	GLN
1	A	468	ASN
1	A	515	HIS
1	A	573	GLN
1	B	81	ASN
1	B	203	ASN
1	B	224	GLN
1	B	237	HIS
1	B	273	ASN
1	B	306	GLN
1	B	334	ASN
1	B	345	HIS
1	B	418	ASN
1	B	421	GLN
1	B	448	ASN
1	B	458	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	468	ASN
1	B	515	HIS
1	B	586	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	TPQ	A	382	1,2	13,14,15	2.25	6 (46%)	13,19,21	1.83	3 (23%)
1	TPQ	B	382	1	13,14,15	2.44	5 (38%)	13,19,21	1.76	3 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPQ	A	382	1,2	-	4/5/22/24	0/1/1/1
1	TPQ	B	382	1	-	4/5/22/24	0/1/1/1

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	382	TPQ	C1-C2	-4.86	1.42	1.49
1	A	382	TPQ	O5-C5	4.17	1.35	1.24
1	B	382	TPQ	O5-C5	4.16	1.35	1.24
1	A	382	TPQ	C1-C2	-3.99	1.43	1.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	382	TPQ	O2-C2	3.53	1.33	1.24
1	A	382	TPQ	O2-C2	3.21	1.33	1.24
1	B	382	TPQ	C6-C5	-2.47	1.38	1.44
1	A	382	TPQ	C6-C5	-2.34	1.38	1.44
1	A	382	TPQ	C4-C5	-2.22	1.40	1.47
1	B	382	TPQ	C4-C5	-2.18	1.41	1.47
1	A	382	TPQ	C3-C2	-2.13	1.39	1.44

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	382	TPQ	O2-C2-C3	-3.64	113.55	121.83
1	B	382	TPQ	O2-C2-C3	-3.28	114.38	121.83
1	A	382	TPQ	C6-C1-C2	-3.27	116.33	118.66
1	B	382	TPQ	C6-C1-C2	-3.22	116.36	118.66
1	A	382	TPQ	C3-C2-C1	2.09	122.64	118.36
1	B	382	TPQ	C3-C2-C1	2.07	122.61	118.36

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	382	TPQ	C-CA-CB-C1
1	A	382	TPQ	C2-C1-CB-CA
1	A	382	TPQ	C6-C1-CB-CA
1	B	382	TPQ	C-CA-CB-C1
1	B	382	TPQ	C2-C1-CB-CA
1	B	382	TPQ	C6-C1-CB-CA
1	A	382	TPQ	N-CA-CB-C1
1	B	382	TPQ	N-CA-CB-C1

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	382	TPQ	2	0
1	B	382	TPQ	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	619/638 (97%)	-0.53	9 (1%) 72 72	7, 18, 36, 77	0
1	B	619/638 (97%)	-0.62	9 (1%) 72 72	5, 15, 34, 74	0
All	All	1238/1276 (97%)	-0.58	18 (1%) 72 72	5, 17, 34, 77	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	50	GLY	6.8
1	A	53	SER	5.6
1	B	52	GLY	5.6
1	B	51	ALA	4.9
1	A	52	GLY	4.7
1	B	628	ASN	4.3
1	A	51	ALA	3.8
1	B	54	GLU	3.8
1	B	53	SER	3.6
1	A	50	GLY	3.1
1	A	54	GLU	2.9
1	A	628	ASN	2.7
1	B	201	HIS	2.7
1	A	490	ARG	2.7
1	B	627	ALA	2.6
1	A	56	GLU	2.5
1	A	9	ALA	2.3
1	B	55	ALA	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column

labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	TPQ	A	382	14/15	0.86	0.11	10,15,28,31	0
1	TPQ	B	382	14/15	0.88	0.11	8,12,28,33	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CU	A	1001	1/1	0.91	0.04	14,14,14,14	0
2	CU	B	1002	1/1	0.99	0.02	18,18,18,18	0

6.5 Other polymers [i](#)

There are no such residues in this entry.