



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 05:31 PM UTC

PDB ID : 5IV9 / pdb_00005iv9
Title : The LPS Transporter LptDE from *Klebsiella pneumoniae*, full-length
Authors : Botos, I.; McCarthy, J.G.; Buchanan, S.K.
Deposited on : 2016-03-20
Resolution : 4.37 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 4.37 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1078 (4.82-3.90)
Clashscore	190562	1125 (4.82-3.90)
Ramachandran outliers	187476	1020 (4.80-3.90)
Sidechain outliers	187428	1004 (4.80-3.90)
RSRZ outliers	180081	1074 (4.82-3.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	758	24% 83% 15% .
2	B	177	16% 71% 12% . 15%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 7284 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called LPS-assembly protein LptD.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	758	Total	C	N	O	S	0	0	0
			6073	3800	1056	1202	15			

- Molecule 2 is a protein called LPS-assembly lipoprotein LptE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	150	Total	C	N	O	S	0	0	0
			1169	730	206	227	6			

- Molecule 3 is (HYDROXYETHYLOXY)TRI(ETHYLOXY)OCTANE (CCD ID: C8E) (formula: $C_{16}H_{34}O_5$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			21	16	5		
3	A	1	Total	C	O	0	0
			21	16	5		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: LPS-assembly protein LptD



• Molecule 2: LPS-assembly lipoprotein LptE





4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	131.22Å 155.46Å 197.76Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.72 – 4.37 44.72 – 4.37	Depositor EDS
% Data completeness (in resolution range)	81.1 (44.72-4.37) 74.8 (44.72-4.37)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.85 (at 4.45Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.301 , 0.344 0.308 , 0.341	Depositor DCC
R_{free} test set	548 reflections (3.80%)	wwPDB-VP
Wilson B-factor (Å ²)	8.7	Xtriage
Anisotropy	1.830	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.25 , 56.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.73	EDS
Total number of atoms	7284	wwPDB-VP
Average B, all atoms (Å ²)	97.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.67% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: C8E

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.28	0/6225	0.71	5/8471 (0.1%)
2	B	0.27	0/1188	0.75	0/1611
All	All	0.28	0/7413	0.72	5/10082 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	39	TYR	CA-C-N	-7.52	111.95	121.04
1	A	39	TYR	C-N-CA	-7.52	111.95	121.04
1	A	714	ASN	CB-CA-C	-5.94	109.74	116.63
1	A	268	LEU	CA-C-N	5.24	124.42	118.97
1	A	268	LEU	C-N-CA	5.24	124.42	118.97

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6073	0	5683	69	0
2	B	1169	0	1180	12	0
3	A	42	0	68	1	0
All	All	7284	0	6931	81	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (81) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:205:LEU:HD21	1:A:223:TYR:HA	1.69	0.75
1:A:2:ASP:N	1:A:2:ASP:OD1	2.19	0.75
1:A:470:GLU:HB2	2:B:25:SER:HB2	1.67	0.75
1:A:196:VAL:HG23	1:A:735:LEU:HD11	1.71	0.71
1:A:236:THR:HB	1:A:249:GLU:HB2	1.70	0.71
1:A:39:TYR:CD2	1:A:40:PRO:HD3	2.28	0.69
1:A:129:LEU:HB3	1:A:142:GLU:HB2	1.77	0.67
1:A:124:ARG:HD3	1:A:150:LEU:HG	1.77	0.67
1:A:69:GLN:OE1	1:A:69:GLN:N	2.29	0.66
1:A:539:VAL:HB	1:A:548:PHE:HB3	1.78	0.66
1:A:150:LEU:HB3	1:A:151:PRO:HD3	1.79	0.64
1:A:692:GLN:NE2	1:A:741:LEU:O	2.25	0.61
1:A:526:ALA:HB1	1:A:561:SER:HB2	1.83	0.61
1:A:234:THR:HB	1:A:251:GLU:HB3	1.84	0.60
2:B:86:THR:HG23	2:B:95:THR:HG23	1.85	0.59
1:A:331:ALA:HB3	1:A:354:GLN:HB3	1.86	0.58
1:A:76:PRO:C	1:A:78:ARG:H	2.11	0.57
1:A:82:ALA:HB3	1:A:100:ALA:HB3	1.87	0.57
2:B:110:ILE:HB	2:B:113:HIS:HB2	1.85	0.56
1:A:39:TYR:CG	1:A:40:PRO:HD3	2.41	0.56
1:A:139:THR:HB	1:A:165:HIS:HB2	1.86	0.56
1:A:293:HIS:HB3	1:A:305:ALA:HB3	1.89	0.55
1:A:742:GLY:O	1:A:744:GLN:N	2.39	0.55
1:A:76:PRO:O	1:A:78:ARG:N	2.36	0.55
1:A:247:MET:HE2	1:A:266:ASP:HB3	1.90	0.53
1:A:737:SER:OG	1:A:738:ASN:N	2.41	0.53
1:A:255:LEU:HD23	1:A:260:SER:HB2	1.90	0.53
1:A:253:ARG:HG2	1:A:262:LEU:HD13	1.90	0.53
1:A:207:PRO:HB3	1:A:221:LEU:HD13	1.89	0.53
1:A:297:ILE:HB	1:A:301:TRP:HB2	1.91	0.53
1:A:407:HIS:CG	1:A:522:LEU:HD13	2.45	0.52
1:A:39:TYR:N	1:A:39:TYR:CD1	2.77	0.52
1:A:206:ILE:HD12	1:A:207:PRO:HD2	1.91	0.52
2:B:82:ILE:HD13	2:B:144:ILE:HD12	1.90	0.52
1:A:2:ASP:O	1:A:4:ALA:N	2.43	0.52
1:A:181:LEU:HG	1:A:186:ILE:HD11	1.92	0.51
1:A:458:MET:HG2	1:A:493:ARG:HG3	1.91	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:210:LYS:HB2	1:A:218:GLU:HB2	1.93	0.51
1:A:742:GLY:O	1:A:745:GLN:N	2.36	0.51
1:A:688:MET:HE1	1:A:747:LEU:HA	1.93	0.50
1:A:410:PRO:HG2	1:A:429:LEU:HB3	1.92	0.50
1:A:128:ASP:HB2	1:A:143:ASN:HB2	1.92	0.50
1:A:743:THR:OG1	1:A:744:GLN:N	2.44	0.50
2:B:109:LEU:HG	2:B:115:ILE:HG22	1.92	0.50
2:B:47:LEU:HD22	2:B:80:SER:HB3	1.94	0.50
1:A:615:ILE:HD11	1:A:627:LEU:HD23	1.94	0.50
1:A:513:LEU:HD11	1:A:582:ALA:HB3	1.93	0.49
1:A:340:VAL:HG22	1:A:345:ASP:HB2	1.96	0.48
1:A:732:LEU:H	1:A:732:LEU:HD12	1.78	0.48
1:A:741:LEU:HB2	1:A:742:GLY:H	1.42	0.48
1:A:264:GLU:HB3	1:A:290:TYR:HB3	1.96	0.47
1:A:444:ALA:O	1:A:446:ASN:N	2.48	0.47
1:A:70:ALA:HB2	1:A:77:VAL:HG13	1.96	0.47
1:A:162:GLU:HB3	1:A:175:TRP:HB2	1.98	0.46
1:A:68:GLN:HB2	1:A:77:VAL:HG21	1.97	0.46
1:A:127:ALA:HB3	1:A:130:MET:HG2	1.99	0.45
2:B:25:SER:OG	2:B:26:THR:N	2.48	0.45
1:A:642:PRO:C	1:A:644:TYR:H	2.24	0.45
1:A:204:PHE:CG	1:A:205:LEU:N	2.85	0.45
1:A:70:ALA:HB1	1:A:75:GLN:O	2.17	0.44
1:A:163:VAL:HG22	1:A:174:ILE:HG23	2.00	0.44
1:A:222:PRO:HA	1:A:236:THR:HA	1.98	0.44
1:A:228:ALA:O	1:A:230:ASN:N	2.45	0.44
1:A:421:GLY:HA3	1:A:467:MET:SD	2.57	0.44
2:B:33:MET:SD	2:B:159:LEU:HD21	2.58	0.44
2:B:120:THR:OG1	2:B:154:GLN:NE2	2.50	0.44
2:B:154:GLN:HA	2:B:157:ARG:HD2	2.00	0.43
1:A:531:VAL:HG13	1:A:556:TYR:HB3	2.00	0.43
1:A:77:VAL:O	1:A:78:ARG:C	2.62	0.43
1:A:40:PRO:C	1:A:67:GLN:HE21	2.26	0.43
2:B:49:ARG:HA	2:B:52:ARG:HG2	2.00	0.43
1:A:367:GLU:HA	1:A:368:PRO:HA	1.82	0.42
1:A:73:GLN:HA	1:A:74:ALA:HA	1.69	0.41
2:B:24:ARG:HD3	2:B:28:LYS:HG3	2.02	0.41
1:A:124:ARG:HE	1:A:150:LEU:HA	1.85	0.41
1:A:383:ASP:OD1	1:A:383:ASP:N	2.54	0.41
1:A:687:GLN:HG3	1:A:706:ARG:HB3	2.02	0.41
1:A:268:LEU:HA	1:A:269:PRO:HD3	1.89	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:672:VAL:HG13	1:A:747:LEU:HD23	2.03	0.40
1:A:515:ARG:HG2	1:A:517:ARG:H	1.87	0.40
3:A:801:C8E:H21	3:A:801:C8E:H82	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	756/758 (100%)	649 (86%)	82 (11%)	25 (3%)	3	21
2	B	148/177 (84%)	136 (92%)	9 (6%)	3 (2%)	6	31
All	All	904/935 (97%)	785 (87%)	91 (10%)	28 (3%)	3	22

All (28) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	3	LEU
1	A	77	VAL
1	A	743	THR
1	A	78	ARG
1	A	445	ALA
1	A	589	ILE
1	A	623	ARG
2	B	27	THR
1	A	14	TYR
1	A	39	TYR
1	A	151	PRO
1	A	204	PHE
1	A	205	LEU
1	A	230	ASN
1	A	360	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	695	SER
2	B	24	ARG
1	A	98	PRO
1	A	668	ARG
1	A	749	SER
1	A	620	ASP
1	A	696	CYS
1	A	732	LEU
1	A	444	ALA
1	A	229	PRO
1	A	419	GLY
2	B	111	PRO
1	A	368	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	652/652 (100%)	636 (98%)	16 (2%)	42	62
2	B	131/152 (86%)	129 (98%)	2 (2%)	57	70
All	All	783/804 (97%)	765 (98%)	18 (2%)	44	63

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	ASP
1	A	67	GLN
1	A	83	LEU
1	A	121	ARG
1	A	181	LEU
1	A	199	LYS
1	A	205	LEU
1	A	255	LEU
1	A	257	GLN
1	A	383	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	506	LEU
1	A	531	VAL
1	A	552	VAL
1	A	624	LEU
1	A	735	LEU
1	A	741	LEU
2	B	67	THR
2	B	159	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	ASN
1	A	52	ASN
1	A	176	ASN
1	A	257	GLN
1	A	342	GLN
1	A	438	ASN
1	A	744	GLN
2	B	154	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	C8E	A	801	-	20,20,20	0.40	0	19,19,19	0.29	0
3	C8E	A	802	-	20,20,20	0.39	0	19,19,19	0.34	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	C8E	A	801	-	-	15/18/18/18	-
3	C8E	A	802	-	-	12/18/18/18	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	802	C8E	C3-C4-C5-C6
3	A	801	C8E	O12-C13-C14-O15
3	A	801	C8E	O18-C19-C20-O21
3	A	802	C8E	O18-C19-C20-O21
3	A	801	C8E	C6-C7-C8-O9
3	A	802	C8E	C6-C7-C8-O9
3	A	802	C8E	C2-C3-C4-C5
3	A	801	C8E	C2-C3-C4-C5
3	A	801	C8E	C5-C6-C7-C8
3	A	802	C8E	O9-C10-C11-O12
3	A	801	C8E	C16-C17-O18-C19
3	A	802	C8E	C4-C5-C6-C7
3	A	801	C8E	C14-C13-O12-C11
3	A	801	C8E	C11-C10-O9-C8
3	A	801	C8E	C20-C19-O18-C17
3	A	801	C8E	C3-C4-C5-C6
3	A	802	C8E	C20-C19-O18-C17

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	801	C8E	C13-C14-O15-C16
3	A	801	C8E	C10-C11-O12-C13
3	A	801	C8E	O9-C10-C11-O12
3	A	802	C8E	O12-C13-C14-O15
3	A	802	C8E	C13-C14-O15-C16
3	A	802	C8E	C1-C2-C3-C4
3	A	802	C8E	C7-C8-O9-C10
3	A	802	C8E	C10-C11-O12-C13
3	A	801	C8E	O15-C16-C17-O18
3	A	801	C8E	C7-C8-O9-C10


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	801	C8E	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	758/758 (100%)	1.43	183 (24%) 2 5	15, 97, 185, 243	0
2	B	150/177 (84%)	1.34	29 (19%) 3 7	38, 80, 142, 163	0
All	All	908/935 (97%)	1.41	212 (23%) 2 5	15, 93, 182, 243	0

All (212) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	508	SER	8.2
1	A	97	GLY	7.0
1	A	29	THR	6.9
1	A	5	THR	5.8
1	A	96	LYS	5.7
1	A	143	ASN	5.7
1	A	78	ARG	5.1
1	A	86	VAL	4.6
1	A	743	THR	4.6
1	A	479	GLN	4.5
1	A	117	GLN	4.3
1	A	142	GLU	4.2
1	A	744	GLN	4.2
1	A	17	PRO	4.2
1	A	183	SER	4.1
1	A	85	ASN	4.1
1	A	63	VAL	4.0
1	A	28	VAL	3.9
2	B	25	SER	3.9
1	A	106	THR	3.9
1	A	27	PRO	3.8
2	B	169	ALA	3.8
2	B	20	GLY	3.8
1	A	205	LEU	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	69	ARG	3.8
1	A	717	GLY	3.7
1	A	116	TYR	3.7
1	A	715	ASP	3.7
1	A	507	GLN	3.7
2	B	155	LEU	3.6
1	A	714	ASN	3.6
1	A	140	ILE	3.6
1	A	758	LEU	3.6
1	A	75	GLN	3.6
1	A	92	GLN	3.5
1	A	40	PRO	3.5
1	A	616	GLU	3.4
1	A	48	ASN	3.4
1	A	218	GLU	3.4
1	A	663	TRP	3.4
1	A	83	LEU	3.4
1	A	567	ASN	3.3
1	A	472	ASP	3.3
2	B	48	SER	3.3
2	B	33	MET	3.3
1	A	449	ASP	3.3
2	B	29	VAL	3.3
1	A	625	VAL	3.3
1	A	171	VAL	3.2
1	A	691	VAL	3.2
1	A	716	ASN	3.2
1	A	94	ILE	3.2
1	A	733	ARG	3.2
1	A	711	TRP	3.2
1	A	90	ASP	3.2
1	A	185	PRO	3.2
1	A	276	ASP	3.2
1	A	471	ARG	3.2
1	A	199	LYS	3.2
1	A	642	PRO	3.2
1	A	755	GLN	3.1
1	A	754	TYR	3.1
1	A	741	LEU	3.1
1	A	556	TYR	3.1
1	A	41	ASP	3.0
1	A	480	THR	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	42	ASN	3.0
1	A	21	GLY	3.0
1	A	662	SER	3.0
2	B	117	PRO	3.0
1	A	113	GLN	3.0
2	B	28	LYS	3.0
1	A	497	GLU	3.0
1	A	194	LEU	2.9
2	B	27	THR	2.9
1	A	87	HIS	2.9
1	A	52	ASN	2.9
1	A	203	GLY	2.9
1	A	478	THR	2.9
1	A	605	LEU	2.9
1	A	59	ARG	2.9
1	A	246	VAL	2.9
1	A	108	ASP	2.9
1	A	746	MET	2.9
1	A	102	SER	2.9
1	A	112	TRP	2.9
1	A	573	ASN	2.9
1	A	257	GLN	2.8
2	B	31	THR	2.8
2	B	64	ASP	2.8
1	A	184	VAL	2.8
1	A	667	ASP	2.8
1	A	752	LEU	2.8
1	A	45	PHE	2.8
1	A	105	ASN	2.8
1	A	34	HIS	2.7
1	A	129	LEU	2.7
2	B	67	THR	2.7
1	A	91	ASN	2.7
1	A	47	GLY	2.7
1	A	753	PRO	2.7
1	A	618	ARG	2.7
1	A	31	ASN	2.7
1	A	167	ARG	2.7
1	A	61	ASP	2.7
1	A	176	ASN	2.6
1	A	513	LEU	2.6
1	A	126	THR	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	167	VAL	2.6
1	A	99	LYS	2.6
1	A	210	LYS	2.6
1	A	119	VAL	2.6
1	A	705	GLU	2.6
2	B	91	GLN	2.6
1	A	361	SER	2.6
1	A	578	SER	2.6
1	A	354	GLN	2.6
1	A	22	ARG	2.6
1	A	214	LYS	2.5
1	A	80	VAL	2.5
1	A	713	SER	2.5
1	A	439	LEU	2.5
1	A	49	VAL	2.5
1	A	4	ALA	2.5
1	A	600	GLN	2.5
1	A	620	ASP	2.5
1	A	109	THR	2.4
1	A	145	SER	2.4
2	B	68	LEU	2.4
1	A	6	GLN	2.4
1	A	739	TYR	2.4
1	A	740	GLY	2.4
1	A	619	ARG	2.4
1	A	635	GLU	2.4
1	A	202	SER	2.4
1	A	110	ASN	2.4
1	A	118	MET	2.4
1	A	623	ARG	2.4
1	A	664	PRO	2.4
1	A	9	LEU	2.4
1	A	149	CYS	2.4
1	A	665	ILE	2.4
1	A	617	TYR	2.4
1	A	468	VAL	2.4
1	A	326	SER	2.3
1	A	734	GLY	2.3
2	B	39	GLN	2.3
1	A	417	SER	2.3
1	A	582	ALA	2.3
1	A	68	GLN	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	104	LEU	2.3
1	A	756	SER	2.3
1	A	580	VAL	2.3
1	A	188	TYR	2.3
1	A	51	ILE	2.3
1	A	122	GLN	2.3
1	A	652	GLN	2.3
2	B	139	GLU	2.2
1	A	60	ALA	2.2
1	A	747	LEU	2.2
1	A	402	GLU	2.2
1	A	482	GLU	2.2
1	A	533	THR	2.2
1	A	697	CYS	2.2
1	A	10	GLY	2.2
1	A	12	PRO	2.2
1	A	74	ALA	2.2
2	B	22	HIS	2.2
1	A	67	GLN	2.2
1	A	168	GLU	2.2
2	B	26	THR	2.2
1	A	621	GLU	2.2
1	A	25	ASP	2.2
1	A	128	ASP	2.2
1	A	677	TYR	2.2
1	A	79	THR	2.2
1	A	396	SER	2.2
1	A	720	SER	2.2
2	B	109	LEU	2.2
1	A	306	ASP	2.2
1	A	638	GLN	2.2
1	A	213	THR	2.1
1	A	749	SER	2.1
1	A	53	GLN	2.1
1	A	69	GLN	2.1
1	A	626	GLN	2.1
1	A	1	ALA	2.1
1	A	111	VAL	2.1
1	A	660	THR	2.1
1	A	54	GLY	2.1
2	B	130	PRO	2.1
1	A	565	ASP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	586	TYR	2.1
1	A	71	ALA	2.1
1	A	719	GLU	2.1
2	B	58	ASN	2.1
2	B	158	LYS	2.1
1	A	101	TRP	2.1
1	A	115	ASP	2.1
1	A	676	TYR	2.1
2	B	55	LEU	2.1
1	A	575	THR	2.1
1	A	546	GLU	2.1
1	A	362	ASN	2.0
2	B	140	GLN	2.0
1	A	114	GLY	2.0
2	B	71	ASP	2.0
2	B	166	ASP	2.0
1	A	470	GLU	2.0
1	A	731	GLU	2.0
1	A	644	TYR	2.0
1	A	680	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	C8E	A	802	21/21	0.76	0.34	92,92,92,92	21
3	C8E	A	801	21/21	0.77	0.26	23,23,23,23	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around C8E A 802:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around C8E A 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.