



Full wwPDB EM Validation Report ⓘ

Mar 9, 2026 – 11:32 AM UTC

PDB ID : 6IV6 / pdb_00006iv6
EMDB ID : EMD-9742
Title : Cryo-EM structure of AcrVA5-acetylated MbCas12a in complex with crRNA
Authors : Dong, L.; Li, N.; Guan, X.; Zhu, Y.; Gao, N.; Huang, Z.
Deposited on : 2018-12-02
Resolution : 3.60 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	12797 (3.10 - 4.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1261	
2	G	59	

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 10158 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called nuclease.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1209	Total	C	N	O	S	0	0
			9611	6161	1634	1795	21		


- Molecule 2 is a RNA chain called RNA (59-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
2	G	26	Total	C	N	O	P	0	0
			547	245	88	188	26		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: nuclease



- Molecule 2: RNA (59-MER)



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	93000	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	81	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	0.558	Depositor
Minimum map value	-0.332	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.013	Depositor
Recommended contour level	0.0493	Depositor
Map size (Å)	212.48, 212.48, 212.48	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.83, 0.83, 0.83	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ALY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.25	0/9766	0.61	14/13187 (0.1%)
2	G	0.24	0/609	0.45	0/945
All	All	0.25	0/10375	0.60	14/14132 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	518	THR	CA-C-N	8.49	136.98	121.70
1	A	518	THR	C-N-CA	8.49	136.98	121.70
1	A	120	GLY	CA-C-N	5.79	132.59	121.54
1	A	120	GLY	C-N-CA	5.79	132.59	121.54
1	A	281	GLN	CA-C-N	5.67	131.91	121.70
1	A	281	GLN	C-N-CA	5.67	131.91	121.70
1	A	664	GLY	CA-C-N	5.30	133.17	124.31
1	A	664	GLY	C-N-CA	5.30	133.17	124.31
1	A	661	HIS	CA-C-N	5.22	131.51	121.54
1	A	661	HIS	C-N-CA	5.22	131.51	121.54
1	A	133	GLY	CA-C-N	5.12	131.32	121.54
1	A	133	GLY	C-N-CA	5.12	131.32	121.54
1	A	1140	SER	CA-C-N	5.08	131.24	121.54
1	A	1140	SER	C-N-CA	5.08	131.24	121.54

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	117	TYR	Peptide
1	A	153	ALY	Mainchain
1	A	635	ALY	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9611	0	9306	95	0
2	G	547	0	275	1	0
All	All	10158	0	9581	95	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:377:LEU:HD11	1:A:434:ASP:HB2	1.80	0.62
1:A:1124:GLN:O	1:A:1125:ASN:C	2.41	0.62
1:A:869:ASN:HD22	1:A:961:TYR:HB3	1.65	0.61
1:A:1111:HIS:HE1	1:A:1195:PRO:HA	1.67	0.58
1:A:974:PHE:HB2	1:A:983:LYS:HD3	1.85	0.58
1:A:780:ASN:ND2	1:A:841:THR:OG1	2.37	0.58
1:A:997:LEU:HB3	1:A:1019:LEU:HB2	1.86	0.58
1:A:55:ASP:HB3	1:A:141:LYS:HE3	1.86	0.57
1:A:947:LEU:HD13	1:A:989:PHE:HB2	1.86	0.57
1:A:1076:LYS:HG3	1:A:1153:ASN:HB3	1.87	0.57
1:A:53:LEU:HD22	1:A:170:PHE:HE2	1.70	0.56
1:A:16:VAL:HG13	1:A:759:HIS:HB3	1.87	0.56
1:A:137:GLY:HA2	1:A:140:ALA:HB3	1.86	0.56
1:A:590:LYS:NZ	1:A:616:SER:O	2.39	0.56
1:A:853:GLU:HG3	1:A:855:ASN:H	1.71	0.56
1:A:621:MET:HE2	1:A:623:TYR:HB2	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:241:HIS:HA	1:A:244:LEU:HG	1.90	0.53
1:A:817:ARG:NH1	2:G:13:G:OP2	2.41	0.53
1:A:191:LEU:HD23	1:A:244:LEU:HD22	1.91	0.53
1:A:1141:LEU:HA	1:A:1144:ARG:HB2	1.91	0.53
1:A:202:ASN:ND2	1:A:293:ARG:O	2.41	0.52
1:A:1043:ASN:HD22	1:A:1251:ASN:HD21	1.57	0.52
1:A:147:GLU:HB2	1:A:150:SER:HB3	1.92	0.51
1:A:344:PHE:HB3	1:A:458:ILE:HG13	1.91	0.51
1:A:623:TYR:OH	1:A:779:LEU:O	2.26	0.51
1:A:877:GLU:OE1	1:A:1181:ARG:NH1	2.43	0.51
1:A:16:VAL:HG22	1:A:759:HIS:HD2	1.76	0.51
1:A:288:ARG:HB2	1:A:526:ASN:HD21	1.76	0.50
1:A:871:ILE:HG12	1:A:885:VAL:HG22	1.93	0.50
1:A:745:ASN:ND2	1:A:760:THR:OG1	2.43	0.50
1:A:619:GLN:HA	1:A:723:ASP:HA	1.94	0.50
1:A:1122:ALA:O	1:A:1125:ASN:HB2	2.12	0.50
1:A:1216:ASN:OD1	1:A:1216:ASN:N	2.45	0.50
1:A:1256:ASN:OD1	1:A:1260:ASN:ND2	2.44	0.50
1:A:1068:GLN:NE2	1:A:1159:CYS:O	2.45	0.50
1:A:1199:ASP:OD1	1:A:1199:ASP:N	2.45	0.49
1:A:859:ASN:HD21	1:A:1032:GLN:HE22	1.61	0.49
1:A:966:VAL:HG21	1:A:1229:GLY:HA3	1.95	0.49
1:A:358:ASN:ND2	1:A:515:THR:OG1	2.45	0.49
1:A:1188:ASP:OD1	1:A:1188:ASP:N	2.44	0.49
1:A:1158:ILE:HG23	1:A:1166:PHE:HE2	1.78	0.48
1:A:137:GLY:HA3	1:A:142:PHE:HB2	1.95	0.48
1:A:146:GLN:HG3	1:A:149:GLU:H	1.77	0.48
1:A:635:ALY:HH31	1:A:635:ALY:HE3	1.69	0.48
1:A:1088:PHE:HB2	1:A:1108:ILE:HB	1.95	0.48
1:A:680:LYS:O	1:A:684:ASN:ND2	2.47	0.48
1:A:865:TYR:HD2	1:A:868:VAL:HG22	1.78	0.48
1:A:336:LYS:HD2	1:A:534:LEU:HD13	1.96	0.47
1:A:123:ARG:HE	1:A:136:LEU:HD12	1.79	0.47
1:A:723:ASP:OD1	1:A:723:ASP:N	2.43	0.47
1:A:976:ARG:HB3	1:A:979:PHE:HE2	1.79	0.47
1:A:617:VAL:HG12	1:A:725:ASN:HA	1.97	0.47
1:A:680:LYS:HE2	1:A:696:PHE:HD2	1.79	0.47
1:A:224:LEU:HD22	1:A:274:LEU:HD11	1.96	0.47
1:A:445:GLN:HB2	1:A:1063:ASN:HB3	1.97	0.46
1:A:1138:LEU:HD22	1:A:1173:LEU:HD13	1.98	0.46
1:A:208:THR:O	1:A:214:SER:OG	2.32	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:922:ARG:HB3	1:A:939:ILE:HG12	1.98	0.46
1:A:437:SER:HB3	1:A:454:VAL:HG23	1.98	0.46
1:A:1106:TRP:HE3	1:A:1196:VAL:HG11	1.81	0.46
1:A:577:LEU:HD13	1:A:579:LYS:HE2	1.97	0.45
1:A:1002:LEU:HG	1:A:1005:LYS:HE2	1.98	0.45
1:A:126:GLY:O	1:A:164:SER:OG	2.34	0.45
1:A:911:MET:HE3	1:A:911:MET:HB2	1.91	0.45
1:A:693:GLY:H	1:A:718:GLN:HE22	1.64	0.45
1:A:142:PHE:HA	1:A:145:ALA:HB3	1.99	0.45
1:A:1061:TYR:HB2	1:A:1171:MET:HG3	1.99	0.44
1:A:358:ASN:ND2	1:A:512:LYS:O	2.49	0.44
1:A:464:ASN:O	1:A:467:THR:N	2.49	0.44
1:A:153:ALY:O	1:A:155:ALA:N	2.44	0.44
1:A:112:GLY:O	1:A:113:ASN:HB2	2.17	0.44
1:A:597:ALA:HB1	1:A:738:LEU:HD21	1.99	0.44
1:A:132:ASP:OD1	1:A:132:ASP:N	2.51	0.43
1:A:1082:ASP:OD1	1:A:1082:ASP:N	2.50	0.43
1:A:23:ILE:HG13	1:A:595:TYR:HE2	1.84	0.43
1:A:1040:PRO:HD2	1:A:1249:ILE:HD12	2.00	0.43
1:A:203:LEU:O	1:A:207:ALA:N	2.50	0.43
1:A:942:LEU:O	1:A:946:TYR:N	2.48	0.43
1:A:686:HIS:HE1	1:A:689:TRP:HB2	1.83	0.43
1:A:865:TYR:OH	1:A:962:ASN:ND2	2.52	0.43
1:A:364:LYS:HD3	1:A:370:PHE:HD1	1.83	0.42
1:A:474:ARG:HB3	1:A:500:LEU:HD12	2.01	0.42
1:A:1085:TYR:HB2	1:A:1110:SER:H	1.84	0.42
1:A:875:ARG:NH2	1:A:968:GLU:OE2	2.48	0.42
1:A:1174:LEU:HG	1:A:1178:LEU:HD23	2.02	0.42
1:A:596:LEU:HD22	1:A:836:LEU:HD22	2.02	0.42
1:A:229:LEU:HD23	1:A:255:LEU:HA	2.02	0.41
1:A:42:MET:HE1	1:A:163:PHE:HB2	2.02	0.41
1:A:123:ARG:HH21	1:A:136:LEU:HB2	1.84	0.41
1:A:243:LEU:HA	1:A:248:GLY:HA3	2.01	0.41
1:A:356:TYR:HB2	1:A:433:HIS:HB3	2.02	0.41
1:A:465:HIS:HA	1:A:468:ILE:HG22	2.02	0.41
1:A:1102:SER:O	1:A:1259:GLN:NE2	2.54	0.41
1:A:586:VAL:HG23	1:A:597:ALA:HB3	2.04	0.40
1:A:166:TYR:OH	1:A:565:ASN:ND2	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1195/1261 (95%)	1114 (93%)	80 (7%)	1 (0%)	48 79

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	851	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	991/1098 (90%)	985 (99%)	6 (1%)	78 79

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	106	GLU
1	A	333	VAL
1	A	438	VAL
1	A	965	VAL
1	A	1141	LEU
1	A	1216	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (30) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	159	HIS
1	A	176	ASN
1	A	236	HIS
1	A	279	HIS
1	A	296	HIS
1	A	358	ASN
1	A	390	ASN
1	A	459	GLN
1	A	506	ASN
1	A	521	HIS
1	A	526	ASN
1	A	565	ASN
1	A	612	ASN
1	A	619	GLN
1	A	684	ASN
1	A	718	GLN
1	A	742	GLN
1	A	780	ASN
1	A	843	ASN
1	A	859	ASN
1	A	860	GLN
1	A	869	ASN
1	A	962	ASN
1	A	1068	GLN
1	A	1104	GLN
1	A	1162	ASN
1	A	1213	GLN
1	A	1251	ASN
1	A	1259	GLN
1	A	1260	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	G	25/59 (42%)	10 (40%)	0

All (10) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	G	13	G
2	G	14	U
2	G	15	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	G	16	U
2	G	17	G
2	G	24	U
2	G	25	G
2	G	26	A
2	G	27	U
2	G	28	G

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
1	ALY	A	635	1	10,11,12	1.61	1 (10%)	7,12,14	0.94	0
1	ALY	A	816	1	10,11,12	1.58	1 (10%)	7,12,14	0.62	0
1	ALY	A	25	1	10,11,12	0.89	0	7,12,14	1.05	1 (14%)
1	ALY	A	153	1	10,11,12	1.61	1 (10%)	7,12,14	0.61	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	ALY	A	635	1	-	3/9/10/12	-
1	ALY	A	816	1	-	2/9/10/12	-
1	ALY	A	25	1	-	5/9/10/12	-
1	ALY	A	153	1	-	5/9/10/12	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	153	ALY	O-C	4.41	1.36	1.20
1	A	635	ALY	O-C	4.34	1.36	1.20
1	A	816	ALY	O-C	4.31	1.36	1.20

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	25	ALY	CE-NZ-CH	2.12	125.68	122.56

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	25	ALY	N-CA-CB-CG
1	A	25	ALY	C-CA-CB-CG
1	A	153	ALY	C-CA-CB-CG
1	A	153	ALY	O-C-CA-CB
1	A	816	ALY	O-C-CA-CB
1	A	25	ALY	OH-CH-NZ-CE
1	A	25	ALY	CH3-CH-NZ-CE
1	A	635	ALY	OH-CH-NZ-CE
1	A	635	ALY	CH3-CH-NZ-CE
1	A	635	ALY	CE-CD-CG-CB
1	A	816	ALY	CE-CD-CG-CB
1	A	153	ALY	CE-CD-CG-CB
1	A	153	ALY	CA-CB-CG-CD
1	A	153	ALY	N-CA-CB-CG
1	A	25	ALY	CE-CD-CG-CB

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	635	ALY	1	0
1	A	153	ALY	1	0

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-9742. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128



Y Index: 128



Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 138



Y Index: 138




Z Index: 107


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views

This section was not generated.


6.6 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 94 nm³; this corresponds to an approximate mass of 85 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.278 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-9742 and PDB model 6IV6. Per-residue inclusion information can be found in [section 3](#) on [page 4](#).

9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.0493 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

9.4 Atom inclusion [i](#)



At the recommended contour level, 80% of all backbone atoms, 80% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0493) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7950	0.4360
A	0.7910	0.4350
G	0.8610	0.4500

