



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 12:06 AM UTC

PDB ID : 2IWK / pdb_00002iwk
Title : Inhibitor-bound form of nitrous oxide reductase from *Achromobacter Cycloclastes* at 1.7 Angstrom resolution
Authors : Paraskevopoulos, K.; Antonyuk, S.V.; Sawers, R.G.; Eady, R.R.; Hasnain, S.S.
Deposited on : 2006-06-30
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	642	
1	B	642	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	IOD	B	1636	-	-	X	-
6	CL	A	1624	-	-	X	-
6	CL	B	1617	-	-	X	-
6	CL	B	1618	-	-	X	-

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 10214 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NITROUS OXIDE REDUCTASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	590	Total	C	N	O	S	0	2	0
			4636	2917	799	888	32			
1	B	590	Total	C	N	O	S	0	1	0
			4630	2913	798	887	32			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	472	ASN	LYS	conflict	UNP P94127
B	472	ASN	LYS	conflict	UNP P94127

- Molecule 2 is COPPER (II) ION (CCD ID: CU) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Cu	0	0
			2	2		
2	B	2	Total	Cu	0	0
			2	2		

- Molecule 3 is (MU-4-SULFIDO)-TETRA-NUCLEAR COPPER ION (CCD ID: CUZ) (formula: Cu₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	Cu	S	0	0
			5	4	1		
3	B	1	Total	Cu	S	0	0
			5	4	1		

- Molecule 4 is IODIDE ION (CCD ID: IOD) (formula: I).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	5	Total	I	0	0
			5	5		
4	B	10	Total	I	0	0
			10	10		

- Molecule 5 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	17	Total	Ca	0	0
			17	17		
5	B	11	Total	Ca	0	0
			11	11		

- Molecule 6 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	3	Total	Cl	0	0
			3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	5	Total	Cl	0	0
			5	5		

- Molecule 7 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	14	Total	Na	0	0
			14	14		
7	B	16	Total	Na	0	0
			16	16		

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	431	Total	O	0	0
			431	431		
8	B	422	Total	O	0	0
			422	422		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


● Molecule 1: NITROUS OXIDE REDUCTASE

Chain A: 84% 7% • 8%



• Molecule 1: NITROUS OXIDE REDUCTASE

Chain B: 84% 7% 8%



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	71.11Å 120.91Å 137.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 1.70	Depositor
% Data completeness (in resolution range)	98.3 (50.00-1.70)	Depositor
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.168 , 0.207	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	10214	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, IOD, NA, CUZ, CA, CU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.92	1/4749 (0.0%)	0.93	3/6446 (0.0%)
1	B	0.93	1/4740 (0.0%)	0.92	3/6434 (0.0%)
All	All	0.92	2/9489 (0.0%)	0.93	6/12880 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	142	HIS	CA-C	6.62	1.56	1.52
1	A	283	ASN	CA-C	5.73	1.57	1.53

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	592	ARG	NE-CZ-NH2	-7.11	112.80	119.20
1	B	163	ALA	N-CA-C	6.81	114.35	108.22
1	A	592	ARG	NE-CZ-NH1	6.59	128.09	121.50
1	A	442	VAL	N-CA-C	6.45	117.13	111.90
1	B	157	CYS	N-CA-C	5.44	117.53	108.99
1	B	592	ARG	NE-CZ-NH2	-5.26	114.47	119.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4636	0	4477	52	0
1	B	4630	0	4468	49	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
4	A	5	0	0	0	0
4	B	10	0	0	2	0
5	A	17	0	0	0	0
5	B	11	0	0	0	0
6	A	3	0	0	3	0
6	B	5	0	0	5	0
7	A	14	0	0	0	0
7	B	16	0	0	0	0
8	A	431	0	0	7	0
8	B	422	0	0	13	0
All	All	10214	0	8945	94	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (94) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:157:CYS:SG	8:A:2124:HOH:O	1.95	1.22
1:B:157:CYS:SG	8:B:2104:HOH:O	2.09	1.06
1:A:567:VAL:H	1:B:82:ASN:HD21	1.16	0.93
1:A:82:ASN:HD21	1:B:567:VAL:H	1.10	0.91
1:B:157:CYS:HB3	8:B:2104:HOH:O	1.73	0.88
1:A:157:CYS:CB	8:A:2124:HOH:O	2.16	0.88
1:A:157:CYS:HB3	8:A:2124:HOH:O	1.73	0.87
1:B:157:CYS:CB	8:B:2104:HOH:O	2.23	0.87
1:A:180:ASN:C	1:A:181:ILE:HD12	2.02	0.84
1:B:179:VAL:HG11	4:B:1636:IOD:I	2.47	0.84
1:A:50:ASN:H	1:A:50:ASN:HD22	1.35	0.75
1:A:84:LYS:NZ	6:A:1623:CL:CL	2.56	0.75
1:A:137:ASN:HD22	1:A:195:GLN:HE22	1.35	0.73
1:B:50:ASN:H	1:B:50:ASN:HD22	1.36	0.72
1:A:10:GLY:HA3	1:A:11:SER:HB2	1.72	0.71
1:A:592:ARG:HD3	8:B:2144:HOH:O	1.90	0.70
1:A:254[B]:GLN:HE21	1:A:254[B]:GLN:HA	1.58	0.68
1:B:137:ASN:HD22	1:B:195:GLN:HE22	1.41	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:592:ARG:CD	8:B:2144:HOH:O	2.43	0.66
1:A:386:GLN:H	1:A:430:GLN:HE22	1.46	0.64
1:B:353:LEU:HD11	1:B:360:VAL:CG2	2.29	0.63
1:A:10:GLY:HA3	1:A:11:SER:CB	2.28	0.62
1:A:353:LEU:HD11	1:A:360:VAL:HG21	1.80	0.62
1:B:93:HIS:H	1:B:112:ASN:HD21	1.46	0.60
1:B:139:LYS:NZ	6:B:1617:CL:CL	2.69	0.60
1:A:47:PRO:HA	1:A:50:ASN:HD21	1.65	0.60
1:A:151:ARG:HH11	1:A:153:ASN:ND2	2.00	0.59
1:B:487:GLU:CA	8:B:2341:HOH:O	2.50	0.59
1:A:181:ILE:HD12	1:A:181:ILE:N	2.15	0.59
1:A:82:ASN:ND2	1:B:567:VAL:H	1.92	0.58
1:A:292:ASP:OD2	1:A:295:HIS:HD2	1.87	0.57
1:B:592:ARG:HD3	8:B:2371:HOH:O	2.04	0.57
8:A:2417:HOH:O	6:B:1641:CL:CL	2.54	0.57
1:A:567:VAL:H	1:B:82:ASN:ND2	1.96	0.56
1:A:93:HIS:H	1:A:112:ASN:HD21	1.52	0.56
1:B:47:PRO:HA	1:B:50:ASN:HD21	1.70	0.55
1:B:292:ASP:OD2	1:B:295:HIS:HD2	1.88	0.55
1:A:551:GLY:HA2	1:B:89:ASN:HD21	1.72	0.55
1:B:89:ASN:ND2	6:B:1618:CL:CL	2.77	0.55
1:B:165:LEU:HD13	1:B:179:VAL:CG2	2.37	0.55
1:B:137:ASN:HD22	1:B:195:GLN:NE2	2.05	0.54
1:A:567:VAL:N	1:B:82:ASN:HD21	1.96	0.54
1:A:353:LEU:HD11	1:A:360:VAL:CG2	2.39	0.53
1:A:61:ASN:ND2	6:A:1624:CL:CL	2.79	0.53
1:A:338:PRO:HA	1:A:352:SER:O	2.08	0.52
1:B:295:HIS:HE1	8:B:2205:HOH:O	1.91	0.52
1:A:137:ASN:HD22	1:A:195:GLN:NE2	2.05	0.52
1:A:10:GLY:O	1:A:38:PRO:HB2	2.10	0.52
1:B:84:LYS:NZ	6:B:1618:CL:CL	2.79	0.52
1:B:269:GLU:H	1:B:269:GLU:CD	2.18	0.52
1:B:269:GLU:HG2	8:B:2182:HOH:O	2.11	0.51
1:A:89:ASN:HD21	1:B:551:GLY:HA2	1.75	0.51
1:A:162:GLU:HG3	1:A:180:ASN:HD21	1.75	0.51
1:B:431:LEU:O	1:B:442:VAL:HG22	2.10	0.51
1:B:353:LEU:HD11	1:B:360:VAL:HG21	1.93	0.51
1:A:82:ASN:HD21	1:B:567:VAL:N	1.93	0.50
1:A:112:ASN:HD22	1:A:112:ASN:H	1.59	0.50
1:A:201:ASN:ND2	1:A:220:ASN:H	2.09	0.50
1:B:151:ARG:HH11	1:B:153:ASN:ND2	2.08	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:10:GLY:CA	1:A:11:SER:CB	2.89	0.49
1:A:165:LEU:HD21	1:A:181:ILE:HD11	1.95	0.49
1:A:238:VAL:HG21	1:A:298:VAL:HG21	1.95	0.49
1:B:180:ASN:C	1:B:181:ILE:HD12	2.38	0.48
1:B:338:PRO:HA	1:B:352:SER:O	2.14	0.48
1:B:13:ALA:HB3	1:B:16:LYS:HD3	1.96	0.48
1:B:592:ARG:CD	8:B:2371:HOH:O	2.58	0.48
1:A:151:ARG:HH11	1:A:153:ASN:HD22	1.63	0.47
1:B:340:HIS:CE1	1:B:391:HIS:CE1	3.02	0.47
1:B:89:ASN:HD21	1:B:116:ASN:HD21	1.62	0.46
1:A:405:ASP:HB3	8:A:2295:HOH:O	2.16	0.46
1:B:234:GLU:HG2	1:B:235:MET:HG3	1.98	0.46
1:A:59:GLN:O	6:A:1624:CL:CL	2.72	0.45
1:A:94:HIS:CD2	8:A:2083:HOH:O	2.69	0.45
1:B:89:ASN:ND2	1:B:116:ASN:HD21	2.15	0.45
1:B:165:LEU:HD11	1:B:181:ILE:CD1	2.47	0.44
1:A:181:ILE:N	1:A:181:ILE:CD1	2.78	0.44
1:A:592:ARG:HD2	8:B:2144:HOH:O	2.13	0.44
1:B:94:HIS:CD2	8:B:2315:HOH:O	2.71	0.44
1:B:112:ASN:HD22	1:B:112:ASN:H	1.66	0.44
1:B:151:ARG:HH11	1:B:153:ASN:HD22	1.66	0.44
1:A:50:ASN:H	1:A:50:ASN:ND2	2.07	0.43
1:A:179:VAL:HG12	8:A:2137:HOH:O	2.18	0.43
1:A:117:THR:HG23	1:A:141:ILE:HG12	2.00	0.43
1:A:254[B]:GLN:HA	1:A:254[B]:GLN:NE2	2.29	0.43
1:A:386:GLN:H	1:A:430:GLN:NE2	2.14	0.43
1:B:411:CYS:HB2	1:B:428:ASN:O	2.18	0.43
1:B:139:LYS:CE	6:B:1617:CL:CL	3.03	0.43
1:B:50:ASN:H	1:B:50:ASN:ND2	2.08	0.42
1:A:340:HIS:CE1	1:A:391:HIS:CE1	3.08	0.42
1:A:48:VAL:H	1:A:50:ASN:ND2	2.17	0.42
1:B:415:LYS:NZ	8:B:2269:HOH:O	2.53	0.42
1:A:179:VAL:HG23	1:A:181:ILE:HD11	2.02	0.41
1:B:353:LEU:CD1	1:B:360:VAL:CG2	2.99	0.41
1:B:179:VAL:CG1	4:B:1636:IOD:I	3.32	0.41

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	589/642 (92%)	565 (96%)	22 (4%)	2 (0%)	36	22
1	B	588/642 (92%)	568 (97%)	17 (3%)	3 (0%)	24	12
All	All	1177/1284 (92%)	1133 (96%)	39 (3%)	5 (0%)	30	16

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	11	SER
1	B	9	ASP
1	A	301	LYS
1	B	301	LYS
1	B	449	ALA

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	502/532 (94%)	492 (98%)	10 (2%)	48	32
1	B	501/532 (94%)	490 (98%)	11 (2%)	45	29
All	All	1003/1064 (94%)	982 (98%)	21 (2%)	47	30

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	50	ASN
1	A	89	ASN
1	A	112	ASN
1	A	201	ASN
1	A	215	PHE
1	A	323	GLU
1	A	481	LYS
1	A	580	TRP
1	A	592	ARG
1	B	50	ASN
1	B	85	LYS
1	B	112	ASN
1	B	165	LEU
1	B	215	PHE
1	B	269	GLU
1	B	294	LYS
1	B	392	LEU
1	B	552	VAL
1	B	579	GLN
1	B	580	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (30) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	50	ASN
1	A	61	ASN
1	A	82	ASN
1	A	89	ASN
1	A	112	ASN
1	A	153	ASN
1	A	180	ASN
1	A	195	GLN
1	A	201	ASN
1	A	204	ASN
1	A	295	HIS
1	A	430	GLN
1	A	443	HIS
1	A	502	ASN
1	A	559	GLN
1	B	50	ASN
1	B	61	ASN
1	B	78	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	82	ASN
1	B	89	ASN
1	B	112	ASN
1	B	153	ASN
1	B	158	ASN
1	B	180	ASN
1	B	195	GLN
1	B	204	ASN
1	B	295	HIS
1	B	472	ASN
1	B	559	GLN
1	B	579	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 87 ligands modelled in this entry, 85 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	CUZ	A	1600	4,1	0,9,9	-	-	-		
3	CUZ	B	1600	4,1	0,9,9	-	-	-		

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section is therefore empty.

6.4 Ligands ⓘ

EDS was not executed - this section is therefore empty.

6.5 Other polymers ⓘ

EDS was not executed - this section is therefore empty.