



wwPDB EM Validation Summary Report ⓘ

Mar 8, 2026 – 03:42 AM UTC

PDB ID : 8IWY / pdb_00008iwy
EMDB ID : EMD-35783
Title : Cryo-EM structure of protonated LHCII in detergent solution at low pH value
Authors : Ruan, M.X.; Ding, W.
Deposited on : 2023-03-31
Resolution : 2.68 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.68 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	9255 (2.18 - 3.18)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	G	218	 81% 18%
1	N	218	 81% 19%
1	Y	218	 82% 17% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CHL	G	601	X	-	-	-
2	CHL	G	605	X	-	-	-
2	CHL	G	606	X	-	-	-
2	CHL	G	607	X	-	-	-
2	CHL	G	608	X	-	-	-
2	CHL	G	609	X	-	-	-
2	CHL	N	601	X	-	-	-
2	CHL	N	605	X	-	-	-
2	CHL	N	606	X	-	-	-
2	CHL	N	607	X	-	-	-
2	CHL	N	608	X	-	-	-
2	CHL	N	609	X	-	-	-
2	CHL	Y	601	X	-	-	-
2	CHL	Y	605	X	-	-	-
2	CHL	Y	606	X	-	-	-
2	CHL	Y	607	X	-	-	-
2	CHL	Y	608	X	-	-	-
2	CHL	Y	609	X	-	-	-
3	CLA	G	602	X	-	-	-
3	CLA	G	603	X	-	-	-
3	CLA	G	604	X	-	-	-
3	CLA	G	610	X	-	-	-
3	CLA	G	612	X	-	-	-
3	CLA	G	613	X	-	-	-
3	CLA	G	614	X	-	-	-
3	CLA	N	602	X	-	-	-
3	CLA	N	603	X	-	-	-
3	CLA	N	604	X	-	-	-
3	CLA	N	610	X	-	-	-
3	CLA	N	611	X	-	-	-
3	CLA	N	612	X	-	-	-
3	CLA	N	613	X	-	-	-
3	CLA	N	614	X	-	-	-
3	CLA	Y	602	X	-	-	-
3	CLA	Y	603	X	-	-	-
3	CLA	Y	604	X	-	-	-
3	CLA	Y	610	X	-	-	-
3	CLA	Y	611	X	-	-	-
3	CLA	Y	612	X	-	-	-
3	CLA	Y	614	X	-	-	-

2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 8238 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Chlorophyll a-b binding protein, chloroplastic.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	G	218	Total	C	N	O	S	0	0
			1661	1079	270	305	7		
1	N	218	Total	C	N	O	S	0	0
			1661	1079	270	305	7		
1	Y	218	Total	C	N	O	S	0	0
			1661	1079	270	305	7		

- Molecule 2 is CHLOROPHYLL B (CCD ID: CHL) (formula: C₅₅H₇₀MgN₄O₆) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
2	G	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
2	G	1	Total	C	Mg	N	O	0
			48	37	1	4	6	
2	G	1	Total	C	Mg	N	O	0
			51	40	1	4	6	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
2	G	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
2	G	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
2	G	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
2	N	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
2	N	1	Total	C	Mg	N	O	0
			48	37	1	4	6	
2	N	1	Total	C	Mg	N	O	0
			51	40	1	4	6	
2	N	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
2	N	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
2	N	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
2	Y	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
2	Y	1	Total	C	Mg	N	O	0
			48	37	1	4	6	
2	Y	1	Total	C	Mg	N	O	0
			51	40	1	4	6	
2	Y	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
2	Y	1	Total	C	Mg	N	O	0
			66	55	1	4	6	
2	Y	1	Total	C	Mg	N	O	0
			66	55	1	4	6	

- Molecule 3 is CHLOROPHYLL A (CCD ID: CLA) (formula: $C_{55}H_{72}MgN_4O_5$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
3	G	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
3	G	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
3	G	1	Total	C	Mg	N	O	0
			62	52	1	4	5	
3	G	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
3	G	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
3	G	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
3	G	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
3	G	1	Total	C	Mg	N	O	0
			49	39	1	4	5	
3	N	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
3	N	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
3	N	1	Total	C	Mg	N	O	0
			62	52	1	4	5	
3	N	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
3	N	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
3	N	1	Total	C	Mg	N	O	0
			65	55	1	4	5	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
3	N	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
3	N	1	Total	C	Mg	N	O	0
			49	39	1	4	5	
3	Y	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
3	Y	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
3	Y	1	Total	C	Mg	N	O	0
			62	52	1	4	5	
3	Y	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
3	Y	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
3	Y	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
3	Y	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
3	Y	1	Total	C	Mg	N	O	0
			49	39	1	4	5	

- Molecule 4 is (3R,3'R,6S)-4,5-DIDEHYDRO-5,6-DIHYDRO-BETA,BETA-CAROTENE-3,3'-DIOL (CCD ID: LUT) (formula: $C_{40}H_{56}O_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
4	G	1	Total	C	O	0
			42	40	2	
4	G	1	Total	C	O	0
			42	40	2	
4	N	1	Total	C	O	0
			42	40	2	
4	N	1	Total	C	O	0
			42	40	2	
4	Y	1	Total	C	O	0
			42	40	2	
4	Y	1	Total	C	O	0
			42	40	2	


- Molecule 5 is (3S,5R,6S,3'S,5'R,6'S)-5,6,5',6'-DIEPOXY-5,6,5',6'- TETRAHYDRO-BETA, BETA-CAROTENE-3,3'-DIOL (CCD ID: XAT) (formula: C₄₀H₅₆O₄).



Mol	Chain	Residues	Atoms			AltConf
5	G	1	Total	C	O	0
			44	40	4	
5	G	1	Total	C	O	0
			44	40	4	
5	Y	1	Total	C	O	0
			44	40	4	


- Molecule 6 is (1R,3R)-6-{(3E,5E,7E,9E,11E,13E,15E,17E)-18-[(1S,4R,6R)-4-HYDROXY-2,2,6-TRIMETHYL-7-OXABICYCLO[4.1.0]HEPT-1-YL]-3,7,12,16-TETRAMETHYLOCTADECA-1,3,5,7,9,11,13,15,17-NONAENYLIDENE}-1,5,5-TRIMETHYLCYCLOHEXANE-1,3-DIOL (CCD ID: NEX) (formula: C₄₀H₅₆O₄) (labeled as "Ligand of Interest" by

depositor).



Mol	Chain	Residues	Atoms			AltConf
6	G	1	Total	C	O	0
			44	40	4	
6	N	1	Total	C	O	0
			44	40	4	
6	Y	1	Total	C	O	0
			44	40	4	

- Molecule 7 is 1,2-DIPALMITOYL-PHOSPHATIDYL-GLYCEROLE (CCD ID: LHG) (formula: C₃₈H₇₅O₁₀P).




Mol	Chain	Residues	Atoms				AltConf
7	G	1	Total 49	C 38	O 10	P 1	0
7	N	1	Total 49	C 38	O 10	P 1	0
7	Y	1	Total 49	C 38	O 10	P 1	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Chlorophyll a-b binding protein, chloroplastic



- Molecule 1: Chlorophyll a-b binding protein, chloroplastic



- Molecule 1: Chlorophyll a-b binding protein, chloroplastic



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	648142	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	1800	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	22500	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.494	Depositor
Minimum map value	-0.190	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.011	Depositor
Recommended contour level	0.04	Depositor
Map size (Å)	273.92, 273.92, 273.92	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.07, 1.07, 1.07	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: LHG, CHL, LUT, CLA, XAT, NEX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	G	0.28	0/1713	0.61	0/2333
1	N	0.29	0/1713	0.59	0/2333
1	Y	0.29	0/1713	0.57	0/2333
All	All	0.29	0/5139	0.59	0/6999

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	G	1661	0	1591	38	0
1	N	1661	0	1591	32	0
1	Y	1661	0	1591	42	0
2	G	363	0	350	21	0
2	N	363	0	350	29	0
2	Y	363	0	350	26	0
3	G	501	0	534	23	0
3	N	501	0	534	21	0
3	Y	501	0	534	23	0
4	G	84	0	112	13	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	N	84	0	112	6	0
4	Y	84	0	112	5	0
5	G	88	0	112	13	0
5	Y	44	0	56	5	0
6	G	44	0	56	6	0
6	N	44	0	56	2	0
6	Y	44	0	56	3	0
7	G	49	0	74	6	0
7	N	49	0	74	4	0
7	Y	49	0	74	1	0
All	All	8238	0	8319	223	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

The worst 5 of 223 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Y:54:ASP:HB2	1:Y:57:THR:CG2	1.56	1.35
1:Y:54:ASP:HB2	1:Y:57:THR:HG23	1.39	1.05
1:Y:54:ASP:HB2	1:Y:57:THR:HG21	1.34	1.04
1:Y:54:ASP:CB	1:Y:57:THR:CG2	2.41	0.97
1:N:191:MET:HG2	4:N:616:LUT:H12	1.52	0.91

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	G	216/218 (99%)	204 (94%)	12 (6%)	0	100	100
1	N	216/218 (99%)	206 (95%)	10 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	Y	216/218 (99%)	207 (96%)	9 (4%)	0	100	100
All	All	648/654 (99%)	617 (95%)	31 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	168/168 (100%)	167 (99%)	1 (1%)	78	90
1	N	168/168 (100%)	168 (100%)	0	100	100
1	Y	168/168 (100%)	165 (98%)	3 (2%)	51	76
All	All	504/504 (100%)	500 (99%)	4 (1%)	70	87

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	113	LEU
1	Y	57	THR
1	Y	118	LEU
1	Y	119	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 10 such sidechains are listed below:

Mol	Chain	Res	Type
1	Y	131	GLN
1	Y	197	GLN
1	Y	208	ASN
1	N	61	ASN
1	N	208	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

57 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	CLA	G	611	7	69,73,73	1.17	7 (10%)	82,113,113	1.16	7 (8%)
3	CLA	N	611	7	69,73,73	1.18	8 (11%)	82,113,113	1.15	6 (7%)
3	CLA	G	604	-	66,70,73	1.20	7 (10%)	78,109,113	1.22	6 (7%)
6	NEX	Y	618	-	40,46,46	1.15	3 (7%)	50,70,70	2.72	14 (28%)
5	XAT	G	617	-	41,47,47	0.98	0	54,74,74	2.65	13 (24%)
6	NEX	G	618	-	40,46,46	1.29	3 (7%)	50,70,70	3.00	20 (40%)
2	CHL	G	606	-	45,59,74	2.55	10 (22%)	40,96,114	1.68	11 (27%)
7	LHG	N	618	3	48,48,48	0.89	2 (4%)	51,54,54	1.05	2 (3%)
4	LUT	Y	616	-	42,43,43	0.83	1 (2%)	51,60,60	1.80	14 (27%)
3	CLA	N	610	1	69,73,73	1.15	7 (10%)	82,113,113	1.13	7 (8%)
3	CLA	Y	612	-	69,73,73	1.18	7 (10%)	82,113,113	1.14	6 (7%)
2	CHL	G	607	-	60,74,74	2.24	10 (16%)	58,114,114	1.43	8 (13%)
3	CLA	N	603	-	69,73,73	1.16	7 (10%)	82,113,113	1.19	4 (4%)
2	CHL	Y	605	-	42,56,74	2.73	9 (21%)	36,92,114	1.80	12 (33%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	CLA	G	613	-	69,73,73	1.16	7 (10%)	82,113,113	1.22	6 (7%)
3	CLA	N	613	-	69,73,73	1.17	7 (10%)	82,113,113	1.22	5 (6%)
3	CLA	Y	613	1	69,73,73	1.14	7 (10%)	82,113,113	1.23	5 (6%)
3	CLA	G	603	-	69,73,73	1.19	6 (8%)	82,113,113	1.16	6 (7%)
6	NEX	N	617	-	40,46,46	1.18	3 (7%)	50,70,70	2.61	13 (26%)
2	CHL	N	601	-	60,74,74	2.29	10 (16%)	58,114,114	1.45	15 (25%)
3	CLA	Y	611	7	69,73,73	1.16	8 (11%)	82,113,113	1.05	4 (4%)
7	LHG	G	619	3	48,48,48	0.91	2 (4%)	51,54,54	1.00	3 (5%)
2	CHL	N	606	-	45,59,74	2.56	9 (20%)	40,96,114	1.81	11 (27%)
3	CLA	G	614	-	53,57,73	1.34	8 (15%)	61,93,113	1.31	6 (9%)
3	CLA	N	602	1	69,73,73	1.16	6 (8%)	82,113,113	1.17	6 (7%)
2	CHL	Y	606	1	45,59,74	2.56	9 (20%)	40,96,114	1.74	12 (30%)
2	CHL	Y	608	-	60,74,74	2.41	12 (20%)	58,114,114	1.72	12 (20%)
3	CLA	N	604	-	66,70,73	1.21	6 (9%)	78,109,113	1.21	5 (6%)
3	CLA	Y	604	-	66,70,73	1.18	6 (9%)	78,109,113	1.21	5 (6%)
2	CHL	G	609	-	60,74,74	2.34	10 (16%)	58,114,114	1.33	9 (15%)
3	CLA	G	602	1	69,73,73	1.16	8 (11%)	82,113,113	1.15	6 (7%)
4	LUT	Y	615	-	42,43,43	1.10	3 (7%)	51,60,60	2.68	21 (41%)
2	CHL	Y	607	-	60,74,74	2.13	11 (18%)	58,114,114	1.72	13 (22%)
2	CHL	G	605	-	42,56,74	2.78	10 (23%)	36,92,114	1.55	13 (36%)
2	CHL	G	608	-	60,74,74	2.29	8 (13%)	58,114,114	1.45	11 (18%)
2	CHL	N	608	-	60,74,74	2.24	11 (18%)	58,114,114	1.37	9 (15%)
5	XAT	Y	617	-	41,47,47	0.99	0	54,74,74	2.60	22 (40%)
2	CHL	N	609	-	60,74,74	2.33	10 (16%)	58,114,114	1.51	12 (20%)
3	CLA	G	612	-	69,73,73	1.17	8 (11%)	82,113,113	1.41	11 (13%)
4	LUT	N	615	-	42,43,43	0.74	0	51,60,60	1.83	12 (23%)
4	LUT	G	615	-	42,43,43	1.81	3 (7%)	51,60,60	2.17	14 (27%)
3	CLA	N	614	-	53,57,73	1.34	5 (9%)	61,93,113	1.23	7 (11%)
7	LHG	Y	619	3	48,48,48	0.91	2 (4%)	51,54,54	1.10	3 (5%)
5	XAT	G	620	-	41,47,47	0.93	2 (4%)	54,74,74	2.60	21 (38%)
3	CLA	Y	610	-	69,73,73	1.18	7 (10%)	82,113,113	1.12	8 (9%)
4	LUT	G	616	-	42,43,43	0.78	1 (2%)	51,60,60	1.79	14 (27%)
3	CLA	Y	614	-	53,57,73	1.32	7 (13%)	61,93,113	1.19	7 (11%)
2	CHL	Y	601	-	60,74,74	2.24	10 (16%)	58,114,114	1.61	15 (25%)
2	CHL	N	607	-	60,74,74	2.20	11 (18%)	58,114,114	1.69	13 (22%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	CLA	N	612	-	69,73,73	1.19	6 (8%)	82,113,113	1.13	4 (4%)
4	LUT	N	616	-	42,43,43	0.79	0	51,60,60	1.48	13 (25%)
3	CLA	Y	603	-	69,73,73	1.22	6 (8%)	82,113,113	1.19	9 (10%)
2	CHL	Y	609	1	60,74,74	2.30	10 (16%)	58,114,114	1.80	13 (22%)
3	CLA	Y	602	-	69,73,73	1.16	6 (8%)	82,113,113	1.19	5 (6%)
3	CLA	G	610	-	69,73,73	1.13	6 (8%)	82,113,113	1.17	8 (9%)
2	CHL	N	605	-	42,56,74	2.82	10 (23%)	36,92,114	1.90	12 (33%)
2	CHL	G	601	-	60,74,74	2.30	10 (16%)	58,114,114	1.53	9 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CLA	N	611	7	1/1/15/20	14/39/115/115	-
3	CLA	G	611	7	-	16/39/115/115	-
3	CLA	G	604	-	1/1/14/20	9/36/112/115	-
6	NEX	Y	618	-	-	5/27/83/83	0/3/3/3
5	XAT	G	617	-	-	2/31/93/93	0/4/4/4
6	NEX	G	618	-	-	3/27/83/83	0/3/3/3
2	CHL	G	606	-	3/3/17/26	11/21/119/137	-
7	LHG	N	618	3	-	23/53/53/53	-
4	LUT	Y	616	-	-	5/29/67/67	0/2/2/2
3	CLA	N	610	1	1/1/15/20	12/39/115/115	-
3	CLA	Y	612	-	1/1/15/20	13/39/115/115	-
2	CHL	G	607	-	3/3/20/26	13/39/137/137	-
3	CLA	N	603	-	1/1/15/20	13/39/115/115	-
2	CHL	Y	605	-	3/3/16/26	8/18/116/137	-
3	CLA	G	613	-	1/1/15/20	12/39/115/115	-
3	CLA	N	613	-	1/1/15/20	16/39/115/115	-
3	CLA	Y	613	1	-	9/39/115/115	-
3	CLA	G	603	-	1/1/15/20	12/39/115/115	-
6	NEX	N	617	-	-	5/27/83/83	0/3/3/3
2	CHL	N	601	-	3/3/20/26	15/39/137/137	-
3	CLA	Y	611	7	1/1/15/20	16/39/115/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	LHG	G	619	3	-	24/53/53/53	-
2	CHL	N	606	-	3/3/17/26	7/21/119/137	-
3	CLA	G	614	-	1/1/11/20	10/20/96/115	-
3	CLA	N	602	1	1/1/15/20	16/39/115/115	-
2	CHL	Y	606	1	3/3/17/26	9/21/119/137	-
2	CHL	Y	608	-	3/3/20/26	23/39/137/137	-
3	CLA	N	604	-	1/1/14/20	14/36/112/115	-
3	CLA	Y	604	-	1/1/14/20	18/36/112/115	-
2	CHL	G	609	-	3/3/20/26	11/39/137/137	-
3	CLA	G	602	1	1/1/15/20	11/39/115/115	-
4	LUT	Y	615	-	-	6/29/67/67	0/2/2/2
2	CHL	Y	607	-	3/3/20/26	17/39/137/137	-
2	CHL	G	605	-	3/3/16/26	5/18/116/137	-
2	CHL	G	608	-	3/3/20/26	15/39/137/137	-
2	CHL	N	608	-	3/3/20/26	16/39/137/137	-
5	XAT	Y	617	-	-	1/31/93/93	0/4/4/4
2	CHL	N	609	-	3/3/20/26	11/39/137/137	-
3	CLA	G	612	-	1/1/15/20	12/39/115/115	-
4	LUT	N	615	-	-	1/29/67/67	0/2/2/2
4	LUT	G	615	-	-	9/29/67/67	0/2/2/2
3	CLA	N	614	-	1/1/11/20	11/20/96/115	-
7	LHG	Y	619	3	-	27/53/53/53	-
5	XAT	G	620	-	-	7/31/93/93	0/4/4/4
3	CLA	Y	610	-	1/1/15/20	8/39/115/115	-
4	LUT	G	616	-	-	2/29/67/67	0/2/2/2
3	CLA	Y	614	-	1/1/11/20	12/20/96/115	-
2	CHL	Y	601	-	3/3/20/26	7/39/137/137	-
2	CHL	N	607	-	3/3/20/26	19/39/137/137	-
3	CLA	N	612	-	1/1/15/20	14/39/115/115	-
4	LUT	N	616	-	-	1/29/67/67	0/2/2/2
3	CLA	Y	603	-	1/1/15/20	20/39/115/115	-
2	CHL	Y	609	1	3/3/20/26	14/39/137/137	-
3	CLA	Y	602	-	1/1/15/20	9/39/115/115	-
3	CLA	G	610	-	1/1/15/20	10/39/115/115	-
2	CHL	N	605	-	3/3/16/26	7/18/116/137	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CHL	G	601	-	3/3/20/26	16/39/137/137	-

The worst 5 of 368 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	Y	609	CHL	C3B-C4B	10.25	1.51	1.41
2	N	605	CHL	C3B-C4B	9.70	1.50	1.41
2	N	609	CHL	C3B-C4B	9.67	1.50	1.41
2	Y	605	CHL	C3B-C4B	9.59	1.50	1.41
2	G	601	CHL	C3B-C4B	9.43	1.50	1.41

The worst 5 of 558 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	G	618	NEX	C38-C25-C26	-9.21	107.14	122.30
6	Y	618	NEX	C38-C25-C26	-8.68	108.02	122.30
6	N	617	NEX	C38-C25-C26	-8.64	108.08	122.30
5	G	617	XAT	O4-C5-C18	8.04	124.03	115.05
5	Y	617	XAT	O4-C5-C18	7.94	123.92	115.05

5 of 76 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	G	601	CHL	ND
2	G	601	CHL	NC
2	G	601	CHL	NA
2	G	605	CHL	ND
2	G	605	CHL	NC

5 of 652 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	G	601	CHL	C1C-C2C-CMC-OMC
2	G	601	CHL	C3C-C2C-CMC-OMC
2	G	605	CHL	O1A-CGA-O2A-C1
2	G	606	CHL	C1C-C2C-CMC-OMC
2	G	606	CHL	C3C-C2C-CMC-OMC

There are no ring outliers.

52 monomers are involved in 171 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	G	611	CLA	1	0
3	N	611	CLA	3	0
3	G	604	CLA	4	0
6	Y	618	NEX	3	0
5	G	617	XAT	6	0
6	G	618	NEX	6	0
2	G	606	CHL	5	0
7	N	618	LHG	4	0
4	Y	616	LUT	3	0
3	N	610	CLA	5	0
3	Y	612	CLA	3	0
2	G	607	CHL	5	0
3	N	603	CLA	3	0
3	G	613	CLA	6	0
3	N	613	CLA	3	0
3	Y	613	CLA	4	0
3	G	603	CLA	3	0
6	N	617	NEX	2	0
2	N	601	CHL	8	0
3	Y	611	CLA	1	0
7	G	619	LHG	6	0
2	N	606	CHL	3	0
3	N	602	CLA	6	0
2	Y	606	CHL	3	0
2	Y	608	CHL	8	0
3	N	604	CLA	1	0
3	Y	604	CLA	5	0
2	G	609	CHL	4	0
3	G	602	CLA	6	0
4	Y	615	LUT	2	0
2	Y	607	CHL	5	0
2	G	608	CHL	1	0
2	N	608	CHL	2	0
5	Y	617	XAT	5	0
2	N	609	CHL	10	0
3	G	612	CLA	3	0
4	N	615	LUT	3	0
4	G	615	LUT	11	0
3	N	614	CLA	1	0
7	Y	619	LHG	1	0
5	G	620	XAT	7	0
3	Y	610	CLA	3	0
4	G	616	LUT	2	0




Continued on next page...


Continued from previous page...



Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	Y	601	CHL	4	0
2	N	607	CHL	8	0
4	N	616	LUT	3	0
3	Y	603	CLA	5	0
2	Y	609	CHL	7	0
3	Y	602	CLA	4	0
3	G	610	CLA	3	0
2	N	605	CHL	2	0
2	G	601	CHL	10	0




The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















































Ligand CHL Y 608	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand CLA N 604	
	
Bond lengths	Bond angles
	
Torsions	Rings




















Ligand CLA G 612	
	
Bond lengths	Bond angles
	
Torsions	Rings

Ligand LUT N 615	
	
Bond lengths	Bond angles
	
Torsions	Rings


Ligand LUT G 615	
	
Bond lengths	Bond angles
	
Torsions	Rings









Ligand CLA Y 614




Bond lengths



Bond angles




Torsions




Rings


Ligand CHL Y 601




Bond lengths







Bond angles










Torsions








Rings


Ligand CHL N 607	
	
Bond lengths	Bond angles
	
Torsions	Rings

Ligand CLA N 612	
	
Bond lengths	Bond angles
	
Torsions	Rings

Ligand LUT N 616	
	
Bond lengths	Bond angles
	
Torsions	Rings







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-35783. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 118




Y Index: 135




Z Index: 131


6.3.2 Raw map



X Index: 118



Y Index: 135




Z Index: 131


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

This section was not generated.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 167 nm^3 ; this corresponds to an approximate mass of 151 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of $0.373 \text{ \AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.373 Å⁻¹

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.68	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.70	4.05	3.75

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.70 differs from the reported value 2.68 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-35783 and PDB model 8IWY. Per-residue inclusion information can be found in section 3 on page 11.

9.1 Map-model overlay [i](#)


This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.04).

9.4 Atom inclusion [i](#)



At the recommended contour level, 100% of all backbone atoms, 99% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.04) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9920	0.5720
G	0.9900	0.5730
N	0.9930	0.5710
Y	0.9930	0.5710

