



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 08:29 PM UTC

PDB ID : 3IXP / pdb_00003ixp
Title : Crystal structure of the ecdysone receptor bound to BYI08346
Authors : Moras, D.; Billas, I.M.L.; Browning, C.
Deposited on : 2009-09-04
Resolution : 2.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1407 (2.88-2.84)
Clashscore	190562	1446 (2.88-2.84)
Ramachandran outliers	187476	1406 (2.88-2.84)
Sidechain outliers	187428	1407 (2.88-2.84)
RSRZ outliers	180081	1408 (2.88-2.84)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	263	
2	D	265	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 3811 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Gene regulation protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	242	Total	C	N	O	S	0	0	0
			1933	1240	338	343	12			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	204	MET	-	expression tag	UNP Q7SIF6

- Molecule 2 is a protein called Ecdysone receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	220	Total	C	N	O	S	0	0	0
			1752	1123	295	320	14			

There are 21 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
D	268	GLY	-	expression tag	UNP B9UCQ4
D	269	SER	-	expression tag	UNP B9UCQ4
D	270	HIS	-	expression tag	UNP B9UCQ4
D	271	MET	-	expression tag	UNP B9UCQ4
D	272	ALA	-	expression tag	UNP B9UCQ4
D	273	SER	-	expression tag	UNP B9UCQ4
D	274	MET	-	expression tag	UNP B9UCQ4
D	275	THR	-	expression tag	UNP B9UCQ4
D	276	GLY	-	expression tag	UNP B9UCQ4
D	277	GLY	-	expression tag	UNP B9UCQ4
D	278	GLN	-	expression tag	UNP B9UCQ4
D	279	GLN	-	expression tag	UNP B9UCQ4
D	280	MET	-	expression tag	UNP B9UCQ4
D	281	GLY	-	expression tag	UNP B9UCQ4
D	282	ARG	-	expression tag	UNP B9UCQ4

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	283	ASP	-	expression tag	UNP B9UCQ4
D	284	PRO	-	expression tag	UNP B9UCQ4
D	303	TYR	TRP	engineered mutation	UNP B9UCQ4
D	361	SER	ALA	engineered mutation	UNP B9UCQ4
D	456	SER	LEU	engineered mutation	UNP B9UCQ4
D	483	SER	CYS	engineered mutation	UNP B9UCQ4

- Molecule 3 is L-ALPHA-PHOSPHATIDYL-BETA-OLEOYL-GAMMA-PALMITOYL-PHOSPHATIDYLETHANOLAMINE (CCD ID: EPH) (formula: C₃₉H₆₈NO₈P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			49	39	1	8	1		

- Molecule 4 is N-[2-(2-chlorophenyl)-4-methyl-5-(1-methylethyl)-1H-imidazol-1-yl]-5-methyl-2,3-dihydro-1,4-benzodioxine-6-carboxamide (CCD ID: 834) (formula: C₂₃H₂₄ClN₃O₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	Cl	N	O		
4	D	1	30	23	1	3	3	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	27	Total	O	
			27	27	0
5	D	20	Total	O	
			20	20	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Gene regulation protein



• Molecule 2: Ecdysone receptor



4 Data and refinement statistics

Property	Value	Source
Space group	P 3 2 1	Depositor
Cell constants a, b, c, α , β , γ	147.88Å 147.88Å 59.78Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 2.85 50.00 – 2.85	Depositor EDS
% Data completeness (in resolution range)	100.0 (50.00-2.85) 99.9 (50.00-2.85)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.05 (at 2.86Å)	Xtriage
Refinement program	CNS 1.1, REFMAC	Depositor
R, R_{free}	0.221 , 0.271 0.209 , 0.257	Depositor DCC
R_{free} test set	1753 reflections (9.85%)	wwPDB-VP
Wilson B-factor (Å ²)	57.0	Xtriage
Anisotropy	0.285	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 41.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.029 for -h,-k,l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	3811	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 834, EPH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.48	0/1971	0.99	12/2662 (0.5%)
2	D	0.45	0/1783	0.96	7/2413 (0.3%)
All	All	0.47	0/3754	0.98	19/5075 (0.4%)

There are no bond length outliers.

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	400	ASN	N-CA-C	-8.75	102.74	113.15
2	D	434	ASN	N-CA-C	-8.21	102.71	112.89
2	D	398	ALA	N-CA-C	-7.34	103.91	112.86
1	A	421	LEU	CA-C-N	-6.85	112.64	119.56
1	A	421	LEU	C-N-CA	-6.85	112.64	119.56
2	D	363	ILE	N-CA-C	6.41	118.61	108.87
1	A	222	ASP	CA-C-N	6.05	127.41	119.84
1	A	222	ASP	C-N-CA	6.05	127.41	119.84
1	A	459	PRO	CA-C-N	5.98	127.31	119.84
1	A	459	PRO	C-N-CA	5.98	127.31	119.84
1	A	226	GLU	N-CA-C	5.69	118.73	110.42
2	D	514	LYS	N-CA-C	-5.63	104.21	113.50
1	A	239	PRO	CA-C-N	5.58	126.82	119.84
1	A	239	PRO	C-N-CA	5.58	126.82	119.84
1	A	455	ARG	N-CA-C	5.48	117.06	111.14
1	A	456	ASN	N-CA-C	5.37	119.91	112.45
2	D	401	GLN	N-CA-C	-5.31	106.38	112.86
1	A	322	LEU	N-CA-C	5.24	117.44	108.90
2	D	417	ILE	N-CA-C	5.02	115.63	110.36

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1933	0	1976	69	1
2	D	1752	0	1780	97	0
3	A	49	0	67	1	0
4	D	30	0	24	3	0
5	A	27	0	0	2	0
5	D	20	0	0	0	0
All	All	3811	0	3847	164	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (164) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:274:GLU:HG2	1:A:383:LYS:HD3	1.36	1.05
1:A:326:MET:HG2	1:A:329:MET:HB3	1.49	0.94
2:D:350:ILE:HD13	2:D:379:VAL:HG13	1.56	0.85
1:A:333:ARG:NH1	1:A:337:LEU:HD21	1.95	0.81
2:D:433:ASP:H	2:D:436:HIS:HD2	1.28	0.80
2:D:375:CYS:O	2:D:379:VAL:HG12	1.83	0.79
2:D:522:LEU:HA	2:D:525:ILE:HG22	1.64	0.78
2:D:433:ASP:H	2:D:436:HIS:CD2	2.02	0.78
2:D:523:GLU:HG3	2:D:528:VAL:HG11	1.67	0.77
2:D:517:LYS:O	2:D:517:LYS:HD3	1.86	0.76
1:A:244:ALA:HB3	1:A:245:PRO:HD3	1.66	0.75
2:D:494:LEU:O	2:D:497:ILE:HG22	1.87	0.74
1:A:331:LEU:HG	3:A:900:EPH:H361	1.72	0.72
2:D:306:GLU:O	2:D:309:GLU:HG2	1.89	0.71
2:D:399:ASN:C	2:D:401:GLN:H	1.98	0.71
2:D:457:LEU:O	2:D:461:ILE:HD12	1.91	0.71
1:A:386:GLN:O	1:A:390:VAL:HG12	1.90	0.71
2:D:344:ILE:HG12	2:D:521:PHE:HD2	1.57	0.69
1:A:252:ILE:CD1	1:A:329:MET:HE3	2.23	0.68
1:A:389:GLU:O	1:A:393:GLU:HG3	1.93	0.68
1:A:253:GLY:HA2	1:A:256:GLN:HG3	1.74	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:401:GLU:HA	1:A:404:ARG:NH1	2.10	0.67
1:A:326:MET:HG2	1:A:329:MET:CB	2.23	0.66
1:A:222:ASP:O	1:A:224:SER:N	2.30	0.65
1:A:334:ASN:O	1:A:338:GLN:HG3	1.97	0.65
2:D:344:ILE:O	2:D:348:GLN:HG3	1.97	0.64
2:D:381:MET:HG2	2:D:500:LEU:HD23	1.79	0.63
2:D:503:GLN:HA	2:D:506:ASN:HD22	1.62	0.62
2:D:366:SER:HA	2:D:369:ILE:HD12	1.82	0.62
2:D:346:THR:HA	2:D:349:LEU:HD12	1.79	0.62
2:D:354:ALA:O	2:D:357:LEU:HB2	2.00	0.61
1:A:344:ILE:O	1:A:348:VAL:HG23	2.00	0.61
1:A:332:HIS:HD2	1:A:334:ASN:H	1.46	0.61
2:D:383:ARG:HH11	2:D:383:ARG:HB3	1.66	0.60
1:A:332:HIS:CD2	1:A:334:ASN:H	2.19	0.60
1:A:242:PHE:C	1:A:245:PRO:HD2	2.26	0.60
2:D:350:ILE:HG21	2:D:379:VAL:HG11	1.82	0.60
2:D:523:GLU:HG3	2:D:528:VAL:CG1	2.32	0.60
2:D:452:LEU:HD13	2:D:458:VAL:HG21	1.82	0.59
2:D:432:MET:HE3	2:D:490:ILE:HG12	1.84	0.59
1:A:365:GLU:OE2	1:A:413:ARG:NH1	2.36	0.58
2:D:457:LEU:O	2:D:460:GLU:HB2	2.03	0.58
1:A:325:LEU:HD11	1:A:331:LEU:HD23	1.84	0.58
2:D:343:THR:O	2:D:347:VAL:HG23	2.04	0.58
1:A:397:LEU:HD13	2:D:485:VAL:HG23	1.85	0.58
1:A:460:PRO:O	1:A:461:ILE:HD12	2.03	0.57
2:D:409:ARG:HA	2:D:414:ALA:HB2	1.86	0.57
1:A:242:PHE:O	1:A:245:PRO:HD2	2.04	0.57
2:D:513:LEU:HD12	2:D:513:LEU:O	2.05	0.57
1:A:300:GLU:HG3	5:A:964:HOH:O	2.05	0.56
2:D:516:ARG:HH11	2:D:516:ARG:HG2	1.70	0.56
2:D:394:SER:HB3	2:D:405:ARG:HH12	1.71	0.55
2:D:511:LEU:HB3	2:D:516:ARG:HB2	1.88	0.55
2:D:384:VAL:HG13	2:D:395:VAL:HG11	1.88	0.55
1:A:333:ARG:HH11	1:A:337:LEU:HD21	1.69	0.55
1:A:207:GLU:H	1:A:269:HIS:HE1	1.56	0.54
2:D:364:SER:O	2:D:368:GLN:HG3	2.07	0.54
2:D:371:LEU:HD21	2:D:452:LEU:HD11	1.90	0.54
2:D:446:PHE:CZ	2:D:461:ILE:HG21	2.43	0.54
2:D:399:ASN:C	2:D:401:GLN:N	2.63	0.54
1:A:460:PRO:C	1:A:461:ILE:HD12	2.33	0.54
2:D:405:ARG:HG3	2:D:405:ARG:HH11	1.73	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:402:TYR:HD1	1:A:405:ARG:HH21	1.55	0.53
2:D:401:GLN:O	2:D:407:ASN:HB2	2.08	0.53
1:A:220:VAL:O	1:A:460:PRO:HA	2.08	0.53
1:A:445:SER:HB2	1:A:449:TYR:CE2	2.44	0.53
2:D:443:ILE:HD13	2:D:466:LEU:HD23	1.91	0.53
2:D:350:ILE:HD13	2:D:379:VAL:CG1	2.32	0.52
2:D:397:PHE:C	2:D:399:ASN:N	2.63	0.51
2:D:474:LEU:HD22	2:D:479:ALA:HA	1.91	0.51
2:D:338:GLN:O	2:D:339:ILE:C	2.53	0.51
1:A:212:ARG:O	1:A:215:GLU:HG2	2.11	0.50
2:D:456:SER:O	2:D:460:GLU:HG2	2.11	0.50
1:A:212:ARG:NH1	1:A:215:GLU:HG3	2.26	0.50
1:A:270:PHE:CE2	1:A:278:GLN:HG2	2.48	0.49
2:D:416:VAL:HG22	4:D:800:834:H49	1.94	0.49
2:D:432:MET:HE2	2:D:436:HIS:HB3	1.93	0.49
2:D:457:LEU:HG	2:D:461:ILE:HD11	1.95	0.49
2:D:446:PHE:CE2	2:D:461:ILE:HG21	2.47	0.49
1:A:405:ARG:HH11	1:A:405:ARG:HG2	1.77	0.49
1:A:419:LEU:HD11	2:D:466:LEU:HD11	1.95	0.49
1:A:347:ARG:HB3	1:A:351:GLU:OE1	2.12	0.48
2:D:461:ILE:HD12	2:D:461:ILE:H	1.78	0.48
2:D:520:PRO:HA	2:D:523:GLU:HB3	1.94	0.48
1:A:348:VAL:HG22	1:A:427:ILE:HG21	1.96	0.48
2:D:400:ASN:O	2:D:400:ASN:ND2	2.47	0.48
2:D:517:LYS:O	2:D:517:LYS:CD	2.60	0.48
2:D:516:ARG:HG2	2:D:516:ARG:NH1	2.29	0.48
1:A:333:ARG:O	1:A:337:LEU:HD22	2.13	0.48
2:D:523:GLU:O	2:D:528:VAL:HG13	2.14	0.48
2:D:511:LEU:CD1	2:D:518:LEU:HD13	2.43	0.48
2:D:387:ARG:HG3	2:D:397:PHE:CD1	2.48	0.47
1:A:406:SER:C	1:A:408:SER:H	2.23	0.47
2:D:290:LEU:HB2	2:D:295:LYS:HE3	1.96	0.47
2:D:290:LEU:O	2:D:295:LYS:HE3	2.14	0.47
2:D:344:ILE:HG12	2:D:521:PHE:CD2	2.44	0.47
2:D:523:GLU:CG	2:D:528:VAL:HG11	2.40	0.47
2:D:420:LEU:HD13	4:D:800:834:H37	1.95	0.47
1:A:348:VAL:O	1:A:352:LEU:HB2	2.14	0.46
1:A:453:ALA:O	1:A:457:HIS:HB2	2.15	0.46
2:D:336:PHE:HE2	2:D:517:LYS:O	1.97	0.46
1:A:355:LYS:O	1:A:359:LEU:HB2	2.15	0.46
2:D:397:PHE:C	2:D:399:ASN:H	2.22	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:433:ASP:HB3	2:D:435:VAL:H	1.81	0.46
2:D:458:VAL:HA	2:D:461:ILE:HD13	1.97	0.46
1:A:333:ARG:HG2	1:A:337:LEU:CD2	2.46	0.45
2:D:304:TYR:O	2:D:308:TYR:CD1	2.68	0.45
1:A:387:GLU:O	1:A:390:VAL:HG13	2.16	0.45
1:A:402:TYR:HD1	1:A:405:ARG:NH2	2.14	0.45
2:D:430:MET:HE2	2:D:430:MET:HB3	1.78	0.45
1:A:371:ALA:HB3	1:A:395:MET:HE2	1.98	0.45
1:A:260:LEU:HD21	1:A:289:LEU:HB2	1.99	0.45
1:A:356:MET:HG2	1:A:361:VAL:HG11	1.98	0.44
2:D:363:ILE:HD13	2:D:458:VAL:HG22	1.98	0.44
1:A:227:PHE:HB2	1:A:229:PHE:HE1	1.82	0.44
2:D:347:VAL:O	2:D:351:VAL:HG23	2.17	0.44
2:D:405:ARG:HA	2:D:417:ILE:HD13	1.99	0.44
1:A:302:LEU:O	1:A:303:THR:CB	2.66	0.43
2:D:493:ILE:O	2:D:497:ILE:HB	2.17	0.43
2:D:378:GLU:OE1	2:D:498:ARG:HD3	2.18	0.43
1:A:211:GLU:H	1:A:211:GLU:CD	2.26	0.43
1:A:296:TRP:HZ3	1:A:361:VAL:HG22	1.83	0.43
1:A:403:CYS:SG	1:A:413:ARG:HG2	2.58	0.43
1:A:407:ARG:NE	1:A:413:ARG:NH1	2.67	0.43
2:D:503:GLN:CD	4:D:800:834:H49A	2.44	0.43
2:D:511:LEU:HD12	2:D:518:LEU:HD13	2.01	0.42
2:D:381:MET:N	2:D:381:MET:HE2	2.34	0.42
2:D:444:VAL:HG22	2:D:494:LEU:HD12	2.00	0.42
1:A:451:ARG:HH11	1:A:452:ASP:CG	2.27	0.42
2:D:405:ARG:HG3	2:D:405:ARG:NH1	2.34	0.42
1:A:227:PHE:HD2	1:A:449:TYR:HD1	1.66	0.42
2:D:354:ALA:HA	2:D:357:LEU:HD22	2.02	0.42
2:D:433:ASP:HB2	2:D:436:HIS:H	1.85	0.42
1:A:274:GLU:CG	1:A:383:LYS:HD3	2.27	0.42
1:A:332:HIS:HD2	1:A:334:ASN:HB2	1.84	0.42
1:A:329:MET:N	5:A:965:HOH:O	2.52	0.42
2:D:405:ARG:HG2	2:D:417:ILE:HG21	2.01	0.42
1:A:227:PHE:HD2	1:A:449:TYR:CD1	2.38	0.41
1:A:369:LEU:O	1:A:373:ILE:HG13	2.19	0.41
1:A:421:LEU:HD12	1:A:421:LEU:HA	1.85	0.41
2:D:344:ILE:HG23	2:D:521:PHE:CD2	2.55	0.41
2:D:383:ARG:HH11	2:D:383:ARG:CB	2.33	0.41
1:A:212:ARG:HH11	1:A:215:GLU:HG3	1.84	0.41
1:A:239:PRO:HA	1:A:240:PRO:HD3	1.86	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:444:THR:HG23	1:A:445:SER:OG	2.20	0.41
2:D:439:LEU:HD13	2:D:469:LEU:HA	2.02	0.41
1:A:243:ARG:O	1:A:244:ALA:C	2.63	0.41
2:D:340:THR:O	2:D:344:ILE:HG13	2.20	0.41
1:A:252:ILE:O	1:A:256:GLN:HG2	2.21	0.41
2:D:469:LEU:HD11	2:D:473:ILE:HD11	2.03	0.41
2:D:522:LEU:HA	2:D:525:ILE:CG2	2.44	0.41
1:A:234:PRO:O	1:A:235:ASP:C	2.64	0.40
2:D:291:THR:C	2:D:293:ASN:N	2.79	0.40
2:D:387:ARG:HB3	2:D:387:ARG:NH1	2.36	0.40
2:D:491:LEU:O	2:D:494:LEU:HB2	2.21	0.40
2:D:361:SER:C	2:D:363:ILE:N	2.77	0.40
2:D:377:SER:O	2:D:380:MET:HB2	2.21	0.40
2:D:457:LEU:O	2:D:460:GLU:N	2.55	0.40
1:A:359:LEU:O	1:A:413:ARG:NH2	2.55	0.40
2:D:501:GLY:O	2:D:504:ASN:HB3	2.21	0.40
2:D:512:LYS:HE3	2:D:528:VAL:O	2.21	0.40
2:D:528:VAL:O	2:D:529:ALA:C	2.64	0.40
1:A:262:VAL:CG1	1:A:460:PRO:HD3	2.52	0.40
2:D:517:LYS:HB2	2:D:517:LYS:HE2	1.85	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:329:MET:CE	1:A:329:MET:CE[6_556]	2.00	0.20

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	238/263 (90%)	210 (88%)	21 (9%)	7 (3%)	3 8

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	D	216/265 (82%)	190 (88%)	18 (8%)	8 (4%)	2	5
All	All	454/528 (86%)	400 (88%)	39 (9%)	15 (3%)	3	7

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	223	PRO
1	A	224	SER
1	A	408	SER
2	D	309	GLU
2	D	339	ILE
1	A	457	HIS
2	D	399	ASN
1	A	225	GLU
1	A	460	PRO
2	D	527	ASP
1	A	235	ASP
2	D	338	GLN
2	D	520	PRO
2	D	528	VAL
2	D	335	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	212/232 (91%)	195 (92%)	17 (8%)	11	24
2	D	193/235 (82%)	184 (95%)	9 (5%)	23	47
All	All	405/467 (87%)	379 (94%)	26 (6%)	16	33

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	214	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	223	PRO
1	A	226	GLU
1	A	232	VAL
1	A	256	GLN
1	A	272	GLN
1	A	331	LEU
1	A	337	LEU
1	A	359	LEU
1	A	361	VAL
1	A	374	LEU
1	A	390	VAL
1	A	397	LEU
1	A	405	ARG
1	A	421	LEU
1	A	433	GLU
1	A	445	SER
2	D	293	ASN
2	D	357	LEU
2	D	380	MET
2	D	381	MET
2	D	383	ARG
2	D	416	VAL
2	D	494	LEU
2	D	500	LEU
2	D	517	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	228	GLN
1	A	269	HIS
1	A	278	GLN
1	A	332	HIS
1	A	363	GLN
1	A	384	ASN
1	A	386	GLN
2	D	293	ASN
2	D	338	GLN
2	D	348	GLN
2	D	368	GLN
2	D	399	ASN
2	D	400	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	436	HIS
2	D	462	GLN
2	D	506	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	834	D	800	-	33,33,33	3.17	14 (42%)	40,48,48	1.46	6 (15%)
3	EPH	A	900	-	48,48,48	1.88	13 (27%)	51,53,53	2.15	5 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	834	D	800	-	-	5/16/23/23	0/4/4/4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EPH	A	900	-	-	16/52/52/52	-

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	800	834	C11-N12	9.93	1.50	1.38
4	D	800	834	N18-N12	-9.05	1.29	1.39
4	D	800	834	C6-C5	5.18	1.46	1.39
4	D	800	834	C35-C40	4.78	1.46	1.40
3	A	900	EPH	C25-C24	4.31	1.56	1.31
3	A	900	EPH	C16-C15	4.19	1.55	1.31
4	D	800	834	C10-N9	4.15	1.46	1.38
3	A	900	EPH	C1-C2	-4.00	1.38	1.50
3	A	900	EPH	C32-C33	3.82	1.57	1.29
3	A	900	EPH	C29-C28	3.72	1.52	1.31
3	A	900	EPH	C13-C12	3.59	1.52	1.31
4	D	800	834	C39-C40	3.44	1.45	1.39
3	A	900	EPH	C20-C19	-3.41	1.34	1.51
3	A	900	EPH	C21-C20	-3.41	1.34	1.51
4	D	800	834	C36-C35	3.15	1.44	1.39
3	A	900	EPH	O8-C38	2.99	1.56	1.44
4	D	800	834	C2-C1	2.87	1.43	1.38
4	D	800	834	C1-C6	2.82	1.44	1.39
3	A	900	EPH	C22-C23	-2.71	1.40	1.52
4	D	800	834	O50-C39	2.61	1.41	1.37
4	D	800	834	C3-C4	2.57	1.43	1.38
4	D	800	834	C3-C2	2.51	1.43	1.38
3	A	900	EPH	C18-C4	2.44	1.57	1.50
3	A	900	EPH	P1-O8	-2.30	1.50	1.59
4	D	800	834	O47-C38	2.28	1.40	1.37
4	D	800	834	C38-C39	2.21	1.45	1.41
3	A	900	EPH	P1-O6	-2.06	1.45	1.55

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	900	EPH	O8-P1-O7	-12.29	60.23	108.94
3	A	900	EPH	O6-P1-O5	5.02	130.32	107.57
4	D	800	834	C7-N12-N18	-4.35	118.32	126.54
4	D	800	834	C19-N18-N12	4.16	125.23	118.56
4	D	800	834	O50-C39-C40	3.15	120.27	115.67
4	D	800	834	C36-C35-C19	-2.62	111.54	118.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	800	834	O50-C39-C38	-2.39	118.85	121.82
3	A	900	EPH	O6-P1-O8	-2.21	97.54	107.57
4	D	800	834	C48-O47-C38	2.18	117.51	113.67
3	A	900	EPH	C1-O2-C4	2.11	124.82	117.12
3	A	900	EPH	C30-C31-C32	2.03	117.84	112.73

There are no chirality outliers.

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	900	EPH	C37-O5-P1-O8
3	A	900	EPH	C16-C17-C35-C36
3	A	900	EPH	O8-C38-C39-N1
4	D	800	834	C10-C11-C17-C28
4	D	800	834	N12-C11-C17-C28
3	A	900	EPH	C23-C24-C25-C26
3	A	900	EPH	C14-C15-C16-C17
3	A	900	EPH	C27-C28-C29-C30
3	A	900	EPH	C7-C8-C9-C10
3	A	900	EPH	C31-C32-C33-C34
3	A	900	EPH	C11-C10-C9-C8
4	D	800	834	N18-C19-C35-C36
3	A	900	EPH	C4-C18-C19-C20
3	A	900	EPH	C5-C6-C7-C8
4	D	800	834	C10-C11-C17-C24
3	A	900	EPH	C22-C23-C24-C25
3	A	900	EPH	C24-C25-C26-C27
4	D	800	834	O34-C19-C35-C36
3	A	900	EPH	C20-C21-C22-C23
3	A	900	EPH	C30-C31-C32-C33
3	A	900	EPH	C25-C26-C27-C28


There are no ring outliers.


2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	800	834	3	0
3	A	900	EPH	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	242/263 (92%)	-0.05	4 (1%) 69 63	26, 44, 77, 92	0
2	D	220/265 (83%)	0.36	11 (5%) 34 27	27, 53, 88, 97	0
All	All	462/528 (87%)	0.14	15 (3%) 50 41	26, 48, 85, 97	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	310	GLN	5.7
2	D	398	ALA	4.3
2	D	334	MET	3.9
2	D	529	ALA	3.8
2	D	400	ASN	3.4
2	D	402	ALA	3.4
2	D	528	VAL	3.1
1	A	206	GLN	3.1
1	A	405	ARG	2.8
1	A	443	ASP	2.6
1	A	461	ILE	2.4
2	D	517	LYS	2.4
2	D	397	PHE	2.3
2	D	401	GLN	2.2
2	D	287	VAL	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	EPH	A	900	49/49	0.88	0.24	64,73,92,93	0
4	834	D	800	30/30	0.89	0.12	43,50,54,54	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around 834 D 800:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.