



wwPDB EM Validation Summary Report ⓘ

Mar 10, 2026 – 09:33 AM UTC

PDB ID : 8IXD / pdb_00008ixd
EMDB ID : EMD-35791
Title : GMPCPP-Alpha1C/Beta2A-microtubule decorated with kinesin non-seam region
Authors : Zheng, W.; Zhao, Q.Y.; Diao, L.; Bao, L.; Cong, Y.
Deposited on : 2023-03-31
Resolution : 4.40 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	3132 (3.91 - 4.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	455	<div style="display: flex; justify-content: space-between; align-items: center;"> 22% 83% 10% 6% </div>
1	B	455	<div style="display: flex; justify-content: space-between; align-items: center;"> 23% 84% 10% 6% </div>
1	C	455	<div style="display: flex; justify-content: space-between; align-items: center;"> 22% 84% 9% 6% </div>
1	D	455	<div style="display: flex; justify-content: space-between; align-items: center;"> 18% 85% 9% 6% </div>
1	E	455	<div style="display: flex; justify-content: space-between; align-items: center;"> 23% 85% 9% 6% </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	455	21% 84% 10% 6%
1	G	455	18% 84% 10% 6%
1	H	455	20% 84% 9% 6%
1	I	455	20% 84% 9% 6%
2	J	457	16% 82% 11% 7%
2	K	457	17% 82% 11% 7%
2	L	457	14% 83% 10% 7%
2	M	457	14% 83% 10% 7%
2	N	457	17% 82% 11% 7%
2	O	457	15% 82% 11% 7%
2	P	457	16% 82% 11% 7%
2	Q	457	16% 82% 11% 7%
2	R	457	13% 82% 11% 7%
3	S	372	60% 78% 9% 13%
3	T	372	63% 78% 9% 13%
3	U	372	65% 78% 9% 13%
3	V	372	63% 78% 9% 13%
3	W	372	65% 78% 9% 13%
3	X	372	65% 78% 9% 13%
3	Y	372	60% 78% 9% 13%
3	Z	372	64% 78% 9% 13%
3	a	372	65% 78% 9% 13%

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 84096 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha-1C chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	I	427	3351	2124	570	636	21	0	0
1	A	427	3351	2124	570	636	21	0	0
1	B	427	3351	2124	570	636	21	0	0
1	C	427	3351	2124	570	636	21	0	0
1	D	427	3351	2124	570	636	21	0	0
1	E	427	3351	2124	570	636	21	0	0
1	F	427	3351	2124	570	636	21	0	0
1	G	427	3351	2124	570	636	21	0	0
1	H	427	3351	2124	570	636	21	0	0

There are 54 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
I	43	HIS	-	insertion	UNP P68373
I	44	HIS	-	insertion	UNP P68373
I	45	HIS	-	insertion	UNP P68373
I	46	HIS	-	insertion	UNP P68373
I	47	HIS	-	insertion	UNP P68373
I	48	HIS	-	insertion	UNP P68373
A	43	HIS	-	insertion	UNP P68373
A	44	HIS	-	insertion	UNP P68373
A	45	HIS	-	insertion	UNP P68373
A	46	HIS	-	insertion	UNP P68373
A	47	HIS	-	insertion	UNP P68373
A	48	HIS	-	insertion	UNP P68373

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	43	HIS	-	insertion	UNP P68373
B	44	HIS	-	insertion	UNP P68373
B	45	HIS	-	insertion	UNP P68373
B	46	HIS	-	insertion	UNP P68373
B	47	HIS	-	insertion	UNP P68373
B	48	HIS	-	insertion	UNP P68373
C	43	HIS	-	insertion	UNP P68373
C	44	HIS	-	insertion	UNP P68373
C	45	HIS	-	insertion	UNP P68373
C	46	HIS	-	insertion	UNP P68373
C	47	HIS	-	insertion	UNP P68373
C	48	HIS	-	insertion	UNP P68373
D	43	HIS	-	insertion	UNP P68373
D	44	HIS	-	insertion	UNP P68373
D	45	HIS	-	insertion	UNP P68373
D	46	HIS	-	insertion	UNP P68373
D	47	HIS	-	insertion	UNP P68373
D	48	HIS	-	insertion	UNP P68373
E	43	HIS	-	insertion	UNP P68373
E	44	HIS	-	insertion	UNP P68373
E	45	HIS	-	insertion	UNP P68373
E	46	HIS	-	insertion	UNP P68373
E	47	HIS	-	insertion	UNP P68373
E	48	HIS	-	insertion	UNP P68373
F	43	HIS	-	insertion	UNP P68373
F	44	HIS	-	insertion	UNP P68373
F	45	HIS	-	insertion	UNP P68373
F	46	HIS	-	insertion	UNP P68373
F	47	HIS	-	insertion	UNP P68373
F	48	HIS	-	insertion	UNP P68373
G	43	HIS	-	insertion	UNP P68373
G	44	HIS	-	insertion	UNP P68373
G	45	HIS	-	insertion	UNP P68373
G	46	HIS	-	insertion	UNP P68373
G	47	HIS	-	insertion	UNP P68373
G	48	HIS	-	insertion	UNP P68373
H	43	HIS	-	insertion	UNP P68373
H	44	HIS	-	insertion	UNP P68373
H	45	HIS	-	insertion	UNP P68373
H	46	HIS	-	insertion	UNP P68373
H	47	HIS	-	insertion	UNP P68373
H	48	HIS	-	insertion	UNP P68373

- Molecule 2 is a protein called Tubulin beta-2A chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	Q	426	3354	2107	575	646	26	0	0
2	J	426	3354	2107	575	646	26	0	0
2	K	426	3354	2107	575	646	26	0	0
2	L	426	3354	2107	575	646	26	0	0
2	M	426	3354	2107	575	646	26	0	0
2	N	426	3354	2107	575	646	26	0	0
2	O	426	3354	2107	575	646	26	0	0
2	P	426	3354	2107	575	646	26	0	0
2	R	426	3354	2107	575	646	26	0	0

There are 108 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Q	446	GLY	-	expression tag	UNP Q7TMM9
Q	447	GLY	-	expression tag	UNP Q7TMM9
Q	448	SER	-	expression tag	UNP Q7TMM9
Q	449	GLY	-	expression tag	UNP Q7TMM9
Q	450	GLY	-	expression tag	UNP Q7TMM9
Q	451	ASP	-	expression tag	UNP Q7TMM9
Q	452	TYR	-	expression tag	UNP Q7TMM9
Q	453	LYS	-	expression tag	UNP Q7TMM9
Q	454	ASP	-	expression tag	UNP Q7TMM9
Q	455	ASP	-	expression tag	UNP Q7TMM9
Q	456	ASP	-	expression tag	UNP Q7TMM9
Q	457	LYS	-	expression tag	UNP Q7TMM9
J	446	GLY	-	expression tag	UNP Q7TMM9
J	447	GLY	-	expression tag	UNP Q7TMM9
J	448	SER	-	expression tag	UNP Q7TMM9
J	449	GLY	-	expression tag	UNP Q7TMM9
J	450	GLY	-	expression tag	UNP Q7TMM9
J	451	ASP	-	expression tag	UNP Q7TMM9
J	452	TYR	-	expression tag	UNP Q7TMM9
J	453	LYS	-	expression tag	UNP Q7TMM9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	454	ASP	-	expression tag	UNP Q7TMM9
J	455	ASP	-	expression tag	UNP Q7TMM9
J	456	ASP	-	expression tag	UNP Q7TMM9
J	457	LYS	-	expression tag	UNP Q7TMM9
K	446	GLY	-	expression tag	UNP Q7TMM9
K	447	GLY	-	expression tag	UNP Q7TMM9
K	448	SER	-	expression tag	UNP Q7TMM9
K	449	GLY	-	expression tag	UNP Q7TMM9
K	450	GLY	-	expression tag	UNP Q7TMM9
K	451	ASP	-	expression tag	UNP Q7TMM9
K	452	TYR	-	expression tag	UNP Q7TMM9
K	453	LYS	-	expression tag	UNP Q7TMM9
K	454	ASP	-	expression tag	UNP Q7TMM9
K	455	ASP	-	expression tag	UNP Q7TMM9
K	456	ASP	-	expression tag	UNP Q7TMM9
K	457	LYS	-	expression tag	UNP Q7TMM9
L	446	GLY	-	expression tag	UNP Q7TMM9
L	447	GLY	-	expression tag	UNP Q7TMM9
L	448	SER	-	expression tag	UNP Q7TMM9
L	449	GLY	-	expression tag	UNP Q7TMM9
L	450	GLY	-	expression tag	UNP Q7TMM9
L	451	ASP	-	expression tag	UNP Q7TMM9
L	452	TYR	-	expression tag	UNP Q7TMM9
L	453	LYS	-	expression tag	UNP Q7TMM9
L	454	ASP	-	expression tag	UNP Q7TMM9
L	455	ASP	-	expression tag	UNP Q7TMM9
L	456	ASP	-	expression tag	UNP Q7TMM9
L	457	LYS	-	expression tag	UNP Q7TMM9
M	446	GLY	-	expression tag	UNP Q7TMM9
M	447	GLY	-	expression tag	UNP Q7TMM9
M	448	SER	-	expression tag	UNP Q7TMM9
M	449	GLY	-	expression tag	UNP Q7TMM9
M	450	GLY	-	expression tag	UNP Q7TMM9
M	451	ASP	-	expression tag	UNP Q7TMM9
M	452	TYR	-	expression tag	UNP Q7TMM9
M	453	LYS	-	expression tag	UNP Q7TMM9
M	454	ASP	-	expression tag	UNP Q7TMM9
M	455	ASP	-	expression tag	UNP Q7TMM9
M	456	ASP	-	expression tag	UNP Q7TMM9
M	457	LYS	-	expression tag	UNP Q7TMM9
N	446	GLY	-	expression tag	UNP Q7TMM9
N	447	GLY	-	expression tag	UNP Q7TMM9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
N	448	SER	-	expression tag	UNP Q7TMM9
N	449	GLY	-	expression tag	UNP Q7TMM9
N	450	GLY	-	expression tag	UNP Q7TMM9
N	451	ASP	-	expression tag	UNP Q7TMM9
N	452	TYR	-	expression tag	UNP Q7TMM9
N	453	LYS	-	expression tag	UNP Q7TMM9
N	454	ASP	-	expression tag	UNP Q7TMM9
N	455	ASP	-	expression tag	UNP Q7TMM9
N	456	ASP	-	expression tag	UNP Q7TMM9
N	457	LYS	-	expression tag	UNP Q7TMM9
O	446	GLY	-	expression tag	UNP Q7TMM9
O	447	GLY	-	expression tag	UNP Q7TMM9
O	448	SER	-	expression tag	UNP Q7TMM9
O	449	GLY	-	expression tag	UNP Q7TMM9
O	450	GLY	-	expression tag	UNP Q7TMM9
O	451	ASP	-	expression tag	UNP Q7TMM9
O	452	TYR	-	expression tag	UNP Q7TMM9
O	453	LYS	-	expression tag	UNP Q7TMM9
O	454	ASP	-	expression tag	UNP Q7TMM9
O	455	ASP	-	expression tag	UNP Q7TMM9
O	456	ASP	-	expression tag	UNP Q7TMM9
O	457	LYS	-	expression tag	UNP Q7TMM9
P	446	GLY	-	expression tag	UNP Q7TMM9
P	447	GLY	-	expression tag	UNP Q7TMM9
P	448	SER	-	expression tag	UNP Q7TMM9
P	449	GLY	-	expression tag	UNP Q7TMM9
P	450	GLY	-	expression tag	UNP Q7TMM9
P	451	ASP	-	expression tag	UNP Q7TMM9
P	452	TYR	-	expression tag	UNP Q7TMM9
P	453	LYS	-	expression tag	UNP Q7TMM9
P	454	ASP	-	expression tag	UNP Q7TMM9
P	455	ASP	-	expression tag	UNP Q7TMM9
P	456	ASP	-	expression tag	UNP Q7TMM9
P	457	LYS	-	expression tag	UNP Q7TMM9
R	446	GLY	-	expression tag	UNP Q7TMM9
R	447	GLY	-	expression tag	UNP Q7TMM9
R	448	SER	-	expression tag	UNP Q7TMM9
R	449	GLY	-	expression tag	UNP Q7TMM9
R	450	GLY	-	expression tag	UNP Q7TMM9
R	451	ASP	-	expression tag	UNP Q7TMM9
R	452	TYR	-	expression tag	UNP Q7TMM9
R	453	LYS	-	expression tag	UNP Q7TMM9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	454	ASP	-	expression tag	UNP Q7TMM9
R	455	ASP	-	expression tag	UNP Q7TMM9
R	456	ASP	-	expression tag	UNP Q7TMM9
R	457	LYS	-	expression tag	UNP Q7TMM9

- Molecule 3 is a protein called Kinesin-1 heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	Y	325	2544	1585	438	506	15	0	0
3	S	325	2544	1585	438	506	15	0	0
3	T	325	2544	1585	438	506	15	0	0
3	U	325	2544	1585	438	506	15	0	0
3	V	325	2544	1585	438	506	15	0	0
3	W	325	2544	1585	438	506	15	0	0
3	X	325	2544	1585	438	506	15	0	0
3	Z	325	2544	1585	438	506	15	0	0
3	a	325	2544	1585	438	506	15	0	0

There are 216 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Y	-22	MET	-	initiating methionine	UNP P33176
Y	-21	GLY	-	expression tag	UNP P33176
Y	-20	SER	-	expression tag	UNP P33176
Y	-19	SER	-	expression tag	UNP P33176
Y	-18	HIS	-	expression tag	UNP P33176
Y	-17	HIS	-	expression tag	UNP P33176
Y	-16	HIS	-	expression tag	UNP P33176
Y	-15	HIS	-	expression tag	UNP P33176
Y	-14	HIS	-	expression tag	UNP P33176
Y	-13	HIS	-	expression tag	UNP P33176
Y	-12	SER	-	expression tag	UNP P33176
Y	-11	SER	-	expression tag	UNP P33176

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Y	-10	GLY	-	expression tag	UNP P33176
Y	-9	LEU	-	expression tag	UNP P33176
Y	-8	VAL	-	expression tag	UNP P33176
Y	-7	PRO	-	expression tag	UNP P33176
Y	-6	ARG	-	expression tag	UNP P33176
Y	-5	GLY	-	expression tag	UNP P33176
Y	-4	SER	-	expression tag	UNP P33176
Y	-3	HIS	-	expression tag	UNP P33176
Y	-2	MET	-	expression tag	UNP P33176
Y	-1	ALA	-	expression tag	UNP P33176
Y	0	SER	-	expression tag	UNP P33176
Y	236	ALA	GLU	conflict	UNP P33176
S	-22	MET	-	initiating methionine	UNP P33176
S	-21	GLY	-	expression tag	UNP P33176
S	-20	SER	-	expression tag	UNP P33176
S	-19	SER	-	expression tag	UNP P33176
S	-18	HIS	-	expression tag	UNP P33176
S	-17	HIS	-	expression tag	UNP P33176
S	-16	HIS	-	expression tag	UNP P33176
S	-15	HIS	-	expression tag	UNP P33176
S	-14	HIS	-	expression tag	UNP P33176
S	-13	HIS	-	expression tag	UNP P33176
S	-12	SER	-	expression tag	UNP P33176
S	-11	SER	-	expression tag	UNP P33176
S	-10	GLY	-	expression tag	UNP P33176
S	-9	LEU	-	expression tag	UNP P33176
S	-8	VAL	-	expression tag	UNP P33176
S	-7	PRO	-	expression tag	UNP P33176
S	-6	ARG	-	expression tag	UNP P33176
S	-5	GLY	-	expression tag	UNP P33176
S	-4	SER	-	expression tag	UNP P33176
S	-3	HIS	-	expression tag	UNP P33176
S	-2	MET	-	expression tag	UNP P33176
S	-1	ALA	-	expression tag	UNP P33176
S	0	SER	-	expression tag	UNP P33176
S	236	ALA	GLU	conflict	UNP P33176
T	-22	MET	-	initiating methionine	UNP P33176
T	-21	GLY	-	expression tag	UNP P33176
T	-20	SER	-	expression tag	UNP P33176
T	-19	SER	-	expression tag	UNP P33176
T	-18	HIS	-	expression tag	UNP P33176
T	-17	HIS	-	expression tag	UNP P33176

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
T	-16	HIS	-	expression tag	UNP P33176
T	-15	HIS	-	expression tag	UNP P33176
T	-14	HIS	-	expression tag	UNP P33176
T	-13	HIS	-	expression tag	UNP P33176
T	-12	SER	-	expression tag	UNP P33176
T	-11	SER	-	expression tag	UNP P33176
T	-10	GLY	-	expression tag	UNP P33176
T	-9	LEU	-	expression tag	UNP P33176
T	-8	VAL	-	expression tag	UNP P33176
T	-7	PRO	-	expression tag	UNP P33176
T	-6	ARG	-	expression tag	UNP P33176
T	-5	GLY	-	expression tag	UNP P33176
T	-4	SER	-	expression tag	UNP P33176
T	-3	HIS	-	expression tag	UNP P33176
T	-2	MET	-	expression tag	UNP P33176
T	-1	ALA	-	expression tag	UNP P33176
T	0	SER	-	expression tag	UNP P33176
T	236	ALA	GLU	conflict	UNP P33176
U	-22	MET	-	initiating methionine	UNP P33176
U	-21	GLY	-	expression tag	UNP P33176
U	-20	SER	-	expression tag	UNP P33176
U	-19	SER	-	expression tag	UNP P33176
U	-18	HIS	-	expression tag	UNP P33176
U	-17	HIS	-	expression tag	UNP P33176
U	-16	HIS	-	expression tag	UNP P33176
U	-15	HIS	-	expression tag	UNP P33176
U	-14	HIS	-	expression tag	UNP P33176
U	-13	HIS	-	expression tag	UNP P33176
U	-12	SER	-	expression tag	UNP P33176
U	-11	SER	-	expression tag	UNP P33176
U	-10	GLY	-	expression tag	UNP P33176
U	-9	LEU	-	expression tag	UNP P33176
U	-8	VAL	-	expression tag	UNP P33176
U	-7	PRO	-	expression tag	UNP P33176
U	-6	ARG	-	expression tag	UNP P33176
U	-5	GLY	-	expression tag	UNP P33176
U	-4	SER	-	expression tag	UNP P33176
U	-3	HIS	-	expression tag	UNP P33176
U	-2	MET	-	expression tag	UNP P33176
U	-1	ALA	-	expression tag	UNP P33176
U	0	SER	-	expression tag	UNP P33176
U	236	ALA	GLU	conflict	UNP P33176

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
V	-22	MET	-	initiating methionine	UNP P33176
V	-21	GLY	-	expression tag	UNP P33176
V	-20	SER	-	expression tag	UNP P33176
V	-19	SER	-	expression tag	UNP P33176
V	-18	HIS	-	expression tag	UNP P33176
V	-17	HIS	-	expression tag	UNP P33176
V	-16	HIS	-	expression tag	UNP P33176
V	-15	HIS	-	expression tag	UNP P33176
V	-14	HIS	-	expression tag	UNP P33176
V	-13	HIS	-	expression tag	UNP P33176
V	-12	SER	-	expression tag	UNP P33176
V	-11	SER	-	expression tag	UNP P33176
V	-10	GLY	-	expression tag	UNP P33176
V	-9	LEU	-	expression tag	UNP P33176
V	-8	VAL	-	expression tag	UNP P33176
V	-7	PRO	-	expression tag	UNP P33176
V	-6	ARG	-	expression tag	UNP P33176
V	-5	GLY	-	expression tag	UNP P33176
V	-4	SER	-	expression tag	UNP P33176
V	-3	HIS	-	expression tag	UNP P33176
V	-2	MET	-	expression tag	UNP P33176
V	-1	ALA	-	expression tag	UNP P33176
V	0	SER	-	expression tag	UNP P33176
V	236	ALA	GLU	conflict	UNP P33176
W	-22	MET	-	initiating methionine	UNP P33176
W	-21	GLY	-	expression tag	UNP P33176
W	-20	SER	-	expression tag	UNP P33176
W	-19	SER	-	expression tag	UNP P33176
W	-18	HIS	-	expression tag	UNP P33176
W	-17	HIS	-	expression tag	UNP P33176
W	-16	HIS	-	expression tag	UNP P33176
W	-15	HIS	-	expression tag	UNP P33176
W	-14	HIS	-	expression tag	UNP P33176
W	-13	HIS	-	expression tag	UNP P33176
W	-12	SER	-	expression tag	UNP P33176
W	-11	SER	-	expression tag	UNP P33176
W	-10	GLY	-	expression tag	UNP P33176
W	-9	LEU	-	expression tag	UNP P33176
W	-8	VAL	-	expression tag	UNP P33176
W	-7	PRO	-	expression tag	UNP P33176
W	-6	ARG	-	expression tag	UNP P33176
W	-5	GLY	-	expression tag	UNP P33176

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
W	-4	SER	-	expression tag	UNP P33176
W	-3	HIS	-	expression tag	UNP P33176
W	-2	MET	-	expression tag	UNP P33176
W	-1	ALA	-	expression tag	UNP P33176
W	0	SER	-	expression tag	UNP P33176
W	236	ALA	GLU	conflict	UNP P33176
X	-22	MET	-	initiating methionine	UNP P33176
X	-21	GLY	-	expression tag	UNP P33176
X	-20	SER	-	expression tag	UNP P33176
X	-19	SER	-	expression tag	UNP P33176
X	-18	HIS	-	expression tag	UNP P33176
X	-17	HIS	-	expression tag	UNP P33176
X	-16	HIS	-	expression tag	UNP P33176
X	-15	HIS	-	expression tag	UNP P33176
X	-14	HIS	-	expression tag	UNP P33176
X	-13	HIS	-	expression tag	UNP P33176
X	-12	SER	-	expression tag	UNP P33176
X	-11	SER	-	expression tag	UNP P33176
X	-10	GLY	-	expression tag	UNP P33176
X	-9	LEU	-	expression tag	UNP P33176
X	-8	VAL	-	expression tag	UNP P33176
X	-7	PRO	-	expression tag	UNP P33176
X	-6	ARG	-	expression tag	UNP P33176
X	-5	GLY	-	expression tag	UNP P33176
X	-4	SER	-	expression tag	UNP P33176
X	-3	HIS	-	expression tag	UNP P33176
X	-2	MET	-	expression tag	UNP P33176
X	-1	ALA	-	expression tag	UNP P33176
X	0	SER	-	expression tag	UNP P33176
X	236	ALA	GLU	conflict	UNP P33176
Z	-22	MET	-	initiating methionine	UNP P33176
Z	-21	GLY	-	expression tag	UNP P33176
Z	-20	SER	-	expression tag	UNP P33176
Z	-19	SER	-	expression tag	UNP P33176
Z	-18	HIS	-	expression tag	UNP P33176
Z	-17	HIS	-	expression tag	UNP P33176
Z	-16	HIS	-	expression tag	UNP P33176
Z	-15	HIS	-	expression tag	UNP P33176
Z	-14	HIS	-	expression tag	UNP P33176
Z	-13	HIS	-	expression tag	UNP P33176
Z	-12	SER	-	expression tag	UNP P33176
Z	-11	SER	-	expression tag	UNP P33176

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Z	-10	GLY	-	expression tag	UNP P33176
Z	-9	LEU	-	expression tag	UNP P33176
Z	-8	VAL	-	expression tag	UNP P33176
Z	-7	PRO	-	expression tag	UNP P33176
Z	-6	ARG	-	expression tag	UNP P33176
Z	-5	GLY	-	expression tag	UNP P33176
Z	-4	SER	-	expression tag	UNP P33176
Z	-3	HIS	-	expression tag	UNP P33176
Z	-2	MET	-	expression tag	UNP P33176
Z	-1	ALA	-	expression tag	UNP P33176
Z	0	SER	-	expression tag	UNP P33176
Z	236	ALA	GLU	conflict	UNP P33176
a	-22	MET	-	initiating methionine	UNP P33176
a	-21	GLY	-	expression tag	UNP P33176
a	-20	SER	-	expression tag	UNP P33176
a	-19	SER	-	expression tag	UNP P33176
a	-18	HIS	-	expression tag	UNP P33176
a	-17	HIS	-	expression tag	UNP P33176
a	-16	HIS	-	expression tag	UNP P33176
a	-15	HIS	-	expression tag	UNP P33176
a	-14	HIS	-	expression tag	UNP P33176
a	-13	HIS	-	expression tag	UNP P33176
a	-12	SER	-	expression tag	UNP P33176
a	-11	SER	-	expression tag	UNP P33176
a	-10	GLY	-	expression tag	UNP P33176
a	-9	LEU	-	expression tag	UNP P33176
a	-8	VAL	-	expression tag	UNP P33176
a	-7	PRO	-	expression tag	UNP P33176
a	-6	ARG	-	expression tag	UNP P33176
a	-5	GLY	-	expression tag	UNP P33176
a	-4	SER	-	expression tag	UNP P33176
a	-3	HIS	-	expression tag	UNP P33176
a	-2	MET	-	expression tag	UNP P33176
a	-1	ALA	-	expression tag	UNP P33176
a	0	SER	-	expression tag	UNP P33176
a	236	ALA	GLU	conflict	UNP P33176



- Molecule 4 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: C₁₀H₁₆N₅O₁₄P₃).





Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
6	Y	1	Total	C	N	O	P	0
			31	10	5	13	3	
6	S	1	Total	C	N	O	P	0
			31	10	5	13	3	
6	T	1	Total	C	N	O	P	0
			31	10	5	13	3	
6	U	1	Total	C	N	O	P	0
			31	10	5	13	3	
6	V	1	Total	C	N	O	P	0
			31	10	5	13	3	
6	W	1	Total	C	N	O	P	0
			31	10	5	13	3	
6	X	1	Total	C	N	O	P	0
			31	10	5	13	3	
6	Z	1	Total	C	N	O	P	0
			31	10	5	13	3	
6	a	1	Total	C	N	O	P	0
			31	10	5	13	3	





- Molecule 1: Tubulin alpha-1C chain




- Molecule 1: Tubulin alpha-1C chain





- Molecule 2: Tubulin beta-2A chain








• Molecule 2: Tubulin beta-2A chain




• Molecule 2: Tubulin beta-2A chain





• Molecule 2: Tubulin beta-2A chain








• Molecule 2: Tubulin beta-2A chain




• Molecule 2: Tubulin beta-2A chain




• Molecule 2: Tubulin beta-2A chain




• Molecule 2: Tubulin beta-2A chain





• Molecule 2: Tubulin beta-2A chain








• Molecule 3: Kinesin-1 heavy chain





• Molecule 3: Kinesin-1 heavy chain





• Molecule 3: Kinesin-1 heavy chain



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	21250	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	36	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	2.515	Depositor
Minimum map value	-0.005	Depositor
Average map value	0.006	Depositor
Map value standard deviation	0.060	Depositor
Recommended contour level	0.19	Depositor
Map size (\AA)	674.816, 674.816, 674.816	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.318, 1.318, 1.318	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: G2P, GTP, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.23	0/3427	0.44	0/4653
1	B	0.23	0/3427	0.44	0/4653
1	C	0.23	0/3427	0.44	0/4653
1	D	0.23	0/3427	0.44	0/4653
1	E	0.23	0/3427	0.44	0/4653
1	F	0.23	0/3427	0.44	0/4653
1	G	0.23	0/3427	0.44	0/4653
1	H	0.23	0/3427	0.44	0/4653
1	I	0.23	0/3427	0.44	0/4653
2	J	0.21	0/3429	0.43	0/4643
2	K	0.21	0/3429	0.43	0/4643
2	L	0.21	0/3429	0.43	0/4643
2	M	0.21	0/3429	0.43	0/4643
2	N	0.21	0/3429	0.43	0/4643
2	O	0.21	0/3429	0.43	0/4643
2	P	0.21	0/3429	0.43	0/4643
2	Q	0.21	0/3429	0.43	0/4643
2	R	0.21	0/3429	0.43	0/4643
3	S	0.22	0/2583	0.40	0/3482
3	T	0.22	0/2583	0.40	0/3482
3	U	0.22	0/2583	0.40	0/3482
3	V	0.22	0/2583	0.40	0/3482
3	W	0.22	0/2583	0.40	0/3482
3	X	0.22	0/2583	0.40	0/3482
3	Y	0.22	0/2583	0.40	0/3482
3	Z	0.22	0/2583	0.40	0/3482
3	a	0.22	0/2583	0.40	0/3482
All	All	0.22	0/84951	0.43	0/115002

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3351	0	3262	24	0
1	B	3351	0	3262	23	0
1	C	3351	0	3262	21	0
1	D	3351	0	3262	20	0
1	E	3351	0	3262	21	0
1	F	3351	0	3262	23	0
1	G	3351	0	3262	24	0
1	H	3351	0	3262	22	0
1	I	3351	0	3262	22	0
2	J	3354	0	3239	26	0
2	K	3354	0	3239	26	0
2	L	3354	0	3239	24	0
2	M	3354	0	3239	24	0
2	N	3354	0	3239	25	0
2	O	3354	0	3239	24	0
2	P	3354	0	3239	25	0
2	Q	3354	0	3239	26	0
2	R	3354	0	3239	24	0
3	S	2544	0	2523	19	0
3	T	2544	0	2523	20	0
3	U	2544	0	2523	20	0
3	V	2544	0	2523	19	0
3	W	2544	0	2523	20	0
3	X	2544	0	2523	19	0
3	Y	2544	0	2523	20	0
3	Z	2544	0	2523	19	0
3	a	2544	0	2523	19	0
4	J	32	0	12	3	0
4	K	32	0	12	3	0
4	L	32	0	12	3	0
4	M	32	0	12	3	0
4	N	32	0	12	3	0
4	O	32	0	12	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	P	32	0	12	3	0
4	Q	32	0	12	3	0
4	R	32	0	12	4	0
5	J	32	0	14	0	0
5	K	32	0	14	0	0
5	L	32	0	14	0	0
5	M	32	0	14	0	0
5	N	32	0	14	0	0
5	O	32	0	14	0	0
5	P	32	0	14	0	0
5	Q	32	0	14	0	0
5	R	32	0	14	0	0
6	S	31	0	12	2	0
6	T	31	0	12	2	0
6	U	31	0	12	2	0
6	V	31	0	12	2	0
6	W	31	0	12	2	0
6	X	31	0	12	2	0
6	Y	31	0	12	2	0
6	Z	31	0	12	2	0
6	a	31	0	12	2	0
All	All	84096	0	81558	566	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 566 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:7:ILE:HD12	2:L:135:LEU:HD13	1.74	0.69
2:M:7:ILE:HD12	2:M:135:LEU:HD13	1.74	0.69
2:N:7:ILE:HD12	2:N:135:LEU:HD13	1.74	0.69
2:Q:7:ILE:HD12	2:Q:135:LEU:HD13	1.74	0.69
2:J:7:ILE:HD12	2:J:135:LEU:HD13	1.74	0.69

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

There are no protein backbone outliers to report in this entry.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	360/382 (94%)	351 (98%)	9 (2%)	42	62
1	B	360/382 (94%)	351 (98%)	9 (2%)	42	62
1	C	360/382 (94%)	351 (98%)	9 (2%)	42	62
1	D	338/382 (88%)	329 (97%)	9 (3%)	39	59
1	E	360/382 (94%)	351 (98%)	9 (2%)	42	62
1	F	360/382 (94%)	351 (98%)	9 (2%)	42	62
1	G	360/382 (94%)	351 (98%)	9 (2%)	42	62
1	H	360/382 (94%)	351 (98%)	9 (2%)	42	62
1	I	327/382 (86%)	319 (98%)	8 (2%)	43	63
2	J	368/390 (94%)	354 (96%)	14 (4%)	29	50
2	K	368/390 (94%)	354 (96%)	14 (4%)	29	50
2	L	368/390 (94%)	354 (96%)	14 (4%)	29	50
2	M	368/390 (94%)	354 (96%)	14 (4%)	29	50
2	N	368/390 (94%)	354 (96%)	14 (4%)	29	50
2	O	368/390 (94%)	354 (96%)	14 (4%)	29	50
2	P	368/390 (94%)	354 (96%)	14 (4%)	29	50
2	Q	368/390 (94%)	354 (96%)	14 (4%)	29	50
2	R	368/390 (94%)	354 (96%)	14 (4%)	29	50
3	S	289/330 (88%)	287 (99%)	2 (1%)	76	79
3	T	289/330 (88%)	287 (99%)	2 (1%)	76	79
3	U	289/330 (88%)	287 (99%)	2 (1%)	76	79

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	V	289/330 (88%)	287 (99%)	2 (1%)	76	79
3	W	289/330 (88%)	287 (99%)	2 (1%)	76	79
3	X	289/330 (88%)	287 (99%)	2 (1%)	76	79
3	Y	289/330 (88%)	287 (99%)	2 (1%)	76	79
3	Z	289/330 (88%)	287 (99%)	2 (1%)	76	79
3	a	289/330 (88%)	287 (99%)	2 (1%)	76	79
All	All	9098/9918 (92%)	8874 (98%)	224 (2%)	42	62

5 of 224 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	M	288	GLU
2	R	405	GLU
2	N	328	GLU
2	R	351	THR
1	H	72	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 38 such sidechains are listed below:

Mol	Chain	Res	Type
3	X	113	GLN
1	H	264	ASN
1	G	262	GLN
2	P	165	ASN
2	R	165	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

27 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GTP	M	501	-	33,34,34	0.98	3 (9%)	50,54,54	1.64	9 (18%)
6	ATP	T	401	-	32,33,33	1.41	4 (12%)	48,52,52	1.84	11 (22%)
6	ATP	U	401	-	32,33,33	1.41	4 (12%)	48,52,52	1.84	11 (22%)
5	G2P	K	502	-	30,34,34	4.52	11 (36%)	46,54,54	1.77	13 (28%)
4	GTP	J	501	-	33,34,34	0.99	3 (9%)	50,54,54	1.63	9 (18%)
5	G2P	Q	502	-	30,34,34	4.52	11 (36%)	46,54,54	1.77	12 (26%)
5	G2P	O	502	-	30,34,34	4.52	11 (36%)	46,54,54	1.77	13 (28%)
4	GTP	P	501	-	33,34,34	0.98	3 (9%)	50,54,54	1.63	9 (18%)
4	GTP	R	501	-	33,34,34	0.99	3 (9%)	50,54,54	1.63	9 (18%)
6	ATP	a	401	-	32,33,33	1.41	4 (12%)	48,52,52	1.84	11 (22%)
5	G2P	J	502	-	30,34,34	4.51	11 (36%)	46,54,54	1.77	13 (28%)
5	G2P	L	502	-	30,34,34	4.52	11 (36%)	46,54,54	1.77	13 (28%)
4	GTP	L	501	-	33,34,34	0.98	3 (9%)	50,54,54	1.63	9 (18%)
6	ATP	X	401	-	32,33,33	1.40	4 (12%)	48,52,52	1.84	11 (22%)
5	G2P	M	502	-	30,34,34	4.51	11 (36%)	46,54,54	1.77	13 (28%)
6	ATP	W	401	-	32,33,33	1.41	4 (12%)	48,52,52	1.84	11 (22%)
5	G2P	N	502	-	30,34,34	4.52	11 (36%)	46,54,54	1.77	13 (28%)
5	G2P	P	502	-	30,34,34	4.52	11 (36%)	46,54,54	1.77	13 (28%)
6	ATP	Z	401	-	32,33,33	1.41	4 (12%)	48,52,52	1.83	11 (22%)
6	ATP	Y	401	-	32,33,33	1.41	4 (12%)	48,52,52	1.84	11 (22%)
4	GTP	Q	501	-	33,34,34	0.98	3 (9%)	50,54,54	1.63	9 (18%)
4	GTP	N	501	-	33,34,34	0.98	3 (9%)	50,54,54	1.63	9 (18%)
5	G2P	R	502	-	30,34,34	4.51	11 (36%)	46,54,54	1.77	13 (28%)
4	GTP	K	501	-	33,34,34	0.99	3 (9%)	50,54,54	1.63	9 (18%)
4	GTP	O	501	-	33,34,34	0.98	3 (9%)	50,54,54	1.63	9 (18%)
6	ATP	V	401	-	32,33,33	1.40	4 (12%)	48,52,52	1.84	11 (22%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	ATP	S	401	-	32,33,33	1.41	4 (12%)	48,52,52	1.84	11 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GTP	M	501	-	-	4/22/38/38	0/3/3/3
6	ATP	T	401	-	-	2/22/38/38	0/3/3/3
6	ATP	U	401	-	-	2/22/38/38	0/3/3/3
5	G2P	K	502	-	-	8/19/38/38	0/3/3/3
4	GTP	J	501	-	-	4/22/38/38	0/3/3/3
5	G2P	Q	502	-	-	8/19/38/38	0/3/3/3
5	G2P	O	502	-	-	8/19/38/38	0/3/3/3
4	GTP	P	501	-	-	4/22/38/38	0/3/3/3
4	GTP	R	501	-	-	4/22/38/38	0/3/3/3
6	ATP	a	401	-	-	2/22/38/38	0/3/3/3
5	G2P	J	502	-	-	8/19/38/38	0/3/3/3
5	G2P	L	502	-	-	8/19/38/38	0/3/3/3
4	GTP	L	501	-	-	4/22/38/38	0/3/3/3
6	ATP	X	401	-	-	2/22/38/38	0/3/3/3
5	G2P	M	502	-	-	8/19/38/38	0/3/3/3
6	ATP	W	401	-	-	2/22/38/38	0/3/3/3
5	G2P	N	502	-	-	8/19/38/38	0/3/3/3
5	G2P	P	502	-	-	8/19/38/38	0/3/3/3
6	ATP	Z	401	-	-	2/22/38/38	0/3/3/3
6	ATP	Y	401	-	-	2/22/38/38	0/3/3/3
4	GTP	Q	501	-	-	4/22/38/38	0/3/3/3
4	GTP	N	501	-	-	4/22/38/38	0/3/3/3
5	G2P	R	502	-	-	8/19/38/38	0/3/3/3
4	GTP	K	501	-	-	4/22/38/38	0/3/3/3
4	GTP	O	501	-	-	4/22/38/38	0/3/3/3
6	ATP	V	401	-	-	2/22/38/38	0/3/3/3
6	ATP	S	401	-	-	2/22/38/38	0/3/3/3

The worst 5 of 162 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	K	502	G2P	PB-O3B	14.87	1.75	1.58
5	P	502	G2P	PB-O3B	14.85	1.74	1.58
5	R	502	G2P	PB-O3B	14.85	1.74	1.58
5	O	502	G2P	PB-O3B	14.83	1.74	1.58
5	Q	502	G2P	PB-O3B	14.82	1.74	1.58

The worst 5 of 296 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	V	401	ATP	C5-C4-N3	-5.95	118.53	126.72
6	X	401	ATP	C5-C4-N3	-5.94	118.54	126.72
6	T	401	ATP	C5-C4-N3	-5.94	118.54	126.72
6	a	401	ATP	C5-C4-N3	-5.94	118.54	126.72
6	Y	401	ATP	C5-C4-N3	-5.94	118.54	126.72

There are no chirality outliers.

5 of 126 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	Q	502	G2P	PB-O3B-PG-O3G
5	Q	502	G2P	PB-C3A-PA-O1A
5	Q	502	G2P	PB-C3A-PA-O2A
5	Q	502	G2P	PB-C3A-PA-O5'
5	Q	502	G2P	C5'-O5'-PA-C3A

There are no ring outliers.

18 monomers are involved in 46 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	M	501	GTP	3	0
6	T	401	ATP	2	0
6	U	401	ATP	2	0
4	J	501	GTP	3	0
4	P	501	GTP	3	0
4	R	501	GTP	4	0
6	a	401	ATP	2	0
4	L	501	GTP	3	0
6	X	401	ATP	2	0
6	W	401	ATP	2	0
6	Z	401	ATP	2	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	Y	401	ATP	2	0
4	Q	501	GTP	3	0
4	N	501	GTP	3	0
4	K	501	GTP	3	0
4	O	501	GTP	3	0
6	V	401	ATP	2	0
6	S	401	ATP	2	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


















































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-35791. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 334




Y Index: 339




Z Index: 284


6.3.2 Raw map



X Index: 333



Y Index: 275




Z Index: 264


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

This section was not generated.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 3046 nm³; this corresponds to an approximate mass of 2752 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.227 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.227 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.40	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	5.26	7.12	5.61

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 5.26 differs from the reported value 4.4 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-35791 and PDB model 8IXD. Per-residue inclusion information can be found in section 3 on page 18.

9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.19 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

























































9.4 Atom inclusion [i](#)



At the recommended contour level, 71% of all backbone atoms, 48% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.19) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.4830	 0.1560
A	 0.5440	 0.1700
B	 0.5510	 0.1890
C	 0.5540	 0.1890
D	 0.5600	 0.2040
E	 0.5420	 0.1680
F	 0.5620	 0.1970
G	 0.5740	 0.2110
H	 0.5530	 0.1770
I	 0.5580	 0.2070
J	 0.5640	 0.1950
K	 0.5620	 0.1900
L	 0.5670	 0.1860
M	 0.5860	 0.2190
N	 0.5690	 0.1930
O	 0.5730	 0.1970
P	 0.5960	 0.2320
Q	 0.5800	 0.2250
R	 0.5850	 0.2030
S	 0.2900	 0.0520
T	 0.2690	 0.0360
U	 0.2570	 0.0360
V	 0.2740	 0.0560
W	 0.2650	 0.0530
X	 0.2430	 0.0310
Y	 0.2890	 0.0580
Z	 0.2610	 0.0530
a	 0.2610	 0.0460

