



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 21, 2026 – 10:49 am BST

PDB ID : 2IYP / pdb_00002iyp
Title : product rup
Authors : Sundaramoorthy, R.; Iulek, J.; Hunter, W.N.
Deposited on : 2006-07-21
Resolution : 2.79 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.79 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	473	72% 25% ..
1	B	473	79% 19% .
1	C	473	85% 12% ..

2 Entry composition ⓘ


There are 5 unique types of molecules in this entry. The entry contains 11578 atoms, of which 0 are hydrogens and 0 are deuteriums.


In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 6-PHOSPHOGLUCONATE DEHYDROGENASE, DECARBOXYLATING.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	470	Total	C	N	O	S	0	1	1
			3676	2340	609	713	14			
1	B	471	Total	C	N	O	S	0	2	1
			3690	2349	612	715	14			
1	C	469	Total	C	N	O	S	0	2	1
			3672	2338	608	713	13			


- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	P	0	0
			14	5	8	1		

- Molecule 4 is ADENOSINE-2'-5'-DIPHOSPHATE (CCD ID: A2P) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
4	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	136	Total 136	O 136	0	0
5	B	136	Total 136	O 136	0	0
5	C	152	Total 152	O 152	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 6-PHOSPHOGLUCONATE DEHYDROGENASE, DECARBOXYLATING



- Molecule 1: 6-PHOSPHOGLUCONATE DEHYDROGENASE, DECARBOXYLATING



- Molecule 1: 6-PHOSPHOGLUCONATE DEHYDROGENASE, DECARBOXYLATING





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	71.06Å 105.06Å 240.48Å 90.00° 98.26° 90.00°	Depositor
Resolution (Å)	29.81 – 2.79 29.81 – 2.79	Depositor EDS
% Data completeness (in resolution range)	93.6 (29.81-2.79) 90.8 (29.81-2.79)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.55 (at 2.80Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.179 , 0.255 0.179 , 0.254	Depositor DCC
R_{free} test set	1979 reflections (4.69%)	wwPDB-VP
Wilson B-factor (Å ²)	41.9	Xtriage
Anisotropy	0.112	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 27.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.025 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	11578	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.00% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, A2P, 5RP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.66	1/3751 (0.0%)	0.93	0/5070
1	B	0.65	1/3769 (0.0%)	0.93	1/5094 (0.0%)
1	C	0.64	1/3750 (0.0%)	0.88	1/5069 (0.0%)
All	All	0.65	3/11270 (0.0%)	0.91	2/15233 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	469	TYR	C-N	-7.22	1.23	1.33
1	C	469	TYR	C-N	-6.74	1.24	1.33
1	A	469	TYR	C-N	-6.14	1.24	1.33

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	462	GLY	N-CA-C	5.85	118.00	112.04
1	B	64	LEU	N-CA-C	5.68	117.98	108.73

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3676	0	3631	86	0
1	B	3690	0	3645	64	0
1	C	3672	0	3626	38	0
2	A	48	0	25	4	0
3	A	14	0	9	1	0
4	B	27	0	11	1	0
4	C	27	0	11	0	0
5	A	136	0	0	20	0
5	B	136	0	0	12	0
5	C	152	0	0	10	0
All	All	11578	0	10958	177	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (177) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:262:LYS:H	1:B:262:LYS:HD3	1.11	1.13
1:B:262:LYS:H	1:B:262:LYS:CD	1.69	1.03
1:C:8:VAL:HG11	1:C:19:ALA:HB2	1.45	0.94
1:A:311:ASP:HA	5:A:2077:HOH:O	1.72	0.88
1:A:42:VAL:HA	5:A:2007:HOH:O	1.75	0.87
1:B:0:HIS:HB3	5:B:2002:HOH:O	1.80	0.82
2:A:1470:NAP:H4N	5:A:2034:HOH:O	1.78	0.81
1:C:434:ARG:HD2	5:C:2133:HOH:O	1.81	0.80
1:B:262:LYS:HD3	1:B:262:LYS:N	1.95	0.80
5:A:2046:HOH:O	1:C:3:GLN:HB2	1.85	0.74
1:C:448:ASP:OD1	1:C:465:HIS:HD2	1.70	0.73
1:A:252:VAL:C	5:A:2063:HOH:O	2.32	0.73
1:A:45:GLU:HB3	5:A:2007:HOH:O	1.88	0.72
1:C:312:PHE:HA	5:C:2102:HOH:O	1.90	0.70
1:A:360:GLN:HG3	5:A:2047:HOH:O	1.93	0.68
1:A:41:GLU:O	5:A:2007:HOH:O	2.13	0.68
1:B:47:GLN:NE2	1:B:47:GLN:H	1.93	0.67
3:A:1471:5RP:H22	5:A:2034:HOH:O	1.97	0.64
1:A:224:ASN:HD21	1:A:230:SER:H	1.44	0.63
1:C:347:GLU:HB2	5:C:2113:HOH:O	1.98	0.63
1:B:208:ILE:HG22	1:B:209:LEU:HD23	1.80	0.62
1:B:262:LYS:CD	1:B:262:LYS:N	2.51	0.62
1:A:316:LYS:O	1:A:320:ILE:HG13	1.99	0.62
1:A:234:GLU:O	1:A:237:LYS:HD3	2.00	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:420:ILE:HB	1:A:423:PHE:HB2	1.81	0.61
1:A:117:ASP:HB2	5:A:2031:HOH:O	2.01	0.60
1:A:127:VAL:O	2:A:1470:NAP:H5N	2.02	0.60
1:C:360:GLN:HB3	5:C:2120:HOH:O	2.02	0.59
1:B:37:SER:O	1:B:41:GLU:HB2	2.01	0.59
1:A:403:GLN:O	1:A:407:ARG:HG3	2.02	0.59
1:A:242:ARG:O	1:A:251:ILE:HG22	2.03	0.59
1:C:46:HIS:HB3	1:C:49:LYS:HG3	1.84	0.59
1:A:111:ARG:HD3	5:A:2027:HOH:O	2.03	0.58
1:C:142:PRO:HD2	1:C:172:ALA:O	2.02	0.58
1:A:414:VAL:HG21	1:B:410:VAL:HG11	1.85	0.58
1:B:228:LEU:HD23	1:B:328:TYR:HD1	1.68	0.58
1:C:212:SER:OG	1:C:215:GLU:HG3	2.04	0.58
1:C:47:GLN:HB2	5:C:2011:HOH:O	2.04	0.57
1:B:165:GLN:HG3	5:B:2103:HOH:O	2.04	0.57
1:A:57:LEU:HD22	1:A:87:LEU:HD13	1.87	0.57
1:B:47:GLN:H	1:B:47:GLN:HE21	1.51	0.57
1:B:100:GLY:HA2	1:B:125:THR:O	2.06	0.56
1:A:53:PHE:HB3	5:A:2012:HOH:O	2.05	0.56
1:C:450:PHE:C	1:C:450:PHE:CD1	2.84	0.56
1:B:382:LYS:HD2	5:B:2107:HOH:O	2.06	0.55
1:A:35:THR:OG1	2:A:1470:NAP:O2X	2.24	0.55
1:B:105:PHE:CD1	1:B:106:PRO:HD3	2.41	0.55
1:A:328:TYR:HE2	1:A:398:ILE:HD13	1.70	0.55
1:A:257:ASP:OD2	1:A:298:ARG:NH2	2.40	0.55
1:B:449:TYR:HA	1:B:468:TRP:CD1	2.41	0.54
1:A:301:ALA:HB1	1:A:305:LEU:HD22	1.90	0.54
1:B:58:GLU:HB3	5:B:2018:HOH:O	2.08	0.54
1:A:28:THR:HG23	5:C:2053:HOH:O	2.08	0.53
1:B:18:LEU:HD21	1:B:71:MET:SD	2.47	0.53
1:C:261:ASN:ND2	1:C:263:GLY:H	2.06	0.53
1:B:205:LEU:HB3	1:B:211:LEU:HD12	1.89	0.53
1:C:403:GLN:HG3	1:C:404:GLU:H	1.74	0.53
1:A:196:GLN:HE21	1:A:200:GLU:HG3	1.74	0.53
1:A:416:ALA:HB2	5:A:2115:HOH:O	2.08	0.53
1:C:9:VAL:HG13	1:C:32:TYR:HD2	1.74	0.52
1:A:105:PHE:CD1	1:A:106:PRO:HD3	2.44	0.52
1:C:209:LEU:HD21	1:C:319:VAL:HG11	1.92	0.52
1:C:438:LEU:C	1:C:440:ALA:H	2.17	0.52
1:C:140:MET:HB2	1:C:171:VAL:HG23	1.91	0.52
1:A:252:VAL:HA	5:A:2063:HOH:O	2.08	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:204:LEU:HD23	1:B:418:THR:HG21	1.91	0.52
1:C:232:LEU:HG	1:C:367:ILE:HD12	1.92	0.52
1:A:73:MET:O	2:A:1470:NAP:H51N	2.10	0.51
1:A:244:ASP:CG	1:B:457:ARG:HH22	2.18	0.51
5:A:2042:HOH:O	1:C:26:GLY:HA2	2.10	0.51
1:B:244:ASP:OD2	1:B:254:LYS:HG2	2.10	0.51
1:A:424:THR:HB	1:B:424:THR:HB	1.93	0.51
1:A:164:PRO:HD2	1:A:165:GLN:OE1	2.11	0.51
1:A:373:LEU:HA	1:A:376:ILE:HD12	1.92	0.51
1:A:44:LYS:NZ	5:A:2008:HOH:O	2.39	0.51
1:A:434:ARG:NH1	1:B:307:GLY:HA3	2.26	0.50
1:B:14:MET:HG2	5:B:2039:HOH:O	2.11	0.50
1:A:46:HIS:HB3	1:A:49:LYS:HG3	1.92	0.50
1:C:54:THR:HG21	1:C:60:PHE:HA	1.93	0.50
1:A:13:VAL:O	1:A:17:ASN:ND2	2.40	0.50
1:B:107:ASP:O	1:B:111:ARG:HG3	2.11	0.50
1:A:35:THR:O	1:A:37:SER:N	2.45	0.50
1:C:105:PHE:CD1	1:C:106:PRO:HD3	2.47	0.50
1:A:354:PRO:HB2	1:A:357:THR:HB	1.94	0.49
1:C:403:GLN:HG3	1:C:404:GLU:N	2.27	0.49
1:A:53:PHE:CD1	1:A:53:PHE:C	2.90	0.49
1:A:153:ALA:HB3	1:A:154:PRO:HD3	1.93	0.49
1:C:13:VAL:HG21	5:C:2039:HOH:O	2.13	0.49
1:B:444:GLN:OE1	1:B:444:GLN:HA	2.13	0.49
1:A:434:ARG:CZ	1:B:307:GLY:HA3	2.42	0.49
1:A:328:TYR:CE2	1:A:398:ILE:HD13	2.48	0.48
1:C:47:GLN:CB	5:C:2011:HOH:O	2.61	0.48
1:A:228:LEU:HD23	1:A:328:TYR:HD1	1.79	0.48
1:A:10:GLY:O	1:A:15:GLY:HA3	2.14	0.48
1:B:281:LEU:HD13	1:B:334:SER:HB2	1.95	0.48
1:A:194:ASP:OD1	1:A:331:LYS:HG3	2.13	0.47
1:A:438:LEU:HB3	1:A:439:PRO:HD2	1.95	0.47
1:B:3:GLN:HG3	5:B:2005:HOH:O	2.13	0.47
1:A:142:PRO:HD2	1:A:172:ALA:O	2.15	0.47
1:A:196:GLN:NE2	1:A:200:GLU:HG3	2.29	0.47
1:A:48:ASP:N	1:A:48:ASP:OD1	2.46	0.47
1:A:412:LEU:HA	5:A:2114:HOH:O	2.14	0.47
1:A:224:ASN:ND2	1:A:230:SER:H	2.09	0.47
1:C:128:SER:HB2	1:C:139:SER:HB3	1.97	0.47
1:B:174:MET:SD	1:B:183:VAL:HG21	2.55	0.47
1:B:438:LEU:C	1:B:440:ALA:H	2.23	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:12:ALA:HB3	5:C:2002:HOH:O	2.15	0.47
1:B:47:GLN:NE2	1:B:47:GLN:N	2.62	0.47
1:A:307:GLY:HA2	1:B:403:GLN:OE1	2.15	0.46
1:B:315:ASP:OD2	1:B:318[B]:GLU:HG3	2.15	0.46
1:C:31:ILE:O	1:C:54:THR:OG1	2.31	0.46
1:A:170:CYS:HB3	1:A:361:ILE:O	2.15	0.46
1:A:184:LYS:HE2	1:A:188:ASN:OD1	2.15	0.46
1:C:228:LEU:O	1:C:229:ASP:C	2.58	0.46
1:A:217:GLN:HG2	1:A:237:LYS:HB2	1.96	0.46
1:A:149:TYR:CE2	1:A:173:TYR:HB2	2.51	0.46
1:A:447:ARG:HG3	1:B:195:MET:HE1	1.97	0.46
1:B:0:HIS:N	5:B:2001:HOH:O	2.47	0.46
1:B:279:LEU:HD12	1:B:337:GLN:HB3	1.97	0.46
1:A:14:MET:HB3	1:A:73:MET:HE2	1.97	0.46
1:B:187:HIS:HB2	1:B:362:TRP:CZ2	2.51	0.46
1:B:234:GLU:HG2	1:B:237:LYS:HE3	1.97	0.46
1:A:195:MET:HE2	1:B:443:ILE:HG23	1.98	0.46
1:B:329:PHE:CZ	1:B:333:MET:HE3	2.50	0.46
1:A:228:LEU:O	1:A:229:ASP:C	2.58	0.45
1:A:66:LYS:NZ	5:A:2015:HOH:O	2.50	0.45
1:A:16:LYS:HG3	1:A:42:VAL:HG21	1.98	0.45
1:A:450:PHE:CG	1:B:367:ILE:HD11	2.51	0.45
1:B:242:ARG:HD3	5:B:2068:HOH:O	2.15	0.45
1:B:259:ALA:HB1	1:B:289:ARG:HD3	1.98	0.45
1:B:262:LYS:HA	1:B:263:GLY:HA3	1.70	0.45
1:C:281:LEU:HD13	1:C:334:SER:HB2	1.98	0.45
1:C:405:ALA:O	1:C:409:VAL:HG13	2.16	0.45
1:C:450:PHE:C	1:C:450:PHE:HD1	2.24	0.45
1:A:258:LYS:HG2	1:A:293:THR:HA	1.99	0.45
1:B:224:ASN:OD1	1:B:229:ASP:HA	2.17	0.44
1:A:279:LEU:HD12	1:A:337:GLN:HB3	1.99	0.44
1:A:128:SER:HB3	1:A:139:SER:HB3	2.00	0.44
1:A:442:LEU:HD11	1:B:236:THR:HG23	1.98	0.44
1:A:35:THR:O	1:A:36:THR:C	2.61	0.43
1:B:103:THR:HB	1:B:181:HIS:CE1	2.53	0.43
1:A:393:ASP:O	1:A:394:TYR:C	2.61	0.43
1:C:211:LEU:HD22	1:C:215:GLU:OE2	2.18	0.43
1:A:228:LEU:HB3	1:A:233:ILE:CD1	2.49	0.43
1:A:110:ARG:HD2	5:A:2030:HOH:O	2.18	0.43
1:A:232:LEU:HD23	1:A:235:ILE:HD11	2.00	0.43
1:A:438:LEU:HD12	1:B:298:ARG:CZ	2.49	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:347:GLU:HG3	5:C:2113:HOH:O	2.19	0.43
1:A:121:ASN:HA	5:A:2033:HOH:O	2.18	0.42
1:B:420:ILE:HB	1:B:423:PHE:HB2	2.00	0.42
1:B:270:GLU:HG2	5:B:2077:HOH:O	2.19	0.42
1:A:450:PHE:CD2	1:B:367:ILE:HD11	2.54	0.42
1:B:212:SER:OG	1:B:215:GLU:HG3	2.19	0.42
1:A:140:MET:C	1:A:142:PRO:HD3	2.45	0.42
1:A:184:LYS:O	1:A:187:HIS:HB3	2.19	0.42
1:A:331:LYS:O	1:A:335:TYR:HD1	2.03	0.42
1:B:315:ASP:O	1:B:319:VAL:HG23	2.20	0.42
1:C:244:ASP:OD2	1:C:254:LYS:HG3	2.20	0.42
1:A:326:ALA:HA	1:A:406:VAL:HG22	2.01	0.42
1:B:214:ALA:HA	5:B:2059:HOH:O	2.19	0.42
1:A:295:LYS:NZ	1:B:436:GLU:O	2.49	0.41
1:B:196:GLN:HE21	1:B:200:GLU:HG3	1.84	0.41
1:C:229:ASP:HB3	1:C:371:GLU:HB2	2.02	0.41
1:A:168:LYS:HA	1:A:169:PRO:HD3	1.87	0.41
1:B:14:MET:HB3	1:B:73:MET:HE2	2.03	0.41
1:C:449:TYR:HA	1:C:468:TRP:CD1	2.56	0.41
1:A:235:ILE:O	1:A:239:VAL:HG23	2.21	0.41
1:B:0:HIS:CE1	5:B:2003:HOH:O	2.74	0.41
1:B:251:ILE:O	1:B:255:ILE:HG13	2.20	0.41
1:A:55:LYS:HG2	1:A:59:GLU:OE1	2.21	0.41
1:A:255:ILE:HG23	1:B:455:TYR:HB2	2.03	0.41
4:B:1470:A2P:H5'2	5:B:2134:HOH:O	2.21	0.41
1:A:251:ILE:HG23	1:A:252:VAL:N	2.36	0.40
1:B:189:GLY:O	1:B:192:TYR:HB2	2.21	0.40
1:A:466:TYR:O	1:A:468:TRP:CD1	2.74	0.40
1:B:66:LYS:HA	1:B:67:PRO:C	2.45	0.40
1:C:140:MET:HB2	1:C:171:VAL:CG2	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	469/473 (99%)	430 (92%)	35 (8%)	4 (1%)	14	41
1	B	471/473 (100%)	448 (95%)	19 (4%)	4 (1%)	16	44
1	C	469/473 (99%)	450 (96%)	18 (4%)	1 (0%)	43	72
All	All	1409/1419 (99%)	1328 (94%)	72 (5%)	9 (1%)	21	51

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	36	THR
1	B	229	ASP
1	A	229	ASP
1	B	454	THR
1	A	59	GLU
1	A	177	ASN
1	C	177	ASN
1	B	177	ASN
1	B	137	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	386/389 (99%)	361 (94%)	25 (6%)	15	43
1	B	388/389 (100%)	371 (96%)	17 (4%)	25	59
1	C	386/389 (99%)	368 (95%)	18 (5%)	23	57
All	All	1160/1167 (99%)	1100 (95%)	60 (5%)	21	53

All (60) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	3	GLN
1	A	13	VAL
1	A	34	ARG
1	A	37	SER
1	A	55	LYS
1	A	56	THR
1	A	87	LEU
1	A	88	LEU
1	A	90	LEU
1	A	93	ILE
1	A	123	ILE
1	A	219	ILE
1	A	221	GLU
1	A	224	ASN
1	A	237	LYS
1	A	252	VAL
1	A	274	ASP
1	A	299	VAL
1	A	305	LEU
1	A	306	SER
1	A	313	SER
1	A	317	LYS
1	A	347	GLU
1	A	463	ILE
1	B	1	MET
1	B	38	LYS
1	B	47	GLN
1	B	51	LEU
1	B	58	GLU
1	B	132	LYS
1	B	165	GLN
1	B	177	ASN
1	B	222	GLU
1	B	234	GLU
1	B	248	GLU
1	B	262	LYS
1	B	344	LYS
1	B	347	GLU
1	B	367	ILE
1	B	372	PHE
1	B	454	THR
1	C	3	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	8	VAL
1	C	20	LEU
1	C	49	LYS
1	C	55	LYS
1	C	61	VAL
1	C	88	LEU
1	C	234	GLU
1	C	248	GLU
1	C	281	LEU
1	C	311	ASP
1	C	347	GLU
1	C	367	ILE
1	C	373	LEU
1	C	390	LEU
1	C	409	VAL
1	C	425[A]	SER
1	C	425[B]	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	50	ASN
1	A	75	GLN
1	A	158	GLN
1	A	196	GLN
1	A	224	ASN
1	A	360	GLN
1	A	375	ASN
1	A	453	HIS
1	B	0	HIS
1	B	5	ASN
1	B	47	GLN
1	B	75	GLN
1	B	196	GLN
1	B	375	ASN
1	C	47	GLN
1	C	102	ASN
1	C	217	GLN
1	C	465	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	A2P	B	1470	-	29,29,29	1.39	3 (10%)	44,45,45	2.02	9 (20%)
4	A2P	C	1470	-	29,29,29	1.39	4 (13%)	44,45,45	1.90	11 (25%)
3	5RP	A	1471	-	11,13,13	1.53	2 (18%)	11,18,18	1.11	1 (9%)
2	NAP	A	1470	-	49,52,52	1.80	7 (14%)	69,80,80	1.65	12 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	A2P	B	1470	-	-	1/15/31/31	0/3/3/3
4	A2P	C	1470	-	-	5/15/31/31	0/3/3/3
3	5RP	A	1471	-	-	7/16/16/16	-
2	NAP	A	1470	-	-	10/35/67/67	0/5/5/5

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1470	NAP	O7N-C7N	9.49	1.42	1.24
4	C	1470	A2P	C5-C4	4.72	1.47	1.39
4	B	1470	A2P	C5-C4	4.59	1.47	1.39
2	A	1470	NAP	C2N-N1N	3.37	1.39	1.35
3	A	1471	5RP	P9-O12	3.22	1.60	1.50
2	A	1470	NAP	C2A-N1A	2.98	1.39	1.33
4	B	1470	A2P	C5-C6	2.88	1.49	1.41
2	A	1470	NAP	C2A-N3A	2.87	1.39	1.33
4	C	1470	A2P	C5-C6	2.48	1.48	1.41
3	A	1471	5RP	P9-O11	2.48	1.64	1.54
4	C	1470	A2P	C8-N7	2.45	1.36	1.31
4	B	1470	A2P	C5-N7	-2.36	1.34	1.39
4	C	1470	A2P	C5-N7	-2.16	1.34	1.39
2	A	1470	NAP	C8A-N7A	2.10	1.35	1.31
2	A	1470	NAP	C3N-C7N	2.09	1.53	1.50
2	A	1470	NAP	C2N-C3N	2.06	1.42	1.39

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1470	A2P	C5-C4-N3	-6.53	118.23	126.75
4	B	1470	A2P	N3-C4-N9	5.59	136.30	127.08
4	C	1470	A2P	C5-C4-N3	-5.32	119.81	126.75
2	A	1470	NAP	N3A-C2A-N1A	-5.14	120.56	128.60
4	C	1470	A2P	N3-C4-N9	5.07	135.44	127.08
2	A	1470	NAP	C5A-C4A-N3A	-4.87	120.40	126.75
2	A	1470	NAP	N9A-C8A-N7A	-3.88	108.60	113.91
4	B	1470	A2P	C2-N3-C4	3.88	120.91	111.75
2	A	1470	NAP	C5A-N7A-C8A	3.72	108.80	103.51
4	C	1470	A2P	C4-N9-C8	3.61	109.64	105.73
4	C	1470	A2P	C2-N3-C4	3.51	120.05	111.75
2	A	1470	NAP	N3A-C4A-N9A	3.47	132.79	127.08
2	A	1470	NAP	C2A-N3A-C4A	3.43	119.86	111.75
4	C	1470	A2P	N3-C2-N1	-3.29	123.45	128.60
4	B	1470	A2P	C4-C5-N7	-3.13	106.81	110.62
4	B	1470	A2P	N3-C2-N1	-3.10	123.75	128.60
4	B	1470	A2P	C5-N7-C8	3.03	107.82	103.51
4	B	1470	A2P	C4-N9-C8	2.98	108.96	105.73
2	A	1470	NAP	C3N-C7N-N7N	2.94	121.28	117.75
4	C	1470	A2P	C5-N7-C8	2.67	107.30	103.51
3	A	1471	5RP	O10-P9-O8	2.50	113.39	106.73
4	B	1470	A2P	C5'-C4'-C3'	-2.48	105.88	115.18

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1470	NAP	C6N-N1N-C2N	-2.47	119.72	121.97
4	C	1470	A2P	N9-C8-N7	-2.45	110.56	113.91
2	A	1470	NAP	O7N-C7N-N7N	-2.39	119.18	122.58
2	A	1470	NAP	C6A-C5A-C4A	2.35	120.35	117.18
4	C	1470	A2P	C4-C5-N7	-2.35	107.75	110.62
4	C	1470	A2P	N6-C6-N1	2.30	123.40	118.35
2	A	1470	NAP	C4A-C5A-N7A	-2.22	107.92	110.62
2	A	1470	NAP	C2B-C1B-N9A	-2.20	109.83	113.53
4	B	1470	A2P	N9-C8-N7	-2.17	110.94	113.91
4	C	1470	A2P	C5-C6-N6	-2.13	118.80	123.43
4	C	1470	A2P	OP2-P-OP3	2.12	115.75	107.64

There are no chirality outliers.

All (23) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1470	NAP	C5D-O5D-PN-O3
2	A	1470	NAP	O4D-C4D-C5D-O5D
2	A	1470	NAP	O4D-C1D-N1N-C2N
2	A	1470	NAP	O4D-C1D-N1N-C6N
2	A	1470	NAP	C2D-C1D-N1N-C2N
2	A	1470	NAP	C2D-C1D-N1N-C6N
3	A	1471	5RP	C7-O8-P9-O10
4	C	1470	A2P	C5'-O5'-P-OP1
4	C	1470	A2P	C5'-O5'-P-OP2
2	A	1470	NAP	C3D-C4D-C5D-O5D
3	A	1471	5RP	C6-C7-O8-P9
4	C	1470	A2P	C2'-O2'-P1-O6P
2	A	1470	NAP	C5D-O5D-PN-O1N
2	A	1470	NAP	C5D-O5D-PN-O2N
3	A	1471	5RP	C3-C5-C6-O14
4	C	1470	A2P	C3'-C4'-C5'-O5'
3	A	1471	5RP	O1-C2-C3-O4
2	A	1470	NAP	C2B-O2B-P2B-O1X
4	C	1470	A2P	C5'-O5'-P-OP3
3	A	1471	5RP	C7-O8-P9-O12
4	B	1470	A2P	C2'-O2'-P1-O6P
3	A	1471	5RP	O13-C5-C6-C7
3	A	1471	5RP	C5-C6-C7-O8



There are no ring outliers.

3 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	1470	A2P	1	0
3	A	1471	5RP	1	0
2	A	1470	NAP	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	470/473 (99%)	-0.37	3 (0%) 85 80	24, 38, 52, 61	2 (0%)
1	B	471/473 (99%)	-0.47	1 (0%) 91 88	18, 38, 52, 64	2 (0%)
1	C	469/473 (99%)	-0.51	0 100 100	22, 37, 51, 60	2 (0%)
All	All	1410/1419 (99%)	-0.45	4 (0%) 90 86	18, 38, 52, 64	6 (0%)

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	470	THR	3.0
1	A	1	MET	2.2
1	A	38	LYS	2.2
1	B	47	GLN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAP	A	1470	48/48	0.93	0.09	41,49,62,62	0
4	A2P	B	1470	27/27	0.93	0.08	52,55,62,62	0
4	A2P	C	1470	27/27	0.94	0.08	39,43,61,63	0
3	5RP	A	1471	14/14	0.97	0.07	39,40,42,42	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around A2P B 1470:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around A2P C 1470:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.