



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:20 PM UTC

PDB ID : 4IY7 / pdb_00004iy7

Title : crystal structure of cystathionine gamma lyase (XometC) from Xanthomonas oryzae pv. oryzae in complex with E-site serine, A-site external aldimine structure with serine and A-site external aldimine structure with aminoacrylate intermediates

Authors : Ngo, H.P.T.; Kim, J.K.; Kang, L.W.

Deposited on : 2013-01-28

Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	397	
1	B	397	
1	C	397	
1	D	397	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	PYR	D	402	-	X	-	-
7	KOU	B	403	-	-	X	-
7	KOU	C	402	-	-	X	-
7	KOU	D	403	-	-	X	-

2 Entry composition [i](#)


There are 8 unique types of molecules in this entry. The entry contains 13157 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cystathionine gamma-lyase-like protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	381	Total	C	N	O	S	0	6	0
			2889	1830	509	535	15			
1	B	381	Total	C	N	O	S	0	7	0
			2892	1832	509	536	15			
1	C	381	Total	C	N	O	S	0	5	0
			2886	1828	509	534	15			
1	D	383	Total	C	N	O	S	0	8	0
			2918	1849	515	539	15			

- Molecule 2 is SERINE (CCD ID: SER) (formula: C₃H₇NO₃).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			7	3	1	3		
2	B	1	Total	C	N	O	0	0
			7	3	1	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	C	1	Total	C	N	O	0	0
			7	3	1	3		
2	D	1	Total	C	N	O	0	0
			7	3	1	3		

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O_4S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is 2-[(E)-{3-hydroxy-2-methyl-5-[(phosphonooxy)methyl]pyridin-4-yl}methyldiene]amino}prop-2-enoic acid (CCD ID: 0JO) (formula: C₁₁H₁₃N₂O₇P).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	
			21	11	2	7	1	0

- Molecule 6 is PYRUVIC ACID (CCD ID: PYR) (formula: C₃H₄O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is (E)-N-({3-hydroxy-2-methyl-5-[(phosphonoxy)methyl]pyridin-4-yl}methylidene)-L-serine (CCD ID: KOU) (formula: C₁₁H₁₅N₂O₈P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	B	1	Total	C	N	O	P	0	0
			22	11	2	8	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	C	1	Total	C	N	O	P	0	0
			22	11	2	8	1		
7	D	1	Total	C	N	O	P	0	0
			22	11	2	8	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	346	Total	O	0	0
			346	346		
8	B	389	Total	O	0	0
			389	389		
8	C	332	Total	O	0	0
			332	332		
8	D	361	Total	O	0	0
			361	361		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cystathionine gamma-lyase-like protein




- Molecule 1: Cystathionine gamma-lyase-like protein



- Molecule 1: Cystathionine gamma-lyase-like protein



- Molecule 1: Cystathionine gamma-lyase-like protein





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	76.22Å 86.07Å 226.00Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.23 – 1.70 30.23 – 1.70	Depositor EDS
% Data completeness (in resolution range)	100.0 (30.23-1.70) 99.9 (30.23-1.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.71 (at 1.70Å)	Xtriage
Refinement program	REFMAC 5.5.0110	Depositor
R, R_{free}	0.134 , 0.169 0.134 , 0.169	Depositor DCC
R_{free} test set	8211 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	13.6	Xtriage
Anisotropy	0.041	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 39.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	13157	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.37% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OJO, SO4, GOL, PYR, KOU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.62	14/2965 (0.5%)	1.32	6/4022 (0.1%)
1	B	1.64	15/2971 (0.5%)	1.32	6/4030 (0.1%)
1	C	1.64	17/2959 (0.6%)	1.31	5/4014 (0.1%)
1	D	1.61	14/3000 (0.5%)	1.32	5/4067 (0.1%)
All	All	1.63	60/11895 (0.5%)	1.32	22/16133 (0.1%)

All (60) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	358	ILE	N-CA	8.06	1.52	1.46
1	C	53	HIS	C-O	7.91	1.31	1.24
1	C	358	ILE	N-CA	7.77	1.52	1.46
1	B	101	ALA	CA-CB	6.80	1.64	1.53
1	B	338	GLU	CD-OE2	-6.64	1.12	1.25
1	D	378	GLY	C-O	6.55	1.30	1.23
1	C	221	GLY	N-CA	6.52	1.51	1.44
1	C	378	GLY	N-CA	6.47	1.52	1.45
1	A	21	ALA	N-CA	6.43	1.54	1.46
1	B	123	ARG	CZ-NH1	6.32	1.41	1.32
1	D	324	ALA	N-CA	6.31	1.53	1.46
1	A	268	HIS	N-CA	6.25	1.53	1.46
1	B	280	GLU	C-O	6.16	1.31	1.24
1	C	285	ILE	CA-CB	5.99	1.61	1.54
1	A	74	ALA	CA-CB	5.94	1.62	1.53
1	C	44	THR	CB-OG1	-5.92	1.34	1.43
1	D	182	THR	CA-CB	5.91	1.61	1.53
1	A	233	GLU	CG-CD	5.83	1.66	1.52
1	C	358	ILE	CA-C	5.81	1.57	1.53
1	B	75	ALA	N-CA	5.76	1.53	1.46
1	A	347	VAL	CA-CB	5.71	1.64	1.55
1	D	150	THR	N-CA	5.69	1.53	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	171	ILE	C-O	-5.66	1.17	1.24
1	B	379	ILE	CA-CB	5.61	1.61	1.54
1	A	225	VAL	N-CA	5.59	1.52	1.46
1	A	101	ALA	CA-C	5.56	1.59	1.52
1	D	364	GLU	N-CA	5.54	1.52	1.46
1	C	277	GLN	N-CA	5.49	1.53	1.46
1	C	90	ALA	CA-CB	5.47	1.62	1.53
1	C	342	GLY	N-CA	5.45	1.52	1.45
1	C	246	GLN	CD-OE1	5.43	1.33	1.23
1	C	72	CYS	N-CA	-5.42	1.39	1.46
1	B	65	THR	CA-C	5.38	1.59	1.52
1	B	285	ILE	CA-CB	5.35	1.60	1.54
1	D	172	ALA	CA-CB	5.33	1.61	1.53
1	C	157	THR	CA-CB	5.33	1.61	1.53
1	D	372	LEU	C-O	5.32	1.30	1.24
1	B	194	GLN	N-CA	5.32	1.52	1.46
1	B	277	GLN	N-CA	5.30	1.52	1.46
1	A	37	PRO	CA-C	5.30	1.57	1.52
1	B	173	VAL	N-CA	5.29	1.52	1.46
1	A	110	ASP	C-O	5.28	1.30	1.24
1	C	312	ILE	CA-CB	5.25	1.61	1.54
1	B	117	ARG	N-CA	5.25	1.52	1.46
1	A	210[A]	LYS	C-O	-5.22	1.17	1.24
1	A	210[B]	LYS	C-O	-5.22	1.17	1.24
1	D	78	GLY	N-CA	5.19	1.52	1.45
1	D	267	ALA	CA-CB	5.18	1.61	1.53
1	D	315	ILE	CA-C	-5.15	1.46	1.52
1	C	88	GLY	N-CA	5.14	1.52	1.45
1	C	225	VAL	N-CA	5.10	1.51	1.46
1	A	347	VAL	C-O	-5.09	1.19	1.24
1	D	332	GLU	CA-C	5.09	1.57	1.52
1	D	127	ALA	CA-CB	5.08	1.62	1.54
1	B	246	GLN	CD-OE1	5.07	1.33	1.23
1	B	365	GLN	N-CA	5.06	1.52	1.46
1	D	34	ALA	CA-CB	5.04	1.61	1.53
1	A	57	GLU	CD-OE1	5.02	1.34	1.25
1	D	338	GLU	CD-OE1	-5.01	1.15	1.25
1	C	57	GLU	C-O	5.00	1.30	1.23

All (22) bond angle outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	49	SER	N-CA-C	-7.14	101.80	108.22
1	B	49	SER	N-CA-C	-6.53	102.35	108.22
1	B	220	GLY	CA-C-N	-6.30	116.53	121.82
1	B	220	GLY	C-N-CA	-6.30	116.53	121.82
1	C	231	LEU	N-CA-C	-6.25	104.55	111.36
1	B	318	LYS	N-CA-C	-6.12	101.87	110.50
1	A	245	VAL	N-CA-C	6.08	116.68	110.05
1	D	65	THR	N-CA-C	-5.94	104.15	111.40
1	C	137	THR	N-CA-C	-5.88	105.95	113.01
1	B	59	SER	N-CA-CB	5.73	119.16	110.28
1	A	308	GLY	N-CA-C	-5.61	103.05	111.19
1	C	126	THR	CA-CB-OG1	5.61	118.02	109.60
1	A	361	ALA	N-CA-C	-5.47	105.31	111.28
1	B	211	TYR	N-CA-C	5.42	117.27	111.36
1	D	147	ARG	CB-CG-CD	-5.33	99.03	111.30
1	A	390	GLU	N-CA-C	-5.31	105.39	111.07
1	C	126	THR	OG1-CB-CG2	5.27	119.84	109.30
1	D	211	TYR	N-CA-C	5.24	116.99	111.28
1	C	280	GLU	O-C-N	5.22	128.33	122.22
1	D	59	SER	N-CA-C	5.15	118.82	112.54
1	A	193	LEU	CB-CG-CD2	5.09	125.97	110.70
1	A	147	ARG	CB-CG-CD	-5.04	99.70	111.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2889	0	2919	38	0
1	B	2892	0	2924	45	0
1	C	2886	0	2914	35	0
1	D	2918	0	2959	36	0
2	A	7	0	4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	7	0	4	0	0
2	C	7	0	4	0	0
2	D	7	0	4	0	0
3	A	12	0	16	0	0
4	A	5	0	0	0	0
5	A	21	0	9	2	0
6	B	6	0	0	1	0
6	D	6	0	0	2	0
7	B	22	0	11	9	0
7	C	22	0	11	12	0
7	D	22	0	12	12	0
8	A	346	0	0	14	0
8	B	389	0	0	13	0
8	C	332	0	0	8	0
8	D	361	0	0	10	0
All	All	13157	0	11791	153	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:210[A]:LYS:HZ1	7:B:403:KOU:C4A	1.58	1.15
1:B:210[A]:LYS:NZ	7:B:403:KOU:C4A	2.20	1.05
1:B:210[A]:LYS:HZ1	7:B:403:KOU:H4A	1.24	1.01
1:C:210[A]:LYS:HZ1	7:C:402:KOU:C4A	1.75	0.98
1:D:304:ARG:NH1	8:D:794:HOH:O	1.98	0.95
1:B:53:HIS:HD2	1:B:55:GLY:H	1.11	0.95
1:B:52:GLU:HG3	8:B:799:HOH:O	1.66	0.94
1:B:281:THR:HA	8:B:839:HOH:O	1.67	0.93
1:B:281:THR:HG22	8:B:839:HOH:O	1.67	0.92
1:D:53:HIS:HD2	1:D:55:GLY:H	1.13	0.91
1:C:53:HIS:HD2	1:C:55:GLY:H	1.16	0.89
1:C:210[A]:LYS:NZ	7:C:402:KOU:C4A	2.35	0.89
1:D:210[A]:LYS:HZ1	7:D:403:KOU:C4A	1.86	0.88
1:A:266:ARG:NH1	8:A:686:HOH:O	2.07	0.88
1:B:36:MET:HE3	8:D:817:HOH:O	1.75	0.86
1:A:210[B]:LYS:HZ1	5:A:405:OJO:C4A	1.87	0.85
1:B:36:MET:CE	8:D:817:HOH:O	2.24	0.85
1:D:210[A]:LYS:NZ	7:D:403:KOU:C4A	2.40	0.84

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:36:MET:CE	8:C:746:HOH:O	2.27	0.81
1:C:220:GLY:HA3	1:C:246:GLN:HE22	1.46	0.78
1:B:195[A]:ARG:CZ	8:B:540:HOH:O	2.34	0.76
1:D:259[B]:LYS:HE2	8:D:682:HOH:O	1.86	0.75
1:B:281:THR:CA	8:B:839:HOH:O	2.26	0.75
1:A:370:ASP:OD1	8:A:716:HOH:O	2.03	0.74
1:C:210[A]:LYS:HZ1	7:C:402:KOU:CA	1.99	0.74
1:A:210[B]:LYS:NZ	5:A:405:OJO:C4A	2.50	0.74
1:C:210[A]:LYS:NZ	7:C:402:KOU:N	2.34	0.72
1:B:394:VAL:O	1:B:394:VAL:HG23	1.88	0.71
1:B:220:GLY:HA3	1:B:246:GLN:HE22	1.56	0.70
1:C:210[B]:LYS:NZ	7:C:402:KOU:HA	2.05	0.70
1:A:14:ALA:N	8:A:845:HOH:O	2.25	0.70
1:A:36:MET:HE3	8:C:746:HOH:O	1.89	0.69
1:B:76:LEU:O	1:B:195[B]:ARG:HD2	1.93	0.69
1:C:71:ARG:NH2	8:C:790:HOH:O	2.21	0.68
1:D:210[A]:LYS:HZ3	7:D:403:KOU:HA	1.59	0.67
1:A:326:ARG:HD3	8:A:784:HOH:O	1.93	0.67
1:B:195[A]:ARG:NE	8:B:540:HOH:O	2.28	0.67
1:B:210[B]:LYS:HE3	7:B:403:KOU:HA	1.78	0.66
1:B:143:LYS:HE3	1:B:178:HIS:HE1	1.60	0.66
1:B:53:HIS:CD2	1:B:55:GLY:H	2.03	0.66
1:D:354:THR:OG1	1:D:355:HIS:HD2	1.80	0.65
1:D:210[A]:LYS:NZ	7:D:403:KOU:HA	2.13	0.64
1:B:354:THR:OG1	1:B:355:HIS:HD2	1.80	0.64
1:B:266:ARG:NH2	8:B:815:HOH:O	2.29	0.63
1:A:268:HIS:HD2	1:A:377:VAL:O	1.80	0.63
1:C:234:GLN:NE2	8:C:763:HOH:O	2.31	0.63
1:C:354:THR:OG1	1:C:355:HIS:HD2	1.81	0.63
1:A:234:GLN:HE21	1:A:234:GLN:HA	1.64	0.62
1:A:354:THR:OG1	1:A:355:HIS:HD2	1.81	0.62
1:B:234:GLN:HA	6:B:402:PYR:CB	2.32	0.60
1:D:386:ARG:HD3	8:D:790:HOH:O	2.00	0.60
1:C:349:HIS:HE1	1:C:370:ASP:O	1.84	0.60
1:A:349:HIS:HD2	1:A:352:VAL:H	1.47	0.60
1:A:268:HIS:HE1	8:A:551:HOH:O	1.85	0.60
1:D:53:HIS:HD2	1:D:55:GLY:N	1.94	0.60
1:B:52:GLU:CG	8:B:799:HOH:O	2.38	0.59
1:C:268:HIS:HE1	8:C:536:HOH:O	1.84	0.59
1:C:349:HIS:HD2	1:C:352:VAL:H	1.51	0.59
1:C:47:GLN:HE22	1:C:51:GLY:H	1.51	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:228:ASN:C	1:B:228:ASN:HD22	2.11	0.58
1:D:349:HIS:HE1	1:D:370:ASP:O	1.86	0.58
1:D:271:ASN:ND2	6:D:402:PYR:O	2.29	0.58
1:C:210[A]:LYS:HE2	7:C:402:KOU:HA	1.85	0.58
1:A:326:ARG:HG2	8:A:777:HOH:O	2.04	0.57
1:A:266:ARG:NH2	8:A:734:HOH:O	2.35	0.56
1:B:143:LYS:HE3	1:B:178:HIS:CE1	2.41	0.56
1:D:53:HIS:CD2	1:D:55:GLY:H	2.06	0.56
1:A:362:ARG:HA	1:A:365:GLN:HG2	1.88	0.56
1:B:210[A]:LYS:HE2	7:B:403:KOU:HA	1.88	0.56
1:C:210[A]:LYS:HZ1	7:C:402:KOU:HA	1.71	0.54
1:D:210[A]:LYS:HZ3	7:D:403:KOU:CA	2.20	0.54
1:D:210[B]:LYS:CE	7:D:403:KOU:HA	2.38	0.53
1:D:228:ASN:HD22	1:D:228:ASN:C	2.17	0.53
1:C:210[B]:LYS:HZ2	1:C:339:SER:HA	1.74	0.52
1:B:210[B]:LYS:CE	7:B:403:KOU:HA	2.39	0.52
1:B:394:VAL:O	1:B:394:VAL:CG2	2.57	0.52
1:D:364:GLU:HG3	8:D:757:HOH:O	2.09	0.51
1:A:52:GLU:HG2	8:A:713:HOH:O	2.11	0.51
1:A:73:VAL:HG11	1:A:222:ILE:HG21	1.93	0.51
1:C:210[A]:LYS:CE	7:C:402:KOU:HA	2.41	0.50
1:B:210[A]:LYS:HZ3	7:B:403:KOU:C4A	2.19	0.50
1:D:210[A]:LYS:HZ1	7:D:403:KOU:H4A	1.72	0.50
1:B:278:TRP:HZ2	1:B:390:GLU:HG2	1.76	0.50
1:A:349:HIS:HE1	1:A:370:ASP:O	1.94	0.50
1:B:195[A]:ARG:NH2	8:B:540:HOH:O	2.44	0.50
1:D:47:GLN:HE22	1:D:51:GLY:H	1.60	0.49
1:A:278:TRP:HZ2	1:A:390:GLU:HG2	1.77	0.49
1:A:386:ARG:NH1	8:A:507:HOH:O	2.27	0.49
1:B:281:THR:CG2	8:B:839:HOH:O	2.38	0.49
6:D:402:PYR:CB	8:D:565:HOH:O	2.61	0.49
1:B:57:GLU:CD	8:B:818:HOH:O	2.55	0.49
1:A:52:GLU:CG	8:A:713:HOH:O	2.61	0.49
1:B:228:ASN:ND2	1:B:231:LEU:H	2.10	0.48
1:C:47:GLN:NE2	1:C:51:GLY:H	2.11	0.48
1:C:210[A]:LYS:HZ2	7:C:402:KOU:C4A	2.23	0.48
1:C:228:ASN:C	1:C:228:ASN:HD22	2.19	0.48
1:C:268:HIS:HD2	1:C:377:VAL:O	1.95	0.48
1:D:210[B]:LYS:HE3	7:D:403:KOU:HA	1.94	0.48
1:B:210[A]:LYS:CE	7:B:403:KOU:HA	2.43	0.48
1:A:161:PRO:HD3	1:A:355:HIS:CE1	2.49	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:33:GLY:O	1:B:34:ALA:C	2.56	0.48
1:D:47:GLN:NE2	1:D:51:GLY:H	2.12	0.47
1:B:210[A]:LYS:NZ	7:B:403:KOU:HA	2.29	0.47
8:B:666:HOH:O	1:D:28:PRO:HG3	2.15	0.47
1:D:196:PRO:HB2	1:D:204:VAL:HG22	1.97	0.47
1:D:234:GLN:NE2	8:D:796:HOH:O	2.47	0.47
1:C:59:SER:HA	1:C:62:HIS:O	2.15	0.46
1:A:52:GLU:CD	8:A:713:HOH:O	2.58	0.46
1:C:210[B]:LYS:CE	7:C:402:KOU:HA	2.45	0.46
1:A:326:ARG:NE	8:A:841:HOH:O	2.37	0.46
1:A:211:TYR:CE1	1:A:341:GLY:HA2	2.51	0.46
1:A:326:ARG:NH2	1:A:330:LYS:HD2	2.31	0.46
1:C:53:HIS:HD2	1:C:55:GLY:N	1.98	0.46
1:B:112:TYR:CE2	1:B:114:GLY:HA3	2.50	0.45
1:D:326:ARG:NH2	8:D:766:HOH:O	2.48	0.45
1:D:210[A]:LYS:NZ	7:D:403:KOU:N	2.57	0.45
1:A:151:LYS:HE3	8:A:702:HOH:O	2.15	0.45
1:D:283:PRO:O	1:D:318[A]:LYS:HE2	2.16	0.45
1:C:334:PHE:CD2	1:C:345:SER:HB3	2.52	0.45
1:A:42:THR:HA	1:B:217:ASP:HA	1.99	0.45
1:D:195[B]:ARG:NH2	8:D:699:HOH:O	2.32	0.45
1:A:18:ALA:HA	1:A:262:PRO:HG2	1.99	0.45
1:B:161:PRO:HD3	1:B:355:HIS:CE1	2.52	0.45
1:C:210[A]:LYS:NZ	7:C:402:KOU:HA	2.32	0.45
1:B:281:THR:CB	8:B:839:HOH:O	2.54	0.44
1:A:36:MET:HE1	8:C:746:HOH:O	2.07	0.44
1:A:195[B]:ARG:NH2	8:A:796:HOH:O	2.50	0.44
1:B:53:HIS:HD2	1:B:55:GLY:N	1.95	0.43
1:C:53:HIS:CD2	1:C:55:GLY:H	2.09	0.43
1:C:210[B]:LYS:HZ2	7:C:402:KOU:HA	1.82	0.43
1:D:210[B]:LYS:NZ	7:D:403:KOU:HA	2.33	0.43
1:B:278:TRP:CZ2	1:B:390:GLU:HG2	2.54	0.43
1:D:349:HIS:HD2	1:D:352:VAL:H	1.67	0.43
1:C:177:LYS:HD3	8:C:713:HOH:O	2.19	0.43
1:B:278:TRP:CZ2	1:B:390:GLU:CG	3.02	0.42
1:A:349:HIS:CD2	1:A:352:VAL:H	2.34	0.42
1:C:161:PRO:HD3	1:C:355:HIS:CE1	2.55	0.42
1:A:360:VAL:O	1:A:364:GLU:HG2	2.20	0.42
1:B:160:ASN:O	1:B:355:HIS:HE1	2.02	0.42
1:D:36:MET:SD	1:D:259[B]:LYS:HE3	2.59	0.42
1:A:39:ILE:HB	1:D:39:ILE:HB	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:161:PRO:HD3	1:D:355:HIS:CE1	2.55	0.41
1:B:143:LYS:NZ	1:B:177:LYS:HD3	2.36	0.41
1:D:185:ASP:OD2	7:D:403:KOU:N1	2.53	0.41
1:A:59:SER:HA	1:A:62:HIS:O	2.20	0.41
1:C:92:THR:HG23	1:C:154:TRP:CH2	2.56	0.41
1:A:354:THR:OG1	1:A:355:HIS:CD2	2.69	0.41
1:C:16[A]:SER:OG	8:C:503:HOH:O	2.22	0.41
1:C:33:GLY:O	1:C:34:ALA:C	2.61	0.41
1:D:210[A]:LYS:CE	7:D:403:KOU:HA	2.51	0.40
1:D:230:GLU:O	1:D:234:GLN:HG3	2.21	0.40
1:C:211:TYR:CE1	1:C:341:GLY:HA2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	385/397 (97%)	376 (98%)	9 (2%)	0	100	100
1	B	386/397 (97%)	376 (97%)	10 (3%)	0	100	100
1	C	384/397 (97%)	373 (97%)	10 (3%)	1 (0%)	36	22
1	D	389/397 (98%)	380 (98%)	9 (2%)	0	100	100
All	All	1544/1588 (97%)	1505 (98%)	38 (2%)	1 (0%)	48	31

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	339	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	304/313 (97%)	298 (98%)	6 (2%)	48	32
1	B	305/313 (97%)	300 (98%)	5 (2%)	55	41
1	C	303/313 (97%)	297 (98%)	6 (2%)	48	32
1	D	308/313 (98%)	300 (97%)	8 (3%)	40	23
All	All	1220/1252 (97%)	1195 (98%)	25 (2%)	51	32

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	50	PRO
1	A	180	LEU
1	A	234	GLN
1	A	286	GLU
1	A	322	ASP
1	A	340	LEU
1	B	210[A]	LYS
1	B	210[B]	LYS
1	B	228	ASN
1	B	291	PRO
1	B	340	LEU
1	C	210[A]	LYS
1	C	210[B]	LYS
1	C	228	ASN
1	C	280	GLU
1	C	340	LEU
1	C	365	GLN
1	D	16[A]	SER
1	D	16[B]	SER
1	D	161	PRO
1	D	210[A]	LYS
1	D	210[B]	LYS
1	D	317	LEU
1	D	340	LEU
1	D	372	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (38) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	54	GLN
1	A	194	GLN
1	A	234	GLN
1	A	239	GLN
1	A	268	HIS
1	A	271	ASN
1	A	349	HIS
1	A	355	HIS
1	B	53	HIS
1	B	178	HIS
1	B	194	GLN
1	B	228	ASN
1	B	234	GLN
1	B	246	GLN
1	B	271	ASN
1	B	277	GLN
1	B	355	HIS
1	B	365	GLN
1	C	47	GLN
1	C	53	HIS
1	C	54	GLN
1	C	194	GLN
1	C	228	ASN
1	C	239	GLN
1	C	240	ASN
1	C	246	GLN
1	C	268	HIS
1	C	271	ASN
1	C	349	HIS
1	C	355	HIS
1	D	47	GLN
1	D	53	HIS
1	D	194	GLN
1	D	228	ASN
1	D	234	GLN
1	D	349	HIS
1	D	355	HIS
1	D	365	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

13 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	SER	D	401	-	4,6,6	0.74	0	2,7,7	2.32	1 (50%)
3	GOL	A	403	-	5,5,5	0.94	0	5,5,5	1.97	1 (20%)
2	SER	C	401	-	4,6,6	1.15	0	2,7,7	1.89	1 (50%)
5	OJO	A	405	-	20,21,21	2.51	6 (30%)	23,30,30	1.63	4 (17%)
6	PYR	D	402	-	5,5,5	2.13	2 (40%)	3,6,6	3.92	2 (66%)
7	KOU	B	403	-	22,22,22	2.20	4 (18%)	27,31,31	1.72	6 (22%)
6	PYR	B	402	-	5,5,5	4.10	4 (80%)	3,6,6	1.85	1 (33%)
4	SO4	A	404	-	4,4,4	0.34	0	6,6,6	0.44	0
2	SER	A	401	-	4,6,6	0.77	0	2,7,7	1.72	1 (50%)
3	GOL	A	402	-	5,5,5	0.81	0	5,5,5	0.41	0
2	SER	B	401	-	4,6,6	1.27	0	2,7,7	1.11	0
7	KOU	D	403	-	22,22,22	2.51	8 (36%)	27,31,31	2.29	6 (22%)
7	KOU	C	402	-	22,22,22	2.45	9 (40%)	27,31,31	2.22	8 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SER	D	401	-	-	0/6/6/6	-
3	GOL	A	403	-	-	2/4/4/4	-
2	SER	C	401	-	-	0/6/6/6	-
5	OJO	A	405	-	-	0/11/15/15	0/1/1/1
6	PYR	D	402	-	-	2/4/4/4	-
7	KOU	B	403	-	-	5/17/17/17	0/1/1/1
6	PYR	B	402	-	-	0/4/4/4	-
2	SER	A	401	-	-	0/6/6/6	-
3	GOL	A	402	-	-	0/4/4/4	-
2	SER	B	401	-	-	0/6/6/6	-
7	KOU	D	403	-	-	4/17/17/17	0/1/1/1
7	KOU	C	402	-	-	4/17/17/17	0/1/1/1

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	D	403	KOU	C3-C2	6.39	1.47	1.41
6	B	402	PYR	O3-CA	5.56	1.35	1.23
5	A	405	OJO	C3-C2	5.51	1.46	1.41
7	C	402	KOU	C3-C2	5.47	1.46	1.41
5	A	405	OJO	C4A-N	5.32	1.35	1.28
5	A	405	OJO	C4-C5	5.20	1.49	1.42
6	B	402	PYR	O-C	5.14	1.35	1.22
7	B	403	KOU	C4-C3	4.89	1.49	1.41
7	B	403	KOU	C4A-N	4.82	1.36	1.27
7	C	402	KOU	C4-C3	4.82	1.49	1.41
7	B	403	KOU	C4-C5	4.57	1.48	1.42
7	D	403	KOU	C4A-N	4.53	1.35	1.27
7	D	403	KOU	C4-C3	4.42	1.48	1.41
7	B	403	KOU	C3-C2	4.26	1.45	1.41
7	C	402	KOU	C4-C5	3.91	1.47	1.42
5	A	405	OJO	C4-C3	3.88	1.47	1.41
7	C	402	KOU	C4A-N	3.87	1.34	1.27
6	B	402	PYR	CB-CA	-3.79	1.42	1.50
6	D	402	PYR	O3-CA	3.57	1.31	1.23
7	D	403	KOU	C4-C5	3.30	1.46	1.42
7	D	403	KOU	CA-C	-3.26	1.48	1.52
6	B	402	PYR	CA-C	-3.16	1.43	1.54
7	D	403	KOU	OXT-C	-2.91	1.21	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	D	403	KOU	C4-C4A	2.82	1.52	1.46
6	D	402	PYR	CA-C	-2.77	1.45	1.54
7	C	402	KOU	CA-C	2.63	1.55	1.52
5	A	405	OJO	C4-C4A	2.60	1.52	1.46
7	C	402	KOU	CA-N	2.57	1.49	1.46
7	D	403	KOU	C2A-C2	2.49	1.54	1.50
5	A	405	OJO	OXT-C	-2.40	1.24	1.30
7	C	402	KOU	C2A-C2	2.33	1.54	1.50
7	C	402	KOU	P-O2P	-2.27	1.46	1.54
7	C	402	KOU	C5A-C5	2.25	1.56	1.50

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	C	402	KOU	CA-N-C4A	7.80	128.36	116.77
7	D	403	KOU	C3-C4-C5	-6.03	113.43	118.28
7	D	403	KOU	C2A-C2-C3	-5.31	114.58	120.80
7	B	403	KOU	C3-C4-C5	-5.22	114.09	118.28
6	D	402	PYR	OXT-C-O	-5.15	111.64	123.90
7	D	403	KOU	C5-C4-C4A	4.90	129.03	121.47
5	A	405	OJO	C3-C4-C5	-4.50	114.66	118.28
6	D	402	PYR	OXT-C-CA	4.18	125.18	113.59
3	A	403	GOL	C3-C2-C1	-4.13	96.66	111.80
7	D	403	KOU	CA-N-C4A	4.05	122.78	116.77
7	B	403	KOU	C5-C4-C4A	3.62	127.06	121.47
7	B	403	KOU	C4-C4A-N	-3.43	115.99	122.73
7	C	402	KOU	C3-C4-C5	-3.32	115.61	118.28
2	D	401	SER	OXT-C-O	-3.27	116.66	124.08
7	D	403	KOU	C2A-C2-N1	3.22	123.71	117.64
7	C	402	KOU	O4P-C5A-C5	-2.85	104.01	109.36
6	B	402	PYR	O3-CA-CB	-2.81	113.48	119.77
7	C	402	KOU	O1P-P-O4P	-2.70	99.64	106.67
2	C	401	SER	OXT-C-O	-2.66	118.04	124.08
5	A	405	OJO	C4-C4A-N	-2.57	117.08	123.01
7	B	403	KOU	C-CA-N	2.47	114.32	108.22
2	A	401	SER	OXT-C-O	-2.43	118.58	124.08
5	A	405	OJO	C4-C3-C2	-2.31	118.84	120.14
7	C	402	KOU	C6-N1-C2	2.30	123.37	119.20
5	A	405	OJO	OP4-P-OP3	-2.28	100.28	106.44
7	D	403	KOU	C6-C5-C4	2.23	122.04	118.21
7	B	403	KOU	OG-CB-CA	-2.16	99.40	111.42
7	C	402	KOU	C4-C4A-N	-2.12	118.57	122.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	C	402	KOU	C5-C6-N1	-2.07	120.46	123.83
7	B	403	KOU	O1P-P-O4P	-2.05	101.33	106.67
7	C	402	KOU	C4-C3-C2	-2.04	119.00	120.14

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	403	GOL	O1-C1-C2-C3
6	D	402	PYR	OXT-C-CA-CB
7	B	403	KOU	CB-CA-N-C4A
7	B	403	KOU	N-CA-CB-OG
7	C	402	KOU	C-CA-N-C4A
7	C	402	KOU	CB-CA-N-C4A
7	C	402	KOU	C-CA-CB-OG
7	C	402	KOU	N-CA-CB-OG
7	D	403	KOU	C-CA-N-C4A
7	D	403	KOU	CB-CA-N-C4A
7	D	403	KOU	N-CA-CB-OG
3	A	403	GOL	O1-C1-C2-O2
7	B	403	KOU	C-CA-CB-OG
6	D	402	PYR	OXT-C-CA-O3
7	D	403	KOU	C-CA-CB-OG
7	B	403	KOU	O-C-CA-N
7	B	403	KOU	C3-C4-C4A-N


There are no ring outliers.


6 monomers are involved in 38 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	405	OJO	2	0
6	D	402	PYR	2	0
7	B	403	KOU	9	0
6	B	402	PYR	1	0
7	D	403	KOU	12	0
7	C	402	KOU	12	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	381/397 (95%)	-0.83	1 (0%) 90 91	6, 12, 24, 35	6 (1%)
1	B	381/397 (95%)	-0.86	1 (0%) 90 91	6, 11, 22, 33	7 (1%)
1	C	381/397 (95%)	-0.69	2 (0%) 87 89	7, 14, 28, 36	5 (1%)
1	D	383/397 (96%)	-0.83	1 (0%) 90 91	5, 12, 23, 39	8 (2%)
All	All	1526/1588 (96%)	-0.80	5 (0%) 90 91	5, 12, 25, 39	26 (1%)

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	394	VAL	2.8
1	B	394	VAL	2.5
1	C	394	VAL	2.4
1	D	14	ALA	2.3
1	C	14	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,




median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	PYR	D	402	6/6	0.85	0.12	25,28,32,34	0
3	GOL	A	403	6/6	0.87	0.11	28,33,35,39	0
6	PYR	B	402	6/6	0.91	0.12	13,25,31,35	0
4	SO4	A	404	5/5	0.96	0.07	30,38,42,46	0
2	SER	C	401	7/7	0.96	0.06	18,20,21,24	0
2	SER	A	401	7/7	0.96	0.08	19,22,23,26	0
2	SER	B	401	7/7	0.97	0.05	14,16,17,21	0
2	SER	D	401	7/7	0.97	0.04	17,19,21,21	0
3	GOL	A	402	6/6	0.98	0.04	13,14,17,17	0
7	KOU	B	403	22/22	0.98	0.05	9,13,20,29	0
7	KOU	C	402	22/22	0.98	0.06	8,17,25,33	0
5	OJO	A	405	21/21	0.99	0.04	7,12,18,20	0
7	KOU	D	403	22/22	0.99	0.04	9,14,19,29	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around KOU B 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around KOU C 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around 0JO A 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around KOU D 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.