



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:14 PM UTC

PDB ID : 4IY8 / pdb_00004iy8
Title : Bmlp3 - P21 crystal form
Authors : Pietrzyk, A.J.; Bujacz, A.; Mueller-Dieckmann, J.; Jaskolski, M.; Bujacz, G.
Deposited on : 2013-01-28
Resolution : 2.36 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.36 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1596 (2.36-2.36)
Clashscore	190562	1663 (2.36-2.36)
Ramachandran outliers	187476	1646 (2.36-2.36)
Sidechain outliers	187428	1646 (2.36-2.36)
RSRZ outliers	180081	1598 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	239	2% 70% 27% ..
1	B	239	% 74% 23% .
1	C	239	% 83% 15% .
1	D	239	2% 71% 26% .

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 8063 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 30K protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	239	Total	C	N	O	S	0	1	0
			1955	1248	335	365	7			
1	B	239	Total	C	N	O	S	0	1	0
			1956	1248	336	365	7			
1	C	239	Total	C	N	O	S	0	1	0
			1953	1246	333	367	7			
1	D	239	Total	C	N	O	S	0	1	0
			1953	1246	333	367	7			

- Molecule 2 is HEXAETHYLENE GLYCOL (CCD ID: P6G) (formula: C₁₂H₂₆O₇).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			19	12	7		

- Molecule 3 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).







Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	C	1	Total	C	O	0	0
			7	4	3		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	68	Total	O	0	0
			68	68		
4	B	54	Total	O	0	0
			54	54		
4	C	53	Total	O	0	0
			53	53		
4	D	45	Total	O	0	0
			45	45		

- Molecule 1: 30K protein 1





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	56.93Å 124.41Å 67.89Å 90.00° 114.80° 90.00°	Depositor
Resolution (Å)	33.34 – 2.36 33.34 – 2.36	Depositor EDS
% Data completeness (in resolution range)	99.8 (33.34-2.36) 99.8 (33.34-2.36)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.94 (at 2.36Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.173 , 0.259 0.173 , 0.258	Depositor DCC
R_{free} test set	1106 reflections (3.14%)	wwPDB-VP
Wilson B-factor (Å ²)	35.0	Xtriage
Anisotropy	0.661	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 45.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.060 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8063	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, P6G

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.04	1/2007 (0.0%)	1.18	8/2720 (0.3%)
1	B	1.00	1/2007 (0.0%)	1.17	4/2719 (0.1%)
1	C	0.96	0/2004	1.13	4/2716 (0.1%)
1	D	0.88	0/2004	1.10	8/2716 (0.3%)
All	All	0.97	2/8022 (0.0%)	1.14	24/10871 (0.2%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	136	GLU	N-CA	-5.45	1.39	1.46
1	A	173	VAL	CA-CB	5.21	1.58	1.53

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	172	SER	N-CA-C	8.21	121.79	108.41
1	D	207	SER	N-CA-C	6.91	119.22	110.24
1	D	172	SER	N-CA-C	6.79	119.89	108.02
1	B	188	ASP	CB-CA-C	-6.53	108.35	117.23
1	B	225	VAL	N-CA-C	6.34	117.45	112.12
1	D	188	ASP	CB-CA-C	-6.09	109.53	116.54
1	D	107	VAL	CB-CA-C	-6.00	103.50	111.13
1	C	7	ASN	N-CA-C	5.68	118.20	111.33
1	C	4	ASP	CA-C-N	-5.54	118.51	123.33
1	C	4	ASP	C-N-CA	-5.54	118.51	123.33
1	C	27	VAL	N-CA-C	5.52	115.72	110.42
1	B	152	TYR	N-CA-C	5.46	118.52	109.46
1	A	175	SER	N-CA-C	5.41	116.50	108.60
1	A	77	PHE	CA-C-N	5.37	125.31	119.78
1	A	77	PHE	C-N-CA	5.37	125.31	119.78

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	78	PRO	CB-CA-C	-5.37	102.70	111.56
1	D	105	ASN	N-CA-C	5.25	116.81	111.14
1	D	7	ASN	N-CA-C	5.20	116.95	111.28
1	A	120	LYS	CB-CA-C	5.17	120.70	110.42
1	A	29	LYS	N-CA-CB	5.16	117.80	110.16
1	A	95	LYS	N-CA-C	5.14	117.55	111.33
1	A	28	GLU	N-CA-C	5.09	117.21	111.11
1	D	45	VAL	N-CA-CB	5.05	117.79	110.52
1	B	125	PRO	CB-CA-C	-5.05	103.23	111.56

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1955	0	1896	40	0
1	B	1956	0	1902	32	0
1	C	1953	0	1893	17	0
1	D	1953	0	1893	46	0
2	A	19	0	26	5	0
3	C	7	0	10	1	0
4	A	68	0	0	2	0
4	B	54	0	0	5	0
4	C	53	0	0	4	0
4	D	45	0	0	3	0
All	All	8063	0	7620	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:148:GLU:HG2	4:B:350:HOH:O	1.67	0.93

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:71[B]:ASP:HA	1:D:74:ARG:HD2	1.58	0.86
1:D:62:TYR:CZ	1:D:66:LEU:HD12	2.15	0.82
1:D:159:THR:CG2	1:D:163:GLY:HA2	2.11	0.81
2:A:301:P6G:H52	4:B:324:HOH:O	1.83	0.78
1:C:112:GLY:HA2	4:C:446:HOH:O	1.84	0.77
1:A:2:ASP:HB2	1:A:36:GLU:OE1	1.88	0.74
3:C:301:PEG:H12	4:C:430:HOH:O	1.86	0.74
1:D:71[A]:ASP:HA	1:D:74:ARG:HD2	1.68	0.73
1:B:82[A]:ARG:HD2	4:B:354:HOH:O	1.89	0.70
1:A:143:LYS:HE2	1:A:173:VAL:HG21	1.73	0.69
1:B:1:ALA:HB1	1:B:4:ASP:OD2	1.94	0.68
1:D:173:VAL:HG13	1:D:178:ALA:HB3	1.76	0.67
1:C:161:TRP:HA	1:C:161:TRP:CE3	2.30	0.66
1:D:159:THR:HG21	1:D:163:GLY:HA2	1.77	0.65
1:D:159:THR:HG22	1:D:160:ASN:O	1.98	0.64
1:A:6:PRO:HG2	1:A:9:ILE:HD12	1.79	0.62
1:D:99:LEU:HD22	1:D:118:ASP:O	1.99	0.61
1:C:161:TRP:HA	1:C:161:TRP:HE3	1.64	0.61
1:D:113:ARG:HD2	1:D:149:ARG:HG3	1.83	0.60
1:D:107:VAL:HG12	1:D:108:GLN:N	2.16	0.60
1:B:187:TYR:O	1:B:188:ASP:HB2	2.02	0.59
1:B:82[A]:ARG:CD	4:B:354:HOH:O	2.47	0.58
2:A:301:P6G:H21	1:B:219:TRP:CD1	2.39	0.58
1:A:151:GLN:NE2	4:A:411:HOH:O	2.37	0.58
1:A:90:ILE:HD11	1:A:131:LEU:HD13	1.85	0.57
1:B:207:SER:OG	1:B:209:THR:HB	2.04	0.57
1:C:187:TYR:O	1:C:190:ASP:N	2.24	0.57
1:D:46:VAL:HA	1:D:49:LEU:HD12	1.87	0.56
1:A:62:TYR:HB2	1:A:85:PHE:CE1	2.40	0.56
1:D:202:LYS:NZ	4:D:309:HOH:O	2.38	0.56
1:D:159:THR:HG23	1:D:163:GLY:HA2	1.88	0.56
1:A:207:SER:HA	2:A:301:P6G:H171	1.88	0.55
1:B:113:ARG:HD2	1:B:151:GLN:OE1	2.07	0.54
1:D:139:LYS:HE2	4:D:324:HOH:O	2.07	0.54
1:B:125:PRO:HB2	1:B:148:GLU:HG3	1.90	0.54
1:A:120:LYS:NZ	1:D:40:GLU:HG2	2.23	0.53
1:D:80:GLU:N	1:D:80:GLU:OE1	2.40	0.53
1:D:113:ARG:CZ	1:D:149:ARG:HD2	2.39	0.53
1:B:27:VAL:HG22	1:B:64:LEU:HD23	1.90	0.52
1:A:28:GLU:O	1:A:32[A]:HIS:ND1	2.38	0.52
1:B:161:TRP:HE3	1:B:161:TRP:H	1.57	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:143:LYS:HE2	1:D:173:VAL:HG11	1.92	0.52
1:A:97:ASP:CB	1:A:99:LEU:HG	2.40	0.52
1:A:202:LYS:NZ	4:A:458:HOH:O	2.42	0.51
1:A:230:GLU:HG3	1:B:224:ARG:NH2	2.26	0.51
1:C:138:ASN:HA	4:C:451:HOH:O	2.09	0.51
1:A:157:VAL:HG23	1:A:200:TYR:OH	2.11	0.50
1:A:73:VAL:O	1:A:77:PHE:HB2	2.11	0.50
1:A:70:LYS:O	1:A:74:ARG:HG3	2.11	0.50
1:B:229:PRO:O	1:B:233:ALA:HB3	2.11	0.50
1:D:192:LEU:HD12	1:D:229:PRO:HB2	1.93	0.49
1:D:213:SER:HB2	1:D:215:HIS:CG	2.48	0.49
1:D:227:GLY:O	1:D:229:PRO:HD3	2.12	0.49
1:A:97:ASP:HB3	1:A:99:LEU:HG	1.95	0.49
1:B:90:ILE:HD12	1:B:236:ILE:HG23	1.94	0.49
1:D:62:TYR:CE2	1:D:66:LEU:HD12	2.48	0.49
1:A:180:TRP:CD1	1:A:180:TRP:N	2.81	0.48
1:C:2:ASP:HB2	1:C:36:GLU:OE1	2.13	0.48
1:A:154:VAL:O	1:A:167:ALA:HA	2.14	0.48
1:C:62:TYR:CE2	1:C:66:LEU:HD22	2.49	0.48
1:A:124:SER:O	1:A:127:VAL:HG22	2.13	0.48
2:A:301:P6G:H21	1:B:219:TRP:CG	2.48	0.48
1:B:208:ARG:HG3	4:B:324:HOH:O	2.13	0.48
1:C:55:MET:HG3	1:C:183:GLN:HG3	1.95	0.48
1:A:27:VAL:O	1:A:31:LYS:HG3	2.13	0.48
1:D:55:MET:HG3	4:D:301:HOH:O	2.14	0.47
1:B:79:VAL:HG23	1:B:82[A]:ARG:HD3	1.95	0.47
1:A:187:TYR:O	1:A:190:ASP:N	2.44	0.47
1:A:129:TRP:CZ3	1:A:146:ASN:HB2	2.50	0.47
1:B:129:TRP:CZ3	1:B:146:ASN:HB2	2.50	0.47
1:D:124:SER:O	1:D:127:VAL:HG22	2.14	0.47
1:D:78:PRO:HG3	1:D:191:VAL:HG21	1.97	0.47
1:D:35:GLU:C	1:D:37:LYS:H	2.23	0.46
1:C:56:ASN:OD1	1:C:56:ASN:N	2.45	0.46
1:A:15:TYR:CE1	1:A:48:LYS:HG2	2.50	0.46
1:D:182:LEU:HD22	1:D:195:ILE:HG12	1.96	0.46
1:B:154:VAL:HG12	1:B:178:ALA:HB2	1.97	0.46
1:A:120:LYS:HZ2	1:D:40:GLU:HG2	1.81	0.46
1:D:65:TRP:CD2	1:D:70:LYS:HG2	2.51	0.46
1:B:152:TYR:O	1:B:169:GLY:HA2	2.16	0.45
1:D:173:VAL:HG13	1:D:178:ALA:CB	2.45	0.45
1:D:149:ARG:HA	1:D:149:ARG:HD3	1.70	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:186:LYS:HA	1:B:190:ASP:O	2.17	0.45
1:B:131:LEU:CD1	1:B:144:ILE:HG12	2.47	0.45
1:D:53:ASN:HA	1:D:184:PRO:O	2.17	0.45
1:B:62:TYR:HD1	1:B:85:PHE:CE1	2.35	0.44
1:D:103:LEU:HD23	1:D:115:ALA:HB2	2.00	0.44
1:D:149:ARG:HB3	1:D:151:GLN:HG3	1.98	0.44
1:B:74:ARG:HE	1:B:82[B]:ARG:HH11	1.65	0.44
1:B:74:ARG:HE	1:B:82[B]:ARG:NH1	2.16	0.44
1:A:48:LYS:HE2	4:C:419:HOH:O	2.18	0.44
1:B:46:VAL:O	1:B:50:ILE:HG13	2.18	0.44
1:B:19:VAL:HG22	1:B:54:LYS:HD2	1.98	0.43
1:B:14:LEU:HD23	1:B:45:VAL:HG21	2.00	0.43
1:D:65:TRP:CE2	1:D:70:LYS:HG2	2.54	0.43
1:A:186:LYS:HD2	1:A:190:ASP:O	2.19	0.43
1:C:153:LEU:HD12	1:C:168:PHE:O	2.19	0.43
1:A:73:VAL:HA	1:A:77:PHE:CD1	2.54	0.43
1:C:237:LYS:HB3	1:C:237:LYS:NZ	2.34	0.43
1:D:159:THR:HG23	1:D:163:GLY:CA	2.49	0.43
1:A:14:LEU:O	1:A:17:SER:HB3	2.18	0.43
1:A:86:ALA:O	1:A:87:GLU:HB2	2.19	0.43
1:C:129:TRP:CE3	1:C:144:ILE:HG22	2.54	0.43
1:C:149:ARG:HA	1:C:149:ARG:HD3	1.85	0.43
1:B:65:TRP:CE2	1:B:70:LYS:HE3	2.53	0.42
1:A:154:VAL:HG12	1:A:178:ALA:HA	2.02	0.42
1:C:152:TYR:O	1:C:169:GLY:HA2	2.19	0.42
1:B:34:TYR:OH	1:B:75:ASP:OD2	2.26	0.42
1:C:15:TYR:CE1	1:C:49:LEU:HD23	2.55	0.42
1:D:80:GLU:H	1:D:80:GLU:CD	2.28	0.42
1:D:230:GLU:HG2	1:D:231:HIS:CD2	2.55	0.42
1:C:157:VAL:O	1:C:157:VAL:HG12	2.19	0.41
1:A:97:ASP:HB2	1:A:99:LEU:HG	2.03	0.41
1:A:205:THR:OG1	2:A:301:P6G:H151	2.21	0.41
1:D:107:VAL:CG1	1:D:108:GLN:N	2.81	0.41
1:D:211:GLU:HB2	1:D:215:HIS:HB2	2.03	0.41
1:A:177:ARG:HG2	1:A:200:TYR:CE2	2.56	0.41
1:A:221:TYR:OH	1:B:208:ARG:HG2	2.21	0.41
1:D:162:ASN:HB3	1:D:164:ASP:OD2	2.21	0.41
1:A:111:ASP:HB3	1:A:168:PHE:CD1	2.56	0.41
1:A:226:ILE:HG13	1:A:227:GLY:N	2.36	0.40
1:A:152:TYR:O	1:A:169:GLY:HA2	2.21	0.40
1:B:204:LEU:HA	1:B:204:LEU:HD12	1.87	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:187:TYR:O	1:C:188:ASP:C	2.64	0.40
1:D:14:LEU:O	1:D:17:SER:HB3	2.20	0.40
1:D:166:MET:HE2	1:D:166:MET:HB3	1.88	0.40
1:A:25:SER:O	1:A:29:LYS:HG2	2.21	0.40
1:A:31:LYS:NZ	1:A:69:SER:OG	2.54	0.40
1:A:32[B]:HIS:CE1	1:A:36:GLU:OE2	2.74	0.40
1:D:33:LEU:HD23	1:D:33:LEU:HA	1.84	0.40
1:D:112:GLY:O	1:D:114:PRO:HD3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	238/239 (100%)	229 (96%)	8 (3%)	1 (0%)	30	34
1	B	238/239 (100%)	228 (96%)	10 (4%)	0	100	100
1	C	238/239 (100%)	228 (96%)	10 (4%)	0	100	100
1	D	238/239 (100%)	222 (93%)	15 (6%)	1 (0%)	30	34
All	All	952/956 (100%)	907 (95%)	43 (4%)	2 (0%)	43	52

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	110	ASP
1	A	84	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/208 (100%)	193 (92%)	16 (8%)	12	13
1	B	209/208 (100%)	187 (90%)	22 (10%)	6	6
1	C	209/208 (100%)	193 (92%)	16 (8%)	12	13
1	D	209/208 (100%)	194 (93%)	15 (7%)	13	14
All	All	836/832 (100%)	767 (92%)	69 (8%)	11	11

All (69) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	SER
1	A	19	VAL
1	A	29	LYS
1	A	35	GLU
1	A	40	GLU
1	A	66	LEU
1	A	71	ASP
1	A	91	LYS
1	A	104	SER
1	A	120	LYS
1	A	139	LYS
1	A	161	TRP
1	A	175	SER
1	A	189	ASN
1	A	191	VAL
1	A	226	ILE
1	B	8	ASP
1	B	11	GLU
1	B	17	SER
1	B	19	VAL
1	B	37	LYS
1	B	51	ARG
1	B	55	MET
1	B	70	LYS
1	B	82[A]	ARG
1	B	82[B]	ARG
1	B	97	ASP
1	B	99	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	108	GLN
1	B	122	LYS
1	B	124	SER
1	B	134	LEU
1	B	148	GLU
1	B	149	ARG
1	B	208	ARG
1	B	209	THR
1	B	228	SER
1	B	237	LYS
1	C	66	LEU
1	C	75	ASP
1	C	96	ARG
1	C	107	VAL
1	C	110	ASP
1	C	111	ASP
1	C	132	ILE
1	C	134	LEU
1	C	147	THR
1	C	161	TRP
1	C	173	VAL
1	C	189	ASN
1	C	191	VAL
1	C	195	ILE
1	C	226	ILE
1	C	237	LYS
1	D	8	ASP
1	D	32	HIS
1	D	36	GLU
1	D	71[A]	ASP
1	D	71[B]	ASP
1	D	80	GLU
1	D	111	ASP
1	D	113	ARG
1	D	123	THR
1	D	128	SER
1	D	134	LEU
1	D	190	ASP
1	D	202	LYS
1	D	213	SER
1	D	224	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16)

such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	ASN
1	A	52	ASN
1	A	67	GLN
1	A	88	ASN
1	A	138	ASN
1	A	151	GLN
1	A	171	ASN
1	A	222	ASN
1	B	56	ASN
1	C	151	GLN
1	C	189	ASN
1	C	231	HIS
1	D	138	ASN
1	D	150	ASN
1	D	162	ASN
1	D	231	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PEG	C	301	-	6,6,6	0.70	0	5,5,5	0.63	0
2	P6G	A	301	-	18,18,18	0.77	0	17,17,17	0.99	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PEG	C	301	-	-	4/4/4/4	-
2	P6G	A	301	-	-	11/16/16/16	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	P6G	O4-C5-C6	2.18	120.27	110.35

There are no chirality outliers.

All (15) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	301	P6G	O4-C5-C6-O7
2	A	301	P6G	O7-C8-C9-O10
2	A	301	P6G	O16-C17-C18-O19
2	A	301	P6G	O13-C14-C15-O16
3	C	301	PEG	O2-C3-C4-O4
3	C	301	PEG	O1-C1-C2-O2
2	A	301	P6G	O1-C2-C3-O4
2	A	301	P6G	C2-C3-O4-C5
2	A	301	P6G	C8-C9-O10-C11
3	C	301	PEG	C4-C3-O2-C2
2	A	301	P6G	C6-C5-O4-C3
2	A	301	P6G	O10-C11-C12-O13
3	C	301	PEG	C1-C2-O2-C3
2	A	301	P6G	C15-C14-O13-C12
2	A	301	P6G	C14-C15-O16-C17

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	301	PEG	1	0
2	A	301	P6G	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	239/239 (100%)	-0.45	4 (1%) 69 74	18, 32, 65, 107	2 (0%)
1	B	239/239 (100%)	-0.47	2 (0%) 82 86	15, 33, 63, 85	3 (1%)
1	C	239/239 (100%)	-0.37	3 (1%) 75 79	18, 36, 67, 116	3 (1%)
1	D	239/239 (100%)	-0.10	4 (1%) 69 74	26, 48, 81, 124	3 (1%)
All	All	956/956 (100%)	-0.35	13 (1%) 73 78	15, 36, 73, 124	11 (1%)

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	161	TRP	3.6
1	C	173	VAL	3.1
1	A	84	ILE	2.7
1	D	107	VAL	2.6
1	B	161	TRP	2.5
1	C	84	ILE	2.4
1	D	84	ILE	2.3
1	D	161	TRP	2.2
1	A	1	ALA	2.1
1	D	173	VAL	2.1
1	B	84	ILE	2.1
1	A	173	VAL	2.1
1	A	109	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	PEG	C	301	7/7	0.90	0.10	48,61,69,70	0
2	P6G	A	301	19/19	0.91	0.09	33,37,47,49	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.