



Full wwPDB EM Validation Report ⓘ

Mar 8, 2026 – 10:22 AM UTC

PDB ID : 9IYB / pdb_00009iyb
EMDB ID : EMD-60994
Title : Cryo-EM Structure of the Prostaglandin D2 Receptor 2-PGD2 Coupled to G Protein
Authors : Xu, J.; Xu, Y.; Wu, C.; Xu, H.E.
Deposited on : 2024-07-30
Resolution : 2.82 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.82 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	11795 (2.32 - 3.32)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	395	
2	B	354	
3	C	345	
4	D	71	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	248	 7% 87% 6% 7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	PG2	A	402	-	-	X	-

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 9101 atoms, of which 109 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Prostaglandin D2 receptor 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	302	Total	C	N	O	S	0	0
			2287	1489	415	370	13		

- Molecule 2 is a protein called Guanine nucleotide-binding protein G(i) subunit alpha-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	225	Total	C	N	O	S	0	0
			1812	1155	303	341	13		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	47	ASN	SER	engineered mutation	UNP P63096
B	203	ALA	GLY	engineered mutation	UNP P63096
B	245	ALA	GLU	engineered mutation	UNP P63096
B	326	SER	ALA	engineered mutation	UNP P63096

- Molecule 3 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	337	Total	C	N	O	S	0	0
			2592	1599	466	506	21		

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-4	MET	-	initiating methionine	UNP P62873
C	-3	GLY	-	expression tag	UNP P62873
C	-2	SER	-	expression tag	UNP P62873
C	-1	LEU	-	expression tag	UNP P62873
C	0	LEU	-	expression tag	UNP P62873
C	1	GLN	-	expression tag	UNP P62873


- Molecule 4 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	58	Total	C	N	O	S	0	0
			447	280	79	85	3		

- Molecule 5 is a protein called scFv16.


Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	230	Total	C	N	O	S	0	0
			1771	1125	293	343	10		

- Molecule 6 is [(2 {R})-1-hexadecanoyloxy-3-[oxidanyl-[(2 {S}),3 {R}),5 {R}),6 {S}]-2,3,4,5,6-pentakis(oxidanyl)cyclohexyl]oxy-phosphoryl]oxy-propan-2-yl] ({Z})-octadec-9-enoate (CCD ID: A1D5Q) (formula: C₄₃H₈₁O₁₃P).



Mol	Chain	Residues	Atoms					AltConf
6	A	1	Total	C	H	O	P	0
			135	43	78	13	1	


- Molecule 7 is PROSTAGLANDIN D2 (CCD ID: PG2) (formula: C₂₀H₃₂O₅).





Mol	Chain	Residues	Atoms				AltConf
7	A	1	Total	C	H	O	0
			56	20	31	5	

- Molecule 8 is water.



Mol	Chain	Residues	Atoms		AltConf
8	A	1	Total	O	0
			1	1	



- Molecule 4: Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2



- Molecule 5: scFv16



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	82449	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	5000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	2.455	Depositor
Minimum map value	-1.720	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.088	Depositor
Recommended contour level	0.3	Depositor
Map size ($\text{\AA}$)	186.88, 186.88, 186.88	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.73, 0.73, 0.73	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PG2, A1D5Q

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.57	4/2343 (0.2%)	0.78	18/3196 (0.6%)
2	B	0.09	0/1842	0.22	0/2472
3	C	0.10	0/2639	0.26	0/3577
4	D	0.11	0/453	0.21	0/610
5	E	0.11	0/1815	0.26	0/2461
All	All	0.30	4/9092 (0.0%)	0.45	18/12316 (0.1%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	294	PHE	CA-C	6.17	1.61	1.52
1	A	289	VAL	C-O	6.12	1.31	1.24
1	A	299	ALA	C-O	-5.42	1.17	1.24
1	A	105	LYS	C-O	-5.22	1.18	1.24

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	181	MET	N-CA-C	-11.30	89.84	109.06
1	A	298	VAL	N-CA-C	9.40	120.23	110.36
1	A	183	TYR	N-CA-C	8.62	121.65	110.53
1	A	298	VAL	CB-CA-C	-8.60	100.87	111.88
1	A	289	VAL	N-CA-C	7.84	120.85	111.05
1	A	296	ASN	N-CA-C	-7.80	102.72	111.07
1	A	184	TYR	N-CA-C	7.42	126.61	110.80
1	A	185	ASN	N-CA-C	-7.08	93.83	107.57
1	A	173	ILE	N-CA-C	-6.83	100.77	109.58
1	A	293	ALA	N-CA-C	6.09	117.58	111.07
1	A	104	CYS	CB-CA-C	-5.81	101.76	110.88
1	A	183	TYR	CA-CB-CG	5.81	124.35	113.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	99	LEU	N-CA-C	5.75	118.43	109.52
1	A	97	TRP	CA-CB-CG	5.48	124.02	113.60
1	A	104	CYS	N-CA-CB	5.48	117.95	110.01
1	A	175	ARG	N-CA-C	-5.38	102.92	110.50
1	A	292	LEU	N-CA-C	-5.38	105.42	111.28
1	A	176	LEU	N-CA-C	5.04	116.77	111.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2287	0	2276	59	0
2	B	1812	0	1813	9	0
3	C	2592	0	2499	24	0
4	D	447	0	460	4	0
5	E	1771	0	1711	10	0
6	A	57	78	0	0	0
7	A	25	31	31	27	0
8	A	1	0	0	0	0
All	All	8992	109	8790	104	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:170:ARG:NH2	7:A:402:PG2:O2	1.62	1.33
1:A:90:PHE:CE2	7:A:402:PG2:H12	1.69	1.26
1:A:107:HIS:CE1	7:A:402:PG2:H171	1.74	1.21
1:A:258:CYS:SG	1:A:296:ASN:HB2	1.84	1.17
1:A:90:PHE:CZ	7:A:402:PG2:C12	2.31	1.13
1:A:184:TYR:OH	7:A:402:PG2:C1	1.96	1.13

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:90:PHE:CZ	7:A:402:PG2:H12	1.84	1.11
1:A:184:TYR:OH	7:A:402:PG2:O1	1.81	0.98
1:A:107:HIS:HE1	7:A:402:PG2:H171	1.20	0.95
1:A:90:PHE:HZ	7:A:402:PG2:C11	1.81	0.94
1:A:181:MET:HA	7:A:402:PG2:O4	1.68	0.94
1:A:258:CYS:CB	1:A:296:ASN:HB2	1.99	0.92
1:A:90:PHE:CZ	7:A:402:PG2:C11	2.53	0.90
1:A:107:HIS:CE1	7:A:402:PG2:C17	2.55	0.89
1:A:84:LEU:HD21	1:A:294:PHE:CD2	2.08	0.88
1:A:184:TYR:CZ	7:A:402:PG2:C1	2.59	0.84
1:A:90:PHE:CE2	7:A:402:PG2:C12	2.57	0.81
1:A:90:PHE:CZ	7:A:402:PG2:C13	2.64	0.81
1:A:258:CYS:SG	1:A:296:ASN:CB	2.69	0.79
1:A:84:LEU:HD21	1:A:294:PHE:CG	2.18	0.78
3:C:163:ASP:OD1	3:C:165:THR:OG1	2.01	0.77
1:A:294:PHE:O	1:A:297:SER:HB3	1.85	0.76
2:B:207:GLU:OE2	2:B:209:LYS:NZ	2.16	0.76
2:B:251:ASP:OD1	2:B:255:ASN:ND2	2.19	0.76
1:A:90:PHE:CE1	7:A:402:PG2:H13	2.22	0.75
5:E:29:PHE:O	5:E:72:ARG:NH2	2.19	0.75
1:A:110:ILE:O	1:A:114:ASN:ND2	2.22	0.72
1:A:16:GLN:OE1	1:A:279:ARG:NH1	2.25	0.70
1:A:90:PHE:HE2	7:A:402:PG2:H12	1.53	0.70
1:A:184:TYR:HH	7:A:402:PG2:C1	2.04	0.69
1:A:107:HIS:ND1	7:A:402:PG2:C17	2.55	0.69
3:C:260:GLU:OE2	3:C:263:THR:OG1	2.11	0.68
1:A:90:PHE:CZ	7:A:402:PG2:H13	2.28	0.67
1:A:296:ASN:O	1:A:297:SER:C	2.37	0.67
3:C:333:ASP:O	3:C:334:SER:OG	2.13	0.67
1:A:107:HIS:ND1	7:A:402:PG2:H172	2.11	0.64
1:A:84:LEU:HD11	1:A:294:PHE:HB3	1.78	0.64
1:A:184:TYR:CE2	7:A:402:PG2:C2	2.82	0.63
1:A:299:ALA:C	1:A:301:PRO:HD2	2.24	0.63
5:E:153:GLU:N	5:E:153:GLU:OE1	2.32	0.63
2:B:318:GLU:OE1	2:B:318:GLU:N	2.32	0.62
5:E:6:GLU:N	5:E:6:GLU:OE1	2.35	0.59
3:C:42:ARG:NH2	3:C:43:ILE:O	2.36	0.59
3:C:212:ASP:OD1	3:C:213:VAL:N	2.36	0.58
1:A:84:LEU:HD11	1:A:294:PHE:CB	2.35	0.57
2:B:325:CYS:SG	2:B:326:SER:N	2.79	0.56
4:D:63:GLU:N	4:D:63:GLU:OE1	2.38	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:195:ASP:O	3:C:196:THR:OG1	2.21	0.56
1:A:298:VAL:HG12	1:A:299:ALA:N	2.20	0.55
1:A:299:ALA:O	1:A:301:PRO:N	2.40	0.55
1:A:54:LEU:HD13	1:A:54:LEU:O	2.08	0.54
1:A:90:PHE:HZ	7:A:402:PG2:O4	1.92	0.53
1:A:90:PHE:CZ	7:A:402:PG2:O4	2.61	0.53
1:A:298:VAL:O	1:A:301:PRO:HD2	2.08	0.53
1:A:70:VAL:HG13	1:A:305:VAL:HG22	1.89	0.52
4:D:26:ASP:OD1	4:D:27:ARG:N	2.42	0.52
1:A:258:CYS:HB3	1:A:296:ASN:HB2	1.91	0.52
1:A:299:ALA:O	1:A:300:ASN:C	2.52	0.52
1:A:31:ILE:HD12	1:A:32:ASP:N	2.25	0.52
3:C:188:MET:HA	3:C:188:MET:HE2	1.93	0.51
1:A:36:VAL:O	1:A:39:HIS:ND1	2.41	0.51
5:E:87:ARG:N	5:E:90:ASP:OD2	2.42	0.50
1:A:258:CYS:SG	1:A:296:ASN:CA	2.99	0.50
3:C:283:ARG:NH1	3:C:298:ASP:OD1	2.44	0.49
3:C:86:THR:O	3:C:87:THR:OG1	2.27	0.49
1:A:184:TYR:CE2	7:A:402:PG2:H22	2.47	0.49
2:B:18:MET:O	2:B:22:ASN:ND2	2.42	0.49
3:C:163:ASP:O	3:C:164:THR:OG1	2.25	0.48
3:C:230:ASN:N	3:C:244:GLY:O	2.44	0.48
1:A:42:ALA:HB2	1:A:295:PHE:CZ	2.49	0.48
3:C:208:ALA:O	3:C:222:PHE:N	2.41	0.47
1:A:286:LEU:HD21	7:A:402:PG2:H42	1.97	0.47
5:E:61:ALA:O	5:E:65:LYS:N	2.47	0.46
4:D:59:ASN:O	4:D:62:ARG:NH1	2.48	0.46
1:A:184:TYR:CZ	7:A:402:PG2:C2	2.99	0.46
3:C:161:SER:OG	3:C:163:ASP:OD2	2.30	0.46
3:C:328:ALA:HB1	3:C:336:LEU:HD21	1.99	0.45
3:C:172:GLU:OE1	3:C:172:GLU:N	2.42	0.45
5:E:235:TYR:N	5:E:236:PRO:HD2	2.31	0.45
5:E:91:THR:HG23	5:E:91:THR:O	2.17	0.45
5:E:29:PHE:CD1	5:E:34:MET:HE3	2.52	0.45
3:C:254:ASP:OD2	3:C:257:ALA:N	2.48	0.44
1:A:299:ALA:C	1:A:301:PRO:CD	2.89	0.44
1:A:87:PHE:CE2	1:A:91:LEU:HD11	2.52	0.44
3:C:51:LEU:HD12	3:C:336:LEU:HD22	2.00	0.43
1:A:258:CYS:CB	1:A:296:ASN:CB	2.85	0.43
2:B:268:LEU:HD22	2:B:268:LEU:N	2.33	0.42
5:E:33:GLY:N	5:E:99:SER:O	2.47	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:313:ASN:OD1	3:C:314:ARG:N	2.47	0.42
1:A:14:LEU:H	1:A:14:LEU:HD23	1.85	0.42
1:A:299:ALA:O	1:A:301:PRO:HD2	2.19	0.42
3:C:49:ARG:NH1	4:D:62:ARG:O	2.52	0.42
1:A:111:PHE:CD1	1:A:294:PHE:CE1	3.08	0.41
3:C:168:LEU:HD23	3:C:168:LEU:C	2.46	0.41
1:A:161:LEU:C	1:A:161:LEU:HD23	2.46	0.41
1:A:258:CYS:SG	1:A:296:ASN:HA	2.61	0.41
3:C:145:TYR:O	3:C:162:GLY:N	2.54	0.41
3:C:156:GLN:HB2	3:C:168:LEU:HD21	2.02	0.41
2:B:324:THR:OG1	2:B:331:ASN:ND2	2.51	0.41
5:E:30:SER:O	5:E:72:ARG:NH2	2.54	0.40
2:B:34:VAL:O	2:B:197:LYS:N	2.51	0.40
1:A:299:ALA:O	1:A:301:PRO:CD	2.70	0.40
2:B:216:GLU:OE1	3:C:57:LYS:NZ	2.52	0.40
3:C:145:TYR:OH	3:C:188:MET:HE1	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	296/395 (75%)	287 (97%)	7 (2%)	2 (1%)	18	45
2	B	219/354 (62%)	218 (100%)	1 (0%)	0	100	100
3	C	335/345 (97%)	332 (99%)	3 (1%)	0	100	100
4	D	56/71 (79%)	56 (100%)	0	0	100	100
5	E	226/248 (91%)	223 (99%)	3 (1%)	0	100	100
All	All	1132/1413 (80%)	1116 (99%)	14 (1%)	2 (0%)	44	71

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	184	TYR
1	A	300	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	229/331 (69%)	220 (96%)	9 (4%)	28	62
2	B	200/305 (66%)	199 (100%)	1 (0%)	81	93
3	C	280/287 (98%)	279 (100%)	1 (0%)	84	94
4	D	47/58 (81%)	47 (100%)	0	100	100
5	E	195/199 (98%)	194 (100%)	1 (0%)	81	93
All	All	951/1180 (81%)	939 (99%)	12 (1%)	59	85

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	LEU
1	A	97	TRP
1	A	101	THR
1	A	102	THR
1	A	104	CYS
1	A	182	CYS
1	A	183	TYR
1	A	290	THR
1	A	298	VAL
2	B	307	PHE
3	C	234	PHE
5	E	235	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	149	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	200	ASN
1	A	226	HIS
1	A	234	GLN
2	B	188	HIS
2	B	204	GLN
2	B	306	GLN
3	C	6	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	PG2	A	402	-	25,25,25	4.87	7 (28%)	24,31,31	1.80	6 (25%)
6	A1D5Q	A	401	-	57,57,57	1.07	4 (7%)	66,69,69	1.15	5 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	PG2	A	402	-	-	11/19/35/35	0/1/1/1
6	A1D5Q	A	401	-	-	23/52/76/76	0/1/1/1

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	402	PG2	C10-C9	-12.88	1.37	1.52
7	A	402	PG2	C12-C11	-12.66	1.36	1.53
7	A	402	PG2	C8-C9	8.96	1.65	1.53
7	A	402	PG2	C7-C8	-7.53	1.42	1.54
7	A	402	PG2	C12-C13	7.31	1.59	1.50
7	A	402	PG2	C10-C11	7.17	1.61	1.51
6	A	401	A1D5Q	O40-C41	2.84	1.42	1.34
6	A	401	A1D5Q	O20-C18	2.66	1.41	1.33
7	A	402	PG2	O5-C15	-2.59	1.39	1.43
6	A	401	A1D5Q	O40-C22	-2.16	1.41	1.46
6	A	401	A1D5Q	P25-O28	2.04	1.65	1.59

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	402	PG2	C3-C2-C1	-6.55	97.42	114.51
6	A	401	A1D5Q	O40-C41-C43	4.38	120.95	111.48
6	A	401	A1D5Q	C36-C34-C32	2.90	115.92	110.83
6	A	401	A1D5Q	C38-C36-C34	2.79	115.72	110.83
6	A	401	A1D5Q	O20-C18-C17	2.60	119.76	111.83
7	A	402	PG2	C4-C5-C6	2.58	144.18	124.83
7	A	402	PG2	C7-C6-C5	-2.50	117.02	126.21
6	A	401	A1D5Q	C36-C38-C29	2.33	114.97	109.68
7	A	402	PG2	C16-C15-C14	-2.22	107.69	111.94
7	A	402	PG2	C3-C4-C5	-2.18	100.41	112.60
7	A	402	PG2	C17-C16-C15	-2.17	110.51	114.94

There are no chirality outliers.

All (34) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	401	A1D5Q	C23-O24-P25-O27
6	A	401	A1D5Q	O42-C41-O40-C22
6	A	401	A1D5Q	C43-C41-O40-C22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	A	402	PG2	C14-C15-C16-C17
7	A	402	PG2	O5-C15-C16-C17
6	A	401	A1D5Q	O19-C18-O20-C21
6	A	401	A1D5Q	C17-C18-O20-C21
7	A	402	PG2	C1-C2-C3-C4
7	A	402	PG2	C5-C6-C7-C8
6	A	401	A1D5Q	C43-C44-C45-C46
6	A	401	A1D5Q	C55-C56-C57-C58
6	A	401	A1D5Q	C46-C47-C48-C49
7	A	402	PG2	C2-C3-C4-C5
6	A	401	A1D5Q	C14-C15-C16-C17
6	A	401	A1D5Q	C08-C09-C10-C11
6	A	401	A1D5Q	C53-C54-C55-C56
7	A	402	PG2	C8-C12-C13-C14
6	A	401	A1D5Q	O20-C21-C22-O40
6	A	401	A1D5Q	C09-C10-C11-C12
6	A	401	A1D5Q	C22-C23-O24-P25
6	A	401	A1D5Q	C56-C57-C58-C59
7	A	402	PG2	C3-C4-C5-C6
6	A	401	A1D5Q	C12-C13-C14-C15
6	A	401	A1D5Q	C23-C22-O40-C41
6	A	401	A1D5Q	C13-C14-C15-C16
7	A	402	PG2	C16-C17-C18-C19
6	A	401	A1D5Q	C06-C07-C08-C09
7	A	402	PG2	C13-C14-C15-O5
6	A	401	A1D5Q	C21-C22-O40-C41
6	A	401	A1D5Q	C50-C51-C52-C53
7	A	402	PG2	O2-C1-C2-C3
7	A	402	PG2	O1-C1-C2-C3
6	A	401	A1D5Q	O40-C41-C43-C44
6	A	401	A1D5Q	C52-C53-C54-C55


There are no ring outliers.

1 monomer is involved in 27 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	402	PG2	27	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is

within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-60994. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 121




Y Index: 126




Z Index: 102


6.3.2 Raw map



X Index: 121



Y Index: 132




Z Index: 102


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.3. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 48 nm^3 ; this corresponds to an approximate mass of 44 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.355 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.355 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.82	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.64	4.22	3.75

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.64 differs from the reported value 2.82 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-60994 and PDB model 9IYB. Per-residue inclusion information can be found in section 3 on page 7.

9.1 Map-model overlay [i](#)

This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

9.4 Atom inclusion [i](#)



At the recommended contour level, 73% of all backbone atoms, 72% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.3) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7220	0.4740
A	0.6490	0.4600
B	0.7030	0.4370
C	0.8100	0.5130
D	0.5820	0.3770
E	0.7740	0.5000

