



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 7, 2026 – 03:03 AM UTC

PDB ID : 1IZL / pdb_00001izl
Title : Crystal Structure of Photosystem II
Authors : Kamiya, N.; Shen, J.-R.
Deposited on : 2002-10-04
Resolution : 3.70 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	1171 (3.80-3.60)
Ramachandran outliers	187476	1129 (3.80-3.60)
Sidechain outliers	187428	1126 (3.80-3.60)












The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	360	66% 16% • 17%
1	J	360	66% 15% • 17%
2	B	472	76% 14% 10%
2	L	472	75% 15% 10%
3	C	473	60% 14% 26%
3	M	473	60% 12% • 27%
4	D	352	63% 15% • 21%
4	N	352	64% 14% • 21%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	83	
5	P	83	
6	F	44	
6	Q	44	
7	G	220	
7	R	220	
8	H	33	
8	S	33	
9	I	26	
9	T	26	
10	K	37	
10	W	37	
11	O	205	
11	Y	205	
12	U	97	
12	Z	97	
13	0	137	
13	V	137	
14	1	25	
14	X	25	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
16	CLA	A	365	X	-	-	-
16	CLA	A	366	X	-	-	-
16	CLA	A	368	X	-	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
16	CLA	A	369	X	-	-	-
16	CLA	B	1107	X	-	-	-
16	CLA	B	1108	X	-	-	-
16	CLA	B	1109	X	-	-	-
16	CLA	B	1110	X	-	-	-
16	CLA	B	1111	X	-	-	-
16	CLA	B	1112	X	-	-	-
16	CLA	B	1113	X	-	-	-
16	CLA	B	1114	X	-	-	-
16	CLA	B	1115	X	-	-	-
16	CLA	B	1116	X	-	-	-
16	CLA	B	1117	X	-	-	-
16	CLA	B	1118	X	-	-	-
16	CLA	B	1119	X	-	-	-
16	CLA	B	1120	X	-	-	-
16	CLA	B	1121	X	-	-	-
16	CLA	B	1122	X	-	-	-
16	CLA	C	1078	X	-	-	-
16	CLA	C	1079	X	-	-	-
16	CLA	C	1080	X	-	-	-
16	CLA	C	1081	X	-	-	-
16	CLA	C	1082	X	-	-	-
16	CLA	C	1083	X	-	-	-
16	CLA	C	1084	X	-	-	-
16	CLA	C	1085	X	-	-	-
16	CLA	C	1086	X	-	-	-
16	CLA	C	1087	X	-	-	-
16	CLA	C	1088	X	-	-	-
16	CLA	C	1089	X	-	X	-
16	CLA	D	354	X	-	-	-
16	CLA	D	355	X	-	-	-
16	CLA	D	357	X	-	-	-
16	CLA	G	221	X	-	-	-
16	CLA	J	365	X	-	-	-
16	CLA	J	367	X	-	X	-
16	CLA	J	368	X	-	-	-
16	CLA	L	1107	X	-	-	-
16	CLA	L	1108	X	-	-	-
16	CLA	L	1109	X	-	-	-
16	CLA	L	1110	X	-	-	-
16	CLA	L	1111	X	-	-	-
16	CLA	L	1112	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
16	CLA	L	1113	X	-	-	-
16	CLA	L	1114	X	-	-	-
16	CLA	L	1115	X	-	-	-
16	CLA	L	1116	X	-	-	-
16	CLA	L	1117	X	-	-	-
16	CLA	L	1118	X	-	-	-
16	CLA	L	1119	X	-	X	-
16	CLA	L	1120	X	-	X	-
16	CLA	L	1121	X	-	-	-
16	CLA	L	1122	X	-	-	-
16	CLA	M	1078	X	-	-	-
16	CLA	M	1079	X	-	-	-
16	CLA	M	1080	X	-	-	-
16	CLA	M	1081	X	-	-	-
16	CLA	M	1082	X	-	-	-
16	CLA	M	1083	X	-	-	-
16	CLA	M	1084	X	-	-	-
16	CLA	M	1085	X	-	-	-
16	CLA	M	1086	X	-	-	-
16	CLA	M	1087	X	-	-	-
16	CLA	M	1088	X	-	-	-
16	CLA	N	354	X	-	-	-
16	CLA	N	355	X	-	-	-
16	CLA	N	356	X	-	-	-
16	CLA	N	358	X	-	-	-
16	CLA	R	221	X	-	-	-
16	CLA	W	64	X	-	-	-
17	PHO	N	357	-	-	X	-
19	PLA	D	358	-	X	-	-
19	PLA	N	359	-	X	-	-

2 Entry composition

There are 21 unique types of molecules in this entry. The entry contains 22804 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Photosystem II: Subunit PsbA.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
1	A	299	Total	C	N	O	0	0	0
			1595	975	310	310			
1	J	299	Total	C	N	O	0	0	0
			1602	984	308	310			

- Molecule 2 is a protein called Photosystem II: Subunit PsbB.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	427	Total	C	N	O	S	0	0	48
			2004	1238	386	379	1			
2	L	424	Total	C	N	O		0	0	48
			2001	1242	383	376				

- Molecule 3 is a protein called Photosystem II: Subunit PsbC.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	349	Total	C	N	O	0	0	0
			1792	1082	358	352			
3	M	347	Total	C	N	O	0	0	0
			1759	1057	354	348			

- Molecule 4 is a protein called Photosystem II: Subunit PsbD.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	D	277	Total	C	N	O	0	0	0
			1460	899	282	279			
4	N	277	Total	C	N	O	0	0	0
			1451	888	284	279			

- Molecule 5 is a protein called Photosystem II: Subunit PsbE.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	E	35	Total	C	N	O	0	0	0
			175	105	35	35			
5	P	17	Total	C	N	O	0	0	0
			83	49	17	17			

- Molecule 6 is a protein called Photosystem II: Subunit PsbF.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	F	30	Total	C	N	O	0	0	0
			166	105	31	30			
6	Q	26	Total	C	N	O	0	0	0
			129	77	26	26			

- Molecule 7 is a protein called Photosystem II: Subunit PsbG.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace
7	G	220	Total	C	0	0	220
			220	220			
7	R	220	Total	C	0	0	220
			220	220			

- Molecule 8 is a protein called Photosystem II: Subunit PsbH.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
8	H	33	Total	C	N	O	0	0	0
			165	99	33	33			
8	S	32	Total	C	N	O	0	0	0
			160	96	32	32			

- Molecule 9 is a protein called Photosystem II: Subunit PsbI.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
9	I	26	Total	C	N	O	0	0	0
			130	78	26	26			
9	T	25	Total	C	N	O	0	0	0
			125	75	25	25			

- Molecule 10 is a protein called Photosystem II: Subunit PsbK.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
10	K	27	Total	C	N	O	0	0	0
			137	83	27	27			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
10	W	27	Total	C	N	O	0	0	0
			137	83	27	27			

- Molecule 11 is a protein called Photosystem II: Subunit PsbO.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
11	O	205	Total	C	N	O	0	0	0
			1025	615	205	205			
11	Y	192	Total	C	N	O	0	0	0
			960	576	192	192			

- Molecule 12 is a protein called Photosystem II: Subunit PsbU.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
12	U	97	Total	C	N	O	0	0	0
			485	291	97	97			
12	Z	92	Total	C	N	O	0	0	0
			460	276	92	92			

- Molecule 13 is a protein called Photosystem II: Subunit PsbV.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
13	V	129	Total	C	N	O	0	0	0
			676	410	136	130			
13	0	115	Total	C	N	O	0	0	0
			597	360	121	116			


- Molecule 14 is a protein called Photosystem II: Subunit PsbX.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
14	X	25	Total	C	N	O	0	0	0
			125	75	25	25			
14	1	25	Total	C	N	O	0	0	0
			125	75	25	25			

- Molecule 15 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	A	4	Total	Mn	0	0
			4	4		
15	J	4	Total	Mn	0	0
			4	4		

- Molecule 16 is CHLOROPHYLL A (CCD ID: CLA) (formula: C₅₅H₇₂MgN₄O₅).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
16	A	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	A	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	A	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	A	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	B	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	B	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	B	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	B	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	B	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	B	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	B	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
16	B	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	B	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	B	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	B	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	B	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	B	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	B	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	C	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	C	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	C	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	C	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	C	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	C	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	C	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	C	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	C	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	C	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	C	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	C	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	D	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	D	1	Total 35	C 29	Mg 1	N 4	O 1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
16	D	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	G	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	J	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	J	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	J	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	L	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	L	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	L	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	L	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	L	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	L	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	L	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	L	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	L	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	L	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	L	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	L	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	L	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	L	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	L	1	Total 35	C 29	Mg 1	N 4	O 1	0	0
16	L	1	Total 35	C 29	Mg 1	N 4	O 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
16	M	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	M	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	M	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	M	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	M	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	M	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	M	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	M	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	M	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	N	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	N	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	N	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	N	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	R	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		
16	W	1	Total	C	Mg	N	O	0	0
			35	29	1	4	1		

- Molecule 17 is PHEOPHYTIN A (CCD ID: PHO) (formula: $C_{55}H_{74}N_4O_5$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
17	A	1	Total	C	N	O	0	0
			34	29	4	1		
17	D	1	Total	C	N	O	0	0
			34	29	4	1		
17	J	1	Total	C	N	O	0	0
			34	29	4	1		
17	N	1	Total	C	N	O	0	0
			34	29	4	1		

- Molecule 18 is FE (III) ION (CCD ID: FE) (formula: Fe).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
18	D	1	Total	Fe	0	0
			1	1		
18	N	1	Total	Fe	0	0
			1	1		

- Molecule 19 is 2-[(3-HYDROXY-2-METHYL-5-PHOSPHONOXYMETHYL-PYRIDIN-4-YLMETHYL)-AMINO]-2-METHYL-SUCCINIC ACID (CCD ID: PLA) (formula: C₁₃H₁₉N₂O₉P).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
19	D	1	Total C N 6 5 1	0	0
19	N	1	Total C N 6 5 1	0	0

- Molecule 20 is BETA-CAROTENE (CCD ID: BCR) (formula: $C_{40}H_{56}$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
20	D	1	Total C 40 40	0	0
20	K	1	Total C 22 22	0	0

- Molecule 21 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
21	E	1	Total	C	Fe	N	0	0
			25	20	1	4		
21	V	1	Total	C	Fe	N	0	0
			25	20	1	4		
21	P	1	Total	C	Fe	N	0	0
			25	20	1	4		
21	O	1	Total	C	Fe	N	0	0
			25	20	1	4		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: Photosystem II: Subunit PsbA




• Molecule 1: Photosystem II: Subunit PsbA




• Molecule 2: Photosystem II: Subunit PsbB






• Molecule 2: Photosystem II: Subunit PsbB

Chain L: 75% 15% 10%




• Molecule 3: Photosystem II: Subunit PsbC


Chain C: 60% 14% 26%



• Molecule 3: Photosystem II: Subunit PsbC


Chain M: 60% 12% 27%






• Molecule 4: Photosystem II: Subunit PsbD

Chain D: 63% 15% 21%




• Molecule 4: Photosystem II: Subunit PsbD

Chain N: 64% 14% 21%




• Molecule 5: Photosystem II: Subunit PsbE

Chain E: 35% 6% 58%




• Molecule 5: Photosystem II: Subunit PsbE

Chain P: 19% 80% 1%




• Molecule 6: Photosystem II: Subunit PsbF

Chain F:  57% 11% 32%





- Molecule 6: Photosystem II: Subunit PsbF

Chain Q:  57% 0% 41%





- Molecule 7: Photosystem II: Subunit PsbG

Chain G:  99% 0% 0%




- Molecule 7: Photosystem II: Subunit PsbG

Chain R:  98% 0% 0%



- Molecule 8: Photosystem II: Subunit PsbH

Chain H:  97% 0% 0%



- Molecule 8: Photosystem II: Subunit PsbH

Chain S:  94% 0% 0%




- Molecule 9: Photosystem II: Subunit PsbI

Chain I:  88% 12% 0%



- Molecule 9: Photosystem II: Subunit PsbI

Chain T:  88% 8% .



- Molecule 10: Photosystem II: Subunit PsbK

Chain K:  62% 8% . 27%





- Molecule 10: Photosystem II: Subunit PsbK

Chain W:  62% 8% . 27%




- Molecule 11: Photosystem II: Subunit PsbO

Chain O:  93% 7%





- Molecule 11: Photosystem II: Subunit PsbO

Chain Y:  88% 5% 6%




- Molecule 12: Photosystem II: Subunit PsbU

Chain U:  97% .



- Molecule 12: Photosystem II: Subunit PsbU

Chain Z:  94% . 5%



- Molecule 13: Photosystem II: Subunit PsbV


Chain V:

84%

9%

•

6%



• Molecule 13: Photosystem II: Subunit PsbV


Chain 0:

73%

10%

•

16%



• Molecule 14: Photosystem II: Subunit PsbX

Chain X:

92%

8%




• Molecule 14: Photosystem II: Subunit PsbX

Chain 1:

88%

12%



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	129.38Å 225.19Å 308.67Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.00 – 3.70	Depositor
% Data completeness (in resolution range)	100.0 (25.00-3.70)	Depositor
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
Refinement program		Depositor
R, R_{free}	0.530 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	22804	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CLA, FE, HEM, PLA, PHO, BCR, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.31	0/1613	0.91	4/2229 (0.2%)
1	J	0.31	0/1621	0.90	4/2239 (0.2%)
2	B	0.33	0/1685	0.92	5/2331 (0.2%)
2	L	0.33	0/1682	0.91	2/2323 (0.1%)
3	C	0.31	0/1421	0.88	3/1961 (0.2%)
3	M	0.32	0/1379	0.90	4/1898 (0.2%)
4	D	0.31	0/1475	0.86	0/2037
4	N	0.31	0/1464	0.88	3/2022 (0.1%)
5	E	0.35	0/175	0.91	0/243
5	P	0.38	0/82	0.89	0/112
6	F	0.31	0/169	0.89	0/234
6	Q	0.36	0/128	0.95	0/177
10	K	0.37	0/137	0.93	0/191
10	W	0.37	0/137	0.92	0/191
13	0	0.32	0/600	1.00	4/831 (0.5%)
13	V	0.33	0/683	0.94	2/949 (0.2%)
All	All	0.32	0/14451	0.90	31/19968 (0.2%)

There are no bond length outliers.

The worst 5 of 31 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	0	78	ASN	CA-C-N	7.86	127.91	119.89
13	0	78	ASN	C-N-CA	7.86	127.91	119.89
13	V	78	ASN	CA-C-N	7.72	127.73	119.78
13	V	78	ASN	C-N-CA	7.72	127.73	119.78
3	M	76	ILE	CA-C-N	7.49	129.21	119.84

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1595	0	834	98	0
1	J	1602	0	843	84	0
2	B	2004	0	968	149	0
2	L	2001	0	961	145	0
3	C	1792	0	842	131	0
3	M	1759	0	793	117	0
4	D	1460	0	761	72	0
4	N	1451	0	746	69	0
5	E	175	0	81	6	0
5	P	83	0	40	2	0
6	F	166	0	95	4	0
6	Q	129	0	66	4	0
7	G	220	0	0	8	0
7	R	220	0	0	10	0
8	H	165	0	36	1	0
8	S	160	0	35	2	0
9	I	130	0	30	2	0
9	T	125	0	29	1	0
10	K	137	0	68	11	0
10	W	137	0	68	11	0
11	O	1025	0	279	37	0
11	Y	960	0	265	34	0
12	U	485	0	112	5	0
12	Z	460	0	106	1	0
13	0	597	0	278	16	0
13	V	676	0	323	16	0
14	1	125	0	28	3	0
14	X	125	0	29	6	0
15	A	4	0	0	0	0
15	J	4	0	0	0	0
16	A	140	0	68	35	0
16	B	560	0	272	121	0
16	C	420	0	204	103	0
16	D	105	0	48	11	0
16	G	35	0	17	0	0
16	J	105	0	50	23	0
16	L	560	0	272	130	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
16	M	385	0	187	78	0
16	N	140	0	68	11	0
16	R	35	0	17	0	0
16	W	35	0	17	14	0
17	A	34	0	19	17	0
17	D	34	0	19	8	0
17	J	34	0	19	20	0
17	N	34	0	19	25	0
18	D	1	0	0	0	0
18	N	1	0	0	0	0
19	D	6	0	1	0	0
19	N	6	0	1	0	0
20	D	40	0	56	9	0
20	K	22	0	24	1	0
21	O	25	0	4	8	0
21	E	25	0	4	0	0
21	P	25	0	4	0	0
21	V	25	0	4	8	0
All	All	22804	0	10110	879	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 27.

The worst 5 of 879 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:450:TRP:HB3	16:B:1110:CLA:CMB	1.26	1.64
2:B:30:VAL:CB	16:B:1108:CLA:CAA	1.76	1.63
3:M:52:ALA:HB1	16:M:1081:CLA:CAB	1.27	1.62
2:B:1:MET:HA	7:G:31:UNK:CA	1.20	1.60
1:A:95:PRO:HA	16:A:368:CLA:C3A	1.32	1.59

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	293/360 (81%)	195 (67%)	66 (22%)	32 (11%)	0	5
1	J	293/360 (81%)	199 (68%)	59 (20%)	35 (12%)	0	4
2	B	314/472 (66%)	219 (70%)	62 (20%)	33 (10%)	0	5
2	L	309/472 (66%)	215 (70%)	60 (19%)	34 (11%)	0	5
3	C	263/473 (56%)	198 (75%)	47 (18%)	18 (7%)	1	13
3	M	257/473 (54%)	189 (74%)	47 (18%)	21 (8%)	0	9
4	D	269/352 (76%)	187 (70%)	56 (21%)	26 (10%)	0	7
4	N	269/352 (76%)	184 (68%)	59 (22%)	26 (10%)	0	7
5	E	33/83 (40%)	23 (70%)	5 (15%)	5 (15%)	0	2
5	P	15/83 (18%)	11 (73%)	4 (27%)	0	100	100
6	F	28/44 (64%)	22 (79%)	3 (11%)	3 (11%)	0	5
6	Q	24/44 (54%)	22 (92%)	2 (8%)	0	100	100
10	K	25/37 (68%)	14 (56%)	9 (36%)	2 (8%)	1	9
10	W	25/37 (68%)	15 (60%)	8 (32%)	2 (8%)	1	9
13	O	111/137 (81%)	90 (81%)	17 (15%)	4 (4%)	2	23
13	V	127/137 (93%)	102 (80%)	19 (15%)	6 (5%)	2	18
All	All	2655/3916 (68%)	1885 (71%)	523 (20%)	247 (9%)	0	7

5 of 247 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	94	TYR
1	A	101	SER
1	A	168	PHE
1	A	191	ASN
1	A	192	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	21/290 (7%)	20 (95%)	1 (5%)	23	48
1	J	22/290 (8%)	21 (96%)	1 (4%)	24	49
2	B	21/290 (7%)	21 (100%)	0	100	100
2	L	21/290 (7%)	21 (100%)	0	100	100
3	C	16/315 (5%)	16 (100%)	0	100	100
3	M	10/315 (3%)	9 (90%)	1 (10%)	7	30
4	D	16/283 (6%)	16 (100%)	0	100	100
4	N	14/283 (5%)	14 (100%)	0	100	100
5	E	1/72 (1%)	1 (100%)	0	100	100
6	F	3/38 (8%)	3 (100%)	0	100	100
10	K	1/30 (3%)	1 (100%)	0	100	100
10	W	1/30 (3%)	1 (100%)	0	100	100
13	O	5/117 (4%)	5 (100%)	0	100	100
13	V	7/117 (6%)	7 (100%)	0	100	100
All	All	159/2760 (6%)	156 (98%)	3 (2%)	50	65

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	182	PHE
1	J	182	PHE
3	M	422	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	332	HIS
2	B	9	HIS
1	J	332	HIS
3	M	164	HIS
4	N	117	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 94 ligands modelled in this entry, 10 are monoatomic - leaving 84 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
16	CLA	N	356	-	39,43,73	1.73	8 (20%)	50,76,113	2.12	10 (20%)
17	PHO	J	366	-	30,39,69	2.39	8 (26%)	23,62,99	2.52	13 (56%)
21	HEM	E	84	-	32,32,50	2.76	11 (34%)	30,54,82	2.78	12 (40%)
21	HEM	O	138	13	32,32,50	2.76	12 (37%)	30,54,82	2.78	12 (40%)
16	CLA	C	1089	-	39,43,73	2.35	8 (20%)	50,76,113	2.19	7 (14%)
16	CLA	B	1116	-	39,43,73	2.34	8 (20%)	50,76,113	2.15	8 (16%)
19	PLA	D	358	-	6,6,25	3.13	6 (100%)	6,6,37	0.93	0
16	CLA	M	1086	-	39,43,73	2.36	8 (20%)	50,76,113	2.15	8 (16%)
16	CLA	B	1114	-	39,43,73	2.35	8 (20%)	50,76,113	2.17	9 (18%)
16	CLA	C	1082	-	39,43,73	2.35	8 (20%)	50,76,113	2.16	8 (16%)
16	CLA	J	365	-	39,43,73	1.66	7 (17%)	50,76,113	2.60	11 (22%)
16	CLA	J	367	-	39,43,73	2.36	8 (20%)	50,76,113	2.14	8 (16%)
16	CLA	C	1088	-	39,43,73	2.35	8 (20%)	50,76,113	2.14	9 (18%)
16	CLA	B	1110	-	39,43,73	2.35	8 (20%)	50,76,113	2.17	7 (14%)
16	CLA	B	1107	-	39,43,73	2.33	8 (20%)	50,76,113	2.14	8 (16%)
20	BCR	K	47	-	19,21,41	0.79	0	20,24,56	1.18	2 (10%)
16	CLA	M	1084	-	39,43,73	2.37	8 (20%)	50,76,113	2.15	8 (16%)
16	CLA	B	1117	-	39,43,73	2.36	8 (20%)	50,76,113	2.14	9 (18%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
16	CLA	J	368	-	39,43,73	2.34	8 (20%)	50,76,113	2.17	7 (14%)
16	CLA	L	1118	-	39,43,73	2.35	8 (20%)	50,76,113	2.16	8 (16%)
16	CLA	B	1112	-	39,43,73	2.34	8 (20%)	50,76,113	2.16	9 (18%)
16	CLA	C	1078	-	39,43,73	2.37	8 (20%)	50,76,113	2.15	8 (16%)
16	CLA	C	1079	-	39,43,73	2.36	8 (20%)	50,76,113	2.16	9 (18%)
16	CLA	M	1083	-	39,43,73	2.34	8 (20%)	50,76,113	2.16	7 (14%)
16	CLA	W	64	-	39,43,73	2.35	8 (20%)	50,76,113	2.14	8 (16%)
16	CLA	D	355	-	39,43,73	1.74	7 (17%)	50,76,113	2.11	10 (20%)
16	CLA	B	1119	-	39,43,73	2.36	8 (20%)	50,76,113	2.16	9 (18%)
16	CLA	B	1111	-	39,43,73	2.36	8 (20%)	50,76,113	2.15	8 (16%)
16	CLA	R	221	-	39,43,73	1.98	12 (30%)	50,76,113	2.08	7 (14%)
20	BCR	D	359	-	41,41,41	1.29	4 (9%)	56,56,56	1.79	19 (33%)
16	CLA	C	1080	-	39,43,73	2.35	8 (20%)	50,76,113	2.16	9 (18%)
16	CLA	L	1113	-	39,43,73	2.35	8 (20%)	50,76,113	2.16	8 (16%)
16	CLA	L	1116	-	39,43,73	2.34	8 (20%)	50,76,113	2.13	9 (18%)
17	PHO	N	357	-	30,39,69	2.34	9 (30%)	23,62,99	2.49	13 (56%)
16	CLA	L	1109	-	39,43,73	2.35	8 (20%)	50,76,113	2.14	9 (18%)
16	CLA	D	354	-	39,43,73	1.67	7 (17%)	50,76,113	2.19	7 (14%)
16	CLA	L	1117	-	39,43,73	2.35	8 (20%)	50,76,113	2.14	7 (14%)
16	CLA	A	369	-	39,43,73	2.37	8 (20%)	50,76,113	2.17	8 (16%)
16	CLA	M	1080	-	39,43,73	2.34	8 (20%)	50,76,113	2.17	8 (16%)
16	CLA	M	1081	-	39,43,73	2.35	8 (20%)	50,76,113	2.16	7 (14%)
16	CLA	M	1087	-	39,43,73	2.36	8 (20%)	50,76,113	2.15	8 (16%)
16	CLA	L	1107	-	39,43,73	2.35	8 (20%)	50,76,113	2.15	7 (14%)
16	CLA	B	1108	-	39,43,73	2.34	8 (20%)	50,76,113	2.14	7 (14%)
16	CLA	L	1120	-	39,43,73	2.35	8 (20%)	50,76,113	2.14	8 (16%)
16	CLA	C	1085	-	39,43,73	2.36	8 (20%)	50,76,113	2.14	9 (18%)
16	CLA	M	1085	-	39,43,73	2.35	8 (20%)	50,76,113	2.17	8 (16%)
16	CLA	C	1081	-	39,43,73	2.34	8 (20%)	50,76,113	2.16	8 (16%)
16	CLA	C	1086	-	39,43,73	2.36	8 (20%)	50,76,113	2.17	8 (16%)
16	CLA	L	1108	-	39,43,73	2.34	8 (20%)	50,76,113	2.14	7 (14%)
16	CLA	B	1120	-	39,43,73	2.35	8 (20%)	50,76,113	2.13	8 (16%)
16	CLA	B	1113	-	39,43,73	2.34	8 (20%)	50,76,113	2.17	8 (16%)
16	CLA	B	1118	-	39,43,73	2.36	8 (20%)	50,76,113	2.16	8 (16%)
16	CLA	M	1082	-	39,43,73	2.35	8 (20%)	50,76,113	2.16	8 (16%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
16	CLA	C	1084	-	39,43,73	2.34	8 (20%)	50,76,113	2.15	7 (14%)
16	CLA	M	1079	-	39,43,73	2.36	8 (20%)	50,76,113	2.17	9 (18%)
19	PLA	N	359	-	6,6,25	3.12	6 (100%)	6,6,37	0.92	0
21	HEM	P	92	-	32,32,50	2.76	12 (37%)	30,54,82	2.79	12 (40%)
16	CLA	L	1122	-	39,43,73	2.34	8 (20%)	50,76,113	2.16	8 (16%)
16	CLA	L	1110	-	39,43,73	2.34	8 (20%)	50,76,113	2.18	7 (14%)
16	CLA	L	1112	-	39,43,73	2.34	8 (20%)	50,76,113	2.17	9 (18%)
16	CLA	L	1121	-	39,43,73	2.34	8 (20%)	50,76,113	2.17	9 (18%)
17	PHO	A	367	-	30,39,69	2.36	9 (30%)	23,62,99	2.51	13 (56%)
16	CLA	N	358	-	39,43,73	2.35	9 (23%)	50,76,113	2.19	8 (16%)
16	CLA	M	1088	-	39,43,73	2.35	8 (20%)	50,76,113	2.16	7 (14%)
16	CLA	C	1087	-	39,43,73	2.36	8 (20%)	50,76,113	2.16	8 (16%)
16	CLA	L	1111	-	39,43,73	2.36	8 (20%)	50,76,113	2.13	8 (16%)
16	CLA	C	1083	-	39,43,73	2.35	8 (20%)	50,76,113	2.15	8 (16%)
16	CLA	A	366	-	39,43,73	1.76	12 (30%)	50,76,113	2.16	9 (18%)
16	CLA	N	355	-	39,43,73	1.76	12 (30%)	50,76,113	2.18	9 (18%)
16	CLA	G	221	-	39,43,73	1.97	12 (30%)	50,76,113	2.06	7 (14%)
16	CLA	M	1078	-	39,43,73	2.37	8 (20%)	50,76,113	2.14	8 (16%)
16	CLA	A	368	-	39,43,73	2.36	8 (20%)	50,76,113	2.14	8 (16%)
16	CLA	A	365	-	39,43,73	1.79	8 (20%)	50,76,113	2.43	11 (22%)
16	CLA	D	357	-	39,43,73	2.36	8 (20%)	50,76,113	2.19	8 (16%)
16	CLA	N	354	-	39,43,73	1.67	7 (17%)	50,76,113	2.19	7 (14%)
16	CLA	B	1121	-	39,43,73	2.35	8 (20%)	50,76,113	2.15	8 (16%)
16	CLA	L	1114	-	39,43,73	2.37	8 (20%)	50,76,113	2.18	9 (18%)
16	CLA	L	1119	-	39,43,73	2.36	8 (20%)	50,76,113	2.17	8 (16%)
16	CLA	B	1115	-	39,43,73	2.36	8 (20%)	50,76,113	2.17	8 (16%)
21	HEM	V	138	13	32,32,50	2.76	12 (37%)	30,54,82	2.78	12 (40%)
17	PHO	D	356	-	30,39,69	2.33	8 (26%)	23,62,99	2.48	13 (56%)
16	CLA	L	1115	-	39,43,73	2.37	8 (20%)	50,76,113	2.16	8 (16%)
16	CLA	B	1122	-	39,43,73	2.35	8 (20%)	50,76,113	2.15	8 (16%)
16	CLA	B	1109	-	39,43,73	2.34	8 (20%)	50,76,113	2.15	8 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
16	CLA	N	356	-	1/1/8/20	-	-
17	PHO	J	366	-	-	0/0/60/103	0/5/6/6
16	CLA	C	1089	-	1/1/8/20	-	-
16	CLA	B	1116	-	1/1/8/20	-	-
19	PLA	D	358	-	-	-	0/1/1/1
16	CLA	M	1086	-	1/1/8/20	-	-
16	CLA	B	1114	-	1/1/8/20	-	-
16	CLA	C	1082	-	1/1/8/20	-	-
16	CLA	J	365	-	1/1/8/20	-	-
16	CLA	J	367	-	1/1/8/20	-	-
16	CLA	C	1088	-	1/1/8/20	-	-
16	CLA	B	1110	-	1/1/8/20	-	-
16	CLA	B	1107	-	1/1/8/20	-	-
20	BCR	K	47	-	-	1/23/23/63	-
16	CLA	M	1084	-	1/1/8/20	-	-
16	CLA	B	1117	-	1/1/8/20	-	-
16	CLA	J	368	-	1/1/8/20	-	-
16	CLA	L	1118	-	1/1/8/20	-	-
16	CLA	B	1112	-	1/1/8/20	-	-
16	CLA	C	1078	-	1/1/8/20	-	-
16	CLA	C	1079	-	1/1/8/20	-	-
16	CLA	M	1083	-	1/1/8/20	-	-
16	CLA	W	64	-	1/1/8/20	-	-
16	CLA	D	355	-	1/1/8/20	-	-
16	CLA	B	1119	-	1/1/8/20	-	-
16	CLA	B	1111	-	1/1/8/20	-	-
16	CLA	R	221	-	1/1/8/20	-	-
20	BCR	D	359	-	-	3/29/63/63	0/2/2/2
16	CLA	C	1080	-	1/1/8/20	-	-
16	CLA	L	1113	-	1/1/8/20	-	-
16	CLA	L	1116	-	1/1/8/20	-	-
17	PHO	N	357	-	-	0/0/60/103	0/5/6/6
16	CLA	L	1109	-	1/1/8/20	-	-
16	CLA	D	354	-	1/1/8/20	-	-
16	CLA	L	1117	-	1/1/8/20	-	-
16	CLA	A	369	-	1/1/8/20	-	-
16	CLA	M	1080	-	1/1/8/20	-	-
16	CLA	M	1081	-	1/1/8/20	-	-
16	CLA	M	1087	-	1/1/8/20	-	-
16	CLA	L	1107	-	1/1/8/20	-	-
16	CLA	B	1108	-	1/1/8/20	-	-
16	CLA	L	1120	-	1/1/8/20	-	-
16	CLA	C	1085	-	1/1/8/20	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
16	CLA	M	1085	-	1/1/8/20	-	-
16	CLA	C	1081	-	1/1/8/20	-	-
16	CLA	C	1086	-	1/1/8/20	-	-
16	CLA	L	1108	-	1/1/8/20	-	-
16	CLA	B	1120	-	1/1/8/20	-	-
16	CLA	B	1113	-	1/1/8/20	-	-
16	CLA	B	1118	-	1/1/8/20	-	-
16	CLA	M	1082	-	1/1/8/20	-	-
16	CLA	C	1084	-	1/1/8/20	-	-
16	CLA	M	1079	-	1/1/8/20	-	-
19	PLA	N	359	-	-	-	0/1/1/1
16	CLA	L	1122	-	1/1/8/20	-	-
16	CLA	L	1110	-	1/1/8/20	-	-
16	CLA	L	1112	-	1/1/8/20	-	-
16	CLA	L	1121	-	1/1/8/20	-	-
17	PHO	A	367	-	-	0/0/60/103	0/5/6/6
16	CLA	N	358	-	1/1/8/20	-	-
16	CLA	M	1088	-	1/1/8/20	-	-
16	CLA	C	1087	-	1/1/8/20	-	-
16	CLA	L	1111	-	1/1/8/20	-	-
16	CLA	C	1083	-	1/1/8/20	-	-
16	CLA	A	366	-	1/1/8/20	-	-
16	CLA	N	355	-	1/1/8/20	-	-
16	CLA	G	221	-	1/1/8/20	-	-
16	CLA	M	1078	-	1/1/8/20	-	-
16	CLA	A	368	-	1/1/8/20	-	-
16	CLA	A	365	-	1/1/8/20	-	-
16	CLA	D	357	-	1/1/8/20	-	-
16	CLA	N	354	-	1/1/8/20	-	-
16	CLA	B	1121	-	1/1/8/20	-	-
16	CLA	L	1114	-	1/1/8/20	-	-
16	CLA	L	1119	-	1/1/8/20	-	-
16	CLA	B	1115	-	1/1/8/20	-	-
17	PHO	D	356	-	-	0/0/60/103	0/5/6/6
16	CLA	L	1115	-	1/1/8/20	-	-
16	CLA	B	1122	-	1/1/8/20	-	-
16	CLA	B	1109	-	1/1/8/20	-	-

The worst 5 of 686 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
16	L	1115	CLA	MG-NB	-9.85	1.86	2.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
16	A	369	CLA	MG-NB	-9.78	1.86	2.05
16	B	1121	CLA	MG-NB	-9.77	1.86	2.05
16	B	1115	CLA	MG-NB	-9.73	1.86	2.05
16	B	1110	CLA	MG-NB	-9.73	1.86	2.05

The worst 5 of 707 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	N	354	CLA	C4A-NA-C1A	10.44	111.44	106.68
16	D	354	CLA	C4A-NA-C1A	10.43	111.44	106.68
16	C	1089	CLA	C4A-NA-C1A	10.33	111.39	106.68
16	D	357	CLA	C4A-NA-C1A	10.27	111.37	106.68
16	N	358	CLA	C4A-NA-C1A	10.21	111.34	106.68

5 of 72 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
16	A	365	CLA	ND
16	A	366	CLA	ND
16	A	368	CLA	ND
16	A	369	CLA	ND
16	B	1107	CLA	ND

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
20	D	359	BCR	C6-C7-C8-C9
20	K	47	BCR	C14-C15-C16-C17
20	D	359	BCR	C1-C6-C7-C8
20	D	359	BCR	C5-C6-C7-C8

There are no ring outliers.

69 monomers are involved in 601 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
16	N	356	CLA	1	0
17	J	366	PHO	20	0
21	0	138	HEM	8	0
16	C	1089	CLA	26	0
16	B	1116	CLA	7	0
16	M	1086	CLA	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
16	B	1114	CLA	19	0
16	C	1082	CLA	12	0
16	J	365	CLA	1	0
16	J	367	CLA	22	0
16	C	1088	CLA	15	0
16	B	1110	CLA	10	0
16	B	1107	CLA	9	0
20	K	47	BCR	1	0
16	M	1084	CLA	3	0
16	B	1117	CLA	13	0
16	L	1118	CLA	7	0
16	B	1112	CLA	2	0
16	C	1078	CLA	11	0
16	C	1079	CLA	18	0
16	W	64	CLA	14	0
16	B	1119	CLA	16	0
16	B	1111	CLA	20	0
20	D	359	BCR	9	0
16	C	1080	CLA	11	0
16	L	1113	CLA	4	0
17	N	357	PHO	25	0
16	L	1109	CLA	14	0
16	D	354	CLA	6	0
16	L	1117	CLA	12	0
16	A	369	CLA	2	0
16	M	1080	CLA	1	0
16	M	1081	CLA	13	0
16	M	1087	CLA	12	0
16	L	1107	CLA	9	0
16	B	1108	CLA	8	0
16	L	1120	CLA	21	0
16	C	1085	CLA	3	0
16	M	1085	CLA	5	0
16	C	1081	CLA	5	0
16	C	1086	CLA	10	0
16	L	1108	CLA	13	0
16	B	1120	CLA	5	0
16	B	1113	CLA	3	0
16	B	1118	CLA	6	0
16	M	1082	CLA	6	0
16	M	1079	CLA	17	0
16	L	1110	CLA	7	0


Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
16	L	1112	CLA	3	0
16	L	1121	CLA	3	0
17	A	367	PHO	17	0
16	N	358	CLA	1	0
16	M	1088	CLA	15	0
16	C	1087	CLA	3	0
16	L	1111	CLA	17	0
16	C	1083	CLA	6	0
16	A	366	CLA	6	0
16	N	355	CLA	4	0
16	M	1078	CLA	4	0
16	A	368	CLA	24	0
16	A	365	CLA	3	0
16	D	357	CLA	5	0
16	N	354	CLA	5	0
16	B	1121	CLA	3	0
16	L	1114	CLA	12	0
16	L	1119	CLA	24	0
21	V	138	HEM	8	0
17	D	356	PHO	8	0
16	B	1109	CLA	15	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand CLA N 356



Bond lengths



Bond angles




Torsions




Rings


Ligand PHO J 366




Ligand HEM E 84




Bond lengths



Bond angles




Torsions




Rings


Ligand HEM 0 138




Bond lengths



Bond angles




Torsions




Rings

Ligand CLA C 1089



Bond lengths




Bond angles




Torsions




Rings






Ligand CLA M 1086



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA B 1114



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA C 1082



Bond lengths



Bond angles




Torsions




Rings


Ligand CLA J 365




Bond lengths



Bond angles




Torsions




Rings

Ligand CLA J 367



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA C 1088



Bond lengths




Bond angles




Torsions




Rings






Ligand CLA M 1084



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA B 1117



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA J 368



Bond lengths




Bond angles




Torsions




Rings



Ligand CLA B 1112



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA C 1078



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA C 1079



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA M 1083



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA W 64



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA D 355



Bond lengths




Bond angles




Torsions




Rings



Ligand CLA B 1111



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA R 221



Bond lengths



Bond angles



Torsions




Rings


Ligand BCR D 359




Bond lengths




Bond angles





Torsions





Rings













Ligand CLA D 354



Bond lengths




Bond angles




Torsions




Rings



Ligand CLA A 369



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA M 1080



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA M 1081



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA M 1087



Bond lengths




Bond angles




Torsions




Rings



Ligand CLA B 1108



Bond lengths




Bond angles




Torsions




Rings






Ligand CLA M 1085



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA C 1081



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA C 1086



Bond lengths




Bond angles




Torsions




Rings



Ligand CLA B 1120



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA B 1113



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA B 1118



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA M 1082



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA C 1084



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA M 1079



Bond lengths




Bond angles




Torsions




Rings




Ligand HEM P 92




Bond lengths




Bond angles





Torsions





Rings













Ligand CLA N 358



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA M 1088



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA C 1087



Bond lengths




Bond angles




Torsions




Rings



Ligand CLA C 1083



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA A 366




Bond lengths



Bond angles




Torsions




Rings

Ligand CLA N 355



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA G 221



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA M 1078



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA A 368



Bond lengths



Bond angles




Torsions




Rings


Ligand CLA A 365




Bond lengths



Bond angles




Torsions




Rings

Ligand CLA D 357



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA N 354



Bond lengths



Bond angles




Torsions




Rings

Ligand CLA B 1121



Bond lengths




Bond angles




Torsions




Rings






Ligand CLA B 1115



Bond lengths



Bond angles




Torsions




Rings


Ligand HEM V 138




Bond lengths




Bond angles




Torsions




Rings






Ligand CLA B 1122



Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
11	O	2
11	Y	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	O	175:UNK	C	176:UNK	N	9.74
1	O	9:UNK	C	10:UNK	N	6.01
1	Y	9:UNK	C	10:UNK	N	5.91

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.