



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:32 AM UTC

PDB ID : 5IZO / pdb_00005izo
Title : Bacillus NanoRNase A (H103A) + 2 divalent cations + PO4 at the active site
Authors : Schmier, B.J.; Malhotra, A.; Nellersa, C.M.
Deposited on : 2016-03-25
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3494 (1.96-1.96)
Clashscore	190562	3612 (1.96-1.96)
Ramachandran outliers	187476	3587 (1.96-1.96)
Sidechain outliers	187428	3587 (1.96-1.96)
RSRZ outliers	180081	3495 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	333	19% 67% 20% • 12%
1	B	333	5% 81% 12% • •
1	C	333	3% 74% 19% • 5%
1	D	333	6% 77% 16% • 5%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 10085 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bifunctional oligoribonuclease and PAP phosphatase NrnA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	293	Total	C	N	O	S	11	0	0
			2193	1401	358	428	6			
1	B	320	Total	C	N	O	S	15	0	0
			2462	1569	400	486	7			
1	C	315	Total	C	N	O	S	6	0	0
			2446	1557	403	480	6			
1	D	315	Total	C	N	O	S	13	0	0
			2433	1551	405	472	5			

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	MET	-	initiating methionine	UNP O34600
A	-19	GLY	-	expression tag	UNP O34600
A	-18	SER	-	expression tag	UNP O34600
A	-17	SER	-	expression tag	UNP O34600
A	-16	HIS	-	expression tag	UNP O34600
A	-15	HIS	-	expression tag	UNP O34600
A	-14	HIS	-	expression tag	UNP O34600
A	-13	HIS	-	expression tag	UNP O34600
A	-12	HIS	-	expression tag	UNP O34600
A	-11	HIS	-	expression tag	UNP O34600
A	-10	GLU	-	expression tag	UNP O34600
A	-9	ASN	-	expression tag	UNP O34600
A	-8	LEU	-	expression tag	UNP O34600
A	-7	TYR	-	expression tag	UNP O34600
A	-6	PHE	-	expression tag	UNP O34600
A	-5	GLN	-	expression tag	UNP O34600
A	-4	SER	-	expression tag	UNP O34600
A	-3	MET	-	expression tag	UNP O34600
A	-2	ALA	-	expression tag	UNP O34600
A	-1	SER	-	expression tag	UNP O34600
A	103	ALA	HIS	engineered mutation	UNP O34600

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-20	MET	-	initiating methionine	UNP O34600
B	-19	GLY	-	expression tag	UNP O34600
B	-18	SER	-	expression tag	UNP O34600
B	-17	SER	-	expression tag	UNP O34600
B	-16	HIS	-	expression tag	UNP O34600
B	-15	HIS	-	expression tag	UNP O34600
B	-14	HIS	-	expression tag	UNP O34600
B	-13	HIS	-	expression tag	UNP O34600
B	-12	HIS	-	expression tag	UNP O34600
B	-11	HIS	-	expression tag	UNP O34600
B	-10	GLU	-	expression tag	UNP O34600
B	-9	ASN	-	expression tag	UNP O34600
B	-8	LEU	-	expression tag	UNP O34600
B	-7	TYR	-	expression tag	UNP O34600
B	-6	PHE	-	expression tag	UNP O34600
B	-5	GLN	-	expression tag	UNP O34600
B	-4	SER	-	expression tag	UNP O34600
B	-3	MET	-	expression tag	UNP O34600
B	-2	ALA	-	expression tag	UNP O34600
B	-1	SER	-	expression tag	UNP O34600
B	103	ALA	HIS	engineered mutation	UNP O34600
C	-20	MET	-	initiating methionine	UNP O34600
C	-19	GLY	-	expression tag	UNP O34600
C	-18	SER	-	expression tag	UNP O34600
C	-17	SER	-	expression tag	UNP O34600
C	-16	HIS	-	expression tag	UNP O34600
C	-15	HIS	-	expression tag	UNP O34600
C	-14	HIS	-	expression tag	UNP O34600
C	-13	HIS	-	expression tag	UNP O34600
C	-12	HIS	-	expression tag	UNP O34600
C	-11	HIS	-	expression tag	UNP O34600
C	-10	GLU	-	expression tag	UNP O34600
C	-9	ASN	-	expression tag	UNP O34600
C	-8	LEU	-	expression tag	UNP O34600
C	-7	TYR	-	expression tag	UNP O34600
C	-6	PHE	-	expression tag	UNP O34600
C	-5	GLN	-	expression tag	UNP O34600
C	-4	SER	-	expression tag	UNP O34600
C	-3	MET	-	expression tag	UNP O34600
C	-2	ALA	-	expression tag	UNP O34600
C	-1	SER	-	expression tag	UNP O34600
C	103	ALA	HIS	engineered mutation	UNP O34600

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-20	MET	-	initiating methionine	UNP O34600
D	-19	GLY	-	expression tag	UNP O34600
D	-18	SER	-	expression tag	UNP O34600
D	-17	SER	-	expression tag	UNP O34600
D	-16	HIS	-	expression tag	UNP O34600
D	-15	HIS	-	expression tag	UNP O34600
D	-14	HIS	-	expression tag	UNP O34600
D	-13	HIS	-	expression tag	UNP O34600
D	-12	HIS	-	expression tag	UNP O34600
D	-11	HIS	-	expression tag	UNP O34600
D	-10	GLU	-	expression tag	UNP O34600
D	-9	ASN	-	expression tag	UNP O34600
D	-8	LEU	-	expression tag	UNP O34600
D	-7	TYR	-	expression tag	UNP O34600
D	-6	PHE	-	expression tag	UNP O34600
D	-5	GLN	-	expression tag	UNP O34600
D	-4	SER	-	expression tag	UNP O34600
D	-3	MET	-	expression tag	UNP O34600
D	-2	ALA	-	expression tag	UNP O34600
D	-1	SER	-	expression tag	UNP O34600
D	103	ALA	HIS	engineered mutation	UNP O34600

- Molecule 2 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	2	Total Mn 2 2	0	0
2	B	2	Total Mn 2 2	0	0
2	C	2	Total Mn 2 2	0	0
2	D	2	Total Mn 2 2	0	0


- Molecule 3 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).







Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		
3	C	1	Total	O	P	0	0
			5	4	1		
3	D	1	Total	O	P	0	0
			5	4	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	119	Total	O	0	0
			119	119		
4	B	148	Total	O	0	0
			148	148		
4	C	143	Total	O	0	0
			143	143		
4	D	113	Total	O	0	0
			113	113		



● Molecule 1: Bifunctional oligoribonuclease and PAP phosphatase NrnA



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	50.65Å 119.64Å 124.14Å 90.00° 91.59° 90.00°	Depositor
Resolution (Å)	47.34 – 1.95 47.34 – 1.95	Depositor EDS
% Data completeness (in resolution range)	93.3 (47.34-1.95) 93.3 (47.34-1.95)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.15 (at 1.95Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.212 , 0.267 0.225 , 0.271	Depositor DCC
R_{free} test set	5032 reflections (4.70%)	wwPDB-VP
Wilson B-factor (Å ²)	37.8	Xtriage
Anisotropy	0.085	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 41.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.000 for -h,l,k 0.013 for -h,-l,-k 0.037 for h,-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10085	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.16	5/2232 (0.2%)	1.22	16/3025 (0.5%)
1	B	1.31	8/2514 (0.3%)	1.14	6/3418 (0.2%)
1	C	1.34	7/2498 (0.3%)	1.22	5/3392 (0.1%)
1	D	1.21	3/2485 (0.1%)	1.22	17/3376 (0.5%)
All	All	1.26	23/9729 (0.2%)	1.20	44/13211 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	2

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	146	ALA	N-CA	7.89	1.56	1.46
1	B	208	VAL	CA-CB	7.46	1.62	1.54
1	B	96	ALA	CA-CB	-6.91	1.42	1.53
1	A	-1	SER	C-N	6.73	1.42	1.33
1	D	92	TYR	C-N	6.52	1.38	1.33
1	C	15	ILE	C-N	-6.28	1.25	1.33
1	D	263	VAL	CA-C	6.27	1.60	1.52
1	C	292	ILE	CA-CB	6.03	1.63	1.54
1	C	289	GLY	N-CA	5.73	1.51	1.45
1	B	239	VAL	CA-C	5.67	1.61	1.52
1	B	145	ALA	CA-CB	-5.59	1.44	1.53
1	B	198	VAL	C-O	5.51	1.30	1.24
1	B	272	ILE	CA-CB	5.37	1.60	1.54
1	A	208	VAL	CA-CB	5.37	1.59	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	149	ILE	CA-CB	5.29	1.61	1.54
1	C	172	TYR	C-O	-5.27	1.18	1.24
1	C	149	ILE	C-O	5.25	1.30	1.24
1	A	77	ILE	CA-CB	5.24	1.60	1.54
1	B	76	VAL	CA-CB	5.20	1.60	1.54
1	C	6	ILE	C-O	5.18	1.30	1.24
1	D	298	ALA	CA-CB	5.15	1.61	1.53
1	B	215	ALA	CA-CB	-5.06	1.45	1.53
1	A	3	THR	CA-CB	5.05	1.61	1.53

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	222	LYS	N-CA-C	12.53	124.63	110.97
1	D	9	ILE	N-CA-C	8.67	121.93	111.09
1	C	124	SER	N-CA-C	-8.41	102.07	111.82
1	B	307	THR	N-CA-C	-7.50	103.12	111.82
1	B	67	ASP	CB-CA-C	-6.70	97.22	109.54
1	D	8	THR	O-C-N	-6.11	115.07	122.22
1	D	44	GLU	N-CA-C	5.93	119.62	112.38
1	D	90	GLN	N-CA-C	5.84	119.47	112.93
1	A	90	GLN	N-CA-C	5.76	120.01	113.15
1	D	8	THR	CA-C-N	-5.73	110.90	120.30
1	D	8	THR	C-N-CA	-5.73	110.90	120.30
1	B	26	ASP	N-CA-C	5.72	117.52	111.28
1	C	15	ILE	O-C-N	-5.65	117.06	123.10
1	D	152	GLY	N-CA-C	-5.64	105.56	112.77
1	B	66	VAL	N-CA-C	5.58	117.95	108.86
1	B	128	TYR	N-CA-C	-5.56	105.14	111.14
1	C	72	GLU	N-CA-C	5.55	118.22	109.96
1	D	60	LEU	N-CA-C	5.53	117.75	111.11
1	A	310	LYS	O-C-N	5.51	128.43	122.15
1	D	37	ILE	CB-CA-C	-5.50	104.71	112.14
1	C	268	LYS	N-CA-C	-5.49	105.71	112.90
1	A	11	LEU	N-CA-C	5.47	118.17	111.82
1	A	83	ASN	N-CA-C	5.44	117.77	108.90
1	D	248	ILE	N-CA-C	5.42	116.69	109.37
1	D	284	HIS	N-CA-C	5.42	118.00	110.20
1	A	52	THR	CA-C-N	5.41	125.42	119.90
1	A	52	THR	C-N-CA	5.41	125.42	119.90
1	A	111	GLY	N-CA-C	5.39	118.79	111.72
1	D	11	LEU	N-CA-C	5.39	119.12	112.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	104	HIS	CA-C-N	-5.33	114.45	119.89
1	A	104	HIS	C-N-CA	-5.33	114.45	119.89
1	A	308	LEU	CA-C-N	5.24	129.48	120.72
1	A	308	LEU	C-N-CA	5.24	129.48	120.72
1	D	22	ARG	CA-C-N	5.24	125.15	119.76
1	D	22	ARG	C-N-CA	5.24	125.15	119.76
1	B	121	SER	N-CA-C	-5.23	106.85	113.18
1	A	176	LEU	N-CA-C	5.23	117.38	111.11
1	D	24	ASP	CA-C-N	-5.16	113.61	118.97
1	D	24	ASP	C-N-CA	-5.16	113.61	118.97
1	A	41	THR	N-CA-C	5.14	116.96	111.36
1	D	222	LYS	N-CA-C	5.05	116.78	111.28
1	A	91	ARG	N-CA-C	-5.02	107.31	112.93
1	C	74	ALA	N-CA-C	5.01	117.91	109.95
1	A	79	CYS	N-CA-C	5.01	117.91	109.95

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	19	ARG	Sidechain
1	D	249	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2193	0	2046	42	0
1	B	2462	0	2370	25	0
1	C	2446	0	2374	39	0
1	D	2433	0	2364	30	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	5	0	0	0	0
3	D	5	0	0	0	0
4	A	119	0	0	3	0
4	B	148	0	0	0	0
4	C	143	0	0	2	0
4	D	113	0	0	2	0
All	All	10085	0	9154	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:19:ARG:HG3	1:A:27:ALA:HB1	1.59	0.83
1:A:19:ARG:NH2	1:A:88:ASP:OD2	2.24	0.70
1:A:-5:GLN:O	1:A:-4:SER:C	2.35	0.68
1:C:1:MET:HE2	1:C:5:LEU:CD2	2.26	0.66
1:A:272:ILE:C	1:A:274:GLY:H	2.05	0.63
1:C:92:TYR:CD1	1:C:93:PRO:HD3	2.34	0.62
1:A:-5:GLN:O	1:A:-3:MET:N	2.33	0.62
1:A:220:ILE:HG22	1:A:220:ILE:O	1.99	0.61
1:A:-5:GLN:C	1:A:-3:MET:N	2.58	0.61
1:C:1:MET:HE2	1:C:5:LEU:HD21	1.83	0.61
1:A:21:VAL:O	1:A:22:ARG:HB2	2.01	0.61
1:A:92:TYR:CG	1:A:93:PRO:HD3	2.36	0.61
1:C:249:ARG:NH1	1:C:309:CYS:O	2.35	0.60
1:D:80:ASP:HA	1:D:102:ASP:OD1	2.01	0.60
1:C:149:ILE:O	1:C:153:ILE:HG13	2.02	0.59
1:D:5:LEU:HD22	1:D:99:MET:SD	2.42	0.59
1:B:88:ASP:O	1:B:89:ASP:CB	2.50	0.59
1:B:304:ASP:O	1:B:308:LEU:HB2	2.03	0.58
1:C:92:TYR:CG	1:C:93:PRO:HD3	2.38	0.58
1:A:73:GLY:HA2	1:A:96:ALA:HB2	1.86	0.58
1:D:208:VAL:O	1:D:208:VAL:HG13	2.04	0.57
1:C:280:ASN:HB3	4:C:574:HOH:O	2.04	0.57
1:C:223:ASP:N	1:C:223:ASP:OD1	2.38	0.56
1:C:84:GLN:HB3	1:C:92:TYR:OH	2.06	0.55
1:C:1:MET:HE1	1:C:113:LEU:HD23	1.88	0.55
1:A:-5:GLN:O	1:A:-2:ALA:N	2.39	0.55
1:D:88:ASP:O	1:D:89:ASP:HB3	2.07	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:209:SER:O	1:B:216:ALA:HA	2.06	0.55
1:B:265:PHE:HB2	1:B:272:ILE:HD13	1.88	0.54
1:A:22:ARG:N	1:A:23:PRO:CD	2.70	0.54
1:B:131:TYR:CE1	1:B:141:LEU:HB2	2.44	0.53
1:D:80:ASP:CA	1:D:123:VAL:HG21	2.39	0.52
1:A:278:LYS:NZ	4:A:505:HOH:O	2.42	0.52
1:A:128:TYR:O	1:A:131:TYR:HB3	2.10	0.52
1:D:102:ASP:OD2	1:D:104:HIS:HB2	2.09	0.52
1:D:102:ASP:O	1:D:116:VAL:HA	2.09	0.52
1:A:-5:GLN:HG3	1:A:-3:MET:H	1.75	0.52
1:B:136:GLU:H	1:B:136:GLU:CD	2.17	0.52
1:B:128:TYR:O	1:B:131:TYR:HB3	2.10	0.52
1:D:194:LYS:HB3	1:D:196:ASN:OD1	2.09	0.52
1:C:135:LYS:C	1:C:137:HIS:H	2.17	0.51
1:B:102:ASP:O	1:B:116:VAL:HA	2.10	0.51
1:D:88:ASP:O	1:D:89:ASP:CB	2.59	0.50
1:C:13:ASP:OD2	1:D:296:ASP:HB2	2.11	0.50
1:B:1:MET:HE3	1:B:115:TRP:HD1	1.76	0.50
1:A:92:TYR:N	1:A:93:PRO:CD	2.75	0.49
1:D:102:ASP:HB2	4:D:555:HOH:O	2.11	0.49
1:C:236:SER:OG	1:C:264:ARG:NH2	2.40	0.49
1:D:42:TYR:CB	1:D:45:LYS:HD2	2.43	0.48
1:D:308:LEU:HD12	1:D:308:LEU:O	2.13	0.48
1:C:80:ASP:HA	1:C:102:ASP:OD1	2.13	0.48
1:A:265:PHE:C	1:A:266:ARG:HG2	2.38	0.48
1:C:205:PHE:O	1:C:208:VAL:HG12	2.14	0.48
1:B:252:VAL:HA	1:B:264:ARG:O	2.14	0.47
1:D:91:ARG:O	1:D:92:TYR:C	2.57	0.47
1:A:162:PHE:HB3	1:A:163:PRO:HD2	1.95	0.47
1:A:112:ASP:C	1:A:113:LEU:HD12	2.39	0.47
1:A:274:GLY:O	1:A:278:LYS:HB2	2.15	0.47
1:D:73:GLY:HA2	1:D:96:ALA:HB2	1.97	0.47
1:C:73:GLY:HA2	1:C:96:ALA:HB2	1.97	0.46
1:B:80:ASP:HA	1:B:102:ASP:OD1	2.15	0.46
1:C:174:GLY:O	1:C:177:ILE:HG22	2.16	0.46
1:A:219:PHE:HA	1:A:254:PHE:HB2	1.97	0.45
1:C:1:MET:CE	1:C:113:LEU:HD23	2.46	0.45
1:B:88:ASP:O	1:B:89:ASP:HB3	2.16	0.45
1:A:269:GLY:O	1:A:270:PRO:C	2.59	0.45
1:A:272:ILE:HD12	1:A:272:ILE:HA	1.80	0.45
1:D:52:THR:HA	1:D:53:PRO:HD3	1.83	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:242:LEU:HD22	1:C:251:TRP:CD1	2.51	0.45
1:A:28:TYR:O	1:A:32:CYS:HB2	2.17	0.45
1:A:11:LEU:HD23	1:A:11:LEU:HA	1.87	0.44
1:C:102:ASP:O	1:C:116:VAL:HA	2.17	0.44
1:A:102:ASP:O	1:A:116:VAL:HA	2.17	0.44
1:A:274:GLY:HA3	4:A:606:HOH:O	2.16	0.44
1:B:131:TYR:CZ	1:B:141:LEU:HB2	2.52	0.44
1:B:121:SER:O	1:B:122:SER:HB3	2.17	0.44
1:C:276:ALA:HB2	1:C:288:SER:HB3	2.00	0.44
1:D:141:LEU:HD12	1:D:145:ALA:HB3	1.99	0.44
1:B:246:SER:HB2	1:C:192:GLU:HG2	1.99	0.44
1:A:71:TYR:O	1:A:95:GLY:HA2	2.17	0.44
1:C:5:LEU:HD22	1:C:99:MET:HE2	1.99	0.44
1:C:18:HIS:CE1	1:C:89:ASP:HB3	2.53	0.44
1:D:194:LYS:HB3	1:D:194:LYS:HE2	1.93	0.43
1:B:202:GLY:HA2	1:C:202:GLY:HA2	2.00	0.43
1:D:19:ARG:HD2	1:D:19:ARG:C	2.43	0.43
1:A:29:GLY:O	1:A:33:GLY:HA3	2.19	0.43
1:A:202:GLY:O	1:A:203:PHE:C	2.60	0.43
1:C:200:LEU:HD21	1:C:235:ALA:HB2	1.99	0.43
1:D:42:TYR:HB3	1:D:45:LYS:HD2	2.00	0.43
1:C:24:ASP:HB2	1:C:25:PRO:CD	2.48	0.43
1:C:273:ASN:O	1:C:277:ARG:HG3	2.19	0.43
1:D:-4:SER:OG	1:D:-3:MET:N	2.51	0.43
1:D:91:ARG:C	1:D:93:PRO:CD	2.92	0.43
1:A:268:LYS:HD2	1:A:268:LYS:HA	1.85	0.43
1:C:1:MET:HE2	1:C:5:LEU:HD23	2.00	0.43
1:C:196:ASN:HB2	1:C:228:PHE:O	2.19	0.43
1:B:18:HIS:CE1	1:B:89:ASP:HB3	2.54	0.43
1:D:77:ILE:HG12	1:D:99:MET:HE3	2.01	0.43
1:C:175:GLU:O	1:C:178:GLN:HG2	2.19	0.42
1:D:28:TYR:O	1:D:32:CYS:HB2	2.18	0.42
1:A:92:TYR:CD2	1:A:93:PRO:HD3	2.55	0.42
1:A:210:LEU:HA	1:A:215:ALA:O	2.19	0.42
1:C:183:SER:O	1:C:187:PHE:CD2	2.72	0.42
1:C:280:ASN:CB	4:C:574:HOH:O	2.66	0.42
1:A:302:LEU:O	1:A:304:ASP:N	2.52	0.42
1:C:66:VAL:HG13	1:C:70:THR:HB	2.02	0.42
1:A:162:PHE:HB3	1:A:163:PRO:CD	2.49	0.42
1:A:302:LEU:HB3	4:A:602:HOH:O	2.20	0.42
1:B:277:ARG:C	1:B:279:TYR:N	2.75	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:135:LYS:C	1:C:137:HIS:N	2.78	0.42
1:A:19:ARG:HG2	1:A:20:HIS:N	2.35	0.42
1:B:1:MET:HE3	1:B:115:TRP:CD1	2.54	0.42
1:C:23:PRO:HG2	1:C:54:GLU:HB2	2.00	0.42
1:B:35:THR:O	1:B:39:ARG:HG3	2.20	0.41
1:B:177:ILE:HD12	1:B:177:ILE:HA	1.83	0.41
1:D:194:LYS:HE2	1:D:196:ASN:OD1	2.20	0.41
1:B:19:ARG:C	1:B:19:ARG:HD2	2.45	0.41
1:D:78:VAL:HG11	1:D:110:TYR:OH	2.21	0.41
1:D:2:LYS:NZ	4:D:521:HOH:O	2.53	0.41
1:B:251:TRP:CE2	1:B:266:ARG:HB2	2.55	0.41
1:C:271:VAL:HG22	1:C:285:PRO:HB3	2.03	0.41
1:D:135:LYS:C	1:D:137:HIS:H	2.29	0.41
1:C:1:MET:O	1:C:5:LEU:HG	2.20	0.41
1:A:302:LEU:C	1:A:304:ASP:N	2.79	0.41
1:C:242:LEU:N	1:C:242:LEU:HD12	2.36	0.41
1:A:164:ASN:OD1	1:A:164:ASN:N	2.53	0.41
1:D:79:CYS:HA	1:D:101:ILE:O	2.21	0.41
1:B:128:TYR:HD2	1:B:172:TYR:CD2	2.39	0.40
1:D:80:ASP:N	1:D:123:VAL:HG21	2.36	0.40
1:A:299:ASP:O	1:A:302:LEU:HB2	2.21	0.40
1:A:100:LYS:HG3	1:A:110:TYR:CZ	2.56	0.40
1:B:82:ALA:HB2	1:B:104:HIS:CB	2.51	0.40
1:A:32:CYS:HG	1:A:61:TYR:HD2	1.63	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	276/333 (83%)	255 (92%)	20 (7%)	1 (0%)	30 21

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	318/333 (96%)	305 (96%)	12 (4%)	1 (0%)	36	28
1	C	313/333 (94%)	303 (97%)	8 (3%)	2 (1%)	21	12
1	D	313/333 (94%)	299 (96%)	12 (4%)	2 (1%)	21	12
All	All	1220/1332 (92%)	1162 (95%)	52 (4%)	6 (0%)	24	16

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	221	LYS
1	B	89	ASP
1	D	269	GLY
1	C	89	ASP
1	C	269	GLY
1	D	89	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	220/286 (77%)	217 (99%)	3 (1%)	59	56
1	B	261/286 (91%)	252 (97%)	9 (3%)	32	23
1	C	261/286 (91%)	255 (98%)	6 (2%)	44	38
1	D	257/286 (90%)	253 (98%)	4 (2%)	55	52
All	All	999/1144 (87%)	977 (98%)	22 (2%)	45	40

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	ARG
1	A	248	ILE
1	A	272	ILE
1	B	1	MET
1	B	19	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	55	PRO
1	B	136	GLU
1	B	154	VAL
1	B	177	ILE
1	B	272	ILE
1	B	308	LEU
1	B	311	GLU
1	C	66	VAL
1	C	154	VAL
1	C	236	SER
1	C	253	PHE
1	C	300	ARG
1	C	311	GLU
1	D	135	LYS
1	D	156	ASP
1	D	237	GLN
1	D	308	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	84	GLN
1	A	189	GLN
1	A	201	ASN
1	C	213	ASN
1	D	201	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 8 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PO4	C	403	2	4,4,4	0.96	0	6,6,6	0.46	0
3	PO4	B	403	2	4,4,4	0.96	0	6,6,6	0.46	0
3	PO4	D	403	2	4,4,4	0.96	0	6,6,6	0.46	0
3	PO4	A	403	2	4,4,4	0.96	0	6,6,6	0.46	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	293/333 (87%)	1.24	63 (21%) 2 2	27, 44, 71, 89	10 (3%)
1	B	320/333 (96%)	0.48	15 (4%) 36 42	28, 38, 51, 71	6 (1%)
1	C	315/333 (94%)	0.35	9 (2%) 53 60	28, 37, 47, 72	4 (1%)
1	D	315/333 (94%)	0.71	21 (6%) 24 27	32, 42, 54, 73	6 (1%)
All	All	1243/1332 (93%)	0.68	108 (8%) 16 18	27, 40, 59, 89	26 (2%)

All (108) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	308	LEU	9.0
1	D	-4	SER	7.9
1	A	255	VAL	6.4
1	A	252	VAL	6.3
1	A	275	LEU	5.9
1	A	263	VAL	5.6
1	A	219	PHE	5.6
1	A	253	PHE	5.5
1	A	220	ILE	5.4
1	A	265	PHE	5.2
1	A	-6	PHE	5.0
1	B	308	LEU	4.8
1	A	254	PHE	4.8
1	B	-9	ASN	4.8
1	A	302	LEU	4.5
1	A	273	ASN	4.4
1	D	52	THR	4.4
1	A	272	ILE	4.3
1	B	310	LYS	4.3
1	A	208	VAL	4.1
1	A	218	VAL	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	306	GLU	4.1
1	A	92	TYR	4.0
1	A	239	VAL	4.0
1	D	1	MET	4.0
1	A	235	ALA	3.9
1	A	301	ILE	3.9
1	A	278	LYS	3.8
1	B	-7	TYR	3.7
1	A	285	PRO	3.7
1	D	-3	MET	3.6
1	A	284	HIS	3.6
1	D	-1	SER	3.5
1	B	311	GLU	3.5
1	D	51	GLY	3.4
1	A	203	PHE	3.4
1	A	221	LYS	3.3
1	A	299	ASP	3.3
1	A	225	LEU	3.3
1	A	311	GLU	3.2
1	A	279	TYR	3.2
1	C	-4	SER	3.2
1	C	1	MET	3.2
1	A	309	CYS	3.2
1	A	216	ALA	3.1
1	C	-2	ALA	3.1
1	A	269	GLY	3.0
1	A	310	LYS	3.0
1	A	250	ALA	3.0
1	B	-6	PHE	2.9
1	B	136	GLU	2.9
1	D	-2	ALA	2.9
1	C	167	GLU	2.9
1	D	67	ASP	2.8
1	A	264	ARG	2.8
1	A	270	PRO	2.8
1	C	269	GLY	2.8
1	A	28	TYR	2.8
1	B	259	ASP	2.7
1	D	78	VAL	2.7
1	A	138	GLY	2.6
1	D	90	GLN	2.6
1	A	29	GLY	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	236	SER	2.6
1	A	217	SER	2.5
1	B	62	SER	2.5
1	A	304	ASP	2.5
1	A	280	ASN	2.4
1	D	89	ASP	2.4
1	D	208	VAL	2.4
1	A	212	GLU	2.4
1	B	257	GLU	2.4
1	C	154	VAL	2.4
1	A	305	LEU	2.3
1	D	93	PRO	2.3
1	B	223	ASP	2.3
1	D	49	ALA	2.3
1	A	271	VAL	2.3
1	D	66	VAL	2.3
1	B	-8	LEU	2.3
1	D	21	VAL	2.2
1	A	257	GLU	2.2
1	A	211	SER	2.2
1	A	223	ASP	2.2
1	A	274	GLY	2.2
1	A	-2	ALA	2.2
1	A	222	LYS	2.2
1	A	-5	GLN	2.2
1	A	214	GLY	2.2
1	A	240	GLY	2.2
1	A	114	LEU	2.1
1	D	60	LEU	2.1
1	C	3	THR	2.1
1	D	119	SER	2.1
1	A	1	MET	2.1
1	B	1	MET	2.1
1	D	98	LEU	2.1
1	A	178	GLN	2.1
1	A	48	PHE	2.1
1	B	293	TYR	2.1
1	D	92	TYR	2.1
1	D	69	GLU	2.1
1	A	189	GLN	2.1
1	A	27	ALA	2.1
1	C	223	ASP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	233	SER	2.0
1	C	174	GLY	2.0
1	A	21	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	PO4	C	403	5/5	0.67	0.14	53,57,58,61	0
3	PO4	D	403	5/5	0.83	0.11	53,54,58,60	0
3	PO4	A	403	5/5	0.84	0.10	48,54,58,59	0
3	PO4	B	403	5/5	0.85	0.10	40,54,58,58	0
2	MN	D	401	1/1	0.98	0.05	42,42,42,42	0
2	MN	D	402	1/1	0.98	0.03	44,44,44,44	0
2	MN	C	402	1/1	0.98	0.04	35,35,35,35	0
2	MN	B	401	1/1	0.99	0.02	38,38,38,38	0
2	MN	C	401	1/1	0.99	0.02	39,39,39,39	0
2	MN	A	401	1/1	0.99	0.03	41,41,41,41	0
2	MN	A	402	1/1	1.00	0.06	38,38,38,38	0
2	MN	B	402	1/1	1.00	0.04	37,37,37,37	0

6.5 Other polymers [i](#)

There are no such residues in this entry.