



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:15 PM UTC

PDB ID : 4J06 / pdb_00004j06
Title : Crystal structure of hcv ns5b polymerase in complex with 2-[(5-BROMOTH
IOPHEN-2-YL)SULFONYL]AMINO}-4-CHLOROBENZOIC ACID
Authors : Coulombe, R.
Deposited on : 2013-01-30
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	576	5% 83% 13% ..
1	B	576	12% 78% 18% ..

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9285 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Genome polyprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	559	Total	C	N	O	S	0	0	0
			4358	2745	770	811	32			
1	B	558	Total	C	N	O	S	0	0	0
			4346	2737	768	809	32			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	571	HIS	-	expression tag	UNP O92972
A	572	HIS	-	expression tag	UNP O92972
A	573	HIS	-	expression tag	UNP O92972
A	574	HIS	-	expression tag	UNP O92972
A	575	HIS	-	expression tag	UNP O92972
A	576	HIS	-	expression tag	UNP O92972
B	571	HIS	-	expression tag	UNP O92972
B	572	HIS	-	expression tag	UNP O92972
B	573	HIS	-	expression tag	UNP O92972
B	574	HIS	-	expression tag	UNP O92972
B	575	HIS	-	expression tag	UNP O92972
B	576	HIS	-	expression tag	UNP O92972

- Molecule 2 is 2-[[[(5-bromothiophen-2-yl)sulfonyl]amino}-4-chlorobenzoic acid (CCD ID: 1JG) (formula: C₁₁H₇BrClNO₄S₂).



Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
2	A	1	Total	Br	C	Cl	N	O	S	0	0
			20	1	11	1	1	4	2		
2	B	1	Total	Br	C	Cl	N	O	S	0	0
			20	1	11	1	1	4	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	315	Total	O	0	0
			315	315		
3	B	226	Total	O	0	0
			226	226		

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	106.50Å 108.01Å 133.54Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 2.00 40.00 – 2.01	Depositor EDS
% Data completeness (in resolution range)	(Not available) (40.00-2.00) 88.7 (40.00-2.01)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.61 (at 2.01Å)	Xtriage
Refinement program	CNX 2002	Depositor
R, R_{free}	0.208 , 0.235 0.205 , 0.231	Depositor DCC
R_{free} test set	9163 reflections (10.00%)	wwPDB-VP
Wilson B-factor (Å ²)	29.1	Xtriage
Anisotropy	0.347	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 38.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.014 for k,h,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9285	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 1JG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/4453	0.87	16/6044 (0.3%)
1	B	0.33	0/4440	0.87	14/6025 (0.2%)
All	All	0.35	0/8893	0.87	30/12069 (0.2%)

There are no bond length outliers.

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	196	SER	N-CA-C	-7.11	99.69	110.07
1	B	28	ASN	N-CA-C	-7.10	104.50	113.01
1	B	244	ASP	N-CA-C	-6.65	99.19	109.76
1	B	196	SER	N-CA-C	-6.38	100.75	110.07
1	A	348	ALA	CA-C-N	6.12	124.13	119.66
1	A	348	ALA	C-N-CA	6.12	124.13	119.66
1	A	244	ASP	N-CA-C	-6.09	100.08	109.76
1	B	261	TYR	N-CA-C	6.06	117.89	111.28
1	B	131	GLU	N-CA-C	6.00	121.17	113.18
1	A	175	LEU	N-CA-C	5.95	123.01	114.39
1	B	78	VAL	N-CA-C	5.89	117.82	108.87
1	A	131	GLU	N-CA-C	5.87	120.99	113.18
1	A	285	LEU	N-CA-C	5.66	118.22	111.71
1	B	192	GLY	N-CA-C	5.59	120.56	113.24
1	B	213	CYS	CA-C-N	5.52	125.45	119.76
1	B	213	CYS	C-N-CA	5.52	125.45	119.76
1	A	261	TYR	N-CA-C	5.39	117.16	111.28
1	A	192	GLY	N-CA-C	5.36	120.26	113.24
1	A	218	SER	N-CA-C	-5.35	101.56	110.17
1	A	213	CYS	CA-C-N	5.28	125.22	119.78
1	A	213	CYS	C-N-CA	5.28	125.22	119.78
1	B	246	ALA	CA-C-N	5.13	124.58	119.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	246	ALA	C-N-CA	5.13	124.58	119.24
1	A	246	ALA	N-CA-C	-5.12	103.02	110.08
1	A	186	VAL	N-CA-C	5.11	116.56	111.00
1	A	78	VAL	N-CA-C	5.09	116.61	108.87
1	B	495	PRO	CA-C-N	5.08	125.08	119.90
1	B	495	PRO	C-N-CA	5.08	125.08	119.90
1	A	351	GLY	N-CA-C	-5.05	101.21	113.18
1	B	387	ASP	N-CA-C	-5.03	102.10	109.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4358	0	4371	41	0
1	B	4346	0	4359	68	0
2	A	20	0	6	0	0
2	B	20	0	6	0	0
3	A	315	0	0	3	0
3	B	226	0	0	4	0
All	All	9285	0	8742	108	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:300:THR:HA	1:A:313:MET:HE1	1.54	0.89
1:B:313:MET:HG2	1:B:322:VAL:HG22	1.55	0.87
1:A:313:MET:HG2	1:A:322:VAL:HG22	1.67	0.76
1:B:337:ARG:O	1:B:341:GLU:HG3	1.86	0.75
1:B:300:THR:HA	1:B:313:MET:HE1	1.73	0.69
1:B:106:LYS:NZ	1:B:110:ASN:HD21	1.93	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:515:GLY:HA2	1:B:519:ALA:HB2	1.79	0.65
1:A:394:ARG:O	1:A:398:GLU:HG3	1.97	0.64
1:B:85:ILE:HD13	1:B:116:VAL:HG13	1.79	0.64
1:B:531:ARG:HH11	1:B:531:ARG:H	1.48	0.61
1:A:381:VAL:HG11	1:A:474:LEU:CD2	2.32	0.60
1:B:144:VAL:HB	1:B:394:ARG:HG2	1.85	0.59
1:B:531:ARG:HD2	1:B:532:THR:H	1.68	0.58
1:B:336:LEU:HD23	1:B:356:PRO:HD3	1.86	0.58
1:B:372:VAL:HG21	1:B:380:ARG:NH1	2.19	0.58
1:B:390:THR:HB	1:B:391:PRO:HD3	1.87	0.56
1:B:32:ARG:HG2	1:B:493:GLY:O	2.05	0.56
1:B:314:LEU:HB3	1:B:321:VAL:CG1	2.36	0.56
1:A:381:VAL:HG11	1:A:474:LEU:HD22	1.88	0.55
1:B:531:ARG:HD2	1:B:532:THR:N	2.22	0.55
1:B:346:TYR:O	1:B:347:SER:HB3	2.07	0.55
1:A:515:GLY:HA2	1:A:519:ALA:HB2	1.89	0.54
1:B:106:LYS:HZ3	1:B:110:ASN:HD21	1.56	0.53
1:A:314:LEU:HB3	1:A:321:VAL:CG1	2.40	0.52
1:B:27:SER:HB2	1:B:400:ALA:HB2	1.92	0.52
1:A:212:LYS:HE2	3:A:976:HOH:O	2.10	0.52
1:A:107:ASP:HB3	1:A:112:SER:OG	2.11	0.51
1:B:48:ARG:HG2	1:B:159:LEU:HG	1.91	0.51
1:A:57:LEU:C	1:A:57:LEU:HD23	2.35	0.51
1:A:212:LYS:HD2	1:A:325:GLU:OE1	2.10	0.50
1:B:187:MET:HE3	1:B:296:TYR:CD2	2.47	0.50
1:A:300:THR:CA	1:A:313:MET:HE1	2.36	0.50
1:A:309:GLN:O	1:A:324:CYS:HB2	2.12	0.50
1:B:182:LEU:C	1:B:182:LEU:HD23	2.37	0.50
1:B:498:ARG:O	1:B:501:ARG:HG2	2.13	0.49
1:B:501:ARG:O	1:B:505:ARG:HG3	2.11	0.49
1:B:465:ARG:HH11	1:B:545:LEU:HB3	1.78	0.49
1:A:306:ALA:O	1:A:307:LYS:HB2	2.11	0.49
1:B:488:CYS:HB2	3:B:917:HOH:O	2.12	0.49
1:A:24:ASN:HB3	1:A:27:SER:OG	2.13	0.49
1:A:106:LYS:HB2	1:A:106:LYS:HZ2	1.77	0.48
1:A:247:PRO:HG3	1:B:234:ARG:HD3	1.95	0.48
1:B:84:SER:OG	1:B:87:GLU:HG3	2.13	0.48
1:B:508:ARG:HD2	1:B:526:PHE:O	2.14	0.48
1:B:470:SER:O	1:B:474:LEU:HG	2.13	0.48
1:A:176:TYR:OH	1:A:562:HIS:HE1	1.95	0.48
1:B:531:ARG:HD3	1:B:532:THR:HG23	1.94	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:191:TYR:O	1:B:194:GLN:HG2	2.13	0.47
1:B:27:SER:C	1:B:29:SER:N	2.73	0.47
1:B:233:ILE:HD13	1:B:261:TYR:O	2.14	0.47
1:B:273:ASN:ND2	1:B:275:GLY:H	2.13	0.47
1:B:106:LYS:HZ2	1:B:110:ASN:HD21	1.63	0.47
1:A:505:ARG:HH21	1:A:531:ARG:NH1	2.13	0.46
1:B:309:GLN:O	1:B:324:CYS:HB2	2.15	0.46
1:A:119:ILE:HD13	1:A:169:VAL:HG11	1.96	0.46
1:A:485:VAL:O	1:A:489:LEU:HG	2.15	0.46
1:A:440:GLU:HG2	1:A:457:LEU:CD1	2.46	0.46
1:B:27:SER:C	1:B:29:SER:H	2.23	0.46
1:B:219:TYR:HB3	1:B:320:LEU:HD23	1.98	0.45
1:B:183:PRO:HG3	1:B:289:CYS:SG	2.56	0.45
1:B:93:PRO:HG3	1:B:561:TYR:HB2	1.99	0.45
1:A:390:THR:HB	1:A:391:PRO:HD3	1.99	0.45
1:B:545:LEU:HG	1:B:547:LEU:HG	1.99	0.45
1:B:119:ILE:HD13	1:B:169:VAL:HG11	1.98	0.45
1:B:523:ARG:NH2	1:B:536:LEU:HA	2.32	0.44
1:A:184:GLN:HB2	3:A:768:HOH:O	2.17	0.44
1:B:359:ASP:HB3	1:B:362:LEU:HD12	1.98	0.44
1:A:82:LEU:HD13	1:A:249:ALA:HB2	2.00	0.44
1:A:466:LEU:HD22	1:A:551:PHE:HE2	1.83	0.44
1:B:83:LEU:HB2	1:B:173:MET:HA	2.00	0.44
1:B:268:ASN:HB3	1:B:274:CYS:SG	2.59	0.43
1:B:466:LEU:HD22	1:B:551:PHE:HE2	1.83	0.43
1:A:346:TYR:O	1:A:347:SER:HB3	2.17	0.43
1:A:233:ILE:HD13	1:A:261:TYR:O	2.19	0.43
1:B:398:GLU:HG2	1:B:403:THR:OG1	2.19	0.43
1:A:183:PRO:HG3	1:A:289:CYS:SG	2.59	0.43
1:B:465:ARG:NH1	1:B:545:LEU:HB3	2.34	0.43
1:A:115:ALA:O	1:A:119:ILE:HG13	2.18	0.43
1:A:144:VAL:HB	1:A:394:ARG:HG2	2.00	0.43
1:A:184:GLN:HG3	3:A:852:HOH:O	2.18	0.42
1:B:465:ARG:HG3	1:B:545:LEU:HD23	2.00	0.42
1:B:178:VAL:HG23	3:B:876:HOH:O	2.18	0.42
1:B:388:PRO:C	1:B:391:PRO:HD2	2.44	0.42
1:B:85:ILE:CD1	1:B:116:VAL:HG13	2.47	0.42
1:B:455:GLU:HB3	3:B:916:HOH:O	2.19	0.42
1:A:93:PRO:HG3	1:A:561:TYR:HB2	2.01	0.42
1:B:421:ALA:O	1:B:426:MET:HG3	2.20	0.42
1:B:40:THR:HB	1:B:157:ALA:HB2	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:388:PRO:HG2	1:B:488:CYS:SG	2.60	0.42
1:A:461:GLN:HB2	1:A:545:LEU:HD11	2.02	0.41
1:B:160:ILE:HA	1:B:282:SER:OG	2.19	0.41
1:B:398:GLU:OE1	1:B:408:TRP:HD1	2.03	0.41
1:A:93:PRO:HA	1:A:94:PRO:HD3	1.94	0.41
1:B:21:LEU:HD12	1:B:34:HIS:HB2	2.03	0.41
1:B:217:PHE:CE1	1:B:322:VAL:HB	2.55	0.41
1:B:22:PRO:HG2	1:B:400:ALA:HB1	2.02	0.41
1:B:505:ARG:NH1	1:B:531:ARG:NH1	2.68	0.41
1:A:79:LYS:HG3	1:A:244:ASP:HB3	2.01	0.41
1:A:5:THR:O	1:A:275:GLY:HA3	2.21	0.41
1:A:92:THR:HA	1:A:93:PRO:HD3	1.92	0.41
1:B:132:THR:HA	1:B:133:PRO:HD3	1.98	0.41
1:A:170:CYS:HA	1:A:173:MET:HE3	2.02	0.41
1:A:336:LEU:HD12	1:A:356:PRO:HD3	2.03	0.41
1:B:26:LEU:C	1:B:28:ASN:H	2.28	0.41
1:B:539:ILE:HA	1:B:540:PRO:HD3	1.91	0.41
1:B:47:LEU:HG	3:B:880:HOH:O	2.21	0.40
1:A:257:THR:O	1:A:262:ILE:HG23	2.21	0.40
1:B:372:VAL:HG22	1:B:373:ALA:N	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	555/576 (96%)	546 (98%)	8 (1%)	1 (0%)	43	42
1	B	554/576 (96%)	538 (97%)	15 (3%)	1 (0%)	43	42
All	All	1109/1152 (96%)	1084 (98%)	23 (2%)	2 (0%)	43	42

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	154	ARG
1	A	544	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	477/491 (97%)	471 (99%)	6 (1%)	61	68
1	B	475/491 (97%)	474 (100%)	1 (0%)	87	92
All	All	952/982 (97%)	945 (99%)	7 (1%)	76	82

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	106	LYS
1	A	184	GLN
1	A	336	LEU
1	A	337	ARG
1	A	381	VAL
1	A	402	HIS
1	B	531	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	251	GLN
1	A	355	GLN
1	A	406	ASN
1	A	436	GLN
1	A	438	GLN
1	A	483	ASN
1	A	502	HIS
1	A	544	GLN
1	A	562	HIS
1	B	33	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	110	ASN
1	B	251	GLN
1	B	273	ASN
1	B	309	GLN
1	B	406	ASN
1	B	436	GLN
1	B	438	GLN
1	B	446	GLN
1	B	461	GLN
1	B	502	HIS
1	B	514	GLN
1	B	544	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	1JG	B	601	-	21,21,21	2.02	9 (42%)	29,31,31	1.48	6 (20%)
2	1JG	A	601	-	21,21,21	2.33	11 (52%)	29,31,31	1.78	10 (34%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	1JG	B	601	-	-	2/15/15/15	0/2/2/2
2	1JG	A	601	-	-	1/15/15/15	0/2/2/2

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	1JG	S7-N10	5.25	1.71	1.62
2	B	601	1JG	S7-N10	4.80	1.70	1.62
2	A	601	1JG	O19-C17	4.45	1.35	1.22
2	A	601	1JG	C13-C12	3.15	1.44	1.39
2	B	601	1JG	C6-S7	3.05	1.79	1.74
2	B	601	1JG	C13-C12	2.90	1.44	1.39
2	A	601	1JG	C12-C11	2.90	1.45	1.41
2	A	601	1JG	O18-C17	-2.63	1.22	1.30
2	A	601	1JG	C14-C13	2.63	1.43	1.38
2	A	601	1JG	O9-S7	2.63	1.47	1.43
2	B	601	1JG	C16-C11	2.62	1.43	1.39
2	B	601	1JG	O9-S7	2.44	1.47	1.43
2	B	601	1JG	C14-C13	2.43	1.42	1.38
2	B	601	1JG	C12-C11	2.26	1.44	1.41
2	A	601	1JG	C14-C15	2.26	1.42	1.38
2	A	601	1JG	C6-S7	2.25	1.78	1.74
2	A	601	1JG	C16-C11	2.24	1.43	1.39
2	B	601	1JG	C16-C15	2.24	1.41	1.38
2	B	601	1JG	C14-C15	2.11	1.41	1.38
2	A	601	1JG	O8-S7	2.04	1.46	1.43

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	1JG	O19-C17-C12	-3.56	113.48	121.97
2	A	601	1JG	BR1-C3-C4	-3.55	122.40	127.09
2	A	601	1JG	O18-C17-C12	3.53	125.32	115.28
2	B	601	1JG	BR1-C3-C4	-2.96	123.18	127.09
2	B	601	1JG	S2-C6-S7	-2.86	116.71	120.43
2	A	601	1JG	S2-C6-S7	-2.68	116.94	120.43
2	A	601	1JG	C12-C11-N10	2.52	124.05	119.50
2	B	601	1JG	O8-S7-C6	-2.39	104.33	107.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	1JG	C5-C6-S7	2.33	131.71	126.65
2	A	601	1JG	BR1-C3-S2	2.26	122.54	119.68
2	B	601	1JG	C12-C11-N10	2.23	123.53	119.50
2	A	601	1JG	C16-C11-N10	-2.19	116.09	120.84
2	A	601	1JG	O8-S7-C6	-2.16	104.61	107.21
2	A	601	1JG	O9-S7-C6	-2.13	104.64	107.21
2	A	601	1JG	C5-C6-S7	2.10	131.22	126.65
2	B	601	1JG	O9-S7-C6	-2.00	104.80	107.21

There are no chirality outliers.


All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	601	1JG	C11-N10-S7-O9
2	B	601	1JG	C11-N10-S7-O9
2	B	601	1JG	C11-C12-C17-O18

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	559/576 (97%)	0.16	31 (5%) 30 29	17, 28, 51, 80	0
1	B	558/576 (96%)	0.66	71 (12%) 8 7	18, 34, 63, 83	0
All	All	1117/1152 (96%)	0.41	102 (9%) 15 13	17, 31, 57, 83	0

All (102) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	27	SER	5.9
1	B	548	SER	5.3
1	B	25	PRO	4.9
1	A	531	ARG	4.9
1	A	149	PRO	4.8
1	A	545	LEU	4.7
1	B	23	ILE	4.6
1	B	534	LEU	4.5
1	B	547	LEU	4.4
1	A	14	CYS	4.2
1	B	543	SER	4.1
1	B	541	ALA	3.9
1	B	563	SER	3.8
1	B	546	ASP	3.8
1	B	26	LEU	3.8
1	A	543	SER	3.7
1	A	438	GLN	3.7
1	B	539	ILE	3.7
1	A	310	ASP	3.7
1	B	544	GLN	3.5
1	B	29	SER	3.5
1	B	24	ASN	3.5
1	B	153	GLY	3.4
1	B	511	LEU	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	532	THR	3.4
1	B	530	VAL	3.4
1	A	95	HIS	3.3
1	A	381	VAL	3.2
1	A	548	SER	3.2
1	B	512	LEU	3.1
1	B	545	LEU	3.1
1	B	538	PRO	3.1
1	B	14	CYS	3.1
1	B	28	ASN	3.0
1	B	435	ALA	3.0
1	A	439	LEU	3.0
1	A	539	ILE	3.0
1	A	402	HIS	3.0
1	B	352	ASP	2.9
1	A	547	LEU	2.9
1	B	515	GLY	2.9
1	B	531	ARG	2.9
1	A	546	ASP	2.8
1	A	542	ALA	2.8
1	B	549	GLY	2.8
1	A	15	ALA	2.8
1	B	535	LYS	2.7
1	B	529	ALA	2.7
1	B	542	ALA	2.7
1	B	329	THR	2.7
1	B	403	THR	2.7
1	B	439	LEU	2.7
1	B	513	SER	2.7
1	B	431	SER	2.7
1	B	468	GLY	2.7
1	A	309	GLN	2.6
1	B	514	GLN	2.6
1	B	523	ARG	2.6
1	B	57	LEU	2.6
1	A	515	GLY	2.6
1	B	85	ILE	2.5
1	B	537	THR	2.5
1	B	131	GLU	2.5
1	A	353	PRO	2.5
1	B	507	VAL	2.5
1	B	330	GLN	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	30	LEU	2.5
1	B	536	LEU	2.5
1	B	310	ASP	2.4
1	A	16	ALA	2.4
1	B	15	ALA	2.4
1	B	522	GLY	2.4
1	A	113	SER	2.4
1	B	16	ALA	2.4
1	B	353	PRO	2.4
1	A	435	ALA	2.3
1	A	367	SER	2.3
1	B	113	SER	2.3
1	B	20	LYS	2.3
1	B	469	LEU	2.3
1	A	541	ALA	2.2
1	B	502	HIS	2.2
1	B	154	ARG	2.2
1	B	533	LYS	2.2
1	B	367	SER	2.2
1	B	550	TRP	2.2
1	A	538	PRO	2.2
1	B	327	ALA	2.2
1	A	434	LEU	2.2
1	B	379	LYS	2.2
1	A	534	LEU	2.1
1	B	213	CYS	2.1
1	A	532	THR	2.1
1	B	95	HIS	2.1
1	B	434	LEU	2.1
1	B	465	ARG	2.1
1	B	309	GLN	2.0
1	B	359	ASP	2.0
1	B	51	LYS	2.0
1	B	454	ILE	2.0
1	A	90	LYS	2.0
1	A	212	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	1JG	B	601	20/20	0.95	0.11	44,46,47,50	0
2	1JG	A	601	20/20	0.98	0.09	29,34,39,40	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 1JG B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 1JG A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.