



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:40 PM UTC

PDB ID : 4J0H / pdb_00004j0h
Title : Tannin acyl hydrolase in complex with gallic acid
Authors : Ren, B.; Wu, M.; Wang, Q.; Peng, X.; Wen, H.; Chen, Q.; McKinsty, W.J.
Deposited on : 2013-01-30
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	491	
1	B	491	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	PEG	B	505	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 8555 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tannase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	470	Total	C	N	O	S	0	5	0
			3608	2287	626	684	11			
1	B	470	Total	C	N	O	S	0	10	0
			3634	2304	629	690	11			

There are 44 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-21	MET	-	expression tag	UNP B3Y018
A	-20	HIS	-	expression tag	UNP B3Y018
A	-19	HIS	-	expression tag	UNP B3Y018
A	-18	HIS	-	expression tag	UNP B3Y018
A	-17	HIS	-	expression tag	UNP B3Y018
A	-16	HIS	-	expression tag	UNP B3Y018
A	-15	HIS	-	expression tag	UNP B3Y018
A	-14	SER	-	expression tag	UNP B3Y018
A	-13	SER	-	expression tag	UNP B3Y018
A	-12	GLY	-	expression tag	UNP B3Y018
A	-11	VAL	-	expression tag	UNP B3Y018
A	-10	ASP	-	expression tag	UNP B3Y018
A	-9	LEU	-	expression tag	UNP B3Y018
A	-8	GLY	-	expression tag	UNP B3Y018
A	-7	THR	-	expression tag	UNP B3Y018
A	-6	GLU	-	expression tag	UNP B3Y018
A	-5	ASN	-	expression tag	UNP B3Y018
A	-4	LEU	-	expression tag	UNP B3Y018
A	-3	TYR	-	expression tag	UNP B3Y018
A	-2	PHE	-	expression tag	UNP B3Y018
A	-1	GLN	-	expression tag	UNP B3Y018
A	0	SER	-	expression tag	UNP B3Y018
B	-21	MET	-	expression tag	UNP B3Y018
B	-20	HIS	-	expression tag	UNP B3Y018
B	-19	HIS	-	expression tag	UNP B3Y018

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-18	HIS	-	expression tag	UNP B3Y018
B	-17	HIS	-	expression tag	UNP B3Y018
B	-16	HIS	-	expression tag	UNP B3Y018
B	-15	HIS	-	expression tag	UNP B3Y018
B	-14	SER	-	expression tag	UNP B3Y018
B	-13	SER	-	expression tag	UNP B3Y018
B	-12	GLY	-	expression tag	UNP B3Y018
B	-11	VAL	-	expression tag	UNP B3Y018
B	-10	ASP	-	expression tag	UNP B3Y018
B	-9	LEU	-	expression tag	UNP B3Y018
B	-8	GLY	-	expression tag	UNP B3Y018
B	-7	THR	-	expression tag	UNP B3Y018
B	-6	GLU	-	expression tag	UNP B3Y018
B	-5	ASN	-	expression tag	UNP B3Y018
B	-4	LEU	-	expression tag	UNP B3Y018
B	-3	TYR	-	expression tag	UNP B3Y018
B	-2	PHE	-	expression tag	UNP B3Y018
B	-1	GLN	-	expression tag	UNP B3Y018
B	0	SER	-	expression tag	UNP B3Y018

- Molecule 2 is 3,4,5-trihydroxybenzoic acid (CCD ID: GDE) (formula: C₇H₆O₅).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			12	7	5		
2	B	1	Total	C	O	0	0
			12	7	5		

- Molecule 3 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: $C_8H_{18}O_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			13	8	5		
3	B	1	Total	C	O	0	0
			13	8	5		

- Molecule 4 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			7	4	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	B	1	Total C O 7 4 3	0	0
4	B	1	Total C O 7 4 3	0	0
4	B	1	Total C O 7 4 3	0	0
4	B	1	Total C O 7 4 3	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	567	Total O 567 567	0	0
5	B	647	Total O 647 647	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Tannase



• Molecule 1: Tannase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	47.55Å 62.96Å 84.47Å 70.74° 85.18° 79.55°	Depositor
Resolution (Å)	19.68 – 1.80 19.68 – 1.80	Depositor EDS
% Data completeness (in resolution range)	97.7 (19.68-1.80) 97.6 (19.68-1.80)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.86 (at 1.80Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.1_743)	Depositor
R, R_{free}	0.149 , 0.183 0.148 , 0.180	Depositor DCC
R_{free} test set	4104 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å ²)	11.9	Xtriage
Anisotropy	0.543	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 53.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.008 for -h,-k,-k+l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8555	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, GDE, PG4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/3707	0.70	1/5056 (0.0%)
1	B	0.41	0/3743	0.70	0/5107
All	All	0.39	0/7450	0.70	1/10163 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	345	VAL	N-CA-C	5.33	113.95	107.61

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3608	0	3549	50	0
1	B	3634	0	3571	66	0
2	A	12	0	5	2	0
2	B	12	0	5	2	0
3	A	13	0	18	4	0
3	B	13	0	18	0	0
4	A	21	0	30	2	0
4	B	28	0	40	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	567	0	0	17	1
5	B	647	0	0	33	1
All	All	8555	0	7236	124	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (124) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:60:ASN:ND2	5:B:1215:HOH:O	1.70	1.23
3:A:502:PG4:H32	5:A:621:HOH:O	1.52	1.06
1:B:469:GLN:NE2	5:B:1196:HOH:O	2.00	0.94
1:A:204:CYS:HB2	5:A:1097:HOH:O	1.69	0.93
1:B:120:ASP:OD2	5:B:1202:HOH:O	1.94	0.86
1:B:435:GLU:HG3	5:B:1234:HOH:O	1.75	0.85
1:B:384[B]:GLN:NE2	5:B:1227:HOH:O	1.94	0.85
1:A:278:ASP:OD1	1:A:280:THR:HG23	1.78	0.84
3:A:502:PG4:H72	5:A:621:HOH:O	1.77	0.83
1:B:120:ASP:HB2	5:B:1218:HOH:O	1.79	0.82
1:B:271:GLN:HG3	5:B:1167:HOH:O	1.80	0.82
1:B:435:GLU:OE1	5:B:1197:HOH:O	1.97	0.81
1:B:431:ALA:HA	1:B:441[B]:ILE:CD1	2.11	0.80
1:A:257:LEU:HD11	1:A:374[B]:LEU:HD21	1.65	0.79
1:B:325:ASN:HB3	4:B:505:PEG:H21	1.64	0.78
1:A:249:GLN:HG3	5:A:1121:HOH:O	1.90	0.71
1:B:271:GLN:NE2	5:B:1032:HOH:O	2.04	0.70
1:B:120:ASP:OD2	1:B:124:GLN:CD	2.36	0.69
1:B:249[A]:GLN:HG3	5:B:914:HOH:O	1.93	0.67
1:B:104:ARG:HG3	5:B:1215:HOH:O	1.95	0.66
1:B:252:VAL:HB	5:B:1203:HOH:O	1.97	0.64
1:A:232:VAL:HG12	1:A:244:GLU:OE1	1.98	0.64
3:A:502:PG4:H12	5:A:621:HOH:O	1.98	0.64
1:B:253:GLU:OE1	5:B:1203:HOH:O	2.15	0.63
1:A:228:ARG:NH1	5:A:1009:HOH:O	2.32	0.63
1:A:397:LEU:O	1:A:401:THR:HG23	1.99	0.63
1:A:259:LEU:HD23	5:B:1185:HOH:O	1.98	0.62
1:A:278:ASP:OD1	1:A:278:ASP:C	2.42	0.62
1:A:259:LEU:HD21	5:B:1198:HOH:O	1.98	0.62
1:B:120:ASP:CG	1:B:124:GLN:HG2	2.24	0.62
1:B:236:THR:OG1	1:B:240:ARG:HB3	1.99	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:147:GLN:HG3	5:A:1112:HOH:O	2.01	0.61
1:A:278:ASP:OD1	1:A:280:THR:CG2	2.49	0.61
1:A:256:ALA:HB1	1:B:256:ALA:HB1	1.83	0.61
1:B:124:GLN:NE2	5:B:1202:HOH:O	2.34	0.60
1:B:431:ALA:HA	1:B:441[B]:ILE:HD11	1.84	0.59
1:B:227:HIS:HD2	1:B:340[A]:THR:CG2	2.14	0.59
1:B:227:HIS:HD2	1:B:340[A]:THR:HG23	1.67	0.58
1:B:158:ILE:HG12	1:B:199:ALA:HB3	1.84	0.58
1:A:230:GLN:O	1:A:244:GLU:OE1	2.22	0.57
1:A:293:ARG:HH12	4:A:505:PEG:H41	1.68	0.57
1:B:227:HIS:CD2	1:B:340[A]:THR:CG2	2.89	0.55
1:B:339:LEU:O	1:B:340[A]:THR:HB	2.06	0.55
3:A:502:PG4:H51	5:A:621:HOH:O	2.05	0.55
4:B:504:PEG:H12	5:B:1186:HOH:O	2.07	0.55
1:A:232:VAL:HG12	1:A:244:GLU:CD	2.31	0.55
4:B:505:PEG:H42	5:B:1109:HOH:O	2.06	0.54
1:B:16:GLN:NE2	1:B:18:GLN:HG3	2.22	0.54
1:B:339:LEU:O	1:B:340[B]:THR:OG1	2.20	0.54
1:A:158:ILE:HG12	1:A:199:ALA:HB3	1.90	0.54
1:A:236:THR:OG1	1:A:240:ARG:HB3	2.08	0.54
1:A:163[A]:SER:OG	2:A:501:GDE:CAH	2.56	0.54
1:A:226:TRP:CZ2	1:A:248:GLY:HA3	2.44	0.53
1:A:85:ASP:HB3	1:A:88:ARG:HB2	1.90	0.53
1:B:240:ARG:CD	1:B:241:PRO:HD2	2.39	0.52
1:A:244:GLU:OE1	1:A:244:GLU:N	2.43	0.52
1:B:257:LEU:HD21	1:B:378:ARG:CZ	2.41	0.51
1:A:237:LYS:HE3	5:A:1139:HOH:O	2.10	0.50
1:A:259:LEU:CD2	5:B:1198:HOH:O	2.55	0.50
1:B:431:ALA:HA	1:B:441[B]:ILE:HD13	1.93	0.50
1:A:384:GLN:HG2	5:A:1122:HOH:O	2.11	0.50
1:B:435:GLU:CD	5:B:1197:HOH:O	2.52	0.50
1:A:297:ARG:NH1	5:A:956:HOH:O	2.36	0.50
1:B:227:HIS:CD2	1:B:340[A]:THR:HG21	2.47	0.49
1:B:469:GLN:HB3	5:B:1193:HOH:O	2.12	0.49
1:B:340[A]:THR:HG23	5:B:643:HOH:O	2.12	0.48
1:B:60:ASN:ND2	5:B:1196:HOH:O	2.46	0.47
1:A:330:LEU:HD11	1:A:335:TYR:HB2	1.96	0.47
1:B:147:GLN:HG2	5:B:1228:HOH:O	2.13	0.47
1:A:12:LEU:HB3	1:A:27:TYR:HB3	1.96	0.47
1:A:137:LYS:O	1:A:141:ARG:HG3	2.15	0.46
1:A:342[A]:MET:HE2	5:A:1048:HOH:O	2.14	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:162:THR:C	1:B:163[B]:SER:HG	2.17	0.46
1:A:228:ARG:NH2	5:A:1135:HOH:O	2.47	0.46
1:B:120:ASP:OD2	1:B:124:GLN:CG	2.63	0.46
1:B:434:LEU:HD12	1:B:441[B]:ILE:HD12	1.98	0.46
1:B:120:ASP:OD2	1:B:124:GLN:NE2	2.48	0.46
1:B:446:PRO:HB2	1:B:449:ILE:HG13	1.98	0.46
1:A:342[A]:MET:HE3	1:A:420:ARG:NH1	2.31	0.46
1:A:124:GLN:HG3	1:A:125:ARG:N	2.32	0.45
1:A:240:ARG:NH2	5:A:809:HOH:O	2.50	0.44
1:B:120:ASP:OD1	1:B:124:GLN:HG2	2.17	0.44
1:B:330:LEU:HD11	1:B:335:TYR:HB2	1.98	0.44
1:B:340[A]:THR:HG22	1:B:341:ARG:O	2.17	0.44
4:B:505:PEG:H22	5:B:1109:HOH:O	2.16	0.44
1:A:241:PRO:HG2	1:A:243:PHE:HE2	1.81	0.44
1:A:402:THR:HB	5:A:1111:HOH:O	2.16	0.44
1:B:431:ALA:CA	1:B:441[B]:ILE:CD1	2.90	0.44
1:A:226:TRP:CE2	1:A:248:GLY:HA3	2.53	0.44
1:A:7:PHE:CG	1:A:150:LEU:HD13	2.51	0.43
1:A:27:TYR:CD2	1:A:54:LEU:HD13	2.53	0.43
1:B:211:HIS:HE1	5:B:871:HOH:O	2.00	0.43
1:B:236:THR:HB	5:B:1166:HOH:O	2.18	0.43
4:B:505:PEG:H42	4:B:505:PEG:H22	1.66	0.43
1:A:163[A]:SER:HG	2:A:501:GDE:CAH	2.32	0.42
1:B:163[B]:SER:HB2	2:B:501:GDE:CAH	2.48	0.42
1:A:336:LEU:CD1	4:A:503:PEG:H12	2.48	0.42
1:B:243:PHE:HD2	5:B:1247:HOH:O	2.01	0.42
1:B:378:ARG:HD3	5:B:814:HOH:O	2.19	0.42
1:B:434:LEU:CD1	1:B:441[B]:ILE:HD12	2.49	0.42
1:A:415:HIS:O	1:A:445:LEU:HA	2.20	0.42
1:B:122:SER:HB3	5:B:1195:HOH:O	2.18	0.42
1:B:55[A]:HIS:CD2	1:B:55[A]:HIS:N	2.88	0.42
4:B:506:PEG:H12	4:B:506:PEG:H31	1.58	0.42
1:A:163[A]:SER:HA	1:A:204:CYS:O	2.19	0.41
1:A:278:ASP:OD1	1:A:279:GLY:N	2.53	0.41
1:B:433:MET:HE3	1:B:433:MET:HB2	1.80	0.41
1:A:163[B]:SER:HA	1:A:204:CYS:O	2.19	0.41
1:A:228:ARG:CZ	5:A:1135:HOH:O	2.68	0.41
1:A:232:VAL:CG1	1:A:244:GLU:OE1	2.67	0.41
1:B:120:ASP:OD2	1:B:124:GLN:HG2	2.20	0.41
1:B:124:GLN:CD	5:B:1209:HOH:O	2.64	0.41
1:A:163[A]:SER:HG	1:A:451:HIS:CE1	2.38	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:273:LYS:NZ	5:A:1131:HOH:O	2.52	0.41
1:B:52:ALA:HB1	1:B:57[B]:SER:HB3	2.01	0.41
1:A:339:LEU:HG	1:A:420:ARG:HG2	2.03	0.41
1:B:85:ASP:HB3	1:B:88:ARG:HB2	2.03	0.41
1:B:242:LYS:HE2	5:B:1208:HOH:O	2.21	0.40
1:B:253:GLU:CD	5:B:1203:HOH:O	2.63	0.40
1:B:163[A]:SER:HB3	2:B:501:GDE:CAH	2.51	0.40
1:B:12:LEU:HB3	1:B:27:TYR:HB3	2.02	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:1158:HOH:O	5:B:1135:HOH:O[1_565]	2.17	0.03

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	473/491 (96%)	458 (97%)	15 (3%)	0	100	100
1	B	478/491 (97%)	461 (96%)	15 (3%)	2 (0%)	30	19
All	All	951/982 (97%)	919 (97%)	30 (3%)	2 (0%)	48	31

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	340[A]	THR
1	B	340[B]	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	375/389 (96%)	364 (97%)	11 (3%)	37	25
1	B	379/389 (97%)	373 (98%)	6 (2%)	55	47
All	All	754/778 (97%)	737 (98%)	17 (2%)	48	33

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	ASP
1	A	121	LYS
1	A	124	GLN
1	A	232	VAL
1	A	236	THR
1	A	278	ASP
1	A	280	THR
1	A	374[A]	LEU
1	A	374[B]	LEU
1	A	420	ARG
1	A	421	ASP
1	B	19	VAL
1	B	55[A]	HIS
1	B	55[B]	HIS
1	B	403	THR
1	B	420	ARG
1	B	421	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	63	GLN
1	A	94	ASN
1	A	350	GLN
1	B	16	GLN
1	B	22	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	25	GLN
1	B	37	HIS
1	B	100	GLN
1	B	221	ASN
1	B	281	HIS
1	B	469	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	PEG	B	504	-	6,6,6	0.57	0	5,5,5	1.38	0
4	PEG	A	504	-	6,6,6	0.63	0	5,5,5	1.10	0
2	GDE	A	501	-	12,12,12	0.76	0	17,17,17	0.73	0
4	PEG	A	505	-	6,6,6	0.57	0	5,5,5	1.39	0
4	PEG	B	503	-	6,6,6	0.61	0	5,5,5	1.34	0
4	PEG	B	506	-	6,6,6	0.67	0	5,5,5	1.19	1 (20%)
4	PEG	B	505	-	6,6,6	0.62	0	5,5,5	1.29	0
4	PEG	A	503	-	6,6,6	0.63	0	5,5,5	1.23	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PG4	A	502	-	12,12,12	0.54	0	11,11,11	1.70	2 (18%)
2	GDE	B	501	-	12,12,12	0.75	0	17,17,17	0.73	0
3	PG4	B	502	-	12,12,12	0.63	0	11,11,11	1.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PEG	B	504	-	-	1/4/4/4	-
4	PEG	A	504	-	-	0/4/4/4	-
2	GDE	A	501	-	-	0/4/4/4	0/1/1/1
4	PEG	A	505	-	-	3/4/4/4	-
4	PEG	B	503	-	-	1/4/4/4	-
4	PEG	B	506	-	-	2/4/4/4	-
4	PEG	B	505	-	-	2/4/4/4	-
4	PEG	A	503	-	-	2/4/4/4	-
3	PG4	A	502	-	-	6/10/10/10	-
2	GDE	B	501	-	-	0/4/4/4	0/1/1/1
3	PG4	B	502	-	-	4/10/10/10	-

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	PG4	O2-C2-C1	2.42	120.79	110.11
3	A	502	PG4	O4-C7-C8	2.16	119.63	110.11
4	B	506	PEG	O2-C3-C4	2.16	119.62	110.11

There are no chirality outliers.

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	502	PG4	C1-C2-O2-C3
4	B	505	PEG	C4-C3-O2-C2
4	B	506	PEG	C1-C2-O2-C3
4	A	505	PEG	O2-C3-C4-O4
4	A	505	PEG	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	B	506	PEG	O1-C1-C2-O2
4	B	505	PEG	O2-C3-C4-O4
3	A	502	PG4	O4-C7-C8-O5
3	B	502	PG4	C5-C6-O4-C7
4	B	503	PEG	O2-C3-C4-O4
3	A	502	PG4	C6-C5-O3-C4
3	B	502	PG4	C8-C7-O4-C6
3	A	502	PG4	O3-C5-C6-O4
4	A	503	PEG	O1-C1-C2-O2
4	B	504	PEG	O2-C3-C4-O4
4	A	503	PEG	C4-C3-O2-C2
4	A	505	PEG	C4-C3-O2-C2
3	A	502	PG4	C4-C3-O2-C2
3	B	502	PG4	O2-C3-C4-O3
3	B	502	PG4	O3-C5-C6-O4
3	A	502	PG4	O2-C3-C4-O3

There are no ring outliers.

8 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	504	PEG	1	0
2	A	501	GDE	2	0
4	A	505	PEG	1	0
4	B	506	PEG	1	0
4	B	505	PEG	4	0
4	A	503	PEG	1	0
3	A	502	PG4	4	0
2	B	501	GDE	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	470/491 (95%)	-0.54	14 (2%) 52 52	5, 12, 42, 77	5 (1%)
1	B	470/491 (95%)	-0.73	4 (0%) 81 81	3, 10, 27, 68	10 (2%)
All	All	940/982 (95%)	-0.64	18 (1%) 66 66	3, 11, 32, 77	15 (1%)

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	233	ALA	8.0
1	A	401	THR	4.4
1	A	236	THR	3.7
1	A	246	VAL	3.3
1	A	235	THR	2.8
1	A	244	GLU	2.7
1	A	243	PHE	2.6
1	B	403	THR	2.6
1	A	245	PRO	2.5
1	A	234	GLY	2.3
1	A	232	VAL	2.3
1	A	365	THR	2.3
1	B	121	LYS	2.3
1	A	403	THR	2.2
1	A	405	SER	2.2
1	A	230	GLN	2.2
1	B	124	GLN	2.2
1	B	122	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	PEG	A	505	7/7	0.79	0.15	33,37,40,41	0
4	PEG	A	504	7/7	0.83	0.11	33,33,35,37	0
4	PEG	B	506	7/7	0.83	0.13	36,37,39,40	0
4	PEG	B	504	7/7	0.84	0.10	31,34,37,39	0
3	PG4	A	502	13/13	0.85	0.12	25,28,32,32	0
4	PEG	B	505	7/7	0.87	0.11	29,31,35,39	0
3	PG4	B	502	13/13	0.90	0.10	27,29,39,39	0
4	PEG	B	503	7/7	0.91	0.07	22,22,27,28	0
4	PEG	A	503	7/7	0.92	0.08	20,25,28,29	0
2	GDE	A	501	12/12	0.96	0.05	11,13,15,15	0
2	GDE	B	501	12/12	0.97	0.05	9,11,13,13	0

6.5 Other polymers [i](#)

There are no such residues in this entry.