



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:13 PM UTC

PDB ID : 6J0I / pdb_00006j0i
Title : Structure of [Co2+-(Chromomycin A3)2]-d(TTGGCGAA)2 complex
Authors : Satange, R.B.; Chuang, C.Y.; Hou, M.H.
Deposited on : 2018-12-24
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	8	12% 88%
1	B	8	12% 88%
1	C	8	38% 62%
1	D	8	25% 75%
1	E	8	25% 75%
1	F	8	50% 50%
2	G	2	50% 50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	J	2	 100%
2	K	2	 100%
2	N	2	 50% 50%
2	O	2	 50% 50%
2	R	2	 50% 50%
3	H	3	 100%
3	I	3	 67% 33%
3	L	3	 33% 67%
3	M	3	 100%
3	P	3	 67% 33%
3	Q	3	 67% 33%

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 1870 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called DNA (5'-D(*TP*TP*GP*GP*CP*GP*AP*A)-3').


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	8	Total	C	N	O	P	0	0	0
			164	79	32	46	7			
1	B	8	Total	C	N	O	P	0	0	0
			164	79	32	46	7			
1	C	8	Total	C	N	O	P	0	0	0
			164	79	32	46	7			
1	D	8	Total	C	N	O	P	0	0	0
			164	79	32	46	7			
1	E	8	Total	C	N	O	P	0	0	0
			164	79	32	46	7			
1	F	8	Total	C	N	O	P	0	0	0
			164	79	32	46	7			

- Molecule 2 is an oligosaccharide called 2,6-dideoxy-4-O-methyl- α -D-galactopyranose-(1-3)-(2R,3R,6R)-6-hydroxy-2-methyltetrahydro-2H-pyran-3-yl acetate.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	G	2	Total	C	O	0	0	0
			23	15	8			
2	J	2	Total	C	O	0	0	0
			23	15	8			
2	K	2	Total	C	O	0	0	0
			23	15	8			
2	N	2	Total	C	O	0	0	0
			23	15	8			
2	O	2	Total	C	O	0	0	0
			23	15	8			
2	R	2	Total	C	O	0	0	0
			23	15	8			

- Molecule 3 is an oligosaccharide called 3-C-methyl-4-O-acetyl- α -L-Olivopyranose-(1-3)-(2R,5S,6R)-6-methyltetrahydro-2H-pyran-2,5-diol-(1-3)-(2R,5S,6R)-6-methyltetrahydro-2H-pyran-2,5-diol.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
3	H	3	Total	C	O	0	0	0
			32	21	11			
3	I	3	Total	C	O	0	0	0
			32	21	11			
3	L	3	Total	C	O	0	0	0
			32	21	11			
3	M	3	Total	C	O	0	0	0
			32	21	11			
3	P	3	Total	C	O	0	0	0
			32	21	11			
3	Q	3	Total	C	O	0	0	0
			32	21	11			

- Molecule 4 is 1,2-HYDRO-1-OXY-3,4-HYDRO-3-(1-METHOXY-2-OXY-3,4-DIHYDRO XYPENTYL)-8,9-DIHYROXY-7-METHYLANTHRACENE (CCD ID: CRH) (formula: $C_{21}H_{24}O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			28	21	7		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			28	21	7		
4	C	1	Total	C	O	0	0
			28	21	7		
4	D	1	Total	C	O	0	0
			28	21	7		
4	E	1	Total	C	O	0	0
			28	21	7		
4	F	1	Total	C	O	0	0
			28	21	7		

- Molecule 5 is COBALT (II) ION (CCD ID: CO) (formula: Co).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Co	0	0
			2	2		
5	C	2	Total	Co	0	0
			2	2		
5	D	1	Total	Co	0	0
			1	1		
5	E	1	Total	Co	0	0
			1	1		
5	F	1	Total	Co	0	0
			1	1		


- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	65	Total	O	0	0
			65	65		
6	B	46	Total	O	0	0
			46	46		
6	C	74	Total	O	0	0
			74	74		
6	D	51	Total	O	0	0
			51	51		
6	E	78	Total	O	0	0
			78	78		
6	F	67	Total	O	0	0
			67	67		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA (5'-D(*TP*TP*GP*GP*CP*GP*AP*A)-3')

Chain A: 




- Molecule 1: DNA (5'-D(*TP*TP*GP*GP*CP*GP*AP*A)-3')

Chain B: 




- Molecule 1: DNA (5'-D(*TP*TP*GP*GP*CP*GP*AP*A)-3')

Chain C: 



- Molecule 1: DNA (5'-D(*TP*TP*GP*GP*CP*GP*AP*A)-3')

Chain D: 



- Molecule 1: DNA (5'-D(*TP*TP*GP*GP*CP*GP*AP*A)-3')

Chain E: 



- Molecule 1: DNA (5'-D(*TP*TP*GP*GP*CP*GP*AP*A)-3')

Chain F: 



- Molecule 2: 2,6-dideoxy-4-O-methyl-alpha-D-galactopyranose-(1-3)-(2R,3R,6R)-6-hydroxy-2-methyltetrahydro-2H-pyran-3-yl acetate

Chain G:  50% 50%

ART1
1GL2

- Molecule 2: 2,6-dideoxy-4-O-methyl-alpha-D-galactopyranose-(1-3)-(2R,3R,6R)-6-hydroxy-2-methyltetrahydro-2H-pyran-3-yl acetate

Chain J:  100%

ART1
1GL2

- Molecule 2: 2,6-dideoxy-4-O-methyl-alpha-D-galactopyranose-(1-3)-(2R,3R,6R)-6-hydroxy-2-methyltetrahydro-2H-pyran-3-yl acetate

Chain K:  100%

ART1
1GL2

- Molecule 2: 2,6-dideoxy-4-O-methyl-alpha-D-galactopyranose-(1-3)-(2R,3R,6R)-6-hydroxy-2-methyltetrahydro-2H-pyran-3-yl acetate

Chain N:  50% 50%

ART1
1GL2

- Molecule 2: 2,6-dideoxy-4-O-methyl-alpha-D-galactopyranose-(1-3)-(2R,3R,6R)-6-hydroxy-2-methyltetrahydro-2H-pyran-3-yl acetate

Chain O:  50% 50%


ART1
1GL2

- Molecule 2: 2,6-dideoxy-4-O-methyl-alpha-D-galactopyranose-(1-3)-(2R,3R,6R)-6-hydroxy-2-methyltetrahydro-2H-pyran-3-yl acetate

Chain R:  50% 50%

ART1
1GL2

- Molecule 3: 3-C-methyl-4-O-acetyl-alpha-L-Olivopyranose-(1-3)-(2R,5S,6R)-6-methyltetrahydro-2H-pyran-2,5-diol-(1-3)-(2R,5S,6R)-6-methyltetrahydro-2H-pyran-2,5-diol

Chain H:  100%

CDR1
CDR2
ER13

- Molecule 3: 3-C-methyl-4-O-acetyl- α -L-Olivopyranose-(1-3)-(2R,5S,6R)-6-methyltetrahydro-2H-pyran-2,5-diol-(1-3)-(2R,5S,6R)-6-methyltetrahydro-2H-pyran-2,5-diol

Chain I:  67% 33%

CDR1
CDR2
ER13

- Molecule 3: 3-C-methyl-4-O-acetyl- α -L-Olivopyranose-(1-3)-(2R,5S,6R)-6-methyltetrahydro-2H-pyran-2,5-diol-(1-3)-(2R,5S,6R)-6-methyltetrahydro-2H-pyran-2,5-diol

Chain L:  33% 67%


CDR1
CDR2
ER13

- Molecule 3: 3-C-methyl-4-O-acetyl- α -L-Olivopyranose-(1-3)-(2R,5S,6R)-6-methyltetrahydro-2H-pyran-2,5-diol-(1-3)-(2R,5S,6R)-6-methyltetrahydro-2H-pyran-2,5-diol

Chain M:  100%


CDR1
CDR2
ER13

- Molecule 3: 3-C-methyl-4-O-acetyl- α -L-Olivopyranose-(1-3)-(2R,5S,6R)-6-methyltetrahydro-2H-pyran-2,5-diol-(1-3)-(2R,5S,6R)-6-methyltetrahydro-2H-pyran-2,5-diol

Chain P:  67% 33%

CDR1
CDR2
ER13

- Molecule 3: 3-C-methyl-4-O-acetyl- α -L-Olivopyranose-(1-3)-(2R,5S,6R)-6-methyltetrahydro-2H-pyran-2,5-diol-(1-3)-(2R,5S,6R)-6-methyltetrahydro-2H-pyran-2,5-diol

Chain Q:  67% 33%

CDR1
CDR2
ER13

4 Data and refinement statistics

Property	Value	Source
Space group	P 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	47.83Å 48.10Å 96.72Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	16.12 – 2.50 16.12 – 2.50	Depositor EDS
% Data completeness (in resolution range)	84.4 (16.12-2.50) 90.7 (16.12-2.50)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.27 (at 2.49Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.257 , 0.290 0.261 , 0.288	Depositor DCC
R_{free} test set	389 reflections (4.73%)	wwPDB-VP
Wilson B-factor (Å ²)	41.1	Xtriage
Anisotropy	0.235	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 143.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.459 for k,h,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	1870	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.37% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 1GL, CDR, CRH, CO, ERI, ARI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.23	0/184	0.41	0/283
1	B	0.25	0/184	0.45	0/283
1	C	0.21	0/184	0.46	0/283
1	D	0.24	0/184	0.47	0/283
1	E	0.32	0/184	0.75	0/283
1	F	0.26	0/184	0.57	0/283
All	All	0.26	0/1104	0.53	0/1698

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	164	0	92	13	0
1	B	164	0	92	9	0
1	C	164	0	92	6	0
1	D	164	0	92	8	0
1	E	164	0	92	8	0
1	F	164	0	92	6	0
2	G	23	0	23	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	J	23	0	22	4	0
2	K	23	0	23	7	0
2	N	23	0	22	1	0
2	O	23	0	23	1	0
2	R	23	0	23	2	0
3	H	32	0	30	0	0
3	I	32	0	30	4	0
3	L	32	0	30	6	0
3	M	32	0	30	4	0
3	P	32	0	30	4	0
3	Q	32	0	30	5	0
4	A	28	0	20	5	0
4	B	28	0	21	0	0
4	C	28	0	21	1	0
4	D	28	0	21	3	0
4	E	28	0	21	0	0
4	F	28	0	21	3	0
5	A	2	0	0	0	0
5	C	2	0	0	0	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0
5	F	1	0	0	0	0
6	A	65	0	0	8	0
6	B	46	0	0	3	0
6	C	74	0	0	8	0
6	D	51	0	0	1	1
6	E	78	0	0	1	0
6	F	67	0	0	1	0
All	All	1870	0	993	73	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 31.

All (73) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:4:DG:N2	1:B:13:DC:O2	2.05	0.89
6:C:201:HOH:O	3:L:3:ERI:O3	1.91	0.88
1:F:11:DG:H2''	3:P:3:ERI:H42	1.57	0.85
1:C:4:DG:OP1	2:K:2:1GL:H4	1.82	0.79
6:A:227:HOH:O	2:G:2:1GL:H61	1.86	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:12:DG:OP1	2:R:2:1GL:H3	1.88	0.74
1:A:7:DA:OP2	6:A:201:HOH:O	2.06	0.74
1:A:3:DG:C8	3:I:3:ERI:H22	2.24	0.73
1:F:9:DT:H4'	6:F:212:HOH:O	1.91	0.71
1:A:4:DG:N1	1:B:13:DC:N3	2.36	0.70
1:D:11:DG:H1'	3:L:3:ERI:H4	1.73	0.70
4:A:103:CRH:O2'	6:A:204:HOH:O	2.11	0.69
4:C:103:CRH:H152	6:C:213:HOH:O	1.91	0.68
1:A:4:DG:OP2	6:A:203:HOH:O	2.11	0.68
3:L:3:ERI:H61	2:N:1:ARI:H21	1.76	0.67
6:C:235:HOH:O	2:K:2:1GL:HM42	1.95	0.66
6:C:202:HOH:O	2:K:2:1GL:O5	2.14	0.66
6:A:205:HOH:O	3:I:3:ERI:OC4	2.16	0.63
1:A:1:DT:O5'	6:A:202:HOH:O	2.10	0.63
2:J:1:ARI:CO4	2:J:2:1GL:H22	2.33	0.59
1:A:5:DC:H2'	1:A:6:DG:C8	2.39	0.58
4:D:103:CRH:H4'3	4:D:103:CRH:H41	1.86	0.57
1:D:11:DG:H2''	3:L:3:ERI:H63	1.86	0.57
1:E:3:DG:N7	3:Q:3:ERI:H4	2.21	0.56
2:O:1:ARI:H22	3:Q:3:ERI:H61	1.89	0.55
6:B:214:HOH:O	2:J:2:1GL:HM43	2.07	0.54
1:B:16:DA:N6	6:B:202:HOH:O	2.33	0.54
1:B:10:DT:H5''	6:B:211:HOH:O	2.07	0.54
1:D:11:DG:C2'	3:L:3:ERI:H63	2.38	0.53
4:D:103:CRH:O9	4:D:103:CRH:O1	2.26	0.53
1:F:11:DG:H2'	1:F:12:DG:O4'	2.09	0.53
3:M:1:CDR:O4	3:M:2:CDR:O5	2.24	0.53
1:C:4:DG:OP1	2:K:2:1GL:C4	2.56	0.52
1:A:3:DG:N7	3:I:3:ERI:H22	2.25	0.52
4:F:103:CRH:H152	3:P:3:ERI:O5	2.09	0.52
4:F:103:CRH:H151	3:P:3:ERI:H61	1.92	0.51
1:D:13:DC:H2''	1:D:14:DG:H5'	1.92	0.51
2:K:1:ARI:H21	3:M:3:ERI:H61	1.93	0.49
1:E:3:DG:H4'	1:E:4:DG:OP1	2.13	0.48
1:E:1:DT:H71	6:E:227:HOH:O	2.12	0.48
1:D:9:DT:H2'	1:D:9:DT:O2	2.13	0.48
1:A:4:DG:H2''	4:A:103:CRH:C15	2.43	0.48
4:D:103:CRH:H1'3	3:L:1:CDR:H61	1.97	0.47
1:B:13:DC:H3'	1:B:14:DG:N2	2.29	0.47
1:F:11:DG:H4'	3:P:3:ERI:H41	1.95	0.47
1:A:2:DT:H71	6:A:202:HOH:O	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:15:DA:N7	6:D:203:HOH:O	2.35	0.46
1:A:4:DG:H2''	4:A:103:CRH:H151	1.98	0.46
4:A:103:CRH:H152	3:I:3:ERI:H1	1.96	0.46
1:C:5:DC:OP1	6:C:203:HOH:O	2.20	0.46
1:E:3:DG:C8	3:Q:3:ERI:H63	2.51	0.46
1:C:3:DG:H2''	1:C:4:DG:O5'	2.16	0.46
1:B:14:DG:H2'	1:B:15:DA:H8	1.82	0.45
6:C:202:HOH:O	2:K:2:1GL:C5	2.65	0.45
1:B:12:DG:OP1	2:J:2:1GL:H4	2.18	0.44
1:B:11:DG:H2''	1:B:12:DG:O4'	2.18	0.44
1:E:3:DG:C8	3:Q:3:ERI:H4	2.53	0.43
4:F:103:CRH:O1	4:F:103:CRH:O9	2.36	0.43
1:F:13:DC:OP1	2:R:2:1GL:H61	2.19	0.43
1:A:3:DG:N3	1:A:3:DG:H2'	2.34	0.42
1:E:3:DG:H8	3:Q:3:ERI:CO4	2.31	0.42
1:E:7:DA:H2''	1:E:8:DA:O5'	2.19	0.42
2:J:1:ARI:CME	2:J:2:1GL:H22	2.50	0.42
4:A:103:CRH:C2'	6:A:204:HOH:O	2.65	0.42
1:D:12:DG:H2'	1:D:13:DC:H6	1.84	0.42
1:E:6:DG:H2'	1:E:7:DA:H8	1.84	0.42
2:K:1:ARI:H43	3:M:3:ERI:H5	2.00	0.42
1:C:5:DC:H2'	1:C:6:DG:C8	2.55	0.42
6:C:247:HOH:O	3:M:3:ERI:H33	2.20	0.42
1:D:12:DG:H2'	1:D:13:DC:C6	2.55	0.41
1:A:2:DT:H2''	1:A:3:DG:OP2	2.20	0.41
1:B:13:DC:O2	1:B:13:DC:H2'	2.20	0.40
1:C:7:DA:OP1	6:C:204:HOH:O	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:D:230:HOH:O	6:D:235:HOH:O[4_545]	1.81	0.39

5.3 Torsion angles

5.3.1 Protein backbone

There are no protein molecules in this entry.

5.3.2 Protein sidechains [i](#)

There are no protein molecules in this entry.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

30 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	ARI	G	1	2,4	12,12,12	2.01	5 (41%)	15,16,16	1.76	3 (20%)
2	1GL	G	2	2	11,11,11	1.84	2 (18%)	11,15,15	2.39	5 (45%)
3	CDR	H	1	3,4	9,9,9	1.94	3 (33%)	11,12,12	1.81	2 (18%)
3	CDR	H	2	3	9,9,9	1.99	4 (44%)	11,12,12	1.72	3 (27%)
3	ERI	H	3	3	14,14,14	3.17	9 (64%)	17,21,21	2.64	9 (52%)
3	CDR	I	1	3,4	9,9,9	2.05	4 (44%)	11,12,12	1.57	1 (9%)
3	CDR	I	2	3	9,9,9	2.03	4 (44%)	11,12,12	1.28	0
3	ERI	I	3	3	14,14,14	2.63	6 (42%)	17,21,21	2.47	8 (47%)
2	ARI	J	1	2,4	12,12,12	1.96	5 (41%)	15,16,16	1.85	3 (20%)
2	1GL	J	2	2	11,11,11	2.09	5 (45%)	11,15,15	2.54	5 (45%)
2	ARI	K	1	2,4	12,12,12	1.95	4 (33%)	15,16,16	1.82	3 (20%)
2	1GL	K	2	2	11,11,11	2.40	5 (45%)	11,15,15	2.68	5 (45%)
3	CDR	L	1	3,4	9,9,9	2.03	4 (44%)	11,12,12	1.58	1 (9%)
3	CDR	L	2	3	9,9,9	2.09	4 (44%)	11,12,12	1.14	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ERI	L	3	3	14,14,14	2.15	4 (28%)	17,21,21	2.37	8 (47%)
3	CDR	M	1	3,4	9,9,9	2.06	4 (44%)	11,12,12	1.57	2 (18%)
3	CDR	M	2	3	9,9,9	2.20	5 (55%)	11,12,12	1.38	1 (9%)
3	ERI	M	3	3	14,14,14	2.59	5 (35%)	17,21,21	2.41	6 (35%)
2	ARI	N	1	2,4	12,12,12	2.03	5 (41%)	15,16,16	1.94	3 (20%)
2	1GL	N	2	2	11,11,11	2.27	5 (45%)	11,15,15	2.18	5 (45%)
2	ARI	O	1	2,4	12,12,12	2.02	5 (41%)	15,16,16	1.81	3 (20%)
2	1GL	O	2	2	11,11,11	1.72	4 (36%)	11,15,15	2.35	5 (45%)
3	CDR	P	1	3,4	9,9,9	2.17	4 (44%)	11,12,12	1.19	1 (9%)
3	CDR	P	2	3	9,9,9	2.09	4 (44%)	11,12,12	1.24	1 (9%)
3	ERI	P	3	3	14,14,14	2.50	6 (42%)	17,21,21	2.46	9 (52%)
3	CDR	Q	1	3,4	9,9,9	2.09	4 (44%)	11,12,12	1.32	1 (9%)
3	CDR	Q	2	3	9,9,9	2.11	4 (44%)	11,12,12	1.26	1 (9%)
3	ERI	Q	3	3	14,14,14	2.07	4 (28%)	17,21,21	2.22	7 (41%)
2	ARI	R	1	2,4	12,12,12	2.03	4 (33%)	15,16,16	1.71	2 (13%)
2	1GL	R	2	2	11,11,11	2.24	4 (36%)	11,15,15	2.19	5 (45%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ARI	G	1	2,4	-	0/4/17/17	0/1/1/1
2	1GL	G	2	2	-	0/2/18/18	0/1/1/1
3	CDR	H	1	3,4	-	-	0/1/1/1
3	CDR	H	2	3	-	-	0/1/1/1
3	ERI	H	3	3	-	2/4/23/23	0/1/1/1
3	CDR	I	1	3,4	-	-	0/1/1/1
3	CDR	I	2	3	-	-	0/1/1/1
3	ERI	I	3	3	-	3/4/23/23	0/1/1/1
2	ARI	J	1	2,4	-	2/4/17/17	0/1/1/1
2	1GL	J	2	2	-	0/2/18/18	0/1/1/1
2	ARI	K	1	2,4	-	2/4/17/17	0/1/1/1
2	1GL	K	2	2	-	0/2/18/18	0/1/1/1
3	CDR	L	1	3,4	-	-	0/1/1/1
3	CDR	L	2	3	-	-	0/1/1/1
3	ERI	L	3	3	-	2/4/23/23	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CDR	M	1	3,4	-	-	0/1/1/1
3	CDR	M	2	3	-	-	0/1/1/1
3	ERI	M	3	3	-	3/4/23/23	0/1/1/1
2	ARI	N	1	2,4	-	2/4/17/17	0/1/1/1
2	1GL	N	2	2	-	0/2/18/18	0/1/1/1
2	ARI	O	1	2,4	-	2/4/17/17	0/1/1/1
2	1GL	O	2	2	-	0/2/18/18	0/1/1/1
3	CDR	P	1	3,4	-	-	0/1/1/1
3	CDR	P	2	3	-	-	0/1/1/1
3	ERI	P	3	3	-	2/4/23/23	0/1/1/1
3	CDR	Q	1	3,4	-	-	0/1/1/1
3	CDR	Q	2	3	-	-	0/1/1/1
3	ERI	Q	3	3	-	2/4/23/23	0/1/1/1
2	ARI	R	1	2,4	-	2/4/17/17	0/1/1/1
2	1GL	R	2	2	-	0/2/18/18	0/1/1/1

All (135) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	3	ERI	C2-C1	8.10	1.57	1.51
3	M	3	ERI	C2-C1	7.68	1.57	1.51
3	I	3	ERI	C2-C1	6.90	1.56	1.51
3	P	3	ERI	C2-C1	6.54	1.56	1.51
3	L	3	ERI	C2-C1	5.29	1.55	1.51
2	R	2	1GL	O5-C5	5.02	1.56	1.44
3	Q	3	ERI	C2-C1	4.96	1.55	1.51
2	K	2	1GL	O5-C1	4.40	1.52	1.44
2	J	2	1GL	O1-C1	4.35	1.54	1.39
2	N	2	1GL	O5-C5	4.31	1.54	1.44
3	H	3	ERI	O5-C1	3.93	1.51	1.44
2	G	2	1GL	C2-C1	3.82	1.61	1.51
3	P	1	CDR	C3-C2	-3.74	1.43	1.52
2	O	1	ARI	C3-C2	-3.71	1.43	1.52
2	R	1	ARI	C3-C2	-3.67	1.44	1.52
2	N	1	ARI	C3-C2	-3.66	1.44	1.52
3	I	1	CDR	C3-C2	-3.64	1.44	1.52
2	K	1	ARI	C3-C2	-3.62	1.44	1.52
2	G	1	ARI	C3-C2	-3.60	1.44	1.52
3	M	2	CDR	C3-C2	-3.57	1.44	1.52
3	Q	2	CDR	C3-C2	-3.56	1.44	1.52
2	J	1	ARI	C3-C2	-3.55	1.44	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	Q	1	CDR	C3-C2	-3.52	1.44	1.52
3	L	1	CDR	C3-C2	-3.51	1.44	1.52
3	P	2	CDR	C3-C2	-3.48	1.44	1.52
3	L	2	CDR	C3-C2	-3.47	1.44	1.52
3	I	3	ERI	CME-CO4	3.42	1.60	1.49
3	I	2	CDR	C3-C2	-3.35	1.44	1.52
3	M	1	CDR	C3-C2	-3.34	1.44	1.52
2	G	2	1GL	O1-C1	3.33	1.50	1.39
3	H	3	ERI	O1-C1	3.31	1.50	1.39
3	H	3	ERI	O4-CO4	3.26	1.42	1.35
2	K	2	1GL	O1-C1	3.25	1.50	1.39
2	N	2	1GL	C2-C1	3.20	1.60	1.51
3	Q	3	ERI	CC3-C3	3.20	1.57	1.52
3	H	3	ERI	O5-C5	3.16	1.51	1.44
2	K	2	1GL	C6-C5	3.05	1.58	1.51
3	H	2	CDR	C3-C2	-3.01	1.45	1.52
2	N	1	ARI	C6-C5	-3.00	1.44	1.51
3	M	1	CDR	C6-C5	-2.99	1.44	1.51
2	O	1	ARI	C6-C5	-2.99	1.44	1.51
2	K	1	ARI	C6-C5	-2.98	1.44	1.51
3	M	2	CDR	C6-C5	-2.98	1.44	1.51
3	Q	1	CDR	C6-C5	-2.98	1.44	1.51
2	R	1	ARI	C6-C5	-2.98	1.44	1.51
3	L	2	CDR	C6-C5	-2.98	1.44	1.51
3	H	1	CDR	C6-C5	-2.97	1.44	1.51
3	H	1	CDR	C3-C2	-2.96	1.45	1.52
3	P	1	CDR	C6-C5	-2.94	1.44	1.51
3	M	2	CDR	O5-C5	2.94	1.51	1.44
2	J	1	ARI	C6-C5	-2.94	1.44	1.51
2	G	1	ARI	O5-C5	2.94	1.51	1.44
3	H	2	CDR	C6-C5	-2.93	1.44	1.51
3	P	3	ERI	O4-C4	2.93	1.50	1.45
2	G	1	ARI	C6-C5	-2.92	1.44	1.51
3	I	1	CDR	C6-C5	-2.92	1.44	1.51
3	Q	2	CDR	C6-C5	-2.92	1.44	1.51
3	L	1	CDR	C6-C5	-2.92	1.44	1.51
3	P	2	CDR	C6-C5	-2.91	1.44	1.51
3	H	3	ERI	CME-CO4	2.91	1.59	1.49
3	I	2	CDR	C6-C5	-2.89	1.44	1.51
2	R	1	ARI	O5-C5	2.88	1.51	1.44
3	Q	2	CDR	O5-C5	2.84	1.51	1.44
2	N	1	ARI	O5-C5	2.83	1.51	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	J	1	ARI	O5-C5	2.81	1.51	1.44
2	J	2	1GL	O5-C1	2.80	1.49	1.44
3	P	1	CDR	O5-C5	2.78	1.51	1.44
3	M	1	CDR	O5-C5	2.78	1.51	1.44
3	P	2	CDR	O5-C5	2.77	1.51	1.44
3	L	2	CDR	O5-C5	2.77	1.51	1.44
2	N	2	1GL	O1-C1	2.76	1.48	1.39
2	O	1	ARI	O5-C5	2.76	1.51	1.44
3	L	3	ERI	CC3-C3	2.76	1.57	1.52
3	H	2	CDR	O5-C5	2.76	1.51	1.44
2	J	2	1GL	C2-C1	2.74	1.58	1.51
2	K	1	ARI	O5-C5	2.73	1.51	1.44
2	K	2	1GL	C2-C1	2.72	1.58	1.51
2	N	2	1GL	C4-C5	2.71	1.57	1.52
3	I	2	CDR	O5-C5	2.71	1.50	1.44
3	L	3	ERI	CME-CO4	2.71	1.58	1.49
2	K	2	1GL	C4-C5	2.70	1.57	1.52
3	Q	1	CDR	O5-C5	2.69	1.50	1.44
2	R	1	ARI	O4-CO4	2.69	1.41	1.35
2	R	2	1GL	C2-C1	2.67	1.58	1.51
3	H	1	CDR	O5-C5	2.67	1.50	1.44
3	P	1	CDR	C3-C4	-2.62	1.48	1.52
2	N	1	ARI	O4-CO4	2.62	1.41	1.35
3	M	3	ERI	CME-CO4	2.62	1.58	1.49
3	L	1	CDR	O5-C5	2.61	1.50	1.44
3	Q	3	ERI	CME-CO4	2.59	1.58	1.49
2	G	1	ARI	O4-CO4	2.55	1.40	1.35
3	P	3	ERI	O1-C1	2.55	1.47	1.39
2	O	2	1GL	C2-C1	2.55	1.58	1.51
3	I	1	CDR	O5-C5	2.55	1.50	1.44
3	L	3	ERI	O4-C4	2.54	1.49	1.45
3	M	2	CDR	C3-C4	-2.51	1.48	1.52
2	J	2	1GL	C4-C5	2.47	1.57	1.52
3	P	3	ERI	CME-CO4	2.47	1.57	1.49
3	H	3	ERI	C2-C3	2.44	1.58	1.53
3	I	3	ERI	O4-C4	2.43	1.49	1.45
3	I	3	ERI	O5-C1	2.43	1.48	1.44
2	O	1	ARI	O4-CO4	2.41	1.40	1.35
3	P	3	ERI	O4-CO4	2.41	1.40	1.35
3	P	2	CDR	C3-C4	-2.40	1.48	1.52
2	K	1	ARI	O4-CO4	2.40	1.40	1.35
3	I	3	ERI	O4-CO4	2.37	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	I	3	ERI	O1-C1	2.36	1.47	1.39
2	O	2	1GL	C6-C5	2.34	1.57	1.51
3	Q	2	CDR	C3-C4	-2.34	1.48	1.52
3	L	2	CDR	C3-C4	-2.32	1.48	1.52
2	O	2	1GL	O1-C1	2.31	1.47	1.39
3	Q	1	CDR	C3-C4	-2.31	1.48	1.52
2	J	2	1GL	C6-C5	2.30	1.57	1.51
3	I	2	CDR	C3-C4	-2.29	1.48	1.52
2	J	1	ARI	O4-CO4	2.28	1.40	1.35
3	P	3	ERI	O5-C1	2.25	1.48	1.44
3	I	1	CDR	C3-C4	-2.24	1.48	1.52
3	H	3	ERI	O4-C4	2.24	1.49	1.45
2	N	2	1GL	C6-C5	2.24	1.56	1.51
3	L	1	CDR	C3-C4	-2.21	1.48	1.52
3	M	3	ERI	O4-CO4	2.20	1.40	1.35
2	R	2	1GL	O4-C4	2.18	1.48	1.42
3	M	3	ERI	O4-C4	2.15	1.48	1.45
3	M	2	CDR	O5-C1	2.13	1.47	1.44
3	H	3	ERI	CC3-C3	2.13	1.56	1.52
3	M	1	CDR	C3-C4	-2.13	1.48	1.52
3	H	2	CDR	C3-C4	-2.12	1.48	1.52
3	Q	3	ERI	O1-C1	2.12	1.46	1.39
2	N	1	ARI	O5-C1	2.10	1.47	1.44
3	M	3	ERI	O1-C1	2.10	1.46	1.39
2	O	2	1GL	C3-C4	2.07	1.56	1.52
2	R	2	1GL	O1-C1	2.06	1.46	1.39
2	O	1	ARI	O5-C1	2.06	1.47	1.44
2	G	1	ARI	O5-C1	2.05	1.47	1.44
2	J	1	ARI	O5-C1	2.05	1.47	1.44

All (108) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	I	3	ERI	C4-O4-CO4	5.66	125.82	117.79
2	N	1	ARI	O4-CO4-CME	5.35	120.62	111.09
2	K	1	ARI	O4-CO4-CME	5.32	120.58	111.09
2	J	1	ARI	O4-CO4-CME	5.13	120.24	111.09
2	G	1	ARI	O4-CO4-CME	5.12	120.22	111.09
2	R	1	ARI	O4-CO4-CME	5.03	120.05	111.09
2	O	2	1GL	C6-C5-C4	-5.00	105.96	113.39
2	O	1	ARI	O4-CO4-CME	4.86	119.75	111.09
3	L	3	ERI	C4-O4-CO4	4.85	124.67	117.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	J	2	1GL	C6-C5-C4	-4.77	106.30	113.39
2	G	2	1GL	C6-C5-C4	-4.59	106.56	113.39
3	M	3	ERI	C4-O4-CO4	4.50	124.17	117.79
3	H	3	ERI	O4-CO4-CME	4.47	119.07	111.09
3	Q	3	ERI	C4-O4-CO4	4.36	123.97	117.79
2	K	2	1GL	C6-C5-C4	-4.34	106.93	113.39
3	P	3	ERI	C4-O4-CO4	4.27	123.85	117.79
3	L	3	ERI	O4-CO4-CME	4.26	118.68	111.09
3	H	3	ERI	C3-C4-C5	-4.26	102.39	111.59
3	H	3	ERI	O1-C1-O5	4.26	117.95	108.34
3	H	3	ERI	C4-O4-CO4	4.20	123.75	117.79
3	M	3	ERI	O1-C1-C2	4.17	115.97	109.05
2	K	2	1GL	O4-C4-C5	4.17	116.28	107.70
2	K	2	1GL	O5-C5-C6	4.10	115.84	106.74
2	R	2	1GL	C6-C5-C4	-4.03	107.39	113.39
3	P	3	ERI	C3-C4-C5	-3.98	103.00	111.59
3	M	3	ERI	O4-CO4-CME	3.94	118.12	111.09
3	M	3	ERI	C3-C4-C5	-3.94	103.09	111.59
3	P	3	ERI	O4-CO4-CME	3.80	117.87	111.09
2	J	2	1GL	O4-C4-C5	3.76	115.45	107.70
3	Q	3	ERI	O4-CO4-CME	3.75	117.78	111.09
3	H	1	CDR	O1-C1-C2	3.75	115.14	109.15
2	K	2	1GL	O1-C1-O5	3.71	116.72	108.34
3	P	3	ERI	C6-C5-C4	-3.67	106.25	113.55
3	M	2	CDR	O5-C1-C2	3.62	113.20	110.75
2	J	2	1GL	O5-C5-C6	3.60	114.72	106.74
3	I	3	ERI	O4-CO4-CME	3.60	117.50	111.09
3	H	2	CDR	O1-C1-C2	3.59	114.88	109.15
2	N	2	1GL	O4-C4-C5	3.59	115.09	107.70
2	O	2	1GL	O5-C5-C6	3.56	114.64	106.74
2	N	2	1GL	C6-C5-C4	-3.52	108.16	113.39
3	H	3	ERI	O1-C1-C2	3.42	114.71	109.05
3	I	1	CDR	O5-C1-C2	3.37	113.03	110.75
3	Q	3	ERI	C6-C5-C4	-3.34	106.89	113.55
2	G	2	1GL	O5-C5-C6	3.32	114.11	106.74
3	I	3	ERI	C6-C5-C4	-3.28	107.01	113.55
2	G	2	1GL	O4-C4-C5	3.27	114.43	107.70
3	Q	3	ERI	C3-C4-C5	-3.23	104.61	111.59
3	P	3	ERI	O1-C1-O5	3.17	115.49	108.34
3	L	3	ERI	C3-C4-C5	-3.16	104.77	111.59
3	M	3	ERI	O4-C4-C5	3.13	117.23	107.20
3	H	3	ERI	O4-C4-C5	3.12	117.19	107.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	L	1	CDR	O5-C1-C2	3.12	112.86	110.75
3	L	3	ERI	C6-C5-C4	-3.05	107.48	113.55
3	I	3	ERI	O1-C1-O5	3.04	115.21	108.34
2	J	2	1GL	O1-C1-O5	3.04	115.21	108.34
2	N	2	1GL	CME-O4-C4	3.00	122.17	114.47
3	H	1	CDR	C3-C2-C1	2.95	117.44	110.89
2	O	1	ARI	O5-C1-C2	2.90	112.72	110.75
3	I	3	ERI	O3-C3-C4	-2.90	100.20	108.44
2	R	2	1GL	O4-C4-C5	2.86	113.60	107.70
3	P	3	ERI	O5-C5-C6	2.84	113.04	106.74
2	J	1	ARI	C4-O4-CO4	-2.82	113.00	117.47
2	N	1	ARI	O5-C1-C2	2.77	112.63	110.75
2	R	2	1GL	O5-C5-C6	2.76	112.87	106.74
3	I	3	ERI	C3-C4-C5	-2.75	105.66	111.59
2	G	2	1GL	CME-O4-C4	2.72	121.47	114.47
2	K	1	ARI	C4-O4-CO4	-2.72	113.16	117.47
3	H	3	ERI	C6-C5-C4	-2.72	108.13	113.55
2	R	2	1GL	CME-O4-C4	2.70	121.42	114.47
3	L	3	ERI	O4-C4-C5	2.69	115.82	107.20
3	M	1	CDR	O1-C1-C2	2.61	113.32	109.15
3	L	3	ERI	O3-C3-C4	-2.55	101.18	108.44
2	O	2	1GL	O4-C4-C5	2.55	112.95	107.70
3	P	3	ERI	O4-C4-C5	2.53	115.31	107.20
3	Q	3	ERI	O4-C4-C5	2.47	115.10	107.20
2	N	2	1GL	O1-C1-C2	2.45	122.61	111.39
3	H	2	CDR	O5-C1-C2	2.45	112.41	110.75
2	N	2	1GL	O5-C5-C6	2.45	112.17	106.74
3	H	2	CDR	C3-C2-C1	2.44	116.31	110.89
2	O	2	1GL	O1-C1-O5	2.40	113.76	108.34
3	P	1	CDR	O5-C1-C2	2.31	112.32	110.75
3	M	3	ERI	O3-C3-C4	-2.31	101.86	108.44
3	I	3	ERI	O5-C5-C6	2.30	111.84	106.74
2	N	1	ARI	O1-C1-O5	2.28	113.48	108.34
3	Q	3	ERI	O1-C1-O5	2.28	113.48	108.34
2	R	2	1GL	O1-C1-O5	2.27	113.46	108.34
3	M	1	CDR	C3-C2-C1	2.26	115.92	110.89
3	L	3	ERI	O1-C1-O5	2.18	113.26	108.34
2	G	2	1GL	O1-C1-C2	2.18	121.34	111.39
3	H	3	ERI	OC4-CO4-CME	-2.16	117.13	124.77
3	P	2	CDR	O5-C1-C2	2.15	112.21	110.75
3	H	3	ERI	O3-C3-C4	-2.14	102.33	108.44
3	Q	1	CDR	O1-C1-C2	2.13	112.56	109.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	J	1	ARI	O1-C1-O5	2.13	113.14	108.34
3	P	3	ERI	O1-C1-C2	2.10	112.53	109.05
2	R	1	ARI	O5-C1-C2	2.10	112.17	110.75
3	I	3	ERI	O1-C1-C2	2.09	112.51	109.05
2	O	2	1GL	CME-O4-C4	2.08	119.82	114.47
3	Q	3	ERI	O5-C5-C6	2.08	111.36	106.74
3	L	3	ERI	OC4-CO4-CME	-2.08	117.42	124.77
3	Q	2	CDR	C2-C3-C4	2.07	114.81	111.76
2	O	1	ARI	O1-C1-O5	2.07	113.01	108.34
2	G	1	ARI	O1-C1-O5	2.05	112.97	108.34
2	J	2	1GL	CME-O4-C4	2.05	119.74	114.47
2	K	1	ARI	O1-C1-O5	2.05	112.96	108.34
2	G	1	ARI	O5-C1-C2	2.03	112.13	110.75
2	K	2	1GL	CME-O4-C4	2.02	119.66	114.47
3	P	3	ERI	OC4-CO4-CME	-2.01	117.65	124.77

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	N	1	ARI	CME-CO4-O4-C4
3	H	3	ERI	CME-CO4-O4-C4
3	M	3	ERI	CME-CO4-O4-C4
2	N	1	ARI	OC4-CO4-O4-C4
3	H	3	ERI	OC4-CO4-O4-C4
3	P	3	ERI	CME-CO4-O4-C4
3	I	3	ERI	CME-CO4-O4-C4
3	M	3	ERI	OC4-CO4-O4-C4
3	Q	3	ERI	CME-CO4-O4-C4
2	R	1	ARI	CME-CO4-O4-C4
3	L	3	ERI	CME-CO4-O4-C4
2	O	1	ARI	CME-CO4-O4-C4
3	P	3	ERI	OC4-CO4-O4-C4
3	I	3	ERI	OC4-CO4-O4-C4
3	Q	3	ERI	OC4-CO4-O4-C4
2	R	1	ARI	OC4-CO4-O4-C4
3	L	3	ERI	OC4-CO4-O4-C4
2	J	1	ARI	CME-CO4-O4-C4
2	O	1	ARI	OC4-CO4-O4-C4
2	J	1	ARI	OC4-CO4-O4-C4
3	I	3	ERI	C5-C4-O4-CO4
2	K	1	ARI	CME-CO4-O4-C4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	M	3	ERI	C5-C4-O4-CO4
2	K	1	ARI	OC4-CO4-O4-C4


There are no ring outliers.

16 monomers are involved in 35 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	Q	3	ERI	5	0
2	J	1	ARI	2	0
3	L	1	CDR	1	0
3	L	3	ERI	5	0
2	O	1	ARI	1	0
2	R	2	1GL	2	0
2	K	2	1GL	5	0
2	N	1	ARI	1	0
2	J	2	1GL	4	0
3	M	1	CDR	1	0
3	I	3	ERI	4	0
2	G	2	1GL	1	0
3	P	3	ERI	4	0
2	K	1	ARI	2	0
3	M	2	CDR	1	0
3	M	3	ERI	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.


Oligosaccharide Chain G




Bond lengths



Bond angles




Torsions




Rings


Oligosaccharide Chain J




Bond lengths



Bond angles




Torsions




Rings


Oligosaccharide Chain K




Bond lengths




Bond angles





Torsions





Rings












Oligosaccharide Chain M



Oligosaccharide Chain P





5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 7 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	CRH	E	103	3,2,5	29,30,30	1.70	5 (17%)	37,45,45	2.11	7 (18%)
4	CRH	B	103	2,3,5	29,30,30	1.81	7 (24%)	37,45,45	1.63	6 (16%)
4	CRH	C	103	3,2,5	29,30,30	1.71	5 (17%)	37,45,45	1.68	5 (13%)
4	CRH	D	103	2,3,5	29,30,30	1.73	5 (17%)	37,45,45	2.48	6 (16%)
4	CRH	A	103	3,2,5	29,30,30	1.85	6 (20%)	37,45,45	2.77	6 (16%)
4	CRH	F	103	2,3,5	29,30,30	1.69	5 (17%)	37,45,45	1.93	4 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	CRH	E	103	3,2,5	-	10/18/30/30	0/3/3/3
4	CRH	B	103	2,3,5	-	13/18/30/30	0/3/3/3
4	CRH	C	103	3,2,5	-	10/18/30/30	0/3/3/3
4	CRH	D	103	2,3,5	-	11/18/30/30	0/3/3/3
4	CRH	A	103	3,2,5	-	14/18/30/30	0/3/3/3
4	CRH	F	103	2,3,5	-	14/18/30/30	0/3/3/3

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	103	CRH	C13-C1	4.66	1.57	1.46
4	C	103	CRH	C13-C1	4.20	1.56	1.46
4	B	103	CRH	C13-C1	4.15	1.56	1.46
4	F	103	CRH	C13-C1	4.11	1.56	1.46
4	E	103	CRH	C13-C1	4.08	1.56	1.46
4	D	103	CRH	C13-C1	4.04	1.56	1.46
4	D	103	CRH	C10-C14	4.03	1.44	1.37
4	F	103	CRH	C10-C14	4.02	1.44	1.37
4	B	103	CRH	C10-C14	3.91	1.44	1.37
4	C	103	CRH	C10-C14	3.88	1.44	1.37
4	E	103	CRH	C10-C14	3.86	1.44	1.37
4	A	103	CRH	C10-C14	3.84	1.44	1.37
4	E	103	CRH	C4-C14	3.38	1.57	1.51
4	C	103	CRH	C4-C14	3.33	1.57	1.51
4	A	103	CRH	C13-C9	3.32	1.44	1.39
4	B	103	CRH	C4-C14	3.27	1.57	1.51
4	F	103	CRH	C4-C14	3.19	1.57	1.51
4	D	103	CRH	C4-C14	3.14	1.57	1.51
4	C	103	CRH	C13-C9	3.12	1.44	1.39
4	D	103	CRH	C13-C9	3.11	1.44	1.39
4	A	103	CRH	C2-C3	-3.04	1.46	1.53
4	E	103	CRH	C13-C9	3.00	1.44	1.39
4	B	103	CRH	C2-C3	-2.93	1.46	1.53
4	F	103	CRH	C13-C9	2.92	1.44	1.39
4	A	103	CRH	C4-C14	2.86	1.56	1.51
4	B	103	CRH	C13-C9	2.75	1.43	1.39
4	F	103	CRH	C5-C6	2.50	1.42	1.36
4	B	103	CRH	C5-C6	2.48	1.42	1.36
4	D	103	CRH	C5-C6	2.45	1.42	1.36
4	E	103	CRH	C5-C6	2.44	1.41	1.36
4	C	103	CRH	C5-C6	2.30	1.41	1.36
4	B	103	CRH	C2-C1	-2.26	1.46	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	103	CRH	C5-C6	2.24	1.41	1.36

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	103	CRH	O1-C1-C13	-11.57	104.60	122.49
4	D	103	CRH	O1-C1-C13	-10.42	106.38	122.49
4	A	103	CRH	O1-C1-C2	8.53	134.69	120.81
4	D	103	CRH	O1-C1-C2	8.35	134.41	120.81
4	E	103	CRH	O1-C1-C13	-7.74	110.53	122.49
4	E	103	CRH	O1-C1-C2	7.62	133.21	120.81
4	F	103	CRH	O1-C1-C13	-7.39	111.06	122.49
4	C	103	CRH	O1-C1-C13	-6.06	113.12	122.49
4	F	103	CRH	O1-C1-C2	5.89	130.40	120.81
4	B	103	CRH	O1-C1-C13	-5.35	114.22	122.49
4	C	103	CRH	O1-C1-C2	5.19	129.25	120.81
4	A	103	CRH	C9-C13-C1	4.85	121.17	119.33
4	B	103	CRH	O1-C1-C2	3.46	126.44	120.81
4	A	103	CRH	C4-C3-C2	3.24	121.14	110.34
4	B	103	CRH	C4-C3-C2	3.11	120.72	110.34
4	B	103	CRH	C9-C12-C11	2.88	120.79	118.16
4	F	103	CRH	C9-C12-C11	2.72	120.64	118.16
4	F	103	CRH	C6-C7-C8	2.62	120.24	117.83
4	A	103	CRH	C6-C7-C8	2.60	120.22	117.83
4	B	103	CRH	C6-C7-C8	2.57	120.20	117.83
4	C	103	CRH	C6-C7-C8	2.46	120.09	117.83
4	A	103	CRH	C9-C12-C11	2.40	120.35	118.16
4	D	103	CRH	C9-C12-C11	2.38	120.33	118.16
4	E	103	CRH	C9-C12-C11	2.37	120.32	118.16
4	D	103	CRH	C6-C7-C8	2.35	120.00	117.83
4	D	103	CRH	C9-C13-C1	-2.32	118.46	119.33
4	E	103	CRH	C6-C7-C8	2.30	119.94	117.83
4	D	103	CRH	C4-C3-C2	2.25	117.85	110.34
4	C	103	CRH	C9-C12-C11	2.17	120.14	118.16
4	C	103	CRH	O1'-C1'-C3	2.07	111.07	107.07
4	E	103	CRH	C3-C2-C1	-2.06	108.72	113.61
4	E	103	CRH	C4-C14-C13	2.05	121.26	117.87
4	E	103	CRH	C8-C12-C11	2.04	120.03	118.16
4	B	103	CRH	C8-C12-C11	2.01	120.00	118.16

There are no chirality outliers.

All (72) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	103	CRH	C2'-C1'-C3-C2
4	A	103	CRH	O1'-C1'-C3-C2
4	A	103	CRH	C2'-C1'-C3-C4
4	A	103	CRH	C3-C1'-O1'-C1M
4	A	103	CRH	C2'-C1'-O1'-C1M
4	A	103	CRH	C2'-C3'-C4'-C4M
4	A	103	CRH	C2'-C3'-C4'-O4'
4	A	103	CRH	O3'-C3'-C4'-C4M
4	A	103	CRH	O3'-C3'-C4'-O4'
4	B	103	CRH	C2'-C1'-C3-C2
4	B	103	CRH	O1'-C1'-C3-C2
4	B	103	CRH	C2'-C1'-C3-C4
4	B	103	CRH	O1'-C1'-C3-C4
4	B	103	CRH	C3-C1'-O1'-C1M
4	B	103	CRH	C2'-C1'-O1'-C1M
4	B	103	CRH	C2'-C3'-C4'-C4M
4	B	103	CRH	C2'-C3'-C4'-O4'
4	B	103	CRH	O3'-C3'-C4'-C4M
4	B	103	CRH	O3'-C3'-C4'-O4'
4	C	103	CRH	C2'-C1'-C3-C2
4	C	103	CRH	O1'-C1'-C3-C2
4	C	103	CRH	C2'-C1'-C3-C4
4	C	103	CRH	O1'-C1'-C3-C4
4	C	103	CRH	C1'-C2'-C3'-C4'
4	C	103	CRH	O2'-C2'-C3'-C4'
4	C	103	CRH	O2'-C2'-C3'-O3'
4	D	103	CRH	C2'-C1'-C3-C2
4	D	103	CRH	O1'-C1'-C3-C2
4	D	103	CRH	C2'-C1'-C3-C4
4	D	103	CRH	O1'-C1'-C3-C4
4	D	103	CRH	C2'-C3'-C4'-C4M
4	D	103	CRH	C2'-C3'-C4'-O4'
4	D	103	CRH	O3'-C3'-C4'-C4M
4	D	103	CRH	O3'-C3'-C4'-O4'
4	E	103	CRH	C2'-C1'-C3-C2
4	E	103	CRH	O1'-C1'-C3-C2
4	E	103	CRH	C2'-C1'-C3-C4
4	E	103	CRH	O1'-C1'-C3-C4
4	E	103	CRH	O3'-C3'-C4'-C4M
4	F	103	CRH	C2'-C1'-C3-C2
4	F	103	CRH	O1'-C1'-C3-C2
4	F	103	CRH	C2'-C1'-C3-C4
4	F	103	CRH	O1'-C1'-C3-C4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	F	103	CRH	C1'-C2'-C3'-O3'
4	F	103	CRH	O2'-C2'-C3'-O3'
4	F	103	CRH	C2'-C3'-C4'-C4M
4	F	103	CRH	C2'-C3'-C4'-O4'
4	F	103	CRH	O3'-C3'-C4'-C4M
4	F	103	CRH	O3'-C3'-C4'-O4'
4	A	103	CRH	O1'-C1'-C2'-C3'
4	C	103	CRH	O1'-C1'-C2'-C3'
4	F	103	CRH	O1'-C1'-C2'-C3'
4	E	103	CRH	C2'-C3'-C4'-O4'
4	D	103	CRH	C3-C1'-O1'-C1M
4	E	103	CRH	C3-C1'-O1'-C1M
4	A	103	CRH	C3-C1'-C2'-C3'
4	C	103	CRH	C3-C1'-C2'-C3'
4	F	103	CRH	C3-C1'-C2'-C3'
4	A	103	CRH	O1'-C1'-C2'-O2'
4	A	103	CRH	O2'-C2'-C3'-O3'
4	B	103	CRH	C1'-C2'-C3'-C4'
4	E	103	CRH	C2'-C3'-C4'-C4M
4	A	103	CRH	O1'-C1'-C3-C4
4	B	103	CRH	O2'-C2'-C3'-C4'
4	E	103	CRH	O3'-C3'-C4'-O4'
4	C	103	CRH	O1'-C1'-C2'-O2'
4	F	103	CRH	O1'-C1'-C2'-O2'
4	D	103	CRH	C2'-C1'-O1'-C1M
4	E	103	CRH	C2'-C1'-O1'-C1M
4	B	103	CRH	C1'-C2'-C3'-O3'
4	D	103	CRH	O2'-C2'-C3'-O3'
4	F	103	CRH	C1'-C2'-C3'-C4'


There are no ring outliers.



4 monomers are involved in 12 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	103	CRH	1	0
4	D	103	CRH	3	0
4	A	103	CRH	5	0
4	F	103	CRH	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	8/8 (100%)	-1.33	0 100 100	32, 43, 45, 49	0
1	B	8/8 (100%)	-1.07	0 100 100	34, 40, 50, 52	0
1	C	8/8 (100%)	-1.07	0 100 100	32, 39, 52, 52	0
1	D	8/8 (100%)	-1.35	0 100 100	33, 40, 42, 45	0
1	E	8/8 (100%)	-1.40	0 100 100	28, 39, 41, 44	0
1	F	8/8 (100%)	-1.27	0 100 100	26, 37, 41, 42	0
All	All	48/48 (100%)	-1.25	0 100 100	26, 40, 50, 52	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CDR	P	1	9/9	0.96	0.07	37,39,40,40	0
3	CDR	Q	2	9/9	0.96	0.06	38,39,42,42	0
3	ERI	Q	3	14/14	0.96	0.07	47,49,50,50	0
2	1GL	G	2	11/11	0.97	0.04	52,53,55,55	0
3	CDR	P	2	9/9	0.97	0.06	40,40,41,43	0
3	ERI	P	3	14/14	0.97	0.05	40,43,44,45	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	CDR	Q	1	9/9	0.97	0.05	36,38,42,43	0
2	1GL	K	2	11/11	0.97	0.06	54,57,60,61	0
2	1GL	R	2	11/11	0.97	0.05	56,57,60,60	0
2	1GL	O	2	11/11	0.98	0.04	48,50,52,52	0
2	ARI	R	1	12/12	0.98	0.04	43,45,45,46	0
2	ARI	J	1	12/12	0.98	0.04	34,40,42,42	0
3	CDR	H	1	9/9	0.98	0.04	30,31,31,32	0
3	CDR	H	2	9/9	0.98	0.06	33,37,40,41	0
3	ERI	H	3	14/14	0.98	0.05	46,49,50,50	0
3	CDR	I	2	9/9	0.98	0.05	33,35,37,38	0
3	ERI	I	3	14/14	0.98	0.05	43,49,50,51	0
3	CDR	L	2	9/9	0.98	0.05	34,34,36,36	0
3	ERI	L	3	14/14	0.98	0.05	42,45,49,50	0
3	CDR	M	2	9/9	0.98	0.05	38,39,41,44	0
3	ERI	M	3	14/14	0.98	0.05	45,46,48,48	0
2	1GL	J	2	11/11	0.98	0.07	46,51,55,56	0
2	ARI	K	1	12/12	0.98	0.05	39,46,49,51	0
2	ARI	G	1	12/12	0.98	0.05	37,44,50,52	0
2	ARI	N	1	12/12	0.98	0.04	37,44,48,49	0
2	1GL	N	2	11/11	0.98	0.05	56,57,59,59	0
2	ARI	O	1	12/12	0.98	0.05	42,45,46,47	0
3	CDR	M	1	9/9	0.99	0.04	35,36,36,37	0
3	CDR	I	1	9/9	0.99	0.03	30,33,34,35	0
3	CDR	L	1	9/9	0.99	0.04	31,32,33,34	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain K:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain N:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain O:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain R:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain I:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain L:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain M:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain P:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain Q:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	CRH	F	103	28/28	0.97	0.06	33,39,57,58	0
4	CRH	C	103	28/28	0.98	0.05	31,34,53,54	0
4	CRH	E	103	28/28	0.98	0.05	33,36,52,54	0
4	CRH	A	103	28/28	0.98	0.05	30,34,52,56	0
4	CRH	B	103	28/28	0.99	0.04	28,33,54,60	0
4	CRH	D	103	28/28	0.99	0.04	23,35,49,51	0
5	CO	C	111	1/1	0.99	0.03	48,48,48,48	0
5	CO	A	111	1/1	1.00	0.02	30,30,30,30	0
5	CO	C	110	1/1	1.00	0.02	25,25,25,25	0
5	CO	A	110	1/1	1.00	0.02	32,32,32,32	0
5	CO	D	104	1/1	1.00	0.01	38,38,38,38	0
5	CO	E	110	1/1	1.00	0.01	38,38,38,38	0
5	CO	F	104	1/1	1.00	0.02	44,44,44,44	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around CRH F 103:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CRH C 103:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CRH E 103:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CRH A 103:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CRH B 103:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around CRH D 103:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.