



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 13, 2026 – 08:48 AM UTC

PDB ID : 4J1X / pdb_00004j1x
Title : Crystal Structure of Fe(II)-HppE with alternative substrate (S)-1-HPP
Authors : Drennan, C.L.; Dey, M.
Deposited on : 2013-02-03
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	197	4% 71% 26% ..
1	B	197	8% 73% 25% ..
1	C	197	10% 73% 25% ..

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 4471 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Epoxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	193	Total	C	N	O	S	0	0	0
			1463	923	250	285	5			
1	B	193	Total	C	N	O	S	0	0	0
			1463	923	250	285	5			
1	C	195	Total	C	N	O	S	0	0	0
			1479	933	253	288	5			

- Molecule 2 is FE (II) ION (CCD ID: FE2) (formula: Fe).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Fe	0	0
			1	1		
2	B	1	Total	Fe	0	0
			1	1		
2	C	1	Total	Fe	0	0
			1	1		

- Molecule 3 is [(1S)-1-hydroxypropyl]phosphonic acid (CCD ID: 1JJ) (formula: C₃H₉O₄P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	P	0	0
			8	3	4	1		
3	B	1	Total	C	O	P	0	0
			8	3	4	1		
3	C	1	Total	C	O	P	0	0
			8	3	4	1		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	11	Total 11	O 11	0	0
5	B	10	Total 10	O 10	0	0
5	C	12	Total 12	O 12	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Epoxidase



• Molecule 1: Epoxidase



• Molecule 1: Epoxidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 4 ₂ 2 ₁ 2	Depositor
Cell constants a, b, c, α , β , γ	111.46Å 111.46Å 151.42Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.80 50.00 – 2.81	Depositor EDS
% Data completeness (in resolution range)	(Not available) (50.00-2.80) 98.5 (50.00-2.81)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.17 (at 2.81Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.251 , 0.267 0.258 , 0.269	Depositor DCC
R_{free} test set	1183 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	57.1	Xtriage
Anisotropy	0.259	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 45.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4471	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 35.14 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.1154e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 1JJ, FE2, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.45	0/1493	1.02	6/2029 (0.3%)
1	B	0.46	0/1493	0.97	3/2029 (0.1%)
1	C	0.48	0/1509	1.02	6/2050 (0.3%)
All	All	0.46	0/4495	1.00	15/6108 (0.2%)

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	58	ARG	CD-NE-CZ	10.19	138.66	124.40
1	A	58	ARG	CD-NE-CZ	9.81	138.13	124.40
1	B	135	ASN	N-CA-C	-8.54	97.59	110.14
1	C	135	ASN	N-CA-C	-8.49	97.65	110.14
1	A	135	ASN	N-CA-C	-8.48	97.68	110.14
1	A	58	ARG	NE-CZ-NH2	-7.57	112.39	119.20
1	A	121	VAL	N-CA-C	-7.38	97.09	107.80
1	C	58	ARG	NE-CZ-NH2	-7.35	112.59	119.20
1	B	121	VAL	N-CA-C	-7.27	97.26	107.80
1	C	121	VAL	N-CA-C	-6.96	97.71	107.80
1	C	125	LEU	N-CA-C	6.07	119.16	111.69
1	B	125	LEU	N-CA-C	6.07	119.15	111.69
1	C	58	ARG	NE-CZ-NH1	6.06	127.56	121.50
1	A	125	LEU	N-CA-C	5.94	119.00	111.69
1	A	58	ARG	NE-CZ-NH1	5.88	127.38	121.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1463	0	1442	36	0
1	B	1463	0	1442	33	0
1	C	1479	0	1462	33	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
3	A	8	0	8	1	0
3	B	8	0	9	1	0
3	C	8	0	9	0	0
4	A	6	0	8	0	0
5	A	11	0	0	0	0
5	B	10	0	0	0	0
5	C	12	0	0	0	0
All	All	4471	0	4380	97	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (97) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:52:THR:OG1	1:A:55:GLN:HG3	1.84	0.77
1:A:124:VAL:HG21	1:A:151:ILE:HD11	1.66	0.77
1:B:52:THR:OG1	1:B:55:GLN:HG3	1.84	0.76
1:C:52:THR:OG1	1:C:55:GLN:HG3	1.85	0.76
1:C:124:VAL:HG21	1:C:151:ILE:HD11	1.68	0.74
1:B:124:VAL:HG21	1:B:151:ILE:HD11	1.68	0.74
1:A:104:VAL:HB	1:A:123:ASP:HB2	1.73	0.71
1:C:104:VAL:HB	1:C:123:ASP:HB2	1.73	0.70
1:B:104:VAL:HB	1:B:123:ASP:HB2	1.73	0.70
1:C:4:THR:HG22	1:C:5:LYS:H	1.59	0.67
1:A:53:LEU:HG	1:B:7:ALA:HB1	1.78	0.65
1:A:90:ARG:HD2	1:A:108:LEU:HD23	1.82	0.62
1:C:90:ARG:HD2	1:C:108:LEU:HD23	1.82	0.62
1:B:90:ARG:HD2	1:B:108:LEU:HD23	1.82	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:97:ARG:O	1:A:100:VAL:HG22	2.00	0.60
1:B:147:LEU:HG	1:B:194:ILE:HG13	1.83	0.60
1:B:97:ARG:O	1:B:100:VAL:HG22	2.01	0.60
1:C:97:ARG:O	1:C:100:VAL:HG22	2.02	0.59
1:A:147:LEU:HG	1:A:194:ILE:HG13	1.84	0.59
1:C:147:LEU:HG	1:C:194:ILE:HG13	1.85	0.59
1:A:6:THR:HG23	1:A:9:THR:HB	1.86	0.57
1:A:50:GLU:HA	1:B:52:THR:HB	1.86	0.57
1:A:32:LEU:O	1:C:88:ASP:HB3	2.04	0.57
1:C:6:THR:HG23	1:C:9:THR:H	1.70	0.56
1:C:4:THR:HG22	1:C:5:LYS:N	2.21	0.55
1:A:93:LEU:C	1:A:93:LEU:HD13	2.32	0.54
1:B:93:LEU:C	1:B:93:LEU:HD13	2.34	0.53
1:A:153:MET:HG3	1:A:182:PHE:CE1	2.43	0.53
1:B:98:ASP:HB2	1:B:133:LYS:HE3	1.91	0.53
1:C:98:ASP:HB2	1:C:133:LYS:HE3	1.91	0.53
1:B:153:MET:HG3	1:B:182:PHE:CE1	2.44	0.53
1:C:153:MET:HG3	1:C:182:PHE:CE1	2.44	0.53
1:C:93:LEU:C	1:C:93:LEU:HD13	2.34	0.53
1:A:193:LEU:HD12	1:A:193:LEU:O	2.10	0.52
1:C:108:LEU:HB2	1:C:119:PRO:HG2	1.92	0.52
1:B:108:LEU:HB2	1:B:119:PRO:HG2	1.92	0.52
1:A:98:ASP:HB2	1:A:133:LYS:HE3	1.91	0.51
1:A:108:LEU:HB2	1:A:119:PRO:HG2	1.91	0.51
1:B:166:LEU:HD13	1:B:172:MET:SD	2.51	0.51
1:B:147:LEU:O	1:B:148:GLU:HG3	2.11	0.50
1:A:147:LEU:O	1:A:148:GLU:HG3	2.11	0.50
1:C:193:LEU:HD12	1:C:193:LEU:O	2.11	0.50
1:A:22:VAL:HG21	1:A:24:MET:HE3	1.94	0.50
1:B:193:LEU:HD12	1:B:193:LEU:O	2.11	0.50
1:C:22:VAL:HG21	1:C:24:MET:HE3	1.94	0.50
1:C:176:GLU:HG3	1:C:177:HIS:CD2	2.47	0.50
1:C:147:LEU:O	1:C:148:GLU:HG3	2.12	0.49
1:A:166:LEU:HD13	1:A:172:MET:SD	2.53	0.49
1:A:176:GLU:HG3	1:A:177:HIS:CD2	2.47	0.49
1:B:176:GLU:HG3	1:B:177:HIS:CD2	2.48	0.49
1:C:153:MET:HE2	1:C:155:TRP:CE3	2.48	0.48
1:A:153:MET:HE2	1:A:155:TRP:CE3	2.48	0.48
1:A:150:GLU:OE2	1:A:165:LEU:HD21	2.14	0.48
1:B:22:VAL:HG21	1:B:24:MET:HE3	1.95	0.48
1:A:85:GLN:OE1	1:A:108:LEU:HA	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:85:GLN:OE1	1:B:108:LEU:HA	2.13	0.48
1:C:166:LEU:HD13	1:C:172:MET:SD	2.54	0.47
1:A:6:THR:HG23	1:A:9:THR:CB	2.44	0.47
1:B:135:ASN:ND2	3:B:202:1JJ:O2	2.48	0.47
1:B:153:MET:HE2	1:B:155:TRP:CE3	2.49	0.47
1:B:150:GLU:OE2	1:B:165:LEU:HD21	2.15	0.47
1:C:150:GLU:OE2	1:C:165:LEU:HD21	2.15	0.46
1:C:151:ILE:HD12	1:C:191:ALA:HB3	1.97	0.46
1:C:85:GLN:OE1	1:C:108:LEU:HA	2.15	0.46
1:A:151:ILE:HD12	1:A:191:ALA:HB3	1.98	0.45
1:A:7:ALA:HB1	1:B:53:LEU:HG	1.98	0.45
1:B:151:ILE:HD12	1:B:191:ALA:HB3	1.98	0.45
1:C:176:GLU:O	1:C:177:HIS:HB2	2.16	0.45
1:A:97:ARG:NH2	3:A:202:1JJ:O1	2.50	0.44
1:A:146:VAL:HG12	1:A:168:THR:HA	2.00	0.44
1:A:193:LEU:HD12	1:A:193:LEU:C	2.42	0.43
1:B:176:GLU:O	1:B:177:HIS:HB2	2.18	0.43
1:B:193:LEU:HD12	1:B:193:LEU:C	2.43	0.43
1:A:176:GLU:O	1:A:177:HIS:HB2	2.19	0.43
1:A:147:LEU:H	1:A:193:LEU:HA	1.83	0.43
1:C:151:ILE:HG12	1:C:193:LEU:HD23	2.01	0.43
1:B:146:VAL:HG12	1:B:168:THR:HA	2.01	0.43
1:A:52:THR:HB	1:B:50:GLU:HA	2.01	0.43
1:A:146:VAL:CG1	1:A:168:THR:HA	2.49	0.43
1:B:147:LEU:H	1:B:193:LEU:HA	1.84	0.43
1:C:117:LEU:HG	1:C:119:PRO:HD3	2.01	0.42
1:C:147:LEU:H	1:C:193:LEU:HA	1.84	0.42
1:C:151:ILE:HD12	1:C:191:ALA:CB	2.49	0.42
1:C:193:LEU:HD12	1:C:193:LEU:C	2.43	0.42
1:A:154:LYS:HG2	1:A:163:GLU:HG2	2.01	0.42
1:B:117:LEU:HG	1:B:119:PRO:HD3	2.02	0.42
1:B:151:ILE:HD12	1:B:191:ALA:CB	2.50	0.42
1:A:141:ASN:HB3	1:A:173:PHE:CE1	2.55	0.42
1:B:54:THR:HG22	1:B:58:ARG:NH1	2.35	0.42
1:A:151:ILE:HD12	1:A:191:ALA:CB	2.49	0.41
1:B:141:ASN:HB3	1:B:173:PHE:CE1	2.54	0.41
1:A:117:LEU:HG	1:A:119:PRO:HD3	2.03	0.41
1:C:141:ASN:HB3	1:C:173:PHE:CE1	2.54	0.41
1:C:146:VAL:HG12	1:C:168:THR:HA	2.02	0.41
1:C:43:TRP:C	1:C:45:ASN:H	2.29	0.41
1:C:154:LYS:HG2	1:C:163:GLU:HG2	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:43:TRP:C	1:B:45:ASN:H	2.29	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

There are no protein backbone outliers to report in this entry.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	141/159 (89%)	135 (96%)	6 (4%)	26	60
1	B	93/159 (58%)	89 (96%)	4 (4%)	26	60
1	C	93/159 (58%)	90 (97%)	3 (3%)	34	70
All	All	327/477 (69%)	314 (96%)	13 (4%)	28	63

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	62	VAL
1	A	82	VAL
1	A	83	ILE
1	A	151	ILE
1	A	159	GLU
1	A	161	PRO
1	B	6	THR
1	B	62	VAL
1	B	82	VAL
1	B	83	ILE
1	C	151	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	159	GLU
1	C	161	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	106	ASN
1	A	128	ASN
1	A	177	HIS
1	B	106	ASN
1	B	177	HIS
1	C	106	ASN
1	C	128	ASN
1	C	177	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 3 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	1JJ	B	202	2	5,7,7	3.47	3 (60%)	5,10,10	1.02	0
4	GOL	A	203	-	5,5,5	0.36	0	5,5,5	0.44	0
3	1JJ	C	202	2	5,7,7	3.71	3 (60%)	5,10,10	1.02	0
3	1JJ	A	202	2	5,7,7	3.53	3 (60%)	5,10,10	0.99	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	1JJ	B	202	2	-	6/8/8/8	-
4	GOL	A	203	-	-	0/4/4/4	-
3	1JJ	C	202	2	-	6/8/8/8	-
3	1JJ	A	202	2	-	6/8/8/8	-

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	202	1JJ	P1-O2	6.69	1.60	1.49
3	A	202	1JJ	P1-O2	6.36	1.60	1.49
3	B	202	1JJ	P1-O2	6.19	1.60	1.49
3	C	202	1JJ	P1-O1	3.74	1.60	1.54
3	A	202	1JJ	P1-O4	3.48	1.60	1.54
3	B	202	1JJ	P1-O4	3.18	1.59	1.54
3	C	202	1JJ	P1-O4	3.12	1.59	1.54
3	B	202	1JJ	P1-O1	3.05	1.59	1.54
3	A	202	1JJ	P1-O1	2.71	1.59	1.54

There are no bond angle outliers.

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	202	1JJ	C2-C1-P1-O1
3	A	202	1JJ	C2-C1-P1-O2
3	A	202	1JJ	C2-C1-P1-O4
3	A	202	1JJ	O3-C1-P1-O1
3	A	202	1JJ	O3-C1-P1-O2
3	A	202	1JJ	O3-C1-P1-O4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	202	1JJ	C2-C1-P1-O1
3	B	202	1JJ	C2-C1-P1-O2
3	B	202	1JJ	C2-C1-P1-O4
3	B	202	1JJ	O3-C1-P1-O1
3	B	202	1JJ	O3-C1-P1-O2
3	B	202	1JJ	O3-C1-P1-O4
3	C	202	1JJ	C2-C1-P1-O1
3	C	202	1JJ	C2-C1-P1-O2
3	C	202	1JJ	C2-C1-P1-O4
3	C	202	1JJ	O3-C1-P1-O1
3	C	202	1JJ	O3-C1-P1-O2
3	C	202	1JJ	O3-C1-P1-O4

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	202	1JJ	1	0
3	A	202	1JJ	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	193/197 (97%)	0.57	8 (4%) 41 33	42, 57, 80, 93	0
1	B	193/197 (97%)	0.67	15 (7%) 19 14	34, 57, 80, 93	0
1	C	195/197 (98%)	0.75	20 (10%) 12 9	40, 56, 80, 91	0
All	All	581/591 (98%)	0.66	43 (7%) 20 15	34, 57, 80, 93	0

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	160	ASN	5.2
1	C	93	LEU	5.1
1	B	45	ASN	4.4
1	B	156	GLY	4.2
1	C	100	VAL	4.1
1	C	94	LYS	4.1
1	C	4	THR	4.0
1	B	95	GLY	3.9
1	A	148	GLU	3.8
1	B	58	ARG	3.6
1	C	95	GLY	3.5
1	C	158	LYS	3.4
1	B	148	GLU	3.3
1	C	38	GLU	3.1
1	C	159	GLU	3.1
1	A	136	SER	3.0
1	C	101	ASP	2.9
1	A	100	VAL	2.8
1	C	25	ASP	2.7
1	B	6	THR	2.6
1	C	5	LYS	2.6
1	B	131	ASP	2.6
1	C	185	ALA	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	88	ASP	2.5
1	B	134	PHE	2.5
1	A	128	ASN	2.4
1	B	102	TYR	2.4
1	A	156	GLY	2.3
1	B	31	SER	2.3
1	A	58	ARG	2.3
1	C	7	ALA	2.3
1	C	102	TYR	2.2
1	B	94	LYS	2.2
1	B	101	ASP	2.2
1	B	100	VAL	2.2
1	B	38	GLU	2.2
1	C	131	ASP	2.1
1	C	98	ASP	2.1
1	A	95	GLY	2.1
1	C	128	ASN	2.1
1	C	97	ARG	2.1
1	C	9	THR	2.0
1	A	88	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GOL	A	203	6/6	0.49	0.30	86,88,89,91	0
3	1JJ	B	202	8/8	0.96	0.10	66,70,72,73	0
3	1JJ	C	202	8/8	0.97	0.08	50,52,53,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	1JJ	A	202	8/8	0.97	0.09	69,71,73,73	0
2	FE2	B	201	1/1	0.99	0.04	59,59,59,59	0
2	FE2	C	201	1/1	0.99	0.02	57,57,57,57	0
2	FE2	A	201	1/1	0.99	0.03	57,57,57,57	0

6.5 Other polymers [i](#)

There are no such residues in this entry.