



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 09:32 PM UTC

PDB ID : 1J2T / pdb_00001j2t
Title : Creatininase Mn
Authors : Yoshimoto, T.; Tanaka, N.; Kanada, N.; Inoue, T.; Nakajima, Y.; Haratake, M.; Nakamura, K.T.; Xu, Y.; Ito, K.
Deposited on : 2003-01-11
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	260	91% 7% ..
1	B	260	86% 10% ..
1	C	260	87% 10% ..
1	D	260	89% 8% ..
1	E	260	86% 12% ..
1	F	260	91% 7% ..

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 13386 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called creatinine amidohydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	257	Total	C	N	O	S	0	0	0
			1988	1273	337	367	11			
1	B	257	Total	C	N	O	S	0	0	0
			1988	1273	337	367	11			
1	C	257	Total	C	N	O	S	0	0	0
			1988	1273	337	367	11			
1	D	257	Total	C	N	O	S	0	0	0
			1988	1273	337	367	11			
1	E	257	Total	C	N	O	S	0	0	0
			1988	1273	337	367	11			
1	F	257	Total	C	N	O	S	0	0	0
			1988	1273	337	367	11			


- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		
2	C	1	Total	Zn	0	0
			1	1		
2	D	1	Total	Zn	0	0
			1	1		
2	E	1	Total	Zn	0	0
			1	1		
2	F	1	Total	Zn	0	0
			1	1		

- Molecule 3 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mn	0	0
			1	1		
3	B	1	Total	Mn	0	0
			1	1		
3	C	1	Total	Mn	0	0
			1	1		
3	D	1	Total	Mn	0	0
			1	1		
3	E	1	Total	Mn	0	0
			1	1		
3	F	1	Total	Mn	0	0
			1	1		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	D	1	Total	O	S	0	0
			5	4	1		
4	E	1	Total	O	S	0	0
			5	4	1		
4	F	1	Total	O	S	0	0
			5	4	1		
4	F	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	267	Total	O	0	0
			267	267		
5	B	235	Total	O	0	0
			235	235		
5	C	214	Total	O	0	0
			214	214		
5	D	229	Total	O	0	0
			229	229		
5	E	204	Total	O	0	0
			204	204		
5	F	247	Total	O	0	0
			247	247		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: creatinine amidohydrolase

Chain A:  91% 7% ..




- Molecule 1: creatinine amidohydrolase

Chain B:  86% 10% ..



- Molecule 1: creatinine amidohydrolase

Chain C:  87% 10% ..



- Molecule 1: creatinine amidohydrolase

Chain D:  89% 8% ..




- Molecule 1: creatinine amidohydrolase

Chain E:  86% 12% ..





● Molecule 1: creatinine amidohydrolase



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	101.99Å 150.74Å 167.07Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 1.80	Depositor
% Data completeness (in resolution range)	99.9 (40.00-1.80)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	REFMAC 5.0	Depositor
R, R_{free}	0.175 , 0.193	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	13386	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MN, ZN, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.54	0/2037	0.86	1/2772 (0.0%)
1	B	0.53	0/2037	0.83	2/2772 (0.1%)
1	C	0.57	1/2037 (0.0%)	0.92	8/2772 (0.3%)
1	D	0.53	0/2037	0.86	3/2772 (0.1%)
1	E	0.56	1/2037 (0.0%)	0.83	1/2772 (0.0%)
1	F	0.54	0/2037	0.89	5/2772 (0.2%)
All	All	0.55	2/12222 (0.0%)	0.87	20/16632 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	40	MET	SD-CE	10.12	2.04	1.79
1	E	187	MET	SD-CE	-6.15	1.64	1.79

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	139	ARG	NE-CZ-NH1	-8.88	112.62	121.50
1	C	139	ARG	CG-CD-NE	7.71	128.97	112.00
1	B	22	GLY	N-CA-C	7.22	122.24	113.79
1	C	139	ARG	CD-NE-CZ	7.00	134.20	124.40
1	C	258	PRO	O-C-N	6.59	124.25	121.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	139	ARG	CG-CD-NE	6.37	126.00	112.00
1	A	22	GLY	N-CA-C	6.30	122.31	114.37
1	D	258	PRO	O-C-N	6.26	124.09	121.15
1	F	235	ARG	CG-CD-NE	6.13	125.49	112.00
1	D	22	GLY	N-CA-C	6.11	120.94	113.79
1	C	22	GLY	N-CA-C	5.89	121.69	114.69
1	C	124	SER	N-CA-C	5.85	118.13	111.11
1	F	258	PRO	O-C-N	5.83	123.99	121.31
1	C	139	ARG	NE-CZ-NH2	5.83	124.45	119.20
1	F	139	ARG	NE-CZ-NH1	-5.82	115.68	121.50
1	E	124	SER	N-CA-C	5.44	117.64	111.11
1	C	204	PRO	O-C-N	5.44	123.70	121.15
1	F	124	SER	N-CA-C	5.41	117.60	111.11
1	B	204	PRO	O-C-N	5.34	123.66	121.15
1	D	124	SER	N-CA-C	5.04	117.15	111.11

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	139	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1988	0	1969	17	0
1	B	1988	0	1969	23	0
1	C	1988	0	1969	19	0
1	D	1988	0	1969	16	0
1	E	1988	0	1969	27	0
1	F	1988	0	1969	12	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	F	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
4	A	10	0	0	0	0
4	B	10	0	0	0	0
4	C	10	0	0	0	0
4	D	5	0	0	0	0
4	E	5	0	0	0	0
4	F	10	0	0	0	0
5	A	267	0	0	2	1
5	B	235	0	0	5	1
5	C	214	0	0	3	0
5	D	229	0	0	1	0
5	E	204	0	0	3	0
5	F	247	0	0	2	0
All	All	13386	0	11814	107	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:40:MET:CE	1:C:40:MET:SD	2.04	1.43
1:D:235:ARG:CZ	1:D:236:GLU:OE1	2.08	1.00
1:E:235:ARG:CZ	1:E:236:GLU:OE1	2.10	0.99
1:E:172:LEU:HD22	1:E:172:LEU:H	1.33	0.93
1:E:235:ARG:NH1	1:E:236:GLU:OE1	2.02	0.91
1:D:235:ARG:NH1	1:D:236:GLU:OE1	2.05	0.89
1:C:216:VAL:HG12	5:C:7128:HOH:O	1.76	0.85
1:F:13:LYS:NZ	5:F:7201:HOH:O	2.09	0.79
1:D:77:LYS:HG2	5:D:7059:HOH:O	1.84	0.77
1:B:175:ASP:HB3	5:B:7235:HOH:O	1.91	0.70
1:E:236:GLU:OE2	5:E:7142:HOH:O	2.09	0.69
1:C:175:ASP:HB3	5:C:7216:HOH:O	1.92	0.69
1:E:172:LEU:HD22	1:E:172:LEU:N	2.09	0.67
1:E:177:GLU:CD	1:E:182:PHE:HB3	2.19	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:158:LYS:NZ	5:F:7242:HOH:O	2.30	0.65
1:B:157:VAL:CG2	1:B:245:CYS:SG	2.88	0.62
1:C:140:TYR:OH	1:E:137:GLU:OE1	2.18	0.62
1:C:214:PHE:HA	1:C:215:PRO:C	2.25	0.61
1:B:176:ILE:HD11	1:B:206:ALA:O	2.01	0.61
1:B:139:ARG:NE	5:B:7098:HOH:O	1.96	0.59
1:E:161:ALA:O	1:E:165:GLN:HG3	2.03	0.59
1:A:104:ARG:HD2	5:A:7205:HOH:O	2.03	0.58
1:B:40:MET:HG3	1:B:195:VAL:HG22	1.84	0.58
1:F:40:MET:HG3	1:F:195:VAL:HG22	1.85	0.58
1:F:214:PHE:HA	1:F:215:PRO:C	2.29	0.57
1:C:36:HIS:HB3	1:C:40:MET:HE3	1.86	0.56
1:D:214:PHE:HA	1:D:215:PRO:C	2.30	0.56
1:B:43:ASN:C	1:B:43:ASN:HD22	2.13	0.56
1:A:77:LYS:NZ	5:A:7272:HOH:O	2.38	0.55
1:B:214:PHE:HA	1:B:215:PRO:C	2.31	0.55
1:E:36:HIS:HB3	1:E:40:MET:HE3	1.89	0.55
1:A:214:PHE:HA	1:A:215:PRO:C	2.31	0.54
1:E:214:PHE:HA	1:E:215:PRO:C	2.31	0.54
1:D:159:ASP:OD2	1:D:161:ALA:HB3	2.07	0.54
1:B:131:ILE:CD1	1:B:150:VAL:HG21	2.38	0.53
1:B:172:LEU:HB2	5:B:7159:HOH:O	2.08	0.53
1:E:235:ARG:NH2	1:E:236:GLU:OE1	2.41	0.53
1:D:40:MET:HG3	1:D:195:VAL:HG22	1.92	0.52
1:B:77:LYS:HD2	1:B:212:ASP:OD2	2.10	0.52
1:A:43:ASN:HD22	1:A:43:ASN:C	2.18	0.52
1:D:43:ASN:HD22	1:D:43:ASN:C	2.19	0.51
1:C:43:ASN:C	1:C:43:ASN:HD22	2.18	0.50
1:A:28:LEU:HD23	1:A:116:LEU:HD21	1.93	0.50
1:E:43:ASN:HD22	1:E:43:ASN:C	2.20	0.50
1:B:176:ILE:HG12	1:B:227:LEU:O	2.12	0.49
1:C:175:ASP:CB	5:C:7216:HOH:O	2.58	0.49
1:F:43:ASN:C	1:F:43:ASN:HD22	2.19	0.49
1:A:77:LYS:CD	1:A:212:ASP:OD2	2.61	0.49
1:F:74:SER:H	1:F:82:ASN:HD22	1.60	0.49
1:B:159:ASP:C	1:B:159:ASP:OD1	2.56	0.49
1:C:40:MET:HG3	1:C:195:VAL:HG22	1.95	0.48
1:D:187:MET:HB3	1:D:195:VAL:HG21	1.96	0.48
1:A:139:ARG:NH2	1:A:144:GLN:OE1	2.48	0.47
1:C:131:ILE:CD1	1:C:150:VAL:HG21	2.44	0.47
1:E:28:LEU:HD23	1:E:116:LEU:HD21	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:40:MET:HE1	1:C:179:GLY:HA2	1.97	0.47
1:A:77:LYS:HD2	1:A:212:ASP:OD2	2.15	0.47
1:E:202:ASP:CG	1:E:231:LYS:HD2	2.39	0.47
1:D:236:GLU:H	1:D:236:GLU:CD	2.24	0.46
1:B:49:PRO:HG3	1:B:119:GLY:HA3	1.99	0.45
1:F:37:GLY:HA2	1:F:224:PRO:O	2.16	0.45
1:A:40:MET:HG3	1:A:195:VAL:HG22	1.99	0.45
1:E:212:ASP:HB2	1:F:150:VAL:CG1	2.47	0.45
1:D:74:SER:H	1:D:82:ASN:HD22	1.63	0.45
1:A:223:ALA:HB3	1:A:224:PRO:HD3	1.98	0.45
1:F:36:HIS:HB3	1:F:40:MET:HE3	1.98	0.45
1:B:158:LYS:HG3	5:B:7173:HOH:O	2.18	0.44
1:B:176:ILE:HG23	1:B:228:SER:HB3	1.99	0.44
1:A:176:ILE:O	1:A:176:ILE:CG2	2.65	0.44
1:B:249:ILE:O	1:B:253:ILE:HG12	2.18	0.44
1:E:77:LYS:HG2	1:E:208:PHE:CD1	2.53	0.44
1:E:236:GLU:CD	5:E:7142:HOH:O	2.59	0.43
1:D:187:MET:HB3	1:D:195:VAL:CG2	2.48	0.43
1:C:159:ASP:HA	1:C:160:PRO:HD2	1.92	0.43
1:F:223:ALA:HB3	1:F:224:PRO:HD3	2.01	0.43
1:B:12:TRP:CD1	1:C:35:GLN:HB2	2.53	0.43
1:C:40:MET:CE	1:C:40:MET:CG	2.94	0.43
1:E:37:GLY:HA2	1:E:224:PRO:O	2.19	0.43
1:E:159:ASP:OD2	1:E:161:ALA:HB3	2.19	0.43
1:D:26:LEU:CD1	1:D:106:LEU:HD22	2.49	0.42
1:B:116:LEU:HD13	1:B:131:ILE:HD11	2.01	0.42
1:D:223:ALA:HB3	1:D:224:PRO:HD3	2.01	0.42
1:A:139:ARG:CZ	1:A:144:GLN:OE1	2.67	0.42
1:E:40:MET:HG3	1:E:195:VAL:HG22	1.99	0.42
1:A:144:GLN:HE21	1:A:144:GLN:HB2	1.57	0.42
1:A:203:HIS:HB2	1:A:204:PRO:HD2	2.01	0.42
1:E:159:ASP:OD2	1:E:162:VAL:HG23	2.20	0.42
1:C:223:ALA:N	1:C:224:PRO:CD	2.82	0.42
1:B:223:ALA:N	1:B:224:PRO:CD	2.83	0.42
1:C:37:GLY:HA2	1:C:224:PRO:O	2.19	0.41
1:A:137:GLU:OE1	1:E:140:TYR:OH	2.38	0.41
1:A:176:ILE:O	1:A:176:ILE:HG22	2.21	0.41
1:D:236:GLU:CD	1:D:236:GLU:N	2.79	0.41
1:F:116:LEU:HD22	1:F:127:ILE:HG23	2.03	0.41
1:B:43:ASN:C	1:B:43:ASN:ND2	2.78	0.41
1:C:74:SER:H	1:C:82:ASN:HD22	1.68	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:35:GLN:HB2	1:E:12:TRP:CD1	2.56	0.41
1:A:77:LYS:HD3	1:A:212:ASP:OD2	2.21	0.41
1:B:139:ARG:HG3	5:B:7098:HOH:O	2.21	0.41
1:B:203:HIS:HB2	1:B:204:PRO:HD2	2.03	0.40
1:D:139:ARG:NH2	1:D:144:GLN:OE1	2.55	0.40
1:E:74:SER:H	1:E:82:ASN:HD22	1.69	0.40
1:E:172:LEU:N	1:E:172:LEU:CD2	2.78	0.40
1:B:35:GLN:HB2	1:C:12:TRP:CD1	2.57	0.40
1:C:40:MET:CE	1:C:40:MET:CB	3.00	0.40
1:E:212:ASP:HB2	1:F:150:VAL:HG13	2.03	0.40
1:E:239:GLU:HG2	5:E:7185:HOH:O	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:7197:HOH:O	5:B:7177:HOH:O[4_555]	2.18	0.02

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	255/260 (98%)	251 (98%)	4 (2%)	0	100	100
1	B	255/260 (98%)	250 (98%)	5 (2%)	0	100	100
1	C	255/260 (98%)	250 (98%)	5 (2%)	0	100	100
1	D	255/260 (98%)	251 (98%)	4 (2%)	0	100	100
1	E	255/260 (98%)	251 (98%)	4 (2%)	0	100	100
1	F	255/260 (98%)	252 (99%)	3 (1%)	0	100	100
All	All	1530/1560 (98%)	1505 (98%)	25 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	212/215 (99%)	209 (99%)	3 (1%)	59	52
1	B	212/215 (99%)	205 (97%)	7 (3%)	33	21
1	C	212/215 (99%)	205 (97%)	7 (3%)	33	21
1	D	212/215 (99%)	207 (98%)	5 (2%)	43	31
1	E	212/215 (99%)	208 (98%)	4 (2%)	50	41
1	F	212/215 (99%)	208 (98%)	4 (2%)	50	41
All	All	1272/1290 (99%)	1242 (98%)	30 (2%)	43	31

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	43	ASN
1	A	144	GLN
1	A	172	LEU
1	B	40	MET
1	B	43	ASN
1	B	116	LEU
1	B	158	LYS
1	B	172	LEU
1	B	176	ILE
1	B	255	GLU
1	C	40	MET
1	C	43	ASN
1	C	116	LEU
1	C	139	ARG
1	C	165	GLN
1	C	172	LEU
1	C	255	GLU
1	D	40	MET
1	D	43	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	172	LEU
1	D	177	GLU
1	D	235	ARG
1	E	40	MET
1	E	43	ASN
1	E	172	LEU
1	E	253	ILE
1	F	3	LYS
1	F	40	MET
1	F	43	ASN
1	F	116	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	43	ASN
1	A	82	ASN
1	B	43	ASN
1	B	82	ASN
1	C	43	ASN
1	C	76	GLN
1	C	82	ASN
1	D	43	ASN
1	D	82	ASN
1	E	43	ASN
1	E	144	GLN
1	F	43	ASN
1	F	76	GLN
1	F	82	ASN
1	F	144	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 22 ligands modelled in this entry, 12 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SO4	E	7003	-	4,4,4	0.24	0	6,6,6	0.32	0
4	SO4	B	7002	-	4,4,4	0.28	0	6,6,6	0.19	0
4	SO4	F	7004	-	4,4,4	0.26	0	6,6,6	0.27	0
4	SO4	D	7001	-	4,4,4	0.20	0	6,6,6	0.23	0
4	SO4	F	7010	-	4,4,4	0.24	0	6,6,6	0.13	0
4	SO4	C	7009	-	4,4,4	0.27	0	6,6,6	0.12	0
4	SO4	B	7008	-	4,4,4	0.26	0	6,6,6	0.09	0
4	SO4	A	7006	-	4,4,4	0.30	0	6,6,6	0.36	0
4	SO4	C	7005	-	4,4,4	0.27	0	6,6,6	0.29	0
4	SO4	A	7007	-	4,4,4	0.29	0	6,6,6	0.09	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.